Jeonggeun Moon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/684728/publications.pdf

Version: 2024-02-01

| | | 1307594 | 1058476 |
|----------|----------------|--------------|----------------|
| 17 | 197 | 7 | 14 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 18 | 18 | 18 | 293 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Clinical and Echocardiographic Predictors of Outcomes in Patients With Apical Hypertrophic Cardiomyopathy. American Journal of Cardiology, 2011, 108, 1614-1619. | 1.6 | 68 |
| 2 | Serum transaminase determined in the emergency room predicts outcomes in patients with acute ST-segment elevation myocardial infarction who undergo primary percutaneous coronary intervention. International Journal of Cardiology, 2014, 177, 442-447. | 1.7 | 40 |
| 3 | Comparison of Outcomes after Device Closure and Medication Alone in Patients with Patent Foramen Ovale and Cryptogenic Stroke in Korean Population. Yonsei Medical Journal, 2016, 57, 621. | 2.2 | 12 |
| 4 | Prognostic Impact of Combined Contrast-Induced Acute Kidney Injury and Hypoxic Liver Injury in Patients with ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Results from INTERSTELLAR Registry. PLoS ONE, 2016, 11, e0159416. | 2.5 | 11 |
| 5 | Comparison of Intracardiac Echocardiography and Transesophageal Echocardiography for Image Guidance in Percutaneous Patent Foramen Ovale Closure. Medicina (Lithuania), 2020, 56, 401. | 2.0 | 9 |
| 6 | Comparison of Outcomes after Device Closure with Transseptal Puncture and Standard Technique in Patients with Patent Foramen Ovale and Ischemic Events. Journal of Interventional Cardiology, 2016, 29, 400-405. | 1.2 | 7 |
| 7 | The role of abnormal metabolic conditions on arterial stiffness in healthy subjects with no drug treatment. Clinical Hypertension, 2016, 22, 13. | 2.0 | 7 |
| 8 | Prognostic Impact of Combined Dysglycemia and Hypoxic Liver Injury on Admission in Patients With ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention (from the INTERSTELLARÂCohort). American Journal of Cardiology, 2017, 119, 1179-1185. | 1.6 | 7 |
| 9 | Cardiac Structural or Functional Changes Associated with CHA ₂ DS ₂ -VASc Scores in Nonvalvular Atrial Fibrillation: A Cross-Sectional Study Using Echocardiography. Journal of Cardiovascular Imaging, 2018, 26, 135. | 0.7 | 7 |
| 10 | Residual Shunt after Patent Foramen Ovale Device Closure in Patients With Cryptogenic Stroke: Serial Bubble Contrast Transesophageal Echocardiography Data. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 347-353. | 1.6 | 7 |
| 11 | Prognostic impact of the combination of serum transaminase and alkaline phosphatase determined in the emergency room in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. PLoS ONE, 2020, 15, e0233286. | 2.5 | 7 |
| 12 | Anti-Anginal and Metabolic Effects of Carvedilol and Atenolol in Patients with Stable Angina Pectoris: A Prospective, Randomized, Parallel, Open-Label Study. American Journal of Cardiovascular Drugs, 2016, 16, 221-228. | 2.2 | 6 |
| 13 | Feasibility and Applicability of Wireless Handheld Ultrasound Measurement of Carotid Intima-Media Thickness in Patients with Cardiac Symptoms. Yonsei Medical Journal, 2020, 61, 129. | 2.2 | 3 |
| 14 | Clinical Implication of Hypoxic Liver Injury for Predicting Hypoxic Hepatitis and In-Hospital Mortality in ST Elevation Myocardial Infarction Patients. Yonsei Medical Journal, 2021, 62, 877. | 2.2 | 2 |
| 15 | The Thromboembolic Predictability of CHA2DS2-VASc Scores Using Different Echocardiographic Criteria for Congestive Heart Failure in Korean Patients with Nonvalvular Atrial Fibrillation. Journal of Clinical Medicine, 2022, 11, 300. | 2.4 | 2 |
| 16 | Pregnancy in Hypertrophic Cardiomyopathy with Severe Left Ventricular Outflow Tract Obstruction. Journal of Cardiovascular Imaging, 2016, 24, 158. | 0.8 | 1 |
| 17 | ABO Blood Type Is Associated with Thrombotic Risk in Patients with Nonvalvular Atrial Fibrillation. Journal of Clinical Medicine, 2022, 11 , 3064. | 2.4 | 1 |