

# Kristina Alexanderson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6851791/publications.pdf>

Version: 2024-02-01

312  
papers

8,543  
citations

50170

46  
h-index

79541

73  
g-index

314  
all docs

314  
docs citations

314  
times ranked

6520  
citing authors

#	ARTICLE	IF	CITATIONS
1	Overall and diagnosis-specific sickness absence and disability pension in colorectal cancer survivors and references in Sweden. <i>Journal of Cancer Survivorship</i> , 2022, 16, 269-278.	1.5	2
2	Trajectories of sickness absence and disability pension days among people with multiple sclerosis by type of occupation. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1402-1413.	1.4	3
3	Trends in Associations Between Sickness Absence Before the Age of 65 and Being in Paid Work After the Age of 65: Prospective Study of Three Total Population Cohorts. <i>Journal of Aging and Social Policy</i> , 2022, , 1-24.	0.9	0
4	Trajectory analyses in insurance medicine studies: Examples and key methodological aspects and pitfalls. <i>PLoS ONE</i> , 2022, 17, e0263810.	1.1	8
5	Work stress and loss of years lived without chronic disease: an 18-year follow-up of 1.5 million employees in Denmark. <i>European Journal of Epidemiology</i> , 2022, 37, 389-400.	2.5	7
6	Clustering of social disadvantage with attention-deficit/hyperactivity disorder in young adults: A register-based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	0.8	1
7	Self-employment, sickness absence, and disability pension in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 283-294.	1.0	2
8	Sickness absence among privately employed white-collar workers: A total population study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 159-167.	1.2	5
9	Sickness absence, disability pension and economic situation after a spontaneous subarachnoid haemorrhage among people of working age: a Swedish longitudinal nationwide cohort study. <i>BMJ Open</i> , 2021, 11, e040941.	0.8	4
10	Oncologists'™ experiences of and prerequisites for sickness certification tasks: A nationwide questionnaire study. <i>European Journal of Cancer Care</i> , 2021, 30, e13414.	0.7	2
11	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110027.	1.2	2
12	Work Participation among Women and Men in Sweden: A Register Study of 8.5 Million Individuals. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4642.	1.2	2
13	Long-term Socioeconomic Outcomes Associated With Pediatric-Onset Multiple Sclerosis. <i>JAMA Neurology</i> , 2021, 78, 478.	4.5	15
14	Cost-of-Illness Progression Before and After Diagnosis of Multiple Sclerosis: A Nationwide Register-Based Cohort Study in Sweden of People Newly Diagnosed with Multiple Sclerosis and a Population-Based Matched Reference Group. <i>Pharmacoeconomics</i> , 2021, 39, 835-851.	1.7	5
15	Predicting the duration of sickness absence due to knee osteoarthritis: a prognostic model developed in a population-based cohort in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 603.	0.8	3
16	1175Work stress and loss of years lived without chronic disease; an 18-year prospective cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	1
17	Healthcare use, sickness absence, and disability pension among colorectal cancer survivors and population references in Sweden. <i>Acta Oncologica</i> , 2021, 60, 1643-1650.	0.8	1
18	Sickness absence and disability pension among injured car occupants, and associations with injury and car safety factors: A prospective cohort study. <i>Accident Analysis and Prevention</i> , 2021, 159, 106262.	3.0	1

#	ARTICLE	IF	CITATIONS
19	Factors of decisive importance for being in work or not during two years after breast cancer surgery: content analysis of 462 women's open answers. <i>BMC Women's Health</i> , 2021, 21, 332.	0.8	7
20	Emotional demands at work and risk of long-term sickness absence in 1.5 million employees in Denmark: a prospective cohort study on effect modifiers. <i>Lancet Public Health</i> , The, 2021, 6, e752-e759.	4.7	13
21	Factors associated with general practitioners' contacts with sick-listed patients' employers: A Swedish nationwide questionnaire study. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110531.	1.2	1
22	Associations of sickness absence and disability pension due to mental and somatic diagnoses when aged 60-64 with paid work after the standard retirement age; a prospective population-based cohort study in Sweden. <i>BMC Public Health</i> , 2021, 21, 2322.	1.2	0
23	Sickness absence and disability pension among injured working-aged pedestrians - a population-based Swedish register study. <i>BMC Public Health</i> , 2021, 21, 2279.	1.2	3
24	Physicians' use of sickness certification guidelines: a nationwide survey of 13 750 physicians in different types of clinics in Sweden. <i>BMJ Open</i> , 2021, 11, e051555.	0.8	0
25	Job demands and control and sickness absence, disability pension and unemployment among 2,194,692 individuals in Sweden. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 125-133.	1.2	13
26	A follow-up of the introduction of a maximum entitlement period for receiving sickness benefits in Sweden: A nationwide register-based study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 144-154.	1.2	2
27	Healthcare, Sickness Absence, and Disability Pension Cost Trajectories in the First 5 Years After Diagnosis with Multiple Sclerosis: A Prospective Register-Based Cohort Study in Sweden. <i>Pharmacoeconomics - Open</i> , 2020, 4, 91-103.	0.9	13
28	Gender differences in treatment with antidepressants during first weeks of a sick-leave spell due to depressive episode. <i>European Journal of Public Health</i> , 2020, 30, 299-304.	0.1	2
29	Contribution of income and job strain to the association between education and cardiovascular disease in 1.6 million Danish employees. <i>European Heart Journal</i> , 2020, 41, 1164-1178.	1.0	33
30	Combinations of Job Demands and Job Control and Future Trajectories of Sickness Absence and Disability Pension An 11-year Follow-up of Two Million Employees in Sweden. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 795-802.	0.9	7
31	Self-rated health over a two-year period after breast cancer surgery: prospective ratings and retrospective rating by means of a healthline. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 35, 833-843.	1.0	3
32	Sequence analysis of sickness absence and disability pension in the year before and the three years following a bicycle crash; a nationwide longitudinal cohort study of 6353 injured individuals. <i>BMC Public Health</i> , 2020, 20, 1710.	1.2	8
33	Importance of early treatment decisions on future income of multiple sclerosis patients. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2020, 6, 205521732095911.	0.5	6
34	Productivity losses among people with back pain and among population-based references: a register-based study in Sweden. <i>BMJ Open</i> , 2020, 10, e036638.	0.8	11
35	Labor market exit around retirement age in Sweden and trajectories of psychotropic drugs in a context of downsizing. <i>BMC Public Health</i> , 2020, 20, 618.	1.2	4
36	Cost-of-illness trajectories among people with multiple sclerosis by comorbidity: A register-based prospective study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2020, 6, 205521732096859.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Sickness absence and disability pension in relation to first childbirth and in nulliparous women according to occupational groups: a cohort study of 492,504 women in Sweden. <i>BMC Public Health</i> , 2020, 20, 686.	1.2	5
38	Sickness absence and disability pension days in patients with cluster headache and matched references. <i>Neurology</i> , 2020, 94, e2213-e2221.	1.5	12
39	Predicting the duration of sickness absence spells due to back pain: a population-based study from Sweden. <i>Occupational and Environmental Medicine</i> , 2020, 77, 115-121.	1.3	8
40	Diagnosis-specific sickness absence and disability pension before and after multiple sclerosis diagnosis: An 8-year nationwide longitudinal cohort study with matched references. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 42, 102077.	0.9	7
41	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2486.	1.2	4
42	Job Demands and Job Control and Future Labor Market Situation. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 403-411.	0.9	5
43	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 410-416.	1.7	10
44	Persistent and changing job strain and risk of coronary heart disease. A population-based cohort study of 1.6 million employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 498-507.	1.7	13
45	Types of working-life sequences among people recently diagnosed with multiple sclerosis in Sweden: a nationwide register-based cohort study. <i>BMJ Open</i> , 2020, 10, e039228.	0.8	10
46	Childbirth, morbidity, sickness absence and disability pension: a population-based longitudinal cohort study in Sweden. <i>BMJ Open</i> , 2020, 10, e037726.	0.8	0
47	Childbirth, morbidity, sickness absence and disability pension: a population-based longitudinal cohort study in Sweden. <i>BMJ Open</i> , 2020, 10, e037726.	0.8	3
48	Gender segregation of occupations and sustainable employment: A prospective population-based cohort study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 348-356.	1.2	9
49	Age, period, and cohort effects for future employment, sickness absence, and disability pension by occupational gender segregation: a population-based study of all employed people in a country (>â€%3) Tj ETQq11i0.784314 rgBT /		
50	Gender differences in healthcare management of depression: aspects of sick leave and treatment with psychoactive drugs in a Swedish setting. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 441-450.	0.7	7
51	Bicycle crashes and sickness absence - a population-based Swedish register study of all individuals of working ages. <i>BMC Public Health</i> , 2019, 19, 943.	1.2	8
52	Costs of illness progression for different multiple sclerosis phenotypes: a population-based study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731985838.	0.5	11
53	Cluster headache. <i>Neurology</i> , 2019, 93, e404-e413.	1.5	14
54	Validation of multiple sclerosis diagnoses in the Swedish National Patient Register. <i>European Journal of Epidemiology</i> , 2019, 34, 1161-1169.	2.5	19

#	ARTICLE	IF	CITATIONS
55	Changes in the gender segregation of occupations in Sweden between 2003 and 2011. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 344-347.	1.2	6
56	Sickness absence, disability pension and permanent medical impairment among 64 000 injured car occupants of working ages: A two-year prospective cohort study. <i>Accident Analysis and Prevention</i> , 2019, 127, 35-41.	3.0	10
57	Respectful encounters from healthcare professionals and return to work among 9032 long-term sick-listed due to cancer or due to other diagnoses: results from a Swedish population-based survey. <i>Supportive Care in Cancer</i> , 2019, 27, 3555-3561.	1.0	3
58	Cognitive function predicts work disability among multiple sclerosis patients. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731882213.	0.5	12
59	A prediction model for duration of sickness absence due to stress-related disorders. <i>Journal of Affective Disorders</i> , 2019, 250, 9-15.	2.0	9
60	Trajectories of future sickness absence and disability pension days among individuals with a new sickness absence spell due to osteoarthritis diagnosis ≥21 days: a prospective cohort study with 13-month follow-up. <i>BMJ Open</i> , 2019, 9, e030054.	0.8	7
61	Sickness absence and disability pension before and after first childbirth and in nulliparous women: longitudinal analyses of three cohorts in Sweden. <i>BMJ Open</i> , 2019, 9, e031593.	0.8	8
62	Earnings among people with multiple sclerosis compared to references, in total and by educational level and type of occupation: a population-based cohort study at different points in time. <i>BMJ Open</i> , 2019, 9, e024836.	0.8	15
63	Sickness absence and disability pension before and after first childbirth and in nulliparous women by numerical gender segregation of occupations: A Swedish population-based longitudinal cohort study. <i>PLoS ONE</i> , 2019, 14, e0226198.	1.1	5
64	Trajectories of sickness absence and disability pension before and after opioid initiation for noncancer pain: a 10-year population-based study. <i>Pain</i> , 2019, 160, 1224-1233.	2.0	10
65	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019, 29, 267-272.	0.1	28
66	Cognitive function is a major determinant of income among multiple sclerosis patients in Sweden acting independently from physical disability. <i>Multiple Sclerosis Journal</i> , 2019, 25, 104-112.	1.4	37
67	Work Disability Trajectories Among Individuals with a Sick-Leave Spell Due to Depressive Episode ≥21 Days: A Prospective Cohort Study with 13-Month Follow Up. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 678-690.	1.2	11
68	Sick leave before and after the age of 65 years among those in paid work in Sweden in 2000 or 2005: a register-based cohort study. <i>Journal of International Medical Research</i> , 2018, 46, 564-577.	0.4	9
69	Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2018, 8, e019749.	0.8	6
70	Occupational status among adult survivors following allogeneic stem cell transplantation in childhood. <i>European Journal of Cancer Care</i> , 2018, 27, e12808.	0.7	6
71	Antipsychotics and mortality in a nationwide cohort of 29,823 patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 197, 274-280.	1.1	179
72	Costs of illness of multiple sclerosis in Sweden: a population-based register study of people of working age. <i>European Journal of Health Economics</i> , 2018, 19, 435-446.	1.4	29

#	ARTICLE	IF	CITATIONS
73	Comparing costs of illness of multiple sclerosis in three different years: A population-based study. <i>Multiple Sclerosis Journal</i> , 2018, 24, 520-528.	1.4	16
74	Sickness absence following breast cancer surgery: a two-year follow-up cohort study. <i>Scandinavian Journal of Caring Sciences</i> , 2018, 32, 715-724.	1.0	8
75	Downsizing and purchases of psychotropic drugs: A longitudinal study of stayers, changers and unemployed. <i>PLoS ONE</i> , 2018, 13, e0203433.	1.1	11
76	General practitioners' use of sickness certification guidelines in Sweden at introduction and four years later: a survey study. <i>International Journal for Quality in Health Care</i> , 2018, 30, 429-436.	0.9	6
77	Trajectories of disposable income among people of working ages diagnosed with multiple sclerosis: a nationwide register-based cohort study in Sweden 7 years before to 4 years after diagnosis with a population-based reference group. <i>BMJ Open</i> , 2018, 8, e020392.	0.8	13
78	Disposable income trajectories of working-aged individuals with diagnosed multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 490-499.	1.0	4
79	Duration of sickness absence following a bicycle crash, by injury type and injured body region: A nationwide register-based study. <i>Journal of Transport and Health</i> , 2018, 9, 275-281.	1.1	13
80	Costs and quality of life by disability among people with multiple sclerosis: a register-based study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2018, 4, 205521731878335.	0.5	12
81	Trajectories of antidepressant medication use in individuals before and after being granted disability pension due to common mental disorders- a nationwide register-based study. <i>BMC Psychiatry</i> , 2018, 18, 47.	1.1	9
82	Assessing the degree of residual confounding: a cohort study on the association between disability pension and mortality. <i>European Journal of Public Health</i> , 2018, 28, 836-841.	0.1	2
83	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	21
84	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018, 75, 486-493.	1.3	26
85	Life satisfaction of women of working age shortly after breast cancer surgery. <i>Quality of Life Research</i> , 2017, 26, 673-684.	1.5	18
86	Days of sick leave and inpatient care at the time of pregnancy and childbirth in relation to maternal age. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 222-229.	1.2	8
87	Permanent work disability before and after ischaemic heart disease or stroke event: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2017, 7, e017910.	0.8	14
88	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	1.6	18
89	Sleep Duration, Mortality, and Heredity—A Prospective Twin Study. <i>Sleep</i> , 2017, 40, .	0.6	13
90	Night work and prostate cancer in men: a Swedish prospective cohort study. <i>BMJ Open</i> , 2017, 7, e015751.	0.8	22

#	ARTICLE	IF	CITATIONS
91	Internalizing and externalizing problems in childhood and adolescence as predictors of work incapacity in young adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1159-1168.	1.6	62
92	Transitions Between Compensated Work Disability, Joblessness, and Self-Sufficiency: A Cohort Study 1997â€”2010 of Those Jobless in 1995. <i>Population Research and Policy Review</i> , 2017, 36, 85-107.	1.0	2
93	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. <i>American Journal of Epidemiology</i> , 2017, 186, 709-718.	1.6	19
94	Health assessments for health governanceâ€”concepts and methodologies. <i>European Journal of Public Health</i> , 2017, 27, 609-616.	0.1	11
95	Neurologists dealing with sickness certification: Experiences of problems and need of competence. <i>Brain and Behavior</i> , 2017, 7, e00845.	1.0	4
96	Income in Multiple Sclerosis Patients with Different Disease Phenotypes. <i>PLoS ONE</i> , 2017, 12, e0169460.	1.1	13
97	Sickness Absence and Disability Pension After Breast Cancer Diagnosis: A 5-Year Nationwide Cohort Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 2044-2052.	0.8	24
98	The External Validity of Mapping MSIS-29 on EQ-5D Among Individuals With Multiple Sclerosis in Sweden. <i>MDM Policy and Practice</i> , 2017, 2, 238146831769280.	0.5	3
99	Morbidity and suicide mortality following sick leave in relation to changes of social insurance regulations in Sweden. <i>European Journal of Public Health</i> , 2016, 26, 1061-1069.	0.1	12
100	Obstetricians/Gynecologistsâ€™ Problems in Sickness Certification Consultations: Two Nationwide Surveys. <i>Obstetrics and Gynecology International</i> , 2016, 2016, 1-11.	0.5	5
101	Cost of Illness of Multiple Sclerosis - A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0159129.	1.1	131
102	Expecting the best and being prepared for the worst: structure, profiles, and 2â€”year temporal stability of dispositional optimism in women with breast cancer. <i>Psycho-Oncology</i> , 2016, 25, 957-963.	1.0	16
103	Sickness presence in the Swedish Police in 2007 and in 2010: Associations with demographic factors, job characteristics, and health. <i>Work</i> , 2016, 54, 379-387.	0.6	11
104	Can breast cancer register data on recommended adjuvant treatment be used as a proxy for actually given treatment?. <i>European Journal of Oncology Nursing</i> , 2016, 22, 1-7.	0.9	6
105	Genetic and Environmental Influences on Disability Pension Due To Mental Diagnoses: Limited Importance of Major Depression, Generalized Anxiety, and Chronic Fatigue. <i>Twin Research and Human Genetics</i> , 2016, 19, 10-16.	0.3	9
106	Healthcare managersâ€™ construction of the manager role in relation to the medical profession. <i>Journal of Health Organization and Management</i> , 2016, 30, 421-440.	0.6	19
107	What positive encounters with healthcare and social insurance staff promotes ability to return to work of long-term sickness absentees?. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 91-97.	1.2	13
108	Conditional Disease Development extracted from Longitudinal Health Care Cohort Data using Layered Network Construction. <i>Scientific Reports</i> , 2016, 6, 26170.	1.6	15

#	ARTICLE	IF	CITATIONS
109	Longitudinal changes in sickness absence and disability pension, and associations between disability pension and disease-specific and contextual factors and functioning, in people with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2016, 367, 319-325.	0.3	15
110	How does work disability of patients with MS develop before and after diagnosis? A nationwide cohort study with a reference group. <i>BMJ Open</i> , 2016, 6, e012731.	0.8	21
111	Disability pension due to common mental disorders and subsequent suicidal behaviour: a population-based prospective cohort study. <i>BMJ Open</i> , 2016, 6, e010152.	0.8	15
112	A study to examine the influence of health professionals' advice and support on work capacity and sick leave after breast cancer surgery. <i>Supportive Care in Cancer</i> , 2016, 24, 4141-4148.	1.0	11
113	Occurrence of sickness absence and disability pension in relation to childbirth: A 16-year follow-up study of 6323 Swedish twins. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 98-105.	1.2	12
114	Prescribed psychiatric medication among multiple sclerosis patients before and after disability pension: a register study with matched controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1047-1054.	1.6	2
115	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 580-586.	1.2	10
116	Changes in importance of work and vocational satisfaction during the 2 years after breast cancer surgery and factors associated with this. <i>Journal of Cancer Survivorship</i> , 2016, 10, 564-572.	1.5	11
117	Mortality and Cumulative Exposure to Antipsychotics, Antidepressants, and Benzodiazepines in Patients With Schizophrenia: An Observational Follow-Up Study. <i>American Journal of Psychiatry</i> , 2016, 173, 600-606.	4.0	160
118	Consistency of Breast and Arm Symptoms During the First Two Years After Breast Cancer Surgery. <i>Oncology Nursing Forum</i> , 2015, 42, 145-155.	0.5	3
119	Is disability pension a risk indicator for future need of psychiatric healthcare or suicidal behavior among MS patients- a nationwide register study in Sweden?. <i>BMC Psychiatry</i> , 2015, 15, 286.	1.1	6
120	Work Disability Before and After Diabetes Diagnosis: A Nationwide Population-Based Register Study in Sweden. <i>American Journal of Public Health</i> , 2015, 105, e22-e29.	1.5	35
121	Heterogeneity of sickness absence and disability pension trajectories among individuals with MS. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2015, 1, 205521731559563.	0.5	13
122	Influence of Retirement on Adherence to Statins in the Insurance Medicine All-Sweden Total Population Data Base. <i>PLoS ONE</i> , 2015, 10, e0130901.	1.1	11
123	Earnings and Financial Compensation from Social Security Systems Correlate Strongly with Disability for Multiple Sclerosis Patients. <i>PLoS ONE</i> , 2015, 10, e0145435.	1.1	32
124	Physical activity following a breast cancer diagnosis: Implications for self-rated health and cancer-related symptoms. <i>European Journal of Oncology Nursing</i> , 2015, 19, 680-685.	0.9	33
125	Childbirth, hospitalisation and sickness absence: a study of female twins. <i>BMJ Open</i> , 2015, 5, e006033-e006033.	0.8	12
126	Night work and breast cancer in women: a Swedish cohort study. <i>BMJ Open</i> , 2015, 5, e008127-e008127.	0.8	75



#	ARTICLE	IF	CITATIONS
127	Sickness absence and the time-varying excess risk of premature death: a Swedish population-based prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1052-1057.	2.0	4
128	Sources and level of income among individuals with multiple sclerosis compared to the general population: A nationwide population-based study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1730-1741.	1.4	25
129	Antipsychotic Treatment and Mortality in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 656-663.	2.3	166
130	Functional impairment due to bereavement after the death of adolescent or young adult offspring in a national population study of 1,051,515 parents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1249-1256.	1.6	45
131	Sick-leave measures, socio-demographic factors and health care as risk indicators for suicidal behavior in patients with depressive disorders – a nationwide prospective cohort study in Sweden. <i>Journal of Affective Disorders</i> , 2015, 173, 201-210.	2.0	18
132	Disability pension after coronary revascularization: a prospective nationwide register-based Swedish cohort study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 304-311.	0.8	12
133	Occupational health physicians have better work conditions for handling sickness certification compared with general practitioners: Results from a nationwide survey in Sweden. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 35-43.	1.2	9
134	Trajectories of Anxiety Among Women with Breast Cancer: A Proxy for Adjustment from Acute to Transitional Survivorship. <i>Journal of Psychosocial Oncology</i> , 2015, 33, 603-619.	0.6	42
135	The actions of the social insurance agency regarding long-term sickness absentees before and after a medical assessment – a study of 384 case files. <i>Disability and Rehabilitation</i> , 2015, 37, 1683-1691.	0.9	5
136	Trends of Diagnosis-Specific Work Disability After Newly Diagnosed Diabetes: A 4-Year Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2015, 38, 1883-1890.	4.3	14
137	Problems with sickness certification tasks: experiences from physicians in different clinical settings. A cross-sectional nationwide study in Sweden. <i>BMC Health Services Research</i> , 2015, 15, 321.	0.9	20
138	Prevalence of All-Cause and Diagnosis-Specific Disability Pension at the Time of First Coronary Revascularisation: A Population-Based Swedish Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0115540.	1.1	8
139	Disability Pension at the Time of Coronary Revascularisation Is Associated with Higher Five-Year Mortality; A Swedish Nationwide, Register-Based Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0135277.	1.1	2
140	Trajectories of Work-Related Functional Impairment prior to Suicide. <i>PLoS ONE</i> , 2015, 10, e0139937.	1.1	8
141	Sickness certification in primary care: a survey on views and practices among Swiss physicians. <i>Swiss Medical Weekly</i> , 2015, 145, w14201.	0.8	7
142	Risk Factors for Suicidal Behaviour in Individuals on Disability Pension Due to Common Mental Disorders - A Nationwide Register-Based Prospective Cohort Study in Sweden. <i>PLoS ONE</i> , 2014, 9, e98497.	1.1	17
143	Associations between Childbirth, Hospitalization and Disability Pension: A Cohort Study of Female Twins. <i>PLoS ONE</i> , 2014, 9, e101566.	1.1	12
144	Diagnosis-specific disability pension and risk of all-cause and cause-specific mortality – a cohort study of 4.9 million inhabitants in Sweden. <i>BMC Public Health</i> , 2014, 14, 1247.	1.2	22

#	ARTICLE	IF	CITATIONS
145	The role of familial factors in the associations between sickness absence and disability pension or mortality. <i>European Journal of Public Health</i> , 2014, 24, 106-110.	0.1	8
146	Future risk of labour market marginalization in young suicide attempters--a population-based prospective cohort study. <i>International Journal of Epidemiology</i> , 2014, 43, 1520-1530.	0.9	47
147	Part-time Work or Social Benefits as Predictors for Disability Pension: a Prospective Study of Swedish Twins. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 329-336.	0.8	13
148	Sickness absence and disability pension due to otoaudiological diagnoses: risk of premature death â€“ a nationwide prospective cohort study. <i>BMC Public Health</i> , 2014, 14, 137.	1.2	3
149	Changes in caseness of anxiety and depression in breast cancer patients during the first year following surgery: Patterns of transiency and severity of the distress response. <i>European Journal of Oncology Nursing</i> , 2014, 18, 598-604.	0.9	35
150	Are all-cause and diagnosis-specific sickness absence, and sick-leave duration risk indicators for suicidal behaviour? A nationwide register-based cohort study of 4.9 million inhabitants of Sweden. <i>Occupational and Environmental Medicine</i> , 2014, 71, 12-20.	1.3	34
151	Cross-national comparisons of sickness absence systems and statistics: towards common indicators. <i>European Journal of Public Health</i> , 2014, 24, 663-666.	0.1	28
152	Associations between number of sick-leave days and future all-cause and cause-specific mortality: a population-based cohort study. <i>BMC Public Health</i> , 2014, 14, 733.	1.2	19
153	Co-morbidities increase the risk of disability pension among MS patients: a population-based nationwide cohort study. <i>BMC Neurology</i> , 2014, 14, 117.	0.8	25
154	Associations between prognosed future work capacity among long-term sickness absentees and their actual work incapacity two years later. <i>Work</i> , 2014, 49, 245-255.	0.6	1
155	Psychiatric Diagnoses, Medication and Risk for Disability Pension in Multiple Sclerosis Patients; a Population-Based Register Study. <i>PLoS ONE</i> , 2014, 9, e104165.	1.1	25
156	Psychiatric Diagnoses and Risk of Suicidal Behaviour in Young Disability Pensioners: Prospective Cohort Studies of All 19-23 Year Olds in Sweden in 1995, 2000, and 2005, Respectively. <i>PLoS ONE</i> , 2014, 9, e111618.	1.1	11
157	Health care management of sickness certification tasks: results from two surveys to physicians. <i>BMC Research Notes</i> , 2013, 6, 207.	0.6	11
158	How Do Women Value Work Shortly After Breast Cancer Surgery and Are Their Valuations Associated With Being on Sick Leave?. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 391-399.	1.2	27
159	Examination of the construct validity of the Swedish version of Hospital Anxiety and Depression Scale in breast cancer patients. <i>Quality of Life Research</i> , 2013, 22, 2849-2856.	1.5	16
160	Reasons for and factors associated with issuing sickness certificates for longer periods than necessary: results from a nationwide survey of physicians. <i>BMC Public Health</i> , 2013, 13, 478.	1.2	7
161	Does feeling respected influence return to work? Cross-sectional study on sick-listed patientsâ€™ experiences of encounters with social insurance office staff. <i>BMC Public Health</i> , 2013, 13, 268.	1.2	19
162	Sickness absence due to otoaudiological diagnoses; a descriptive nationwide study. <i>BMC Public Health</i> , 2013, 13, 635.	1.2	9

#	ARTICLE	IF	CITATIONS
163	A prospective cohort study of disability pension due to mental diagnoses: the importance of health factors and behaviors. <i>BMC Public Health</i> , 2013, 13, 621.	1.2	17
164	Sickness absence due to gastroesophageal reflux diagnoses: a nationwide Swedish population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 17-26.	0.6	6
165	Health-related quality of life and symptoms in patients with experiences of health problems related to dental restorative materials. <i>Community Dentistry and Oral Epidemiology</i> , 2013, 41, 163-172.	0.9	4
166	Sickness absence due to musculoskeletal diagnoses and risk of diagnosis-specific disability pension: A nationwide Swedish prospective cohort study. <i>Pain</i> , 2013, 154, 933-941.	2.0	31
167	Sickness absence in relation to breast and arm symptoms shortly after breast cancer surgery. <i>Breast</i> , 2013, 22, 767-772.	0.9	13
168	Arm morbidity and sick leave among working women shortly after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2013, 17, 101-106.	0.9	7
169	Diagnosis-specific disability pension predicts suicidal behaviour and mortality in young adults: a nationwide prospective cohort study. <i>BMJ Open</i> , 2013, 3, e002286.	0.8	29
170	When do patients feel wronged? Empirical study of sick-listed patients' experiences with healthcare encounters. <i>European Journal of Public Health</i> , 2013, 23, 230-235.	0.1	30
171	Clinically Diagnosed Insomnia and Risk of All-Cause and Diagnosis-Specific Disability Pension: A Nationwide Cohort Study. <i>Sleep Disorders</i> , 2013, 2013, 1-9.	0.8	6
172	Duelling with doctors, restoring honour and avoiding shame? A cross-sectional study of sick-listed patients' experiences of negative healthcare encounters with special reference to feeling wronged and shame. <i>Journal of Medical Ethics</i> , 2013, 39, 654-657.	1.0	6
173	High prevalence of sickness absence and disability pension among multiple sclerosis patients: a nationwide population-based study. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1923-1930.	1.4	46
174	Adjustment and social support at work early after breast cancer surgery and its associations with sickness absence. <i>Psycho-Oncology</i> , 2013, 22, 2755-2762.	1.0	34
175	Problems experienced by gynecologists/obstetricians in sickness certification consultations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1007-1016.	1.3	6
176	Register-based data of psychosocial working conditions and occupational groups as predictors of disability pension due to musculoskeletal diagnoses: a prospective cohort study of 24 543 Swedish twins. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 268.	0.8	24
177	Psychological factors are related to return to work among long-term sickness absentees who have undergone a multidisciplinary medical assessment. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 186-191.	0.8	8
178	Lack of Adjustment Latitude at Work as a Trigger of Taking Sick Leave—A Swedish Case-Crossover Study. <i>PLoS ONE</i> , 2013, 8, e61830.	1.1	2
179	Genetic Susceptibility to Sickness Absence is Similar Among Women and Men: Findings From a Swedish Twin Cohort. <i>Twin Research and Human Genetics</i> , 2012, 15, 642-648.	0.3	39
180	Exposure to parental mortality and markers of morbidity, and the risks of attempted and completed suicide in offspring: an analysis of sensitive life periods. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 233-239.	2.0	86

#	ARTICLE	IF	CITATIONS
181	Physicians who experience sickness certification as a work environmental problem: where do they work and what specific problems do they have? A nationwide survey in Sweden. <i>BMJ Open</i> , 2012, 2, e000704.	0.8	12
182	Low Workload as a Trigger of Sick Leave. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 202-209.	0.9	3
183	Strategies used to handle stress by academic physicians at a university hospital. <i>Work</i> , 2012, 43, 183-193.	0.6	7
184	Disability Pension Among Swedish Twins—Prevalence Over 16 Years and Associations With Sociodemographic Factors in 1992. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 10-16.	0.9	20
185	Effects of Work and Lifestyle on Risk for Future Disability Pension Due to Low Back Diagnoses. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 1330-1336.	0.9	17
186	Sickness presenteeism is more than an alternative to sickness absence: results from the population-based SLOSH study. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 905-914.	1.1	58
187	Personality traits and life dissatisfaction as risk factors for disability pension due to low back diagnoses: A 30-year longitudinal cohort study of Finnish twins. <i>Journal of Psychosomatic Research</i> , 2012, 73, 289-294.	1.2	20
188	Reliance on social security benefits by Swedish patients with ill-health attributed to dental fillings: a register-based cohort study. <i>BMC Public Health</i> , 2012, 12, 713.	1.2	1
189	Activities and sources of income after a period of long-term sick leave - a population-based prospective cohort study. <i>BMC Public Health</i> , 2012, 12, 745.	1.2	18
190	Self-reported hearing difficulties, main income sources, and socio-economic status; a cross-sectional population-based study in Sweden. <i>BMC Public Health</i> , 2012, 12, 874.	1.2	18
191	Psychiatrists' work with sickness certification: frequency, experiences and severity of the certification tasks in a national survey in Sweden. <i>BMC Health Services Research</i> , 2012, 12, 362.	0.9	7
192	Hearing difficulties, ear-related diagnoses and sickness absence or disability pension - a systematic literature review. <i>BMC Public Health</i> , 2012, 12, 772.	1.2	10
193	Sickness Absence Due to Otoaudiological Diagnoses and Risk of Disability Pension: A Nationwide Swedish Prospective Cohort Study. <i>PLoS ONE</i> , 2012, 7, e29966.	1.1	31
194	Associations between sickness absence and harassment, threats, violence, or discrimination: A cross-sectional study of the Swedish Police. <i>Work</i> , 2012, 42, 83-92.	0.6	28
195	Sickness absence because of musculoskeletal diagnoses and risk of all-cause and cause-specific mortality: A nationwide Swedish cohort study. <i>Pain</i> , 2012, 153, 998-1005.	2.0	27
196	General practitioners' experiences with sickness certification: a comparison of survey data from Sweden and Norway. <i>BMC Family Practice</i> , 2012, 13, 10.	2.9	47
197	Challenging Evidence-based Decision-making: A Hypothetical Case Study about Return to Work. <i>Occupational Therapy International</i> , 2012, 19, 28-44.	0.3	14
198	Sickness Absence following Coronary Revascularisation. A National Study of Women and Men of Working Age in Sweden 1994–2006. <i>PLoS ONE</i> , 2012, 7, e40952.	1.1	16

#	ARTICLE	IF	CITATIONS
199	Sickness Presenteeism Predicts Suboptimal Self-Rated Health and Sickness Absence: A Nationally Representative Study of the Swedish Working Population. <i>PLoS ONE</i> , 2012, 7, e44721.	1.1	136
200	Sickness Absence Due to Specific Mental Diagnoses and All-Cause and Cause-Specific Mortality: A Cohort Study of 4.9 Million Inhabitants of Sweden. <i>PLoS ONE</i> , 2012, 7, e45788.	1.1	50
201	Work situation and sickness absence in the initial period after breast cancer surgery. <i>Acta Oncol</i> , 2011, 50, 282-288.	0.8	52
202	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011, 68, 729-733.	1.3	17
203	Return to work after breast cancer: Women's experiences of encounters with different stakeholders. <i>European Journal of Oncology Nursing</i> , 2011, 15, 267-274.	0.9	53
204	Respectful encounters and return to work: empirical study of long-term sick-listed patients' experiences of Swedish healthcare. <i>BMJ Open</i> , 2011, 1, e000246-e000246.	0.8	33
205	Health-Related and Sociodemographic Risk Factors for Disability Pension due to Low Back Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 488-496.	0.9	23
206	Disability, sickness, and unemployment benefits among long-term sickness absentees five years before, during, and after a multidisciplinary medical assessment. <i>Journal of Multidisciplinary Healthcare</i> , 2011, 4, 25.	1.1	12
207	Use and usefulness of guidelines for sickness certification: results from a national survey of all general practitioners in Sweden. <i>BMJ Open</i> , 2011, 1, e000303-e000303.	0.8	35
208	Negative encounters with social insurance officers' experiences of women and men on long-term sick leave. <i>International Journal of Social Welfare</i> , 2011, 20, 309-317.	1.0	18
209	Sickness Presenteeism Among Swedish Police Officers. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 17-22.	1.2	77
210	Physicians' messages in problematic sickness certification: a narrative analysis of case reports. <i>BMC Family Practice</i> , 2011, 12, 18.	2.9	7
211	Work-related psychosocial events as triggers of sick leave - results from a Swedish case-crossover study. <i>BMC Public Health</i> , 2011, 11, 175.	1.2	15
212	Stability and change in health behaviours as predictors for disability pension: a prospective cohort study of Swedish twins. <i>BMC Public Health</i> , 2011, 11, 678.	1.2	36
213	The attribution of work environment in explaining gender differences in long-term sickness absence: results from the prospective DREAM study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 703-705.	1.3	24
214	Future risk for disability pension among people with sickness absence due to otoaudiological diagnoses: a population-based cohort study with a 12-year follow-up. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 501-507.	1.2	8
215	How physicians have learned to handle sickness-certification cases. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 245-254.	1.2	15
216	Health-related risk factors for disability pensions due to musculoskeletal diagnoses: A 30-year Finnish twin cohort study. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 839-848.	1.2	38

#	ARTICLE	IF	CITATIONS
217	Frequency and severity of problems that general practitioners experience regarding sickness certification. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 227-233.	0.6	32
218	Genetic Liability to Disability Pension in Women and Men: A Prospective Population-Based Twin Study. <i>PLoS ONE</i> , 2011, 6, e23143.	1.1	63
219	What physicians want to learn about sickness certification: analyses of questionnaire data from 4019 physicians. <i>BMC Public Health</i> , 2010, 10, 61.	1.2	29
220	Sickness-certification practice in different clinical settings; a survey of all physicians in a country. <i>BMC Public Health</i> , 2010, 10, 752.	1.2	40
221	Are self-report of disability pension and long-term sickness absence accurate? Comparisons of self-reported interview data with national register data in a Swedish twin cohort. <i>BMC Public Health</i> , 2010, 10, 763.	1.2	56
222	Managers' perceptions of the manager role in relation to physicians: a qualitative interview study of the top managers in Swedish healthcare. <i>BMC Health Services Research</i> , 2010, 10, 271.	0.9	29
223	Health-selection mechanisms in the pathway towards a disability pension. <i>Work</i> , 2010, 37, 41-51.	0.6	13
224	When physicians get stuck in sick-listing consultations: A qualitative study of categories of sick-listing dilemmas. <i>Work</i> , 2010, 35, 137-142.	0.6	16
225	Sickness absence, social relations, and self-esteem: A qualitative study of the importance of relationships with family, workmates, and friends among persons initially long-term sickness absent due to back diagnoses. <i>Work</i> , 2010, 37, 187-197.	0.6	21
226	Methods for analysing individual changes in sick-leave diagnoses over time. <i>Work</i> , 2010, 36, 283-293.	0.6	3
227	Experiences of professionals participating in inter-organisational cooperation aimed at promoting clients' return to work. <i>Work</i> , 2010, 35, 143-151.	0.6	7
228	Does multidisciplinary assessment of long-term sickness absentees result in modification of sick-listing diagnoses?. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 657-663.	1.2	8
229	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-317.	2.0	50
230	Does Sickness Absence Due to Psychiatric Disorder Predict Cause-specific Mortality? A 16-Year Follow-up of the GAZEL Occupational Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 700-707.	1.6	36
231	Low level of adjustment latitude--a risk factor for sickness absence. <i>European Journal of Public Health</i> , 2010, 20, 682-688.	0.1	27
232	Exploring activity limitations and sick leave among patients with spinal pain participating in multidisciplinary rehabilitation. <i>Disability and Rehabilitation</i> , 2010, 32, 292-299.	0.9	3
233	Changes in sick-leave diagnoses over eleven years in a cohort of young adults initially sick-listed due to low back, neck, or shoulder diagnoses. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 423-428.	0.8	9
234	Stress factors affecting academic physicians at a university hospital. <i>Work</i> , 2009, 34, 305-313.	0.6	9

#	ARTICLE	IF	CITATIONS
235	A narrative insight into disability pensioners' work experiences in highly gender-segregated occupations. <i>Work</i> , 2009, 34, 251-261.	0.6	8
236	Self-reported Health among Employees in Relation to Sex Segregation at Work Sites. <i>Journal of Occupational Health</i> , 2009, 51, 223-231.	1.0	11
237	Issuing sickness certificates: A difficult task for physicians: A qualitative analysis of written statements in a Swedish survey. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 57-63.	1.2	33
238	Sickness absence with musculoskeletal or mental diagnoses, transition into disability pension and all-cause mortality: A 9-year prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 387-394.	1.2	36
239	Multidisciplinary investigations recognize high prevalence of co-morbidity of psychiatric and somatic diagnoses in long-term sickness absentees. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 35-42.	1.2	17
240	Multidisciplinary interventions: Review of studies of return to work after rehabilitation for low back pain. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 115-121.	0.8	138
241	Characteristics of sick-listing cases that physicians consider problematic – analyses of written case reports. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 250-255.	0.6	14
242	Mortality among disability pensioners in Norway and Sweden 1990–1996: Comparative prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 168-175.	1.2	23
243	Sickness absence among women and men in the police: A systematic literature review. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 310-319.	1.2	24
244	The panorama of future sick-leave diagnoses among young adults initially long-term sickness absent due to neck, shoulder, or back diagnoses. An 11-year prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, .	0.8	4
245	Predictors of return to work ten months after primary breast cancer surgery. <i>Acta Oncologica</i> , 2009, 48, 93-98.	0.8	112
246	Outcome of multidisciplinary investigations of long-term sickness absentees. <i>Disability and Rehabilitation</i> , 2009, 31, 131-137.	0.9	10
247	What factors predict full or partial return to work among sickness absentees with spinal pain participating in rehabilitation?. <i>Disability and Rehabilitation</i> , 2009, 31, 1318-1327.	0.9	25
248	Using Sickness Absence Records to Predict Future Depression in a Working Population: Prospective Findings From the GAZEL Cohort. <i>American Journal of Public Health</i> , 2009, 99, 1417-1422.	1.5	29
249	Problems in sickness certification of patients: A qualitative study on views of 26 physicians in Sweden. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 22-28.	0.6	80
250	Associations between strain in domestic work and self-rated health: A study of employed women in Sweden. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 21-27.	1.2	60
251	Mortality after long-term sickness absence: prospective cohort study. <i>European Journal of Public Health</i> , 2008, 18, 517-521.	0.1	34
252	The influence of household work and of having children on sickness absence among publicly employed women in Sweden. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 564-572.	1.2	31

#	ARTICLE	IF	CITATIONS
253	Perceived Physical Strain in Paid and Unpaid Work and the Work-Home Interface: The Associations with Musculoskeletal Pain and Fatigue Among Public Employees. <i>Women and Health</i> , 2008, 47, 21-44.	0.4	16
254	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a1469-a1469.	2.4	118
255	Gender differences in return to work patterns among sickness absentees and their associations with health: a prospective cohort study in The Netherlands. <i>International Journal of Rehabilitation Research</i> , 2008, 31, 327-336.	0.7	27
256	Positive experiences of encounters with healthcare and social insurance professionals among people on long-term sick leave. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 805-811.	0.8	34
257	Work-related sleep disturbances and sickness absence in the Swedish working population, 1993-1999. <i>Sleep</i> , 2008, 31, 1169-77.	0.6	39
258	Diagnosis-specific sick leave as a risk marker for disability pension in a Swedish population. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 915-920.	2.0	83
259	Gender differences in experiencing negative encounters with healthcare: A study of long-term sickness absentees. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 577-584.	1.2	38
260	Frequency and nature of problems associated with sickness certification tasks: A cross-sectional questionnaire study of 5455 physicians. <i>Scandinavian Journal of Primary Health Care</i> , 2007, 25, 178-185.	0.6	95
261	Encouraging Encounters. <i>Social Work in Health Care</i> , 2007, 46, 71-87.	0.8	36
262	Dealing with sickness certification – a survey of problems and strategies among general practitioners and orthopaedic surgeons. <i>BMC Public Health</i> , 2007, 7, 273.	1.2	70
263	Sickness absence and disability pension in a cohort of employees initially on long-term sick leave due to psychiatric disorders in Sweden. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 381-388.	1.6	90
264	Sick-listing as a Psychosocial Work Problem: A Survey of 3997 Swedish Physicians. <i>Journal of Occupational Rehabilitation</i> , 2007, 17, 398-408.	1.2	37
265	Appraised leadership styles, psychosocial work factors, and musculoskeletal pain among public employees. <i>International Archives of Occupational and Environmental Health</i> , 2007, 81, 19-30.	1.1	22
266	Self-reported musculoskeletal pain and working conditions among employees in the Swedish public sector. <i>Work</i> , 2007, 28, 33-46.	0.6	20
267	Obstetricians' attitudes and opinions on sickness absence and benefits during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 165-170.	1.3	25
268	Health in Sweden: The National Public Health Report 2005. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 3-10.	1.2	64
269	Pride, empowerment, and return to work: on the significance of promoting positive social emotions among sickness absentees. <i>Work</i> , 2006, 27, 57-65.	0.6	36
270	Risk of disability pension in relation to gender and age in a Swedish county; a 12-year population based, prospective cohort study. <i>Work</i> , 2006, 27, 173-9.	0.6	22



#	ARTICLE	IF	CITATIONS
271	Gatekeepers in sickness insurance: a systematic review of the literature on practices of social insurance officers. <i>Health and Social Care in the Community</i> , 2005, 13, 211-223.	0.7	26
272	Self-estimated life situation in patients on long-term sick leave. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 291-299.	0.8	107
273	Illness, disease, and sickness absence: an empirical test of differences between concepts of ill health. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 450-454.	2.0	100
274	Sickness certificates as a basis for decisions regarding entitlement to sickness insurance benefits. <i>Scandinavian Journal of Public Health</i> , 2005, 33, 314-320.	1.2	46
275	Chapter 2. Methods used for the systematic literature search and for the review of relevance, quality, and evidence of studies. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 31-35.	1.2	13
276	Risk factors for disability pension over 11 years in a cohort of young persons initially sick-listed with low back, neck, or shoulder diagnoses. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 272-278.	1.2	36
277	Chapter 1. Aim, background, key concepts, regulations, and current statistics. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 12-30.	1.2	141
278	Chapter 9. Consequences of being on sick leave. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 207-215.	1.2	124
279	Sickness absence due to musculoskeletal diagnoses: association with occupational gender segregation. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 94-101.	1.2	50
280	More and better research needed on sickness absence. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 321-323.	1.2	43
281	Chapter 11. Physicians' sick-listing practices. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 222-255.	1.2	90
282	Chapter 12. Future need for research. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 256-258.	1.2	48
283	Chapter 10. Sickness presence. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 216-221.	1.2	43
284	Chapter 8. Sick leave due to coronary artery disease or stroke. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 181-206.	1.2	48
285	Preface: Evidence based medicine and the Swedish Council on Technology Assessment in Health Care (SBU). <i>Scandinavian Journal of Public Health</i> , 2004, 32, 3-4.	1.2	70
286	Domestic strain: a hindrance in rehabilitation?. <i>Scandinavian Journal of Caring Sciences</i> , 2004, 18, 49-56.	1.0	29
287	Positive encounters with rehabilitation professionals reported by persons with experience of sickness absence. <i>Work</i> , 2004, 22, 247-54.	0.6	22
288	Prediction of future low levels of sickness absence among young persons sick listed with back, neck, or shoulder diagnoses. <i>Work</i> , 2004, 23, 159-67.	0.6	11

#	ARTICLE	IF	CITATIONS
289	Shame-inducing encounters. Negative emotional aspects of sickness-absentees' interactions with rehabilitation professionals. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 183-195.	1.2	50
290	Views of laypersons on the role employers play in return to work when sick-listed. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 11-20.	1.2	66
291	Be the fairest of them all: Challenges and recommendations for the treatment of gender in occupational health research. <i>American Journal of Industrial Medicine</i> , 2003, 43, 618-629.	1.0	312
292	Gender Differences in Sick Leave Related to Back Pain Diagnoses. <i>Spine</i> , 2003, 28, 385-389.	1.0	13
293	Title is missing!. <i>Spine</i> , 2003, 28, 385-389.	1.0	8
294	Sickness certification practices of physicians: a review of the literature. <i>Scandinavian Journal of Public Health</i> , 2003, 31, 460-474.	1.2	44
295	Influence of Pregnancy-Related Diagnoses on Sick-Leave Data in Women Aged 16-44. <i>Obstetrical and Gynecological Survey</i> , 2002, 57, 149-150.	0.2	1
296	A 12-year follow-up of subjects initially sicklisted with neck/shoulder or low back diagnoses. <i>Physiotherapy Research International</i> , 2001, 6, 52-63.	0.7	32
297	Influence of Pregnancy-Related Diagnoses on Sick-Leave Data in Women Aged 16-44. <i>Journal of Women's Health and Gender-Based Medicine</i> , 2001, 10, 707-714.	1.7	31
298	"It was really nice to have someone" - Lay people with musculoskeletal disorders request supportive relationships in rehabilitation. <i>Scandinavian Journal of Public Health</i> , 2001, 29, 285-291.	1.2	45
299	The relation of adult experience of domestic harassment, violence, and sexual abuse to health and sickness absence. <i>International Journal of Behavioral Medicine</i> , 2000, 7, 1-18.	0.8	24
300	An Assessment Protocol for Gender Analysis of Medical Literature. <i>Women and Health</i> , 1999, 29, 81-98.	0.4	11
301	How to measure sickness absence? Literature review and suggestion of five basic measures. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 133-144.	0.6	184
302	Gender trends in sick-listing with musculoskeletal symptoms in a Swedish county during a period of rapid increase in sickness absence. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 204-213.	0.6	72
303	Sickness absence: a review of performed studies with focused on levels of exposures and theories utilized. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 241-249.	0.6	119
304	Sick-leave among women and the role of psychiatric disorder. <i>Scandinavian Journal of Public Health</i> , 1997, 25, 185-192.	0.6	26
305	Sick-Leave due to Psychiatric Disorder: Higher Incidence among Women and Longer Duration for Men. <i>British Journal of Psychiatry</i> , 1996, 169, 740-746.	1.7	65
306	Sex differences in sickness absence in relation to parental status. <i>Scandinavian Journal of Public Health</i> , 1996, 24, 27-35.	0.6	47

#	ARTICLE	IF	CITATIONS
307	Impact of pregnancy on gender differences in sickness absence. <i>Scandinavian Journal of Public Health</i> , 1996, 24, 169-176.	0.6	54
308	Pregnancy-Related Sickness Absence Among Employed Women in a Swedish County. <i>Obstetrical and Gynecological Survey</i> , 1996, 51, 147-148.	0.2	0
309	Dilemmas in sickness certification among Swedish physicians. <i>European Journal of Public Health</i> , 1995, 5, 215-219.	0.1	64
310	Pregnancy-related sickness absence among employed women in a Swedish county. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995, 21, 191-198.	1.7	35
311	Epidemiology of Sickness Absence in a Swedish County in 1985, 1986 and 1987 <i>A Three Year Longitudinal Study with Focus on Gender, Age and Occupation</i>. <i>Scandinavian Journal of Public Health</i> , 1994, 22, 27-34.	0.6	121
312	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. , 0, .		1