

Li-Min Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6853545/publications.pdf>

Version: 2024-02-01

37
papers

572
citations

623734

14
h-index

677142

22
g-index

37
all docs

37
docs citations

37
times ranked

1119
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Cancer risk in patients with candidiasis: a nationwide population-based cohort study. <i>Oncotarget</i> , 2017, 8, 63562-63573. | 1.8 | 59 |
| 2 | Splenectomy and increased subsequent cancer risk: a nationwide population-based cohort study. <i>American Journal of Surgery</i> , 2015, 210, 243-251. | 1.8 | 44 |
| 3 | Calcitonin Nasal Spray and Increased Cancer Risk: A Population-Based Nested Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4259-4264. | 3.6 | 41 |
| 4 | Development of a prediction model for pancreatic cancer in patients with type 2 diabetes using logistic regression and artificial neural network models. <i>Cancer Management and Research</i> , 2018, Volume 10, 6317-6324. | 1.9 | 40 |
| 5 | Periodontal disease with treatment reduces subsequent cancer risks. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014, 107, 805-812. | 0.5 | 39 |
| 6 | Analysis of Parkinson's Disease and Subsequent Cancer Risk in Taiwan: A Nationwide Population-Based Cohort Study. <i>Neuroepidemiology</i> , 2011, 37, 114-119. | 2.3 | 31 |
| 7 | Statin Use Reduces Prostate Cancer All-Cause Mortality. <i>Medicine (United States)</i> , 2015, 94, e1644. | 1.0 | 30 |
| 8 | Risk of prostate and bladder cancers in patients with spinal cord injury: A population-based cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 51.e1-51.e7. | 1.6 | 25 |
| 9 | Hypertension and Subsequent Genitourinary and Gynecologic Cancers Risk. <i>Medicine (United States)</i> , 2015, 94, e753. | 1.0 | 23 |
| 10 | Infective Endocarditis and Cancer Risk. <i>Medicine (United States)</i> , 2016, 95, e3198. | 1.0 | 20 |
| 11 | Risk of mood disorders in patients with colorectal cancer. <i>Journal of Affective Disorders</i> , 2017, 218, 59-65. | 4.1 | 20 |
| 12 | Radiotherapy- and Chemotherapy-Induced Myelodysplasia Syndrome. <i>Medicine (United States)</i> , 2015, 94, e737. | 1.0 | 19 |
| 13 | Urinary tract infection increases subsequent urinary tract cancer risk: A population-based cohort study. <i>Cancer Science</i> , 2013, 104, 619-623. | 3.9 | 17 |
| 14 | A nationwide population-based cohort study on tonsillectomy and subsequent cancer incidence. <i>Laryngoscope</i> , 2015, 125, 134-139. | 2.0 | 16 |
| 15 | Development of a Prediction Model for Colorectal Cancer among Patients with Type 2 Diabetes Mellitus Using a Deep Neural Network. <i>Journal of Clinical Medicine</i> , 2018, 7, 277. | 2.4 | 15 |
| 16 | Urinary tract stone raises subsequent risk for urinary tract cancer: a population-based cohort study. <i>BJU International</i> , 2013, 112, 1150-1155. | 2.5 | 13 |
| 17 | Radiotherapy did not increase thyroid cancer risk among women with breast cancer: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2015, 137, 2896-2903. | 5.1 | 13 |
| 18 | Evaluation the consistency of location of moist desquamation and skin high dose area for breast cancer patients receiving adjuvant radiotherapy after breast conservative surgery. <i>Radiation Oncology</i> , 2013, 8, 50. | 2.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Suicide attempts in patients with head and neck cancer in Taiwan. <i>Psycho-Oncology</i> , 2020, 29, 1026-1035. | 2.3 | 12 |
| 20 | Nonalcoholic Cirrhosis Increased Risk of Digestive Tract Malignancies. <i>Medicine (United States)</i> , 2015, 94, e2080. | 1.0 | 11 |
| 21 | Long-Term Use of Tamoxifen Is Associated With a Decreased Subsequent Meningioma Risk in Patients With Breast Cancer: A Nationwide Population-Based Cohort Study. <i>Frontiers in Pharmacology</i> , 2019, 10, 674. | 3.5 | 11 |
| 22 | Field-in-field plan does not improve the dosimetric outcome compared with the wedged beams plan for breast cancer radiotherapy. <i>Medical Dosimetry</i> , 2014, 39, 79-82. | 0.9 | 9 |
| 23 | Risk of suicide attempts among colorectal cancer patients: A nationwide population-based matched cohort study. <i>Psycho-Oncology</i> , 2018, 27, 2794-2801. | 2.3 | 8 |
| 24 | The Performance of Different Artificial Intelligence Models in Predicting Breast Cancer among Individuals Having Type 2 Diabetes Mellitus. <i>Cancers</i> , 2019, 11, 1751. | 3.7 | 8 |
| 25 | Women with alopecia exhibit a higher risk for thyroid cancer: A nationwide cohort study. <i>Journal of Dermatological Science</i> , 2014, 74, 18-22. | 1.9 | 6 |
| 26 | Primary Breast Lymphoma Clinically Mimicking Acute Mastitis: A Case Report. <i>Tumori</i> , 2011, 97, 233-235. | 1.1 | 5 |
| 27 | Uterine Fibroids Increase the Risk of Thyroid Cancer. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3821. | 2.6 | 5 |
| 28 | Using a thermoluminescent dosimeter to evaluate the location reliability of the highest skin dose area detected by treatment planning in radiotherapy for breast cancer. <i>Medical Dosimetry</i> , 2014, 39, 348-353. | 0.9 | 4 |
| 29 | Evaluating the consistency of location of the most severe acute skin reaction and highest skin dose measured by thermoluminescent dosimeter during radiotherapy for breast cancer. <i>Medical Dosimetry</i> , 2016, 41, 216-220. | 0.9 | 4 |
| 30 | Cancer risk in patients with osteoporosis: a population-based cohort study. <i>Current Medical Research and Opinion</i> , 2017, 33, 733-739. | 1.9 | 4 |
| 31 | Primary breast lymphoma clinically mimicking acute mastitis: a case report. <i>Tumori</i> , 2011, 97, 233-5. | 1.1 | 4 |
| 32 | Estrogen decrease coronary artery disease risk in patients with cervical cancer after treatment. <i>Gynecologic Oncology</i> , 2012, 127, 186-190. | 1.4 | 3 |
| 33 | Authors' reply to radiotherapy did not increase thyroid cancer risk among women with breast cancer: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2016, 138, 1803-1804. | 5.1 | 1 |
| 34 | Primary infiltrating ductal carcinoma of the axillary breast with metastasis to the contralateral chest wall. <i>Journal of the Chinese Medical Association</i> , 2013, 76, 354-357. | 1.4 | 0 |
| 35 | Does use of tetracyclic antidepressant mirtazapine reduce cancer risk in depression patients?. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1292-1297. | 1.9 | 0 |
| 36 | Uterine myoma is associated with an increased risk of lung cancer: A nationwide population-based cohort study. <i>International Journal of Clinical Practice</i> , 2021, 75, e14065. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Adjuvant radiotherapy did not increase the risk of coronary heart disease in patients with non-metastatic breast cancer. Postgraduate Medicine, 2021, , 1-7. | 2.0 | 0 |