

Herbert C Morse Iii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6860443/publications.pdf>

Version: 2024-02-01

258
papers

16,815
citations

15495

65
h-index

18115

120
g-index

262
all docs

262
docs citations

262
times ranked

19172
citing authors

#	ARTICLE	IF	CITATIONS
1	TRIM family proteins and their emerging roles in innate immunity. <i>Nature Reviews Immunology</i> , 2008, 8, 849-860.	10.6	901
2	A Critical Role for IL-21 in Regulating Immunoglobulin Production. <i>Science</i> , 2002, 298, 1630-1634.	6.0	873
3	Immunodeficiency and Chronic Myelogenous Leukemia-like Syndrome in Mice with a Targeted Mutation of the ICSBP Gene. <i>Cell</i> , 1996, 87, 307-317.	13.5	615
4	Regulation of B Cell Differentiation and Plasma Cell Generation by IL-21, a Novel Inducer of Blimp-1 and Bcl-6. <i>Journal of Immunology</i> , 2004, 173, 5361-5371.	0.4	588
5	New genes involved in cancer identified by retroviral tagging. <i>Nature Genetics</i> , 2002, 32, 166-174.	9.4	393
6	ICSBP Is Essential for the Development of Mouse Type I Interferon-producing Cells and for the Generation and Activation of CD8 α^+ Dendritic Cells. <i>Journal of Experimental Medicine</i> , 2002, 196, 1415-1425.	4.2	389
7	Bethesda proposals for classification of nonlymphoid hematopoietic neoplasms in mice. <i>Blood</i> , 2002, 100, 238-245.	0.6	387
8	AID is required for germinal center-derived lymphomagenesis. <i>Nature Genetics</i> , 2008, 40, 108-112.	9.4	340
9	Retroviral induction of acute lymphoproliferative disease and profound immunosuppression in adult C57BL/6 mice. <i>Journal of Experimental Medicine</i> , 1985, 161, 766-784.	4.2	327
10	BORIS, a novel male germ-line-specific protein associated with epigenetic reprogramming events, shares the same 11-zinc-finger domain with CTCF, the insulator protein involved in reading imprinting marks in the soma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6806-6811.	3.3	319
11	PNPASE Regulates RNA Import into Mitochondria. <i>Cell</i> , 2010, 142, 456-467.	13.5	313
12	Bethesda proposals for classification of lymphoid neoplasms in mice. <i>Blood</i> , 2002, 100, 246-258.	0.6	310
13	Allelic exclusion in transgenic mice that express the membrane form of immunoglobulin mu. <i>Science</i> , 1987, 236, 816-819.	6.0	308
14	Induction of cytotoxic T-cell responses in vivo in the absence of CD4 helper cells. <i>Nature</i> , 1987, 328, 77-79.	13.7	292
15	A critical role for IL-21 receptor signaling in the pathogenesis of systemic lupus erythematosus in BXSB-Yaa mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1518-1523.	3.3	268
16	The novel BORIS + CTCF gene family is uniquely involved in the epigenetics of normal biology and cancer. <i>Seminars in Cancer Biology</i> , 2002, 12, 399-414.	4.3	245
17	Retrovirus-induced immunodeficiency in the mouse. <i>Aids</i> , 1992, 6, 607-622.	1.0	224
18	Burkitt Lymphoma in the Mouse. <i>Journal of Experimental Medicine</i> , 2000, 192, 1183-1190.	4.2	195

#	ARTICLE	IF	CITATIONS
19	Cutting Edge: Autoantigen Ro52 Is an Interferon Inducible E3 Ligase That Ubiquitinates IRF-8 and Enhances Cytokine Expression in Macrophages. <i>Journal of Immunology</i> , 2007, 179, 26-30.	0.4	178
20	Conditional Expression of the CTCF-Paralogous Transcriptional Factor BORIS in Normal Cells Results in Demethylation and Derepression of MAGE-A1 and Reactivation of Other Cancer-Testis Genes. <i>Cancer Research</i> , 2005, 65, 7751-7762.	0.4	177
21	Autoantibodies to myelin basic protein catalyze site-specific degradation of their antigen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 281-286.	3.3	175
22	Regulation of the germinal center gene program by interferon (IFN) regulatory factor 8/IFN consensus sequence-binding protein. <i>Journal of Experimental Medicine</i> , 2006, 203, 63-72.	4.2	162
23	Interferon (IFN) Consensus Sequence-binding Protein, a Transcription Factor of the IFN Regulatory Factor Family, Regulates Immune Responses In Vivo through Control of Interleukin 12 Expression. <i>Journal of Experimental Medicine</i> , 1997, 186, 1535-1546.	4.2	153
24	The BXH2 mutation in IRF8 differentially impairs dendritic cell subset development in the mouse. <i>Blood</i> , 2008, 111, 1942-1945.	0.6	153
25	Immunoglobulin Class Switch Recombination Is Impaired in Atm-deficient Mice. <i>Journal of Experimental Medicine</i> , 2004, 200, 1111-1121.	4.2	152
26	Tumor-associated zinc finger mutations in the CTCF transcription factor selectively alter its DNA-binding specificity. <i>Cancer Research</i> , 2002, 62, 48-52.	0.4	141
27	Gene Disruption Study Reveals a Nonredundant Role for TRIM21/Ro52 in NF- κ B-Dependent Cytokine Expression in Fibroblasts. <i>Journal of Immunology</i> , 2009, 182, 7527-7538.	0.4	139
28	Vitamin A deficiency in mice causes a systemic expansion of myeloid cells. <i>Blood</i> , 2000, 95, 3349-3356.	0.6	135
29	Overexpression of <i>Eg5</i> Causes Genomic Instability and Tumor Formation in Mice. <i>Cancer Research</i> , 2007, 67, 10138-10147.	0.4	133
30	Abnormal tyrosine phosphorylation on T-cell receptor in lymphoproliferative disorders. <i>Nature</i> , 1986, 324, 674-676.	13.7	131
31	The transcription factors IRF8 and PU.1 negatively regulate plasma cell differentiation. <i>Journal of Experimental Medicine</i> , 2014, 211, 2169-2181.	4.2	126
32	IL-6 transgenic mouse model for extraosseous plasmacytoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1509-1514.	3.3	123
33	IRF8 regulates B-cell lineage specification, commitment, and differentiation. <i>Blood</i> , 2008, 112, 4028-4038.	0.6	118
34	In vivo treatment with interleukin 12 protects mice from immune abnormalities observed during murine acquired immunodeficiency syndrome (MAIDS).. <i>Journal of Experimental Medicine</i> , 1994, 180, 2199-2208.	4.2	112
35	Recognition and Degradation of Myelin Basic Protein Peptides by Serum Autoantibodies: Novel Biomarker for Multiple Sclerosis. <i>Journal of Immunology</i> , 2008, 180, 1258-1267.	0.4	111
36	The Transcription Factor IRF8 Activates Integrin-Mediated TGF- β 2 Signaling and Promotes Neuroinflammation. <i>Immunity</i> , 2014, 40, 187-198.	6.6	111

#	ARTICLE	IF	CITATIONS
37	Correlation of cell-surface phenotype with the establishment of interleukin 3-dependent cell lines from wild-mouse murine leukemia virus-induced neoplasms.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 6687-6691.	3.3	109
38	Langerhans cells are generated by two distinct PU.1-dependent transcriptional networks. Journal of Experimental Medicine, 2013, 210, 2967-2980.	4.2	109
39	Transcription factor IRF8 directs a silencing programme for TH17 cell differentiation. Nature Communications, 2011, 2, 314.	5.8	107
40	Dysregulated TCL1 promotes multiple classes of mature B cell lymphoma. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 14392-14397.	3.3	106
41	T cell-derived inducible nitric oxide synthase switches off TH17 cell differentiation. Journal of Experimental Medicine, 2013, 210, 1447-1462.	4.2	106
42	Insertion of c-Myc into Igh Induces B-Cell and Plasma-Cell Neoplasms in Mice. Cancer Research, 2005, 65, 1306-1315.	0.4	105
43	Regulation of Apoptosis in Myeloid Cells by Interferon Consensus Sequence-Binding Protein. Journal of Experimental Medicine, 1999, 190, 411-422.	4.2	104
44	IRF8 regulates myeloid and B lymphoid lineage diversification. Immunologic Research, 2009, 43, 109-17.	1.3	102
45	ICSBP is critically involved in the normal development and trafficking of Langerhans cells and dermal dendritic cells. Blood, 2004, 103, 2221-2228.	0.6	98
46	Cellular Motor Protein KIF-4 Associates with Retroviral Gag. Journal of Virology, 1999, 73, 10508-10513.	1.5	94
47	Functional Phosphorylation Sites in the C-Terminal Region of the Multivalent Multifunctional Transcriptional Factor CTCF. Molecular and Cellular Biology, 2001, 21, 2221-2234.	1.1	89
48	Cytosolic Nuclease TREX1 Regulates Oligosaccharyltransferase Activity Independent of Nuclease Activity to Suppress Immune Activation. Immunity, 2015, 43, 463-474.	6.6	85
49	A linkage map of mouse Chromosome 1 using an interspecific cross segregating for the gld autoimmunity mutation. Mammalian Genome, 1992, 2, 158-171.	1.0	83
50	Efficiency Alleles of the Pctr1 Modifier Locus for Plasmacytoma Susceptibility. Molecular and Cellular Biology, 2001, 21, 310-318.	1.1	82
51	Coordinate suppression of B cell lymphoma by PTEN and SHIP phosphatases. Journal of Experimental Medicine, 2010, 207, 2407-2420.	4.2	82
52	p85 recruitment by the CD300f phosphatidylserine receptor mediates apoptotic cell clearance required for autoimmunity suppression. Nature Communications, 2014, 5, 3146.	5.8	77
53	Stat5 Synergizes with T Cell Receptor/Antigen Stimulation in the Development of Lymphoblastic Lymphoma. Journal of Experimental Medicine, 2003, 193, 79-89.	4.2	76
54	Establishment of a molecular genetic map of distal mouse chromosome 1: Further definition of a conserved linkage group syntenic with human chromosome 1q. Genomics, 1988, 2, 48-56.	1.3	75

#	ARTICLE	IF	CITATIONS
55	IRF8 directs stress-induced autophagy in macrophages and promotes clearance of <i>Listeria monocytogenes</i> . <i>Nature Communications</i> , 2015, 6, 6379.	5.8	75
56	TNF receptor-associated factor (TRAF) domain and Bcl-2 cooperate to induce small B cell lymphoma/chronic lymphocytic leukemia in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 16600-16605.	3.3	74
57	Genetic nomenclature for loci controlling mouse lymphocyte antigens. <i>Immunogenetics</i> , 1987, 25, 71-78.	1.2	73
58	Mouse IgM Fc Receptor, FCMR, Promotes B Cell Development and Modulates Antigen-Driven Immune Responses. <i>Journal of Immunology</i> , 2013, 190, 987-996.	0.4	73
59	Emerging Functions of Natural IgM and Its Fc Receptor FCMR in Immune Homeostasis. <i>Frontiers in Immunology</i> , 2016, 7, 99.	2.2	72
60	Avian v-myc replaces chromosomal translocation in murine plasmacytomagenesis. <i>Science</i> , 1987, 235, 787-789.	6.0	71
61	HLA class I and II genotype of the NCI-60 cell lines. <i>Journal of Translational Medicine</i> , 2005, 3, 11.	1.8	71
62	High-Throughput Retroviral Tagging for Identification of Genes Involved in Initiation and Progression of Mouse Splenic Marginal Zone Lymphomas. <i>Cancer Research</i> , 2004, 64, 4419-4427.	0.4	70
63	IFN consensus sequence binding protein potentiates STAT1-dependent activation of IFN γ -responsive promoters in macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 91-96.	3.3	69
64	Expression of a Testis-Specific Form of <i>Gal3st1</i> (<i>CST</i>), a Gene Essential for Spermatogenesis, Is Regulated by the <i>CTCF</i> Paralogous Gene <i>BORIS</i> . <i>Molecular and Cellular Biology</i> , 2010, 30, 2473-2484.	1.1	69
65	Specific deletion of TRAF3 in B lymphocytes leads to B-lymphoma development in mice. <i>Leukemia</i> , 2012, 26, 1122-1127.	3.3	67
66	Increased susceptibility of Fas ligand-deficient <i>gld</i> mice to <i>Trypanosoma cruzi</i> infection due to a Th2-biased host immune response. <i>European Journal of Immunology</i> , 1999, 29, 81-89.	1.6	66
67	Accelerated Appearance of Multiple B Cell Lymphoma Types in NFS/N Mice Congenic for Ecotropic Murine Leukemia Viruses. <i>Laboratory Investigation</i> , 2000, 80, 159-169.	1.7	66
68	IFN Regulatory Factor 8 Restricts the Size of the Marginal Zone and Follicular B Cell Pools. <i>Journal of Immunology</i> , 2011, 186, 1458-1466.	0.4	66
69	A Reporter Mouse Reveals Lineage-Specific and Heterogeneous Expression of IRF8 during Lymphoid and Myeloid Cell Differentiation. <i>Journal of Immunology</i> , 2014, 193, 1766-1777.	0.4	65
70	The CXCR7 chemokine receptor promotes B-cell retention in the splenic marginal zone and serves as a sink for CXCL12. <i>Blood</i> , 2012, 119, 465-468.	0.6	64
71	Early generated B1 B cells with restricted BCRs become chronic lymphocytic leukemia with continued c-Myc and low Bmf expression. <i>Journal of Experimental Medicine</i> , 2016, 213, 3007-3024.	4.2	64
72	Murine hematopoietic cell surface antigen expression. <i>Trends in Immunology</i> , 1988, 9, 344-350.	7.5	63

#	ARTICLE	IF	CITATIONS
73	Myeloid-Derived Suppressor Cells Produce IL-10 to Elicit DNMT3b-Dependent IRF8 Silencing to Promote Colitis-Associated Colon Tumorigenesis. <i>Cell Reports</i> , 2018, 25, 3036-3046.e6.	2.9	63
74	CTCF functions as a critical regulator of cell-cycle arrest and death after ligation of the B cell receptor on immature B cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 633-638.	3.3	61
75	Eef1a2 Promotes Cell Growth, Inhibits Apoptosis and Activates JAK/STAT and AKT Signaling in Mouse Plasmacytomas. <i>PLoS ONE</i> , 2010, 5, e10755.	1.1	59
76	A novel isoform of the Ly108 gene ameliorates murine lupus. <i>Journal of Experimental Medicine</i> , 2011, 208, 811-822.	4.2	59
77	Myeloid Cell TRAF3 Regulates Immune Responses and Inhibits Inflammation and Tumor Development in Mice. <i>Journal of Immunology</i> , 2015, 194, 334-348.	0.4	59
78	The Structural Complexity of the Human BORIS Gene in Gametogenesis and Cancer. <i>PLoS ONE</i> , 2010, 5, e13872.	1.1	57
79	Binding of Murine Leukemia Virus Gag Polyproteins to KIF4, a Microtubule-Based Motor Protein. <i>Journal of Virology</i> , 1998, 72, 6898-6901.	1.5	57
80	Transcription factor IRF8 plays a critical role in the development of murine basophils and mast cells. <i>Blood</i> , 2015, 125, 358-369.	0.6	56
81	Î¼-BCL10 mice exhibit constitutive activation of both canonical and noncanonical NF-Î³B pathways generating marginal zone (MZ) B-cell expansion as a precursor to splenic MZ lymphoma. <i>Blood</i> , 2009, 114, 4158-4168.	0.6	55
82	The Influence of a Targeted Deletion of the IFNÎ³ Gene on Emotional Behaviors. <i>Brain, Behavior, and Immunity</i> , 1998, 12, 308-324.	2.0	54
83	Differential expression of two distinct xenotropic viruses in NZB mice. <i>Clinical Immunology and Immunopathology</i> , 1980, 15, 493-501.	2.1	53
84	Prdm14 initiates lymphoblastic leukemia after expanding a population of cells resembling common lymphoid progenitors. <i>Oncogene</i> , 2011, 30, 2859-2873.	2.6	52
85	Expression of xenotropic murine leukemia viruses as cell-surface gp70 in genetic crosses between strains DBA/2 and C57BL/6.. <i>Journal of Experimental Medicine</i> , 1979, 149, 1183-1196.	4.2	50
86	Pathogenesis of paralysis and lymphoma associated with a wild mouse retrovirus infection. <i>Journal of Neuroimmunology</i> , 1981, 1, 275-285.	1.1	50
87	Axon growth and guidance genes identify Tâ€dependent germinal centre B cells. <i>Immunology and Cell Biology</i> , 2008, 86, 3-14.	1.0	50
88	IL-21 Is a Double-Edged Sword in the Systemic Lupus Erythematosusâ€like Disease of BXSB. <i>Journal of Immunology</i> , 2013, 191, 4581-4588.	0.4	50
89	IL-6 and MYC collaborate in plasma cell tumor formation in mice. <i>Blood</i> , 2010, 115, 1746-1754.	0.6	49
90	Transcription factors IRF8 and PU.1 are required for follicular B cell development and BCL6-driven germinal center responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9511-9520.	3.3	49

#	ARTICLE	IF	CITATIONS
91	A unique subset of normal murine CD4+ T cells lacking Thy-1 is expanded in a murine retrovirus-induced immunodeficiency syndrome, MAIDS. <i>European Journal of Immunology</i> , 1990, 20, 2783-2787.	1.6	48
92	Splenic Marginal Zone Lymphomas of Mice. <i>American Journal of Pathology</i> , 1999, 154, 805-812.	1.9	48
93	Catalytic activity of autoantibodies toward myelin basic protein correlates with the scores on the multiple sclerosis expanded disability status scale. <i>Immunology Letters</i> , 2006, 103, 45-50.	1.1	47
94	The homeobox gene Hex induces T-cell-derived lymphomas when overexpressed in hematopoietic precursor cells. <i>Oncogene</i> , 2003, 22, 6764-6773.	2.6	46
95	IFN Regulatory Factor 8 Regulates MDM2 in Germinal Center B Cells. <i>Journal of Immunology</i> , 2009, 183, 3188-3194.	0.4	45
96	IRF8 Governs Expression of Genes Involved in Innate and Adaptive Immunity in Human and Mouse Germinal Center B Cells. <i>PLoS ONE</i> , 2011, 6, e27384.	1.1	45
97	IFN Regulatory Factor 8 Represses GM-CSF Expression in T Cells To Affect Myeloid Cell Lineage Differentiation. <i>Journal of Immunology</i> , 2015, 194, 2369-2379.	0.4	45
98	c-MYC activates protein kinase A (PKA) by direct transcriptional activation of the PKA catalytic subunit beta (PKA-C1 β) gene. <i>Oncogene</i> , 2002, 21, 7872-7882.	2.6	44
99	Lack of B-cell participation in acute lymphocyte choriomeningitis disease of the central nervous system. <i>Cellular Immunology</i> , 1978, 36, 143-150.	1.4	43
100	Abnormalities induced by the mutant gene, lpr. Patterns of disease and expression of murine leukemia viruses in SJL/J mice homozygous and heterozygous for lpr.. <i>Journal of Experimental Medicine</i> , 1985, 161, 602-616.	4.2	42
101	Greying with age in mice: relation to expression of murine leukemia viruses. <i>Cell</i> , 1985, 41, 439-448.	13.5	42
102	Expression of plasma cell alloantigen 1 defines layered development of B-1a B-cell subsets with distinct innate-like functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 20077-20082.	3.3	42
103	Epigenetic control of early dendritic cell lineage specification by the transcription factor IRF8 in mice. <i>Blood</i> , 2019, 133, 1803-1813.	0.6	42
104	Murine Cytomegalovirus Infection-Induced Polyclonal B Cell Activation Is Independent of CD4+T Cells and CD40. <i>Virology</i> , 1998, 240, 12-26.	1.1	41
105	Routes to Covalent Catalysis by Reactive Selection for Nascent Protein Nucleophiles. <i>Journal of the American Chemical Society</i> , 2007, 129, 16175-16182.	6.6	41
106	SNP array profiling of mouse cell lines identifies their strains of origin and reveals cross-contamination and widespread aneuploidy. <i>BMC Genomics</i> , 2014, 15, 847.	1.2	41
107	A cell-surface antigen shared by B cells and Ly2+ peripheral T cells. <i>Cellular Immunology</i> , 1982, 70, 311-320.	1.4	40
108	Molecular phylogeny of Fv1. <i>Mammalian Genome</i> , 1998, 9, 1049-1055.	1.0	40

#	ARTICLE	IF	CITATIONS
109	Global DNA methylation profiling reveals silencing of a secreted form of Epha7 in mouse and human germinal center B-cell lymphomas. <i>Oncogene</i> , 2007, 26, 4243-4252.	2.6	40
110	Spontaneous Tumors of NFS Mice Congenic for Ecotropic Murine Leukemia Virus Induction Loci2. <i>Journal of the National Cancer Institute</i> , 1984, 73, 521-524.	3.0	39
111	Deregulated expression of the Myc cellular oncogene drives development of mouse "Burkitt-like" lymphomas from naive B cells. <i>Blood</i> , 2005, 105, 2135-2137.	0.6	38
112	Recombinant murine retroviruses containing avian v-myc induce a wide spectrum of neoplasms in newborn mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 6868-6872.	3.3	37
113	Increased Brain Levels of Platelet-Activating Factor in a Murine Acquired Immune Deficiency Syndrome Are NMDA Receptor-Mediated. <i>Journal of Neurochemistry</i> , 1996, 66, 433-435.	2.1	36
114	MHC Class I Family Proteins Retard Systemic Lupus Erythematosus Autoimmunity and B Cell Lymphomagenesis. <i>Journal of Immunology</i> , 2011, 187, 4695-4704.	0.4	36
115	Differentiation of Rodent Immune and Hematopoietic System Reactive Lesions from Neoplasias. <i>Toxicologic Pathology</i> , 2012, 40, 425-434.	0.9	35
116	The 3'5' DNA Exonuclease TREX1 Directly Interacts with Poly(ADP-ribose) Polymerase-1 (PARP1) during the DNA Damage Response. <i>Journal of Biological Chemistry</i> , 2014, 289, 32548-32558.	1.6	35
117	Conditional inactivation of p53 in mature B cells promotes generation of nongerminal center-derived B-cell lymphomas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2934-2939.	3.3	33
118	Transcriptional and post-transcriptional regulation of c-myc, c-myb, and p53 during Proliferation and differentiation of murine erythroleukemia cells treated with DFMO and DMSO. <i>Experimental Cell Research</i> , 1988, 178, 185-198.	1.2	31
119	Evi3, a zinc-finger protein related to EBFAZ, regulates EBF activity in B-cell leukemia. <i>Oncogene</i> , 2005, 24, 1220-1230.	2.6	31
120	Transcription Factor BORIS (Brother of the Regulator of Imprinted Sites) Directly Induces Expression of a Cancer-Testis Antigen, TSP50, through Regulated Binding of BORIS to the Promoter. <i>Journal of Biological Chemistry</i> , 2011, 286, 27378-27388.	1.6	31
121	Combined histiologic and molecular features reveal previously unappreciated subsets of lymphoma in AKXD recombinant inbred mice. <i>Leukemia Research</i> , 2001, 25, 719-733.	0.4	30
122	Quinolinic Acid Levels in a Murine Retrovirus-Induced Immunodeficiency Syndrome. <i>Journal of Neurochemistry</i> , 2002, 66, 296-302.	2.1	30
123	The Histopathologic and Molecular Basis for the Diagnosis of Histiocytic Sarcoma and Histiocyte-Associated Lymphoma of Mice. <i>Veterinary Pathology</i> , 2010, 47, 434-445.	0.8	30
124	Identification and characterization of two related murine genes, Eat2a and Eat2b, encoding single SH2-domain adapters. <i>Immunogenetics</i> , 2006, 58, 15-25.	1.2	29
125	Identification of genes differentially regulated by the P210 BCR/ABL1 fusion oncogene using cDNA microarrays. <i>Experimental Hematology</i> , 2004, 32, 476-482.	0.2	28
126	PAX5 activates the transcription of the human telomerase reverse transcriptase gene in B cells. <i>Journal of Pathology</i> , 2010, 220, 87-96.	2.1	28

#	ARTICLE	IF	CITATIONS
127	18F-FDG-PET/CT imaging in an IL-6- and MYC-driven mouse model of human multiple myeloma affords objective evaluation of plasma cell tumor progression and therapeutic response to the proteasome inhibitor ixazomib. <i>Blood Cancer Journal</i> , 2013, 3, e165-e165.	2.8	28
128	Plasma Cell Alloantigen 1 and IL-10 Secretion Define Two Distinct Peritoneal B1a B Cell Subsets With Opposite Functions, PC1high Cells Being Protective and PC1low Cells Harmful for the Growing Fetus. <i>Frontiers in Immunology</i> , 2018, 9, 1045.	2.2	28
129	Interleukin 6 Accelerates Mortality by Promoting the Progression of the Systemic Lupus Erythematosus-Like Disease of BXS ^B .Yaa Mice. <i>PLoS ONE</i> , 2016, 11, e0153059.	1.1	28
130	Genetic and functional relationships of the retroviral and lymphocyte alloantigen loci on mouse Chromosome 1. <i>Immunogenetics</i> , 1984, 19, 163-168.	1.2	27
131	Characterization of ARF-BP1/HUWE1 Interactions with CTCF, MYC, ARF and p53 in MYC-Driven B Cell Neoplasms. <i>International Journal of Molecular Sciences</i> , 2012, 13, 6204-6219.	1.8	27
132	DNase-active TREX1 frame-shift mutants induce serologic autoimmunity in mice. <i>Journal of Autoimmunity</i> , 2017, 81, 13-23.	3.0	27
133	Genomic instability in mouse Burkitt lymphoma is dominated by illegitimate genetic recombinations, not point mutations. <i>Oncogene</i> , 2002, 21, 7235-7240.	2.6	26
134	Expression of the cyclin-dependent kinase inhibitor p27 and its deregulation in mouse B cell lymphomas. <i>Leukemia Research</i> , 2006, 30, 153-163.	0.4	26
135	Anaplastic, Plasmablastic, and Plasmacytic Plasmacytomas of Mice: Relationships to Human Plasma Cell Neoplasms and Late-Stage Differentiation of Normal B Cells. <i>Cancer Research</i> , 2007, 67, 2439-2447.	0.4	26
136	Gut microorganisms and their metabolites modulate the severity of acute colitis in a tryptophan metabolism-dependent manner. <i>European Journal of Nutrition</i> , 2020, 59, 3591-3601.	1.8	26
137	Biologic and molecular genetic characteristics of a unique MCF virus that is highly leukemogenic in ecotropic virus-negative mice. <i>Virology</i> , 1989, 168, 90-100.	1.1	25
138	Localization of quinolinic acid in the murine AIDS model of retrovirus-induced immunodeficiency: implications for neurotoxicity and dendritic cell immunopathogenesis. <i>Aids</i> , 1996, 10, 151-158.	1.0	25
139	Lymphomas and High-Level Expression of Murine Leukemia Viruses in CFW Mice. <i>Journal of Virology</i> , 2000, 74, 6832-6837.	1.5	25
140	ICSBP/IRF-8 differentially regulates antigen uptake during dendritic-cell development and affects antigen presentation to CD4 ⁺ T cells. <i>Blood</i> , 2006, 108, 609-617.	0.6	25
141	Mouse model of endemic Burkitt translocations reveals the long-range boundaries of <i>Ig</i> -mediated oncogene deregulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10972-10977.	3.3	25
142	Cytokine-dependent Modulation of Oral Tolerance in a Murine Model of Autoimmune Uveitis. <i>Annals of the New York Academy of Sciences</i> , 1996, 778, 315-324.	1.8	24
143	Genomic organisation and expression of BCL6 in murine B-cell lymphomas. <i>Leukemia Research</i> , 2000, 24, 719-732.	0.4	24
144	Differential expression of IRF8 in subsets of macrophages and dendritic cells and effects of IRF8 deficiency on splenic B cell and macrophage compartments. <i>Immunologic Research</i> , 2009, 45, 62-74.	1.3	24

#	ARTICLE	IF	CITATIONS
145	Targeted Deletion of the Gene Encoding the La Autoantigen (Sjögren's Syndrome Antigen B) in B Cells or the Frontal Brain Causes Extensive Tissue Loss. <i>Molecular and Cellular Biology</i> , 2014, 34, 123-131.	1.1	24
146	Induction of a Protein-Targeted Catalytic Response in Autoimmune Prone Mice: Antibody-Mediated Cleavage of HIV-1 Glycoprotein GP120. <i>Biochemistry</i> , 2006, 45, 324-330.	1.2	23
147	ATP-degrading ENPP1 is required for survival (or persistence) of long-lived plasma cells. <i>Scientific Reports</i> , 2017, 7, 17867.	1.6	23
148	Effect of <i>xid</i> on autoimmune C3H-gld/gld mice. <i>Cellular Immunology</i> , 1987, 107, 249-255.	1.4	22
149	Evidence for Selective Transformation of Autoreactive Immature Plasma Cells in Mice Deficient in FasL. <i>Journal of Experimental Medicine</i> , 2004, 200, 1467-1478.	4.2	22
150	NOTCH Is Part of the Transcriptional Network Regulating Cell Growth and Survival in Mouse Plasmacytomas. <i>Cancer Research</i> , 2008, 68, 9202-9211.	0.4	22
151	IL-21-Driven Neoplasms in SJL Mice Mimic Some Key Features of Human Angioimmunoblastic T-Cell Lymphoma. <i>American Journal of Pathology</i> , 2015, 185, 3102-3114.	1.9	22
152	<i>LKB1</i> inhibition of <i>NF-κB</i> in B cells prevents T follicular helper cell differentiation and germinal center formation. <i>EMBO Reports</i> , 2015, 16, 753-768.	2.0	22
153	Transcriptional Control of Mature B Cell Fates. <i>Trends in Immunology</i> , 2020, 41, 601-613.	2.9	22
154	The Encephalopathy Associated with Murine Acquired Immunodeficiency Syndrome. <i>Annals of the New York Academy of Sciences</i> , 1998, 840, 822-834.	1.8	21
155	The nonhomologous end joining factor Artemis suppresses multi-tissue tumor formation and prevents loss of heterozygosity. <i>Oncogene</i> , 2007, 26, 6010-6020.	2.6	21
156	Dual Function of the IRF8 Transcription Factor in Autoimmune Uveitis: Loss of IRF8 in T Cells Exacerbates Uveitis, Whereas <i>Irf8</i> Deletion in the Retina Confers Protection. <i>Journal of Immunology</i> , 2015, 195, 1480-1488.	0.4	21
157	T follicular helper cells restricted by IRF8 contribute to T cell-mediated inflammation. <i>Journal of Autoimmunity</i> , 2019, 96, 113-122.	3.0	21
158	A Mutant Collagen XIII Alters Intestinal Expression of Immune Response Genes and Predisposes Transgenic Mice to Develop B-Cell Lymphomas. <i>Cancer Research</i> , 2008, 68, 10324-10332.	0.4	20
159	Ectopic expression of wild-type FGFR3 cooperates with MYC to accelerate development of B-cell lineage neoplasms. <i>Leukemia</i> , 2010, 24, 1171-1178.	3.3	20
160	Precocious Interleukin 21 Expression in Naive Mice Identifies a Natural Helper Cell Population in Autoimmune Disease. <i>Cell Reports</i> , 2017, 21, 208-221.	2.9	19
161	Relationship between a retroviral germ line reintegration and a new mutation at the <i>ashen</i> locus in B10.F mice: Retroviral integration and an <i>Ashen</i> mutation. <i>Virology</i> , 1984, 133, 183-190.	1.1	18
162	Allelic variants of <i>Ly-5</i> in inbred and natural populations of mice. <i>Immunogenetics</i> , 1987, 26, 74-78.	1.2	18

#	ARTICLE	IF	CITATIONS
163	Mapping of the Ly-4 (L3T4) T-cell differentiation antigen on mouse chromosome 6 by the use of RFLPs in an interspecific cross. <i>Immunogenetics</i> , 1988, 27, 396-398.	1.2	18
164	Genetic and functional analyses of the primary in vitro CTL: Response of NZB lymphocytes to H-2-compatible cells. <i>Immunogenetics</i> , 1981, 12, 445-463.	1.2	17
165	B Lymphoid Neoplasms of Mice: Characteristics of Naturally Occurring and Engineered Diseases and Relationships to Human Disorders. <i>Advances in Immunology</i> , 2003, 81, 97-121.	1.1	17
166	Loss of IRF8 Inhibits the Growth of Diffuse Large B-cell Lymphoma. <i>Journal of Cancer</i> , 2015, 6, 953-961.	1.2	17
167	Cutting Edge: Expression of IRF8 in Gastric Epithelial Cells Confers Protective Innate Immunity against <i>Helicobacter pylori</i> Infection. <i>Journal of Immunology</i> , 2016, 196, 1999-2003.	0.4	17
168	Relative Contributions of B Cells and Dendritic Cells from Lupus-Prone Mice to CD4+ T Cell Polarization. <i>Journal of Immunology</i> , 2018, 200, 3087-3099.	0.4	17
169	Dysregulated TCL1 requires the germinal center and genome instability for mature B-cell transformation. <i>Blood</i> , 2006, 108, 1991-1998.	0.6	16
170	Identification of murine B cell lines that undergo somatic hypermutation focused to A:T and G:C residues. <i>European Journal of Immunology</i> , 2008, 38, 227-239.	1.6	16
171	Comment on "Gene Disruption Study Reveals a Nonredundant Role for TRIM21/Ro52 in NF- κ B-Dependent Cytokine Expression in Fibroblasts". <i>Journal of Immunology</i> , 2009, 183, 7619-7619.	0.4	16
172	New insights into heterogeneity of peritoneal B 1 a cells. <i>Annals of the New York Academy of Sciences</i> , 2015, 1362, 68-76.	1.8	16
173	Accelerated development of neurochemical and behavioral deficits in LP-BM5 infected mice with targeted deletions of the IFN- β gene. <i>Journal of Neuroimmunology</i> , 2000, 108, 112-121.	1.1	15
174	Nomenclature of Toso, Fas Apoptosis Inhibitory Molecule 3, and IgM FcR. <i>Journal of Immunology</i> , 2015, 194, 4055-4057.	0.4	15
175	Interferon Regulator Factor 8 (IRF8) Limits Ocular Pathology during HSV-1 Infection by Restraining the Activation and Expansion of CD8+ T Cells. <i>PLoS ONE</i> , 2016, 11, e0155420.	1.1	15
176	In vivo effects of antithymocyte serum on the homing patterns and graft-versus-host reactivity of murine splenic lymphocytes. <i>Cellular Immunology</i> , 1974, 11, 19-29.	1.4	14
177	Chromosome 1 locus required for induction of CTL to H-2-compatible cells in NZB mice. <i>Immunogenetics</i> , 1982, 15, 321-325.	1.2	14
178	Altered brain fyn kinase in a murine acquired immunodeficiency syndrome. <i>FASEB Journal</i> , 1996, 10, 339-344.	0.2	14
179	Characterization of a Novel Murine Retrovirus Mixture That Facilitates Hematopoiesis. <i>Journal of Virology</i> , 2002, 76, 12112-12122.	1.5	14
180	Retroviral insertions in the VISION database identify molecular pathways in mouse lymphoid leukemia and lymphoma. <i>Mammalian Genome</i> , 2007, 18, 709-722.	1.0	14

#	ARTICLE	IF	CITATIONS
181	Nfatc2 and Tob1 Have Non-Overlapping Function in T Cell Negative Regulation and Tumorigenesis. PLoS ONE, 2014, 9, e100629.	1.1	14
182	EBI2 overexpression in mice leads to B1 B-cell expansion and chronic lymphocytic leukemia-like B-cell malignancies. Blood, 2017, 129, 866-878.	0.6	14
183	The B cell alloantigen Ly-17.1 is controlled by a gene closely linked to Ly-20 and Ly-9 on chromosome 1. Immunogenetics, 1983, 17, 325-329.	1.2	13
184	Mice with an Acquired Immunodeficiency (MAIDS) Develop a Persistent Infection after Injection with Listeria monocytogenes. Cellular Immunology, 1994, 155, 246-252.	1.4	13
185	A Stat5b transgene is capable of inducing CD8+ lymphoblastic lymphoma in the absence of normal TCR/MHC signaling. Blood, 2008, 111, 344-350.	0.6	13
186	Interferon Regulatory Factor 8 (IRF8) Interacts with the B Cell Lymphoma 6 (BCL6) Corepressor BCOR. Journal of Biological Chemistry, 2014, 289, 34250-34257.	1.6	13
187	ATM deficiency promotes development of murine B-cell lymphomas that resemble diffuse large B-cell lymphoma in humans. Blood, 2015, 126, 2291-2301.	0.6	13
188	Plasma cell alloantigen ENPP1 is expressed by a subset of human B cells with potential regulatory functions. Immunology and Cell Biology, 2016, 94, 719-728.	1.0	13
189	Early Generated B-1-Derived B Cells Have the Capacity To Progress To Become Mantle Cell Lymphoma-like Neoplasia in Aged Mice. Journal of Immunology, 2018, 201, 804-813.	0.4	13
190	Identification of Candidate B-Lymphoma Genes by Cross-Species Gene Expression Profiling. PLoS ONE, 2013, 8, e76889.	1.1	13
191	Identification of the human homologue of mouse KIF4, a kinesin superfamily motor protein. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2000, 1493, 219-224.	2.4	12
192	Msh6 Protects Mature B Cells from Lymphoma by Preserving Genomic Stability. American Journal of Pathology, 2010, 177, 2597-2608.	1.9	12
193	GRAFT-VS.-HOST REACTIONS IN RECIPROCAL HYBRID MICE. Journal of Experimental Medicine, 1974, 139, 721-731.	4.2	11
194	Genetic control of B- and T-Lymphocyte abnormalities of NZB mice in crosses with B10.D2 mice. Immunogenetics, 1981, 13, 421-434.	1.2	11
195	Expression of the 6C3 antigen on murine hematopoietic neoplasms. Association with expression of abl, ras, fes, src, erbB, and Cas NS-1 oncogenes but not with myc.. Journal of Experimental Medicine, 1987, 165, 920-925.	4.2	11
196	Non-Hodgkin Lymphomas of Mice. Blood Cells, Molecules, and Diseases, 2001, 27, 217-222.	0.6	11
197	Histologic and molecular characterizations of megakaryocytic leukemia in mice. Leukemia Research, 2006, 30, 397-406.	0.4	11
198	Irradiated Blm-deficient mice are a highly tumor prone model for analysis of a broad spectrum of hematologic malignancies. Leukemia Research, 2010, 34, 210-220.	0.4	11

#	ARTICLE	IF	CITATIONS
199	Dasatinib Targets B-Lineage Cells but Does Not Provide an Effective Therapy for Myeloproliferative Disease in c-Cbl RING Finger Mutant Mice. <i>PLoS ONE</i> , 2014, 9, e94717.	1.1	11
200	STAT6-Deficient Mice Exhibit Normal Induction of Murine AIDS and Expression of Immunoglobulin E following Infection with LP-BM5 Murine Leukemia Viruses. <i>Journal of Virology</i> , 1999, 73, 7093-7095.	1.5	11
201	The bussey institute and the early days of mammalian genetics. <i>Immunogenetics</i> , 1985, 21, 109-116.	1.2	10
202	Transmission in NFS/N mice of the heritable spongiform encephalopathy associated with the gray tremor mutation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 3866-3870.	3.3	10
203	A three-stage framework for gene expression data analysis by L1-norm support vector regression. <i>International Journal of Bioinformatics Research and Applications</i> , 2005, 1, 51.	0.1	10
204	Oncogenic <i>c-Myc</i> translocations are independent of chromosomal location and orientation of the immunoglobulin heavy chain locus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 13728-13732.	3.3	10
205	Amelioration of experimental systemic lupus erythematosus (SLE) by retrovirus infection. <i>Journal of Clinical Immunology</i> , 1996, 16, 230-236.	2.0	9
206	CD19 Signaling Pathways Play a Major Role for Murine AIDS Induction and Progression. <i>Journal of Immunology</i> , 2002, 169, 5607-5614.	0.4	9
207	CpG DNA induced IL-12 p40 gene activation is independent of STAT1 activation or production of interferon consensus sequence binding protein. <i>Journal of Biomedical Science</i> , 2002, 9, 688-696.	2.6	9
208	Anaplastic plasmacytomas: relationships to normal memory B cells and plasma cell neoplasms of immunodeficient and autoimmune mice. <i>Journal of Pathology</i> , 2010, 221, 106-116.	2.1	9
209	Alloimmunization against RBC or PLT antigens is independent of TRIM21 expression in a murine model. <i>Molecular Immunology</i> , 2011, 48, 909-913.	1.0	9
210	Characterization of Monoclonal Antibodies to the Plasma Cell Alloantigen ENPP1. <i>Hybridoma</i> , 2011, 30, 11-17.	0.5	9
211	Pentoxifylline decreases brain levels of platelet activating factor in murine AIDS. <i>European Journal of Pharmacology</i> , 1997, 325, 81-84.	1.7	8
212	Expression of cyclin D1 in mouse B cell lymphomas of different histologic types and differentiation stages. <i>Leukemia Research</i> , 1998, 22, 395-404.	0.4	8
213	Building a Better Mouse One Hundred Years of Genetics and Biology. , 2007, , 1-11.		8
214	Functional Deficiency in IL-7 Caused by an N-Ethyl-N-nitrosourea-Induced Point Mutation. <i>Genetics</i> , 2007, 175, 545-551.	1.2	8
215	Exon 1 Disruption Alters Tissue-Specific Expression of Mouse p53 and Results in Selective Development of B Cell Lymphomas. <i>PLoS ONE</i> , 2012, 7, e49305.	1.1	8
216	Homeostatic defects in B cells deficient in the E3 ubiquitin ligase ARF-BP1 are restored by enhanced expression of MYC. <i>Leukemia Research</i> , 2013, 37, 1680-1689.	0.4	8

#	ARTICLE	IF	CITATIONS
217	Hematopoietic neoplasms in Prkar2a-deficient mice. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 143.	3.5	8
218	Vitamin A deficiency in mice causes a systemic expansion of myeloid cells. <i>Blood</i> , 2000, 95, 3349-3356.	0.6	8
219	Differential regulation of germinal center genes, BCL6 and SWAP-70, during the course of MAIDS. <i>Molecular Immunology</i> , 1999, 36, 1043-1053.	1.0	7
220	The Bcl6 locus is not mutated in mouse B-cell lineage lymphomas. <i>Leukemia Research</i> , 2002, 26, 739-743.	0.4	7
221	Associations of Autoimmunity, Immunodeficiency, Lymphomagenesis, and Gut Microbiota in Mice with Knockins for a Pathogenic Autoantibody. <i>American Journal of Pathology</i> , 2017, 187, 2020-2033.	1.9	7
222	A search for hapten-binding mouse plasmacytoma proteins. <i>European Journal of Immunology</i> , 1979, 9, 125-129.	1.6	6
223	Characterization of ecotropic murine leukemia viruses in SJL/J mice. <i>Virology</i> , 1985, 141, 319-321.	1.1	6
224	Expression of Xenotropic Murine Leukemia Viruses. <i>Current Topics in Microbiology and Immunology</i> , 1982, 98, 17-26.	0.7	6
225	Immunologic function and cell surface antigen expression of lymphocytes of dystrophic mice. <i>Cellular Immunology</i> , 1981, 59, 138-150.	1.4	5
226	Retrovirus-Induced Lymphoproliferation as a Model for Developing Diagnostic Criteria for Malignant Lymphoma in Mice. <i>Toxicologic Pathology</i> , 1993, 21, 219-228.	0.9	5
227	Contribution of B Cell Subsets to Delayed Development of MAIDS in xid Mice. <i>Cellular Immunology</i> , 1995, 165, 1-6.	1.4	5
228	Role of IL12 in MAIDS. <i>Research in Immunology</i> , 1995, 146, 600-605.	0.9	5
229	Cloning, expression and genetic mapping of the mouse SH3 domain protein, SH3D2B. <i>Mammalian Genome</i> , 1998, 9, 74-75.	1.0	5
230	An ENU-induced mutation in the lymphotoxin $\hat{I}\pm$ gene impairs organogenesis of lymphoid tissues in C57BL/6 mice. <i>Biochemical and Biophysical Research Communications</i> , 2008, 370, 461-467.	1.0	5
231	Finding mouse models of human lymphomas and leukemia's using the Jackson laboratory mouse tumor biology database. <i>Experimental and Molecular Pathology</i> , 2015, 99, 533-536.	0.9	5
232	Organization of lymphocyte plasma membrane. Surface protein-membrane matrix interactions in B-cell lines of different stages of differentiation. <i>Cell Differentiation</i> , 1988, 22, 233-244.	1.3	4
233	MURINE LEUKEMIA VIRUSES. , 1986, , 349-388.		4
234	Effects of antithymocyte serum on lymph node cells participating in the graft-vs-host reaction. <i>Cellular Immunology</i> , 1976, 24, 69-78.	1.4	3

#	ARTICLE	IF	CITATIONS
235	Effects of immunization with the p12 proteins of LP-BM5 defective and ecotropic viruses on development of MAIDS. Archives of Virology, 1993, 129, 155-166.	0.9	3
236	Impact of MHC Class I Gene on Resistance to Murine AIDS. Scandinavian Journal of Immunology, 1995, 42, 368-372.	1.3	3
237	Mouse Models of Human Mature B-Cell and Plasma Cell Neoplasms. , 2008, , 179-225.		3
238	3â€™Igh enhancers hs3b/hs4 are dispensable for Myc deregulation in mouse plasmacytomas with T(12;15) translocations. Oncotarget, 2018, 9, 34528-34542.	0.8	3
239	Single gene mutations that cause SLE-like autoimmune disease in mice. Clinical Immunology Newsletter, 1984, 5, 17-20.	0.1	2
240	Induction of Murine Acquired Immunodeficiency Syndrome (MAIDS) in Allophenic Mice Generated from Strains Susceptible and Resistant to Disease. Journal of Experimental Medicine, 1996, 184, 2101-2108.	4.2	2
241	Genetic mapping in the mouse of Kif4, a gene encoding a kinesin-like motor protein. Mammalian Genome, 1997, 8, 541-541.	1.0	2
242	Citrobacter-Induced Colitis in Mice With Murine Acquired Immunodeficiency Syndrome. Veterinary Pathology, 2010, 47, 312-317.	0.8	2
243	Genetic mapping of eight SH3 domain genes on seven mouse chromosomes. Mammalian Genome, 1999, 10, 402-404.	1.0	1
244	Classification and Characteristics of Mouse B Cellâ€™Lineage Lymphomas. , 2004, , 365-379.		1
245	Mechanism-dependent selection of immunoglobulin gene library for obtaining covalent biocatalysts. Doklady Biochemistry and Biophysics, 2007, 415, 179-182.	0.3	1
246	Correction: A Reporter Mouse Reveals Lineage-Specific and Heterogeneous Expression of IRF8 during Lymphoid and Myeloid Cell Differentiation. Journal of Immunology, 2014, 193, 4749-4749.	0.4	1
247	UNEXPECTED BIOLOGIC CONSEQUENCES OF REDERIVATION OF MOUSE STRAINS. , 1986, , 689-692.		1
248	Myeloid-Derived Suppressor Cells Produce IL10 to Elicit DNMT3b-Dependent IRF8 Silencing to Promote Colitis-Associated Tumorigenesis. SSRN Electronic Journal, 0, , .	0.4	1
249	Transcription Factor ICSBP/IRF8 Regulates B Cell Development at Multiple Checkpoints.. Blood, 2005, 106, 3314-3314.	0.6	1
250	The cytotoxic T-cell response to H-1 minor histocompatibility antigen differences. Cellular Immunology, 1980, 50, 169-176.	1.4	0
251	Regulation of the germinal center gene program by interferon (IFN) regulatory factor 8/IFN consensus sequence-binding protein. Journal of Experimental Medicine, 2008, 205, 1507-1507.	4.2	0
252	Activation Induced Cytidine Deaminase (AID) Is Required for Germinal-Center Derived Lymphomagenesis.. Blood, 2006, 108, 223-223.	0.6	0

#	ARTICLE	IF	CITATIONS
253	A Model System for Studying Mechanisms of B-cell Transformation in Systemic Autoimmunity. , 2008, , 385-396.		0
254	IL-21 Receptor Signaling Is Essential for BXSB-Prone SLE Pathogenesis. FASEB Journal, 2008, 22, 667.15.	0.2	0
255	Features of Plasma Cell-Related Neoplasms in Mice. , 2010, , 221-230.		0
256	A Role of IRF8 in Transcriptional Control of B-Cell Development. , 2010, , 231-241.		0
257	Coordinate suppression of B cell lymphoma by PTEN and SHIP phosphatases. Journal of Cell Biology, 2010, 191, i7-i7.	2.3	0
258	The Transcription Factor IRF8 is a Key Transcription Factor for Basophil Development. Blood, 2013, 122, 1197-1197.	0.6	0