
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6866473/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Lack of Support for the Genes by Early Environment Interaction Hypothesis in the Pathogenesis of Schizophrenia. Schizophrenia Bulletin, 2022, 48, 20-26.	4.3	19
2	Performance and effectiveness of step progressive care pathways within mental health supported accommodation services in Italy. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 939-952.	3.1	8
3	Gender-Oriented Mental Health Prevention: A Reappraisal. International Journal of Environmental Research and Public Health, 2022, 19, 1493.	2.6	3
4	Insula volumes in first-episode and chronic psychosis: A longitudinal MRI study. Schizophrenia Research, 2022, 241, 14-23.	2.0	2
5	Three-Month Follow-up Study of Mental Health Outcomes After a National COVID-19 Lockdown. Journal of Clinical Psychiatry, 2022, 83, .	2.2	6
6	Supported employment for people with severe mental illness: a pilot study of an Italian social enterprise with a special ingredient. BMC Psychiatry, 2022, 22, 296.	2.6	3
7	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. Journal of Affective Disorders, 2021, 279, 191-202.	4.1	3
8	Levels of burn-out among healthcare workers during the COVID-19 pandemic and their associated factors: a cross-sectional study in a tertiary hospital of a highly burdened area of north-east Italy. BMJ Open, 2021, 11, e045127.	1.9	167
9	Sexual Regional Dimorphism of Post-Adolescent and Middle Age Brain Maturation. A Multi-center 3T MRI Study. Frontiers in Aging Neuroscience, 2021, 13, 622054.	3.4	11
10	Classification of Psychoses Based on Immunological Features: A Machine Learning Study in a Large Cohort of First-Episode and Chronic Patients. Schizophrenia Bulletin, 2021, 47, 1141-1155.	4.3	11
11	"First-episode psychosis: Structural covariance deficits in salience network correlate with symptoms severity― Journal of Psychiatric Research, 2021, 136, 409-420.	3.1	2
12	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1957-1965.	3.1	1
13	Childhood and Adulthood Severe Stressful Experiences and Biomarkers Related to Glucose Metabolism: A Possible Association?. Frontiers in Psychiatry, 2021, 12, 629137.	2.6	5
14	Editorial: The Endocannabinoid System: Filling the Translational Gap Between Neuroscience and Psychiatry. Frontiers in Psychiatry, 2021, 12, 771442.	2.6	0
15	Obstetric Complications and Polygenic Risk Score: Which Role in Predicting a Severe Short-Term Outcome in Psychosis?. Genes, 2021, 12, 1895.	2.4	3
16	Gender and 5-years course of psychosis patients: focus on clinical and social variables. Archives of Women's Mental Health, 2020, 23, 63-70.	2.6	10
17	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. Psychological Medicine, 2020, 50, 284-292.	4.5	17
18	Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians—results of the qualitative study in five European countries. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 205-216.	3.1	10

#	Article	IF	CITATIONS
19	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
20	Pathways to care, DUP, and types of interventions over 5Âyears following psychosis onset: findings from a naturalistic study conducted in routine generalist mental health services. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 175-186.	3.1	4
21	Childhood trauma and glucose metabolism in patients with first-episode psychosis. Psychoneuroendocrinology, 2020, 113, 104536.	2.7	15
22	Dietary habits and physical activity in first-episode psychosis patients treated in community services. Effect on early anthropometric and cardio-metabolic alterations. Schizophrenia Research, 2020, 216, 374-381.	2.0	9
23	Correlations between immune and metabolic serum markers and schizophrenia/bipolar disorder polygenic risk score in firstâ€episode psychosis. Microbial Biotechnology, 2020, 14, 507-511.	1.7	15
24	Adolescent Lifestyle Behaviors, Coping Strategies and Subjective Wellbeing during the COVID-19 Pandemic: An Online Student Survey. Healthcare (Switzerland), 2020, 8, 472.	2.0	93
25	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. Trials, 2020, 21, 695.	1.6	8
26	The impact of COVID-19 on patients of Italian mental health supported accommodation services. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1395-1396.	3.1	6
27	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1425-1438.	3.1	10
28	Predicting Patients' Readmission. Journal of Nervous and Mental Disease, 2020, 208, 353-361.	1.0	3
29	Cannabis and Cognition: Connecting the Dots towards the Understanding of the Relationship. Brain Sciences, 2020, 10, 133.	2.3	5
30	Should we be concerned about stigma and discrimination in people at risk for psychosis? A systematic review. Psychological Medicine, 2020, 50, 705-726.	4.5	41
31	The EUropean Network of National Schizophrenia Networks Studying Gene–Environment Interactions (EU-GEI): Incidence and First-Episode Case–Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
32	Prevention and early intervention in youth mental health: is it time for a multidisciplinary and trans-diagnostic model for care?. International Journal of Mental Health Systems, 2020, 14, 23.	2.7	187
33	Unraveling the Intoxicating and Therapeutic Effects of Cannabis Ingredients on Psychosis and Cognition. Frontiers in Psychology, 2020, 11, 833.	2.1	35
34	Medically unexplained symptoms in the times of COVID-19 pandemic: A case-report. Brain, Behavior, & Immunity - Health, 2020, 5, 100073.	2.5	106
35	Current evidence of childhood traumatic experiences in psychosis – focus on gender differences. Psychiatry Research, 2019, 281, 112507.	3.3	17
36	Forensic psychiatric evaluations of defendants: Italy and the Netherlands compared. International Journal of Law and Psychiatry, 2019, 66, 101473.	0.9	6

#	Article	IF	CITATIONS
37	Altered syntactic abilities in first episode patients: An inner phenomenon characterizing psychosis. European Psychiatry, 2019, 61, 119-126.	0.2	4
38	Mental health supported accommodation services in England and in Italy: a comparison. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1419-1427.	3.1	15
39	Music Interventions for Dementia and Depression in ELderly care (MIDDEL): protocol and statistical analysis plan for a multinational cluster-randomised trial. BMJ Open, 2019, 9, e023436.	1.9	28
40	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436.	7.4	528
41	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. European Psychiatry, 2019, 56, 69-74.	0.2	4
42	Dimensional structure of first episode psychosis. Microbial Biotechnology, 2019, 13, 1431-1438.	1.7	20
43	The impact of gender and childhood abuse on age of psychosis onset, psychopathology and needs for care in psychosis patients. Schizophrenia Research, 2019, 210, 164-171.	2.0	19
44	Renaming schizophrenia: benefits, challenges and barriers. Epidemiology and Psychiatric Sciences, 2019, 28, 251-253.	3.9	9
45	Cingulate abnormalities in bipolar disorder relate to gender and outcome: a voxel-based morphometry study. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 777-784.	3.2	7
46	Pituitary gland shrinkage in bipolar disorder: The role of gender. Comprehensive Psychiatry, 2018, 82, 95-99.	3.1	16
47	Immune and metabolic alterations in first episode psychosis (FEP) patients. Brain, Behavior, and Immunity, 2018, 70, 315-324.	4.1	31
48	Hippocampal Subfield Volumes in Patients With First-Episode Psychosis. Schizophrenia Bulletin, 2018, 44, 552-559.	4.3	57
49	Scales for assessing patient satisfaction with mental health care: A systematic review. Journal of Psychiatric Research, 2018, 100, 33-46.	3.1	56
50	Reform of Italian forensic mental health care. Challenges and opportunities following Law 81/2014. International Journal of Prisoner Health, 2018, 14, 1-3.	0.9	5
51	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. European Psychiatry, 2018, 48, 6-12.	0.2	43
52	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. JAMA Psychiatry, 2018, 75, 555.	11.0	516
53	Why measuring quality of mental health care is still an unmet challenge and how to meet it. World Psychiatry, 2018, 17, 45-46.	10.4	2
54	Altered expression of schizophrenia-related genes in mice lacking mGlu5 receptors. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 77-87.	3.2	6

#	Article	IF	CITATIONS
55	A diffusion weighted imaging study of basal ganglia in schizophrenia. International Journal of Psychiatry in Clinical Practice, 2018, 22, 6-12.	2.4	7
56	Prevalence and Correlates of Psychological Distress and Psychiatric Disorders in Asylum Seekers and Refugees Resettled in an Italian Catchment Area. Journal of Immigrant and Minority Health, 2018, 20, 263-270.	1.6	18
57	Increased gyrification in schizophrenia and non affective first episode of psychosis. Schizophrenia Research, 2018, 193, 269-275.	2.0	19
58	Diffusion imaging study of the Corpus Callosum in bipolar disorder. Psychiatry Research - Neuroimaging, 2018, 271, 75-81.	1.8	20
59	Non literal language comprehension in a large sample of first episode psychosis patients in adulthood. Psychiatry Research, 2018, 260, 78-89.	3.3	12
60	Access to and Use of Psychiatric Services by Migrants Resettled in Northern Italy. Journal of Immigrant and Minority Health, 2018, 20, 1309-1316.	1.6	7
61	Prosody abilities in a large sample of affective and non-affective first episode psychosis patients. Comprehensive Psychiatry, 2018, 86, 31-38.	3.1	8
62	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. PLoS ONE, 2018, 13, e0201371.	2.5	44
63	Classification of first-episode psychosis in a large cohort of patients using support vector machine and multiple kernel learning techniques. NeuroImage, 2017, 145, 238-245.	4.2	51
64	Predictors of 9-month hospitalization in patients with first-episode affective and non-affective psychosis. Results from the GET UP pragmatic cluster randomized controlled trial. Schizophrenia Research, 2017, 190, 187-188.	2.0	5
65	Sexual dimorphism of the planum temporale in schizophrenia: A MRI study. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1010-1019.	2.3	5
66	Reducing Stigma in Media Professionals: Is there Room for Improvement? Results from a Systematic Review. Canadian Journal of Psychiatry, 2017, 62, 702-715.	1.9	53
67	Predictors and moderators of treatment outcome in patients receiving multi-element psychosocial intervention for early psychosis: Results from the GET UP pragmatic cluster randomised controlled trial. British Journal of Psychiatry, 2017, 210, 342-349.	2.8	24
68	Brain anatomy of symptom stratification in schizophrenia: a voxel-based morphometry study. Nordic Journal of Psychiatry, 2017, 71, 348-354.	1.3	8
69	Longitudinal investigation of the parietal lobe anatomy in bipolar disorder and its association with general functioning. Psychiatry Research - Neuroimaging, 2017, 267, 22-31.	1.8	17
70	Potential Gender-Related Aging Processes Occur Earlier and Faster in the Vermis of Patients with Bipolar Disorder: An MRI Study. Neuropsychobiology, 2017, 75, 32-38.	1.9	2
71	Family Burden, Emotional Distress and Service Satisfaction in First Episode Psychosis. Data from the GET UP Trial. Frontiers in Psychology, 2017, 8, 721.	2.1	10
72	Common and distinct structural features of schizophrenia and bipolar disorder: The European Network on Psychosis, Affective disorders and Cognitive Trajectory (ENPACT) study. PLoS ONE, 2017, 12, e0188000.	2.5	74

MIRELLA RUGGERI

#	Article	IF	CITATIONS
73	Similar white matter changes in schizophrenia and bipolar disorder: A tract-based spatial statistics study. PLoS ONE, 2017, 12, e0178089.	2.5	63
74	DTI and Myelin Plasticity in Bipolar Disorder: Integrating Neuroimaging and Neuropathological Findings. Frontiers in Psychiatry, 2016, 7, 21.	2.6	64
75	Chronological age and its impact on associative learning proficiency and brain structure in middle adulthood. Behavioural Brain Research, 2016, 297, 329-337.	2.2	9
76	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. BMJ Open, 2015, 5, e008996.	1.9	18
77	Neurological soft signs and prepulse inhibition of the startle reflex in psychosis: A pilot study. International Journal of Psychiatry in Clinical Practice, 2015, 19, 276-284.	2.4	0
78	The use of dynamic susceptibility contrast (DSC) MRI to automatically classify patients with first episode psychosis. Schizophrenia Research, 2015, 165, 38-44.	2.0	23
79	Classification of first-episode psychosis: a multi-modal multi-feature approach integrating structural and diffusion imaging. Journal of Neural Transmission, 2015, 122, 897-905.	2.8	25
80	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. Psychiatry Research, 2015, 230, 742-743.	3.3	2
81	Feasibility and Effectiveness of a Multi-Element Psychosocial Intervention for First-Episode Psychosis: Results From the Cluster-Randomized Controlled GET UP PIANO Trial in a Catchment Area of 10 Million Inhabitants. Schizophrenia Bulletin, 2015, 41, 1192-1203.	4.3	94
82	No Association Between NRG1 and ErbB4 Genes and Psychopathological Symptoms of Schizophrenia. NeuroMolecular Medicine, 2014, 16, 742-751.	3.4	4
83	Outcomes From Italian Community Psychiatric Services Studies. Journal of Nervous and Mental Disease, 2014, 202, 501-506.	1.0	3
84	The Role of Experienced and Anticipated Discrimination in the Lives of People With First-Episode Psychosis. Psychiatric Services, 2014, 65, 1034-1040.	2.0	28
85	First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. British Journal of Psychiatry, 2014, 205, 127-134.	2.8	49
86	The impact of cannabis use on age of onset and clinical characteristics inÂfirst-episode psychotic patients. Data from the Psychosis Incident Cohort OutcomeÂStudy (PICOS). Journal of Psychiatric Research, 2013, 47, 438-444.	3.1	65
87	COMT, neuropsychological function and brain structure in schizophrenia: a systematic review and neurobiological interpretation. Journal of Psychiatry and Neuroscience, 2013, 38, 366-380.	2.4	71
88	Predictors of anxiety and depression in hematopoietic stem cell transplant patients during protective isolation. Psycho-Oncology, 2013, 22, 1790-1797.	2.3	48
89	People centred mental health care. The interplay between the individual perspective and the broader health care context. Epidemiology and Psychiatric Sciences, 2012, 21, 125-129.	3.9	4
90	Is Neuregulin 1 Involved in Determining Cerebral Volumes in Schizophrenia Preliminary Results Showing a Decrease in Superior Temporal Gyrus Volume. Neuropsychobiology, 2012, 65, 119-125.	1.9	26

#	Article	IF	CITATIONS
91	Neurocognitive profile and its association with psychopathology in first-degree relatives of patients with schizophrenia. A case-control study. Psychiatry Research, 2012, 200, 137-143.	3.3	15
92	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. Trials, 2012, 13, 73.	1.6	47
93	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. Biological Psychiatry, 2012, 72, 645-650.	1.3	15
94	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. Human Molecular Genetics, 2011, 20, 4076-4081.	2.9	193
95	At-Risk Variant in TCF7L2 for Type II Diabetes Increases Risk of Schizophrenia. Biological Psychiatry, 2011, 70, 59-63.	1.3	114
96	Association between symptoms and quality of life in patients with schizophrenia: A pooled analysis of changes over time. Schizophrenia Research, 2011, 133, 17-21.	2.0	73
97	Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. Neuroscience Letters, 2011, 495, 17-21.	2.1	31
98	New perspectives in the psychotherapy of psychoses at onset: evidence, effectiveness, flexibility, and fidelity. Epidemiology and Psychiatric Sciences, 2011, 20, 107-111.	3.9	9
99	ll Progetto DECO-TRE: un modello di intervento <i>stepped-care</i> integrato per il trattamento della depressione in comorbidità con malattie fisiche nell'Ospedale Generale e nella Medicina di Base. Epidemiology and Psychiatric Sciences, 2010, 19, 362-374.	3.9	0
100	Protocollo operativo di un intervento <i>stepped care</i> per il trattamento breve e di gruppo della depressione in comorbidità con malattie fisiche, Presentazione. Epidemiology and Psychiatric Sciences, 2010, 19, 360-361.	3.9	0
101	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: A pooled analysis. Schizophrenia Research, 2010, 121, 251-258.	2.0	87
102	Disruption of the neurexin 1 gene is associated with schizophrenia. Human Molecular Genetics, 2009, 18, 988-996.	2.9	424
103	Influence of perceived organisational factors on job burnout: survey of community mental health staff. British Journal of Psychiatry, 2009, 195, 537-544.	2.8	154
104	Can the role of genetic factors in schizophrenia be enlightened by studies of candidate gene mutant mice behaviour?. World Journal of Biological Psychiatry, 2009, 10, 778-797.	2.6	8
105	A comparison of SF-6D and EQ-5D utility scores in a study of patients with schizophrenia. Journal of Mental Health Policy and Economics, 2009, 12, 27-31.	0.6	53
106	The interaction between genetics and epidemiology: the puzzle and its pieces. Epidemiologia E Psichiatria Sociale, 2009, 18, 77-80.	0.9	1
107	Long-term monitoring and evaluation of a new system of community-based psychiatric care. Integrating research, teaching and practice at the University of Verona. Annali Dell'Istituto Superiore Di Sanita, 2009, 45, 43-53.	0.4	10
108	Large recurrent microdeletions associated with schizophrenia. Nature, 2008, 455, 232-236.	27.8	1,619

7

#	Article	IF	CITATIONS
109	Improving the treatment of schizophrenia in real world mental health services. Epidemiology and Psychiatric Sciences, 2008, 17, 249-253.	3.9	4
110	Promoting recovery of schizophrenic patients: discrepancy between routine practice and evidence. The SIEP-DIRECT's Project. Epidemiology and Psychiatric Sciences, 2008, 17, 331-348.	3.9	29
111	Management of violent behaviour and rapid tranquillisation during acute psychotic episode: discrepancy between routine practice and evidence. The SIEP-DIRECT's Project. Epidemiology and Psychiatric Sciences, 2008, 17, 349-357.	3.9	3
112	Case management or assertive community treatment: are they really alternative approaches?. Epidemiologia E Psichiatria Sociale, 2008, 17, 93-98.	0.9	12
113	Care across all phases of schizophrenia and initiation of treatment: discrepancy between routine practice and evidence. The SIEP-DIRECT's Project. Epidemiology and Psychiatric Sciences, 2008, 17, 305-318.	3.9	6
114	The SIEP-DIRECT's Project on the discrepancy between routine practice and evidence in the treatment of schizophrenia. The design, the indicators, and the methodology of the study. Epidemiology and Psychiatric Sciences, 2008, 17, 278-290.	3.9	16
115	Guidelines for treating mental illness: love them, hate them. Can the SIEP-DIRECT's Project serve in the search for a happy medium?. Epidemiology and Psychiatric Sciences, 2008, 17, 270-277.	3.9	22
116	The treatment of acute psychotic episode: discrepancy between routine practice and evidence. The project SIEP-DIRECT's. Epidemiology and Psychiatric Sciences, 2008, 17, 319-330.	3.9	6
117	The SIEP-DIRECT's Project on the discrepancy between routine practice and evidence. An outline of main findings and practical implications for the future of community based mental health services. Epidemiology and Psychiatric Sciences, 2008, 17, 358-368.	3.9	36
118	The acceptability of the NICE recommendations for schizophrenia in the Italian Departments of Mental Health. The SIEP-DIRECT's Project on the discrepancy between routine practice and evidence. Epidemiology and Psychiatric Sciences, 2008, 17, 291-304.	3.9	7
119	Improving the treatment of schizophrenia in real world mental health services. Epidemiologia E Psichiatria Sociale, 2008, 17, 249-53.	0.9	3
120	The SIEP-DIRECT'S Project on the discrepancy between routine practice and evidence. An outline of main findings and practical implications for the future of community based mental health services. Epidemiologia E Psichiatria Sociale, 2008, 17, 358-68.	0.9	12
121	The diffusion and the reason for the use of complementary and alternative medicine among users of mental health services: a systematic review of literature. Epidemiologia E Psichiatria Sociale, 2007, 16, 35-49.	0.9	7
122	Quality of Life, Enjoyment and Satisfaction Questionnaire (Q-LES-Q). Epidemiologia E Psichiatria Sociale, 2007, 16, 79-81.	0.9	4
123	Heterogeneity of the Departments of Mental Health in the Veneto Region ten years after the National Plan 1994-96 for Mental Health. Which implication for clinical practice? Findings from the PICOS Project. Epidemiologia E Psichiatria Sociale, 2007, 16, 59-70.	0.9	13
124	Achieving a better knowledge on the causes and early course of psychoses: a profitable investment for the future?. Epidemiologia E Psichiatria Sociale, 2007, 16, 97-101.	0.9	5
125	Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 647-659.	1.7	45
126	Outcome of patients dropping out from community-based mental health care: a 6-year multiwave follow-up study. Acta Psychiatrica Scandinavica, 2007, 116, 42-52.	4.5	29

#	Article	IF	CITATIONS
127	Applications and usefulness of routine measurement of patients' satisfaction with communityâ€based mental health care. Acta Psychiatrica Scandinavica, 2007, 116, 53-65.	4.5	52
128	The current state of mental health care in Italy: problems, perspectives, and lessons to learn. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 83-91.	3.2	88
129	Satisfaction with treatment among patients with depressive and bipolar disorders. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 148-155.	3.1	26
130	Satisfaction with community and hospital-based emergency services amongst severely mentally ill service users. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 302-309.	3.1	31
131	Severe and persistent mental illness: a useful definition for prioritizing community-based mental health service interventions. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 457-463.	3.1	102
132	Changes and predictors of change in objective and subjective quality of life. British Journal of Psychiatry, 2005, 187, 121-130.	2.8	101
133	Needs and quality of life among patients with schizophrenia in five European centres. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 628-634.	3.1	38
134	Does Additional Care Provided by a Consumer Self-Help Group Improve Psychiatric Outcome? A Study in an Italian Community-based Psychiatric Service. Community Mental Health Journal, 2005, 41, 705-720.	2.0	32
135	Listening to patients' needs to improve their subjective quality of life. Psychological Medicine, 2005, 35, 1655-1665.	4.5	100
136	Main determinants of Global Assessment of Functioning score in schizophrenia: a European multicenter study. Comprehensive Psychiatry, 2005, 46, 440-446.	3.1	36
137	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. Schizophrenia Research, 2005, 75, 107-117.	2.0	76
138	Heterogeneity of outcomes in schizophrenia. British Journal of Psychiatry, 2004, 184, 48-57.	2.8	40
139	Does Meeting Needs Improve Quality of Life?. Psychotherapy and Psychosomatics, 2004, 73, 183-189.	8.8	120
140	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 60-68.	3.1	45
141	A longitudinal evaluation of two-year outcome in a community-based mental health service using graphical chain models. International Journal of Methods in Psychiatric Research, 2004, 13, 10-23.	2.1	6
142	Cross-cultural differences in the conceptualisation of patients' satisfaction with psychiatric services. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 142-148.	3.1	26
143	Neurotics are dissatisfied with life, but not with services. The South Verona Outcome Project 7. General Hospital Psychiatry, 2003, 25, 338-344.	2.4	23
144	Satisfaction With Mental Health Services Among People With Schizophrenia in Five European Sites: Results From the EPSILON Study. Schizophrenia Bulletin, 2003, 29, 229-245.	4.3	89

#	Article	IF	CITATIONS
145	Feasibility, usefulness, limitations and perspectives of routine outcome assessment: the South Verona Outcome Project. Epidemiologia E Psichiatria Sociale, 2002, 11, 177-185.	0.9	15
146	Subjective Quality of Life: Its Relationship with Clinician-Rated and Patient-Rated Psychopathology. Psychotherapy and Psychosomatics, 2002, 71, 275-284.	8.8	89
147	Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. British Journal of Psychiatry, 2002, 181, 331-338.	2.8	89
148	To what extent do mental health services meet patients' needs and provide satisfactory care?. Current Opinion in Psychiatry, 2002, 15, 193-199.	6.3	15
149	Determinants of subjective quality of life in patients attending communityâ€based mental health services. The Southâ€Verona Outcome Project 5. Acta Psychiatrica Scandinavica, 2002, 105, 131-140.	4.5	90
150	Subjective and objective dimensions of quality of life in psychiatric patients: A factor analytical approach. British Journal of Psychiatry, 2001, 178, 268-275.	2.8	189
151	Reliability in multi-site psychiatric studies. International Journal of Methods in Psychiatric Research, 2001, 10, 29-42.	2.1	7
152	Methodology of a multi-site reliability study. British Journal of Psychiatry, 2000, 177, s15-s20.	2.8	44
153	Translation and cross-cultural adaptation of outcome measurements for schizophrenia. British Journal of Psychiatry, 2000, 177, s8-s14.	2.8	63
154	Development, internal consistency and reliability of the Verona Service Satisfaction Scale – European Version. British Journal of Psychiatry, 2000, 177, s41-s48.	2.8	96
155	The perception of needs for care in staffand patients in community-based mental health services. The South-Verona Outcome Project 3. Acta Psychiatrica Scandinavica, 2000, 102, 366-375.	4.5	112
156	Definition and prevalence of severe and persistent mental illness. British Journal of Psychiatry, 2000, 177, 149-155.	2.8	414
157	Quality of life in schizophrenia: development, reliability and internal consistency of the Lancashire Quality of Life Profile – European Version. British Journal of Psychiatry, 2000, 177, s49-s54.	2.8	75
158	Multidimensional assessment of outcome in psychiatry: the use of graphical displays. The South-Verona Project 2. International Journal of Methods in Psychiatric Research, 1998, 7, 186-198.	2.1	7
159	Levosulpiride versus pimozide in negative symptoms of schizophrenia. Current Therapeutic Research, 1996, 57, 797-809.	1.2	6
160	Individual patient outcomes. , 1996, , 281-295.		16
161	ICAP. Presentazione. Epidemiologia E Psichiatria Sociale, 1996, 5, 198-200.	0.9	0
162	Objectives, models and methods for evaluating psychiatric services. An Italian experience. Epidemiologia E Psichiatria Sociale, 1996, 5, 19-27.	0.9	5

MIRELLA RUGGERI

#	Article	IF	CITATIONS
163	FACTOR ANALYSIS OF THE VERONA SERVICE SATISFACTION SCALE-82 AND DEVELOPMENT OF REDUCED VERSIONS. International Journal of Methods in Psychiatric Research, 1996, 6, 23-38.	2.1	37
164	The Italian version of the service satisfaction scale (SSS-30) adapted for community-based psychiatric patients: Development, factor analysis and application. Evaluation and Program Planning, 1995, 18, 191-202.	1.6	22
165	Brief Psychiatric Rating Scale, versione 4.0 «ampliata» (BPRS 4.0). Presentazione. Epidemiologia E Psichiatria Sociale, 1995, 4, 67-68.	0.9	8
166	Evaluating outcome in mental health care. Current Opinion in Psychiatry, 1995, 8, 116-121.	6.3	27
167	The development and use of the Verona Expectations for Care Scale (VECS) and the Verona Service Satisfaction Scale (VSSS) for measuring expectations and satisfaction with community-based psychiatric services in patients, relatives and professionals. Psychological Medicine, 1993, 23, 511-523.	4.5	183
168	Meta-analysis of double-blind placebo-controlled trials of antidepressants and benzodiazepines for patients with panic disorders. Psychological Medicine, 1991, 21, 991-998.	4.5	57
169	Outcome measurement in Italy. , 0, , 62-71.		0
170	Some wobbly planks in the platform of mental health care 0, 394,402		0

Some wobbly planks in the platform of mental health care. , 0, , 394-402.

0