## Jyothsna Rani Komaragiri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6866774/publications.pdf Version: 2024-02-01

		41344	49909
211	9,450	49	87
papers	citations	h-index	g-index
225 all docs	225 docs citations	225	7951
andocs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
4	Observation of a new boson with mass near 125 GeV in pp collisions at \$ sqrt{s}=7 \$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
5	Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
6	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
7	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
8	Measurement of the differential cross section for top quark pair production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
9	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179

10

#	Article	IF	CITATIONS
19	Searches for invisible decays of the Higgs boson in pp collisions at s \$\$ sqrt{s} \$\$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
20	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
21	Measurements of differential and double-differential Drell–Yan cross sections in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
22	Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
23	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
24	Measurement of the differential cross section and charge asymmetry for inclusive \$\$mathrm {p}mathrm {p}ightarrow mathrm {W}^{pm }+X\$\$ p p → W ± + X production at \$\${sqrt{s}} = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
25	Suppression and azimuthal anisotropy of prompt and nonprompt \$\${mathrm{J}}/psi \$\$ J / Ï^ production in PbPb collisions at \$\$sqrt{{s_{_{ext {NN}}}} =2.76\$\$ s NN = 2.76 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	3.9	82
26	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
27	Search for a charged Higgs boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
28	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
29	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
30	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at \$\$sqrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
31	Measurement of the \$\${{mathrm{W} }^{+} }mathrm{W}^{-} \$\$ W + W - cross section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
32	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
33	Measurement of the t-channel single-top-quark production cross section and of the  V tb  CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
34	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
35	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
36	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68

#	Article	IF	CITATIONS
37	Measurement of the \$\${mathrm {t}overline{mathrm {t}}}\$ t t $\hat{A}^-$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
38	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
39	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
40	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
41	Measurement of the inelastic proton-proton cross section at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
42	Measurement of prompt J/ḯ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
43	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
44	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
45	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
46	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
47	Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p → Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z → 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
48	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
49	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
50	Observation of Y(1S) pair production in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
51	Search for disappearing tracks in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
52	Search for a light charged Higgs boson decaying to c s Â <sup>-</sup> \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
53	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
54	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43

#	Article	IF	CITATIONS
55	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
56	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
57	Evidence for exclusive γγ → W + W â^' production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
58	Measurement of the t t Â <sup>-</sup> \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eμ channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
59	Measurement of the \$\$mathrm{t}overline{{mathrm{t}}\$\$ t t Â <sup>-</sup> production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
60	Measurement of the \$\$mathrm{t}overline{mathrm{t}} \$\$ t t Â <sup>-</sup> production cross section using events in the \$\$mathrm {e}mu \$\$ e μ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
61	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 378.	3.9	40
62	Measurement of the ZZ production cross section and search for anomalous couplings in 2ℓ2ℓ′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
63	Measurement of differential cross sections for \$\${ext {Z}}\$\$ Z boson production in association with jets in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
64	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
65	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying ï,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
66	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
67	Measurement of the WZ production cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 \$\$,ext{TeV}\$\$ TeV and search for anomalous triple gauge couplings at \$\$sqrt{s} = 8,ext{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
68	Search for heavy Majorana neutrinos in e±e±+ jets and e± μ ±+ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
69	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
70	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
71	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
72	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â <sup>-</sup> production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34

#	Article	IF	CITATIONS
73	Measurements of the \$\$mathrm{t}overline{mathrm{t}}\$\$ t t Â <sup>-</sup> production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
74	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
75	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
76	Search for top squark pair production using dilepton final states in \$\${ext {p}}{ext {p}}\$ collision data collected at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 3.	3.9	33
77	Measurements of the \$\$mathrm{Z}\$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{l} 2u \$\$ 2 l 2 ν channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
78	Searches for pair production of third-generation squarks in \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
79	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
80	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
81	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
82	Search for top squark pair production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
83	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
84	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,,'' ν b b Â <sup>-</sup> final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
85	Measurements of the associated production of a Z boson and b jets in pp collisions at \$\${sqrt{s}} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
86	Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
87	Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
88	A search for new phenomena in pp collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the \$\$alpha _{mathrm {T}}\$\$ α T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
89	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
90	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29

#	Article	IF	CITATIONS
91	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
92	Measurements of differential Z boson production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
93	Study of Z production in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}=2.76 \$\$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
94	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
95	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
96	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
97	Search for W′ → tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
98	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
99	Measurement of the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 2.76,ext {TeV}\$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
100	Measurement of energy flow at large pseudorapidities in pp collisions at \$ sqrt {s} = 0.{9} \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
101	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
102	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
103	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
104	Search for third-generation scalar leptoquarks in the tï,, channel in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
105	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
106	Measurements of \$\${mathrm{p}} {mathrm{p}} ightarrow {mathrm{Z}} {mathrm{Z}} \$\$ production cross sections and constraints on anomalous triple gauge couplings at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 200.	3.9	24
107	Measurement of WZ and ZZ production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
108	Observation of top quark pairs produced in association with a vector boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23

#	Article	IF	CITATIONS
109	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
110	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
111	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
112	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
113	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
114	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying Ï,, leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
115	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
116	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
117	Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
118	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
119	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
120	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
121	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
122	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
123	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
124	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into Ï" leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
125	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
126	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{N};mathrm{N}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1	4.7	18

#	Article	IF	CITATIONS
127	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at \$\$sqrt{s} = 8;ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
128	Measurement of the differential Drell-Yan cross section in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
129	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
130	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
131	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
132	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
133	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ±  → J/̈́ri€	3.9 Â+	17
134	and B± â†' J/l̈́K ± and ℬ B c ± â†' J / l̈́ Ĩ€ ± l̃€ ± l̃€ â <sup>-</sup> " / ℬ B c ± â†' J / l̈́ Ĩ€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{mathrm{c}}) fpm}o mathrm{J}/psi {pi}^{pm} }{pm} Tj ETQq0 0 0		lock 10 Tf 50
135	2015, 1. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
136	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
137	Measurement of electroweak-induced production of $W\hat{I}^3$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
138	Search for Zγ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
139	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
140	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
141	Measurement of jet multiplicity distributions in \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â <sup>-</sup> production in pp collisions at \$\$sqrt{s} = 7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
142	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
143	Measurement of dijet azimuthal decorrelation in ppÂcollisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
144	Search for excited leptons in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16

#	Article	IF	CITATIONS
145	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
146	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at \$\$sqrt{s} = 8{,mathrm{{TeV}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
147	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
148	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
149	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
150	Search for s channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
151	Search for supersymmetry in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
152	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
153	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
154	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
155	Measurements of the pp → WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
156	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in \$\$mathrm {PbPb}\$\$ collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}} = 2.76\$\$ and 5.02\$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 534.	3.9	14
157	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
158	Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.	3.9	14
159	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
160	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
161	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
162	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13

#	Article	IF	CITATIONS
163	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
164	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
165	Phenomenological MSSM interpretation of CMS searches in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
166	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
167	Search for dark matter produced in association with a Higgs boson decaying to Î <sup>3</sup> Î <sup>3</sup> or Ï,, +Ï,, â^' at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
168	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
169	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
170	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
171	Measurement of the Zl̂ <sup>3</sup> production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
172	Search for electroweak production of charginos in final states with two Ï" leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
173	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H → WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
174	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
175	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at s = 2.76 \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
176	Search for a heavy resonance decaying into a Z boson and a vector boson in the \$\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
177	Search for a heavy vector resonance decaying to a \$\${mathrm{Z}}_{mathrm{}}^{mathrm{}}\$ Âboson and a Higgs boson in proton-proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 688.	3.9	9
178	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,,"2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
179	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
180	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7

#	Article	IF	CITATIONS
181	Search for high-mass Zγ resonances in e+eâ~'γ and μ + μ â~'γ final states in proton-proton collisions at s = sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	<sup>8 \$\$</sup> 4.7	7
182	Comparison of the $Z/\hat{I}^3 \hat{a}^- + jets$ to $\hat{I}^3 + jets$ cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
183	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
184	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
185	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
186	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
187	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
188	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
189	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
190	Search for the pair production of light top squarks in the e±μâ~" final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
191	Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt {s} = 0.{9} ) and 7 TeV. , 2011, 2011, 1.		5
192	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
193	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
194	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
195	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
196	Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
197	Search for dark matter particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
198	Search for CP violation in t t $\hat{A}^{-}$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4

#	Article	IF	CITATIONS
199	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
200	Study of hadronic event-shape variables in multijet final states in pp collisions at s = 7 \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
201	Search for W′ → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
202	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell ) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV} ). , 2018, 78, 1.		3
203	Dark matter searches at the large hadron collider. AIP Conference Proceedings, 2016, , .	0.4	2
204	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
205	Measurements of angular distance and momentum ratio distributions in three-jet and \$\${ext {Z}}\$\$ + two-jet final states in \$\${ext {p}}{ext {p}}\$\$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
206	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
207	Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
208	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at \$\$ sqrt{s} \$\$= 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
209	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
210	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
211	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm {s}\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}\$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1