Miren López de Alda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6868021/publications.pdf

Version: 2024-02-01

215 papers 17,685 citations

7568 77 h-index 125 g-index

219 all docs

219 docs citations

times ranked

219

14973 citing authors

#	Article	IF	CITATIONS
1	Fungal degradation of selected medium to highly polar pesticides by Trametes versicolor: kinetics, biodegradation pathways, and ecotoxicity of treated waters. Analytical and Bioanalytical Chemistry, 2022, 414, 439-449.	3.7	29
2	Evaluation of an outdoor pilot-scale tubular photobioreactor for removal of selected pesticides from water. Science of the Total Environment, 2022, 804, 150040.	8.0	8
3	UHPLC-HRMS data from non-targeted screening for biotransformation products of cytostatic drug imatinib. Data in Brief, 2022, 41, 107991.	1.0	O
4	QuEChERS-based analytical methods developed for LC-MS/MS multiresidue determination of pesticides in representative crop fatty matrices: Olives and sunflower seeds. Food Chemistry, 2022, 386, 132558.	8.2	15
5	Assessing population exposure to phthalate plasticizers in thirteen Spanish cities through the analysis of wastewater. Journal of Hazardous Materials, 2021, 401, 123272.	12.4	39
6	Drugs of abuse and their metabolites in river sediments: Analysis, occurrence in four Spanish river basins and environmental risk assessment. Journal of Hazardous Materials, 2021, 401, 123312.	12.4	16
7	Priority and emerging organic microcontaminants in three Mediterranean river basins: Occurrence, spatial distribution, and identification of river basin specific pollutants. Science of the Total Environment, 2021, 754, 142344.	8.0	42
8	Evaluation of the occurrence and fate of pesticides in a typical Mediterranean delta ecosystem (Ebro) Tj ETQq0 C	0 rgBT /C	Overlock 10 Tf
9	Remediation of bentazone contaminated water by Trametes versicolor: Characterization, identification of transformation products, and implementation in a trickle-bed reactor under non-sterile conditions. Journal of Hazardous Materials, 2021, 409, 124476.	12.4	11
10	Investigative monitoring of pesticide and nitrogen pollution sources in a complex multi-stressed catchment: The lower Llobregat River basin case study (Barcelona, Spain). Science of the Total Environment, 2021, 755, 142377.	8.0	37
11	Anthropogenic contaminants in freshwater from the northern Antarctic Peninsula region. Ambio, 2021, 50, 544-559.	5.5	21
12	Contaminants of emerging concern in the Basque coast (N Spain): Occurrence and risk assessment for a better monitoring and management decisions. Science of the Total Environment, 2021, 765, 142765.	8.0	27
13	The embodiment of wastewater data for the estimation of illicit drug consumption in Spain. Science of the Total Environment, 2021, 772, 144794.	8.0	31
14	Semi-industrial development of nutritious and healthy seafood dishes from sustainable species. Food and Chemical Toxicology, 2021, 155, 112431.	3.6	3
15	A novel workflow utilizing open-source software tools in the environmental fate studies: The example of imatinib biotransformation. Science of the Total Environment, 2021, 797, 149063.	8.0	3
16	Occurrence and risk assessment of pesticides in a Mediterranean Basin with strong agricultural pressure (Guadiana Basin: Southern of Portugal). Science of the Total Environment, 2021, 794, 148703.	8.0	20
17	Spatioâ€temporal assessment of illicit drug use at large scale: evidence from 7 years of international wastewater monitoring. Addiction, 2020, 115, 109-120.	3.3	154
18	Pharmaceuticals in a Mediterranean Basin: The influence of temporal and hydrological patterns in environmental risk assessment. Science of the Total Environment, 2020, 709, 136205.	8.0	55

#	Article	IF	CITATIONS
19	Assessing alcohol consumption through wastewater-based epidemiology: Spain as a case study. Drug and Alcohol Dependence, 2020, 215, 108241.	3.2	30
20	Improved fully automated method for the determination of medium to highly polar pesticides in surface and groundwater and application in two distinct agriculture-impacted areas Science of the Total Environment, 2020, 745, 140650.	8.0	16
21	The NORMAN Association and the European Partnership for Chemicals Risk Assessment (PARC): let's cooperate!. Environmental Sciences Europe, 2020, 32, .	5.5	46
22	Microalgae-based bioremediation of water contaminated by pesticides in peri-urban agricultural areas. Environmental Pollution, 2020, 265, 114579.	7.5	51
23	First nation-wide estimation of tobacco consumption in Spain using wastewater-based epidemiology. Science of the Total Environment, 2020, 741, 140384.	8.0	24
24	Fungal bioremediation of diuron-contaminated waters: Evaluation of its degradation and the effect of amendable factors on its removal in a trickle-bed reactor under non-sterile conditions. Science of the Total Environment, 2020, 743, 140628.	8.0	26
25	Chlorination By-Products of Anticancer Drugs. , 2020, , 87-102.		0
26	Particle bound pollutants in rivers: Results from suspended sediment sampling in Globaqua River Basins. Science of the Total Environment, 2019, 647, 645-652.	8.0	77
27	Multiple stressor effects on biodiversity and ecosystem functioning in a Mediterranean temporary river. Science of the Total Environment, 2019, 647, 1179-1187.	8.0	52
28	Psychoactive substances in mussels: Analysis and occurrence assessment. Marine Pollution Bulletin, 2019, 146, 985-992.	5.0	27
29	Future water quality monitoring: improving the balance between exposure and toxicity assessments of real-world pollutant mixtures. Environmental Sciences Europe, 2019, 31, .	5.5	142
30	Assessing the effects of hydrological and chemical stressors on macroinvertebrate community in an Alpine river: The Adige River as a case study. River Research and Applications, 2019, 35, 78-87.	1.7	9
31	Fast analysis of relevant contaminants mixture in commercial shellfish. Talanta, 2019, 205, 119884.	5.5	29
32	Polluted water from an urban reservoir (MadÃn dam, México) induces toxicity and oxidative stress in Cyprinus carpio embryos. Environmental Pollution, 2019, 251, 510-521.	7.5	24
33	The value of wastewater-based epidemiology in the estimation of alcohol consumption. Current Opinion in Environmental Science and Health, 2019, 9, 19-25.	4.1	13
34	Psychoactive pharmaceuticals and illicit drugs in coastal waters of North-Western Spain: Environmental exposure and risk assessment. Chemosphere, 2019, 224, 379-389.	8.2	63
35	A reliable LC-MS/MS-based method for trace level determination of 50 medium to highly polar pesticide residues in sediments and ecological risk assessment. Analytical and Bioanalytical Chemistry, 2019, 411, 7981-7996.	3.7	27
36	Analysis of 52 pesticides in fresh fish muscle by QuEChERS extraction followed by LC-MS/MS determination. Science of the Total Environment, 2019, 653, 958-967.	8.0	92

#	Article	IF	CITATIONS
37	Medium to highly polar pesticides in seawater: Analysis and fate in coastal areas of Catalonia (NE) Tj ETQq1 1	. 0.784314 rgB ⁻	「⊿gverlock
38	Strengthen the European collaborative environmental research to meet European policy goals for achieving a sustainable, non-toxic environment. Environmental Sciences Europe, 2019, 31, .	5.5	7
39	Determining the presence of chemicals with suspected endocrine activity in drinking water from the Madrid region (Spain) and assessment of their estrogenic, androgenic and thyroidal activities. Chemosphere, 2018, 201, 388-398.	8.2	44
40	Ecological and ecotoxicological responses in the assessment of the ecological status of freshwater systems: A case-study of the temporary stream Brejo of Cagarrão (South of Portugal). Science of the Total Environment, 2018, 634, 394-406.	8.0	20
41	Multi-year inter-laboratory exercises for the analysis of illicit drugs and metabolites in wastewater: Development of a quality control system. TrAC - Trends in Analytical Chemistry, 2018, 103, 34-43.	11.4	85
42	Study of pharmaceuticals in surface and wastewater from Cuernavaca, Morelos, Mexico: Occurrence and environmental risk assessment. Science of the Total Environment, 2018, 613-614, 1263-1274.	8.0	263
43	Simultaneous LC–MS/MS determination of 40 legal and illegal psychoactive drugs in breast and bovine milk. Food Chemistry, 2018, 245, 159-167.	8.2	34
44	Does the presence of caffeine in the marine environment represent an environmental risk? A regional and global study. Science of the Total Environment, 2018, 615, 632-642.	8.0	69
45	A case study to identify priority cytostatic contaminants in hospital effluents. Chemosphere, 2018, 190, 417-430.	8.2	65
46	Aerobic activated sludge transformation of vincristine and identification of the transformation products. Science of the Total Environment, 2018, 610-611, 892-904.	8.0	24
47	A fully automated approach for the analysis of 37 psychoactive substances in raw wastewater based on on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2018, 1576, 80-89.	3.7	43
48	Analysis of Psychoactive Pharmaceuticals in Wastewater and Surface Water Using LC-MS. Comprehensive Analytical Chemistry, 2018, 79, 29-52.	1.3	5
49	Determination of metals and pharmaceutical compounds released in hospital wastewater from Toluca, Mexico, and evaluation of their toxic impact. Environmental Pollution, 2018, 240, 330-341.	7.5	66
50	Occurrence of pharmaceutical, recreational and psychotropic drug residues in surface water on the northern Antarctic Peninsula region. Environmental Pollution, 2017, 229, 241-254.	7.5	151
51	Five-year monitoring of 19 illicit and legal substances of abuse at the inlet of a wastewater treatment plant in Barcelona (NE Spain) and estimation of drug consumption patterns and trends. Science of the Total Environment, 2017, 609, 916-926.	8.0	84
52	Environmental analysis: Emerging pollutants. , 2017, , 451-477.		4
53	Biodegradability of the anticancer drug etoposide and identification of the transformation products. Environmental Science and Pollution Research, 2016, 23, 14706-14717.	5.3	7
54	Occurrence of drugs of abuse in surface water from four Spanish river basins: Spatial and temporal variations and environmental risk assessment. Journal of Hazardous Materials, 2016, 316, 134-142.	12.4	49

#	Article	IF	Citations
55	Biomarkers of Morbid Obesity and Prediabetes by Metabolomic Profiling of Human Discordant Phenotypes. Clinica Chimica Acta, 2016, 463, 53-61.	1.1	71
56	Retention behavior of alkyl-substituted polycyclic aromatic sulfur heterocycles in reversed-phase liquid chromatography. Journal of Chromatography A, 2016, 1461, 120-130.	3.7	11
57	Retention behavior of isomeric polycyclic aromatic sulfur heterocycles in reversed-phase liquid chromatography. Journal of Chromatography A, 2016, 1461, 107-119.	3.7	17
58	Human exposure to endocrine disrupting compounds: Their role in reproductive systems, metabolic syndrome and breast cancer. A review. Environmental Research, 2016, 151, 251-264.	7.5	438
59	Chemical and toxicological characterisation of anticancer drugs in hospital and municipal wastewaters from Slovenia and Spain. Environmental Pollution, 2016, 219, 275-287.	7.5	125
60	Comparative measurement and quantitative risk assessment of alcohol consumption through wastewater-based epidemiology: An international study in 20 cities. Science of the Total Environment, 2016, 565, 977-983.	8.0	85
61	Toxicity of the mixture of selected antineoplastic drugs against aquatic primary producers. Environmental Science and Pollution Research, 2016, 23, 14780-14790.	5.3	40
62	Reactivity of vinca alkaloids during water chlorination processes: Identification of their disinfection by-products by high-resolution quadrupole-Orbitrap mass spectrometry. Science of the Total Environment, 2016, 544, 635-644.	8.0	23
63	Presence of endocrine disruptors in freshwater in the northern Antarctic Peninsula region. Environmental Research, 2016, 147, 179-192.	7.5	52
64	Ozonation of hospital raw wastewaters for cytostatic compounds removal. Kinetic modelling and economic assessment of the process. Science of the Total Environment, 2016, 556, 70-79.	8.0	59
65	Drugs of abuse, cytostatic drugs and iodinated contrast media in tap water from the Madrid region (central Spain):A case study to analyse their occurrence and human health risk characterization. Environment International, 2016, 86, 107-118.	10.0	58
66	First inter-laboratory comparison exercise for the determination of anticancer drugs in aqueous samples. Environmental Science and Pollution Research, 2016, 23, 14692-14704.	5.3	8
67	Future water quality monitoring — Adapting tools to deal with mixtures of pollutants in water resource management. Science of the Total Environment, 2015, 512-513, 540-551.	8.0	243
68	Comprehensive monitoring of the occurrence of 22 drugs of abuse and transformation products in airborne particulate matter in the city of Barcelona. Science of the Total Environment, 2015, 532, 344-352.	8.0	19
69	Analysis and occurrence of endocrine-disrupting chemicals in airborne particles. TrAC - Trends in Analytical Chemistry, 2015, 66, 45-52.	11.4	54
70	Pharmaceuticals and iodinated contrast media in a hospital wastewater: A case study to analyse their presence and characterise their environmental risk and hazard. Environmental Research, 2015, 140, 225-241.	7.5	155
71	Occurrence and potential risk of currently used pesticides in sediments of the Alqueva reservoir (Guadiana Basin). Environmental Science and Pollution Research, 2015, 22, 7665-7675.	5.3	31
72	Elimination of drugs of abuse and their toxicity from natural waters by photo-Fenton treatment. Science of the Total Environment, 2015, 520, 198-205.	8.0	54

#	Article	IF	CITATIONS
73	Assessment of toxicity and genotoxicity of low doses of 5-fluorouracil in zebrafish (Danio rerio) two-generation study. Water Research, 2015, 77, 201-212.	11.3	81
74	Degradation of the anticancer drug erlotinib during water chlorination: Non-targeted approach for the identiï¬cation of transformation products. Water Research, 2015, 85, 103-113.	11.3	39
75	Transformation of tamoxifen and its major metabolites during water chlorination: Identification and in silico toxicity assessment of their disinfection byproducts. Water Research, 2015, 85, 199-207.	11.3	53
76	Aerobic activated sludge transformation of methotrexate: Identification of biotransformation products. Chemosphere, 2015, 119, S42-S50.	8.2	24
77	Transcriptomic, biochemical and individual markers in transplanted Daphnia magna to characterize impacts in the field. Science of the Total Environment, 2015, 503-504, 200-212.	8.0	15
78	Degradation of the cytostatic etoposide in chlorinated water by liquid chromatography coupled to quadrupole-Orbitrap mass spectrometry: Identification and quantification of by-products in real water samples. Science of the Total Environment, 2015, 506-507, 36-45.	8.0	33
79	The SOLUTIONS project: Challenges and responses for present and future emerging pollutants in land and water resources management. Science of the Total Environment, 2015, 503-504, 22-31.	8.0	163
80	Pharmaceuticals and pesticides in reclaimed water: Efficiency assessment of a microfiltration–reverse osmosis (MF–RO) pilot plant. Journal of Hazardous Materials, 2015, 282, 165-173.	12.4	110
81	Occurrence of drugs of abuse and benzodiazepines in river waters from the Madrid Region (Central) Tj ETQq $1\ 1$	0.784314 8.2	rgBT /Overlo
82	Assessment of multi-chemical pollution in aquatic ecosystems using toxic units: Compound prioritization, mixture characterization and relationships with biological descriptors. Science of the Total Environment, 2014, 468-469, 715-723.	8.0	92
83	Four-year advanced monitoring program of polar pesticides in groundwater of Catalonia (NE-Spain). Science of the Total Environment, 2014, 470-471, 1087-1098.	8.0	86
84	Analysis of ethyl sulfate in raw wastewater for estimation of alcohol consumption and its correlation with drugs of abuse in the city of Barcelona. Journal of Chromatography A, 2014, 1360, 93-99.	3.7	53
85	Cytostatic drugs and metabolites in municipal and hospital wastewaters in Spain: Filtration, occurrence, and environmental risk. Science of the Total Environment, 2014, 497-498, 68-77.	8.0	126
86	Study of the stability of 26 cytostatic drugs and metabolites in wastewater under different conditions. Science of the Total Environment, 2014, 482-483, 389-398.	8.0	43
87	Drugs of abuse and benzodiazepines in the Madrid Region (Central Spain): Seasonal variation in river waters, occurrence in tap water and potential environmental and human risk. Environment International, 2014, 70, 76-87.	10.0	88
88	Hazards of the Endocrine Disruptors on Mullets (<i>Chelon labrosus</i>) from the Basque Coast (Bay of Biscay) Applying a Biomarker Based Approach. Cytologia, 2014, 79, 517-533.	0.6	2
89	Occurrence and behavior of pesticides in wastewater treatment plants and their environmental impact. Science of the Total Environment, 2013, 458-460, 466-476.	8.0	282
90	Development of a multiresidue method for analysis of pesticides in sediments based on isotope dilution and liquid chromatography-electrospray–tandem mass spectrometry. Journal of Chromatography A, 2013, 1305, 176-187.	3.7	39

#	Article	IF	CITATIONS
91	On-line solid phase extraction–liquid chromatography–tandem mass spectrometry for the determination of 17 cytostatics and metabolites in waste, surface and ground water samples. Journal of Chromatography A, 2013, 1280, 64-74.	3.7	107
92	Multianalyte determination of 24 cytostatics and metabolites by liquid chromatography–electrospray–tandem mass spectrometry and study of their stability and optimum storage conditions in aqueous solution. Talanta, 2013, 116, 290-299.	5.5	61
93	Illicit and abused drugs in sewage sludge: Method optimization and occurrence. Journal of Chromatography A, 2013, 1322, 29-37.	3.7	49
94	Endocrine disruption in thicklip grey mullet (Chelon labrosus) from the Urdaibai Biosphere Reserve (Bay of Biscay, Southwestern Europe). Science of the Total Environment, 2013, 443, 233-244.	8.0	42
95	Determination of 13 estrogenic endocrine disrupting compounds in atmospheric particulate matter by pressurised liquid extraction and liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 8913-8923.	3.7	36
96	Wastewater Reuse in the Llobregat: The Experience at the Prat de Llobregat Treatment Plant. Handbook of Environmental Chemistry, 2012, , 327-346.	0.4	2
97	Fate and Risks of Polar Pesticides in Groundwater Samples of Catalonia. Handbook of Environmental Chemistry, 2012, , 375-394.	0.4	3
98	Comparing illicit drug use in 19 European cities through sewage analysis. Science of the Total Environment, 2012, 432, 432-439.	8.0	416
99	Are pesticide residues associated to rice production affecting oyster production in Delta del Ebro, NE Spain?. Science of the Total Environment, 2012, 437, 209-218.	8.0	24
100	Drugs of abuse in surface and tap waters of the Tagus River basin: Heterogeneous photo-Fenton process is effective in their degradation. Environment International, 2012, 41, 35-43.	10.0	76
101	Emerging organic contaminants in groundwater in Spain: A review of sources, recent occurrence and fate in a European context. Science of the Total Environment, 2012, 440, 82-94.	8.0	321
102	Illicit Drugs and Metabolites in the Llobregat River Basin. Handbook of Environmental Chemistry, 2012, , 239-261.	0.4	3
103	Establishing potential links between the presence of alkylphenolic compounds and the benthic community in a European river basin. Environmental Science and Pollution Research, 2012, 19, 934-945.	5.3	8
104	New indexes for compound prioritization and complexity quantification on environmental monitoring inventories. Environmental Science and Pollution Research, 2012, 19, 958-970.	5.3	25
105	Assessing the effects of tertiary treated wastewater reuse on the presence emerging contaminants in a Mediterranean river (Llobregat, NE Spain). Environmental Science and Pollution Research, 2012, 19, 1000-1012.	5.3	51
106	Analysis of the occurrence and risk assessment of polar pesticides in the Llobregat River Basin (NE) Tj ETQq0 0 0	rgBT/Ove	rlock 10 Tf 5
107	Assessment of the effects of a marine urban outfall discharge on caged mussels using chemical and biomarker analysis. Marine Pollution Bulletin, 2012, 64, 563-573.	5.0	34
108	Formation of diclofenac and sulfamethoxazole reversible transformation products in aquifer material under denitrifying conditions: Batch experiments. Science of the Total Environment, 2012, 426, 256-263.	8.0	72

#	Article	IF	Citations
109	Drugs of abuse in urban groundwater. A case study: Barcelona. Science of the Total Environment, 2012, 424, 280-288.	8.0	66
110	Evaluation of drugs of abuse use and trends in a prison through wastewater analysis. Environment International, 2011, 37, 49-55.	10.0	135
111	Photolytic and photocatalytic transformation of methadone in aqueous solutions under solar irradiation: Kinetics, characterization of major intermediate products and toxicity evaluation. Water Research, 2011, 45, 4815-4826.	11.3	26
112	Combined scenarios of chemical and ecological quality under water scarcity in Mediterranean rivers. TrAC - Trends in Analytical Chemistry, 2011, 30, 1269-1278.	11.4	91
113	Microcosm experiments to control anaerobic redox conditions when studying the fate of organic micropollutants in aquifer material. Journal of Contaminant Hydrology, 2011, 126, 330-345.	3.3	54
114	Illicit drug consumption estimations derived from wastewater analysis: A critical review. Science of the Total Environment, 2011, 409, 3564-3577.	8.0	335
115	Cocaine and other illicit drugs in airborne particulates in urban environments: A reflection of social conduct and population size. Environmental Pollution, 2011, 159, 1241-1247.	7.5	33
116	Removal of estrogens through water disinfection processes and formation of by-products. Chemosphere, 2011, 82, 789-799.	8.2	99
117	Wastewater reuse in Mediterranean semi-arid areas: The impact of discharges of tertiary treated sewage on the load of polar micro pollutants in the Llobregat river (NE Spain). Chemosphere, 2011, 82, 670-678.	8.2	80
118	Identification of new ozonation disinfection by products of $17\hat{l}^2$ -estradiol and estrone in water. Chemosphere, 2011, 84, 1535-1541.	8.2	45
119	Are pharmaceuticals more harmful than other pollutants to aquatic invertebrate species: A hypothesis tested using multi-biomarker and multi-species responses in field collected and transplanted organisms. Chemosphere, 2011, 85, 1548-1554.	8.2	46
120	Solar transformation and photocatalytic treatment of cocaine in water: Kinetics, characterization of major intermediate products and toxicity evaluation. Applied Catalysis B: Environmental, 2011, 104, 37-48.	20.2	39
121	Analysis and occurrence of alkylphenolic compounds and estrogens in a European river basin and an evaluation of their importance as priority pollutants. Analytical and Bioanalytical Chemistry, 2010, 396, 1301-1309.	3.7	65
122	Assessing the estrogenic potency in a Portuguese wastewater treatment plant using an integrated approach. Journal of Environmental Sciences, 2010, 22, 1613-1622.	6.1	28
123	Analysis and occurrence of selected medium to highly polar pesticides in groundwater of Catalonia (NE Spain): An approach based on on-line solid phase extraction–liquid chromatography–electrospray-tandem mass spectrometry detection. Journal of Hydrology, 2010, 383, 83-92.	5.4	98
124	Primary and complex stressors in polluted mediterranean rivers: Pesticide effects on biological communities. Journal of Hydrology, 2010, 383, 52-61.	5.4	138
125	Occurrence and fate of alkylphenol polyethoxylate degradation products and linear alkylbenzene sulfonate surfactants in urban ground water: Barcelona case study. Journal of Hydrology, 2010, 383, 102-110.	5.4	49
126	Integrated ecotoxicological and chemical approach for the assessment of pesticide pollution in the Ebro River delta (Spain). Journal of Hydrology, 2010, 383, 73-82.	5.4	91

#	Article	IF	CITATIONS
127	Advanced monitoring of pharmaceuticals and estrogens in the Llobregat River basin (Spain) by liquid chromatography–triple quadrupole-tandem mass spectrometry in combination with ultra performance liquid chromatography–time of flight-mass spectrometry. Chemosphere, 2010, 80, 1337-1344.	8.2	112
128	Recent trends in the liquid chromatography–mass spectrometry analysis of organic contaminants in environmental samples. Journal of Chromatography A, 2010, 1217, 4004-4017.	3.7	216
129	Wastewater Reuse in the Mediterranean Area of Catalonia, Spain: Case Study of Reuse of Tertiary Effluent from a Wastewater Treatment Plant at el Prat de Llobregat (Barcelona). Handbook of Environmental Chemistry, 2010, , 249-294.	0.4	3
130	Pesticides at The Ebro River Delta: Occurrence and Toxicity in Water and Biota. Handbook of Environmental Chemistry, 2010, , 259-274.	0.4	2
131	An integrated study of endocrine disruptors in sediments and reproduction-related parameters in bivalve molluscs from the Biosphere's Reserve of Urdaibai (Bay of Biscay). Marine Environmental Research, 2010, 69, S63-S66.	2.5	20
132	Origin and distribution of polycyclic aromatic hydrocarbon pollution in sediment and fish from the biosphere reserve of Urdaibai (Bay of Biscay, Basque country, Spain). Marine Environmental Research, 2010, 70, 142-149.	2.5	20
133	Environmental risk assessment of pharmaceuticals in rivers: Relationships between hazard indexes and aquatic macroinvertebrate diversity indexes in the Llobregat River (NE Spain). Environment International, 2010, 36, 153-162.	10.0	350
134	Drugs of abuse in airborne particulates in urban environments. Environment International, 2010, 36, 527-534.	10.0	39
135	Evaluation of two aquatic passive sampling configurations for their suitability in the analysis of estrogens in water. Talanta, 2010, 83, 493-499.	5.5	12
136	Fate of selected pesticides, estrogens, progestogens and volatile organic compounds during artificial aquifer recharge using surface waters. Chemosphere, 2010, 79, 880-886.	8.2	56
137	Drugs of abuse and their metabolites in the Ebro River basin: Occurrence in sewage and surface water, sewage treatment plants removal efficiency, and collective drug usage estimation. Environment International, 2010, 36, 75-84.	10.0	282
138	Identification of disinfection byâ€products of selected triazines in drinking water by LCâ€Qâ€ToFâ€MS/MS and evaluation of their toxicity. Journal of Mass Spectrometry, 2009, 44, 330-337.	1.6	35
139	Liquid chromatography–tandem mass spectrometric analysis and regulatory issues of polar pesticides in natural and treated waters. Journal of Chromatography A, 2009, 1216, 520-529.	3.7	101
140	Analysis of selected emerging contaminants in sewage sludge. TrAC - Trends in Analytical Chemistry, 2009, 28, 1263-1275.	11.4	153
141	Bridging levels of pharmaceuticals in river water with biological community structure in the llobregat river basin (northeast spain). Environmental Toxicology and Chemistry, 2009, 28, 2706-2714.	4.3	166
142	Fully Automated Analysis of \hat{l}^2 -Lactams in Bovine Milk by Online Solid Phase Extraction-Liquid Chromatography-Electrospray-Tandem Mass Spectrometry. Analytical Chemistry, 2009, 81, 4285-4295.	6.5	91
143	Fate and removal of pharmaceuticals and illicit drugs in conventional and membrane bioreactor wastewater treatment plants and by riverbank filtration. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2009, 367, 3979-4003.	3.4	140
144	Risk assessment of representative and priority pesticides, in surface water of the Alqueva reservoir (South of Portugal) using on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. Environment International, 2009, 35, 545-551.	10.0	86

#	Article	IF	CITATIONS
145	Analysis of phytoestrogens, progestogens and estrogens in environmental waters from Rio de Janeiro (Brazil). Environment International, 2009, 35, 997-1003.	10.0	81
146	Effects of low concentrations of the phenylurea herbicide diuron on biofilm algae and bacteria. Chemosphere, 2009, 76, 1392-1401.	8.2	131
147	Occurrence and Fate of Pharmaceuticals and Illicit Drugs Under Water Scarcity. Handbook of Environmental Chemistry, 2009, , 197-228.	0.4	3
148	Determination of Drugs of Abuse in Airborne Particles by Pressurized Liquid Extraction and Liquid Chromatography-Electrospray-Tandem Mass Spectrometry. Analytical Chemistry, 2009, 81, 4382-4388.	6.5	65
149	Biosensors for Environmental Monitoring at Global Scale and the EU Level. Handbook of Environmental Chemistry, 2009, , 1-32.	0.4	2
150	Achievements of the RIANA and AWACSS EU Projects: Immunosensors for the Determination of Pesticides, Endocrine Disrupting Chemicals and Pharmaceuticals. Handbook of Environmental Chemistry, 2009, , 33-46.	0.4	8
151	Liquid Chromatographyâ€"Mass Spectrometry Methods for Analysis of Endocrine-Disrupting Chemicals in Wastewaters. Handbook of Environmental Chemistry, 2009, , 227-271.	0.4	4
152	Trace level determination of \hat{l}^2 -blockers in waste waters by highly selective molecularly imprinted polymers extraction followed by liquid chromatographyâ \in quadrupole-linear ion trap mass spectrometry. Journal of Chromatography A, 2008, 1189, 374-384.	3.7	87
153	Analysis of drugs of abuse and their human metabolites in water by LC-MS2: A non-intrusive tool for drug abuse estimation at the community level. TrAC - Trends in Analytical Chemistry, 2008, 27, 1053-1069.	11.4	120
154	Chemical and biological analysis of endocrineâ€disrupting hormones and estrogenic activity in an advanced sewage treatment plant. Environmental Toxicology and Chemistry, 2008, 27, 1649-1658.	4.3	111
155	Analysis and occurrence of pharmaceuticals, estrogens, progestogens and polar pesticides in sewage treatment plant effluents, river water and drinking water in the Llobregat river basin (Barcelona,) Tj ETQq1 1 0.78	4 3 5144 rgBT	- Dazerlock
156	Triclosan and methyl-triclosan monitoring study in the northeast of Spain using a magnetic particle enzyme immunoassay and confirmatory analysis by gas chromatography–mass spectrometry. Journal of Hydrology, 2008, 361, 1-9.	5.4	56
157	Fully Automated Determination in the Low Nanogram per Liter Level of Different Classes of Drugs of Abuse in Sewage Water by On-Line Solid-Phase Extraction-Liquid Chromatographyâ^Electrospray-Tandem Mass Spectrometry. Analytical Chemistry, 2008, 80, 3123-3134.	6.5	199
158	Analysis of 17 polar to semi-polar pesticides in the Ebro river delta during the main growing season of rice by automated on-line solid-phase extraction-liquid chromatography–tandem mass spectrometry. Talanta, 2008, 75, 390-401.	5.5	104
159	Evaluation of the aquatic passive sampler Chemcatcher for the monitoring of highly hydrophobic compounds in water. Talanta, 2008, 76, 327-332.	5.5	20
160	Chapter 2.6 Analysis of steroid estrogens in the environment. Comprehensive Analytical Chemistry, 2007, 50, 219-264.	1.3	5
161	LC-based analysis of drugs of abuse and their metabolites in urine. TrAC - Trends in Analytical Chemistry, 2007, 26, 609-624.	11.4	55
162	Advantages and limitations of on-line solid phase extraction coupled to liquid chromatography–mass spectrometry technologies versus biosensors for monitoring of emerging contaminants in water. Journal of Chromatography A, 2007, 1152, 97-115.	3.7	287

#	Article	IF	Citations
163	Comparative study of an estradiol enzyme-linked immunosorbent assay kit, liquid chromatography–tandem mass spectrometry, and ultra performance liquid chromatography–quadrupole time of flight mass spectrometry for part-per-trillion analysis of estrogens in water samples. Journal of Chromatography A. 2007. 1160. 166-175.	3.7	124
164	COMBINED USE OF BIOMARKERS AND IN SITU BIOASSAYS IN DAPHNIA MAGNA TO MONITOR ENVIRONMENTAL HAZARDS OF PESTICIDES IN THE FIELD. Environmental Toxicology and Chemistry, 2007, 26, 370.	4.3	106
165	Effect-Directed Analysis of Key Toxicants in European River Basins. A Review (9 pp). Environmental Science and Pollution Research, 2007, 14, 30-38.	5.3	139
166	Use of chemometric and geostatistical methods to evaluate pesticide pollution in the irrigation and drainage channels of the Ebro river delta during the rice-growing season. Analytical and Bioanalytical Chemistry, 2007, 387, 1479-1488.	3.7	49
167	Fast and simultaneous monitoring of organic pollutants in a drinking water treatment plant by a multi-analyte biosensor followed by LC–MS validation. Talanta, 2006, 69, 377-384.	5.5	50
168	Determination of antimicrobials in sludge from infiltration basins at two artificial recharge plants by pressurized liquid extraction–liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2006, 1130, 72-82.	3.7	69
169	Environmental analysis of fluorinated alkyl substances by liquid chromatography–(tandem) mass spectrometry: a review. Analytical and Bioanalytical Chemistry, 2006, 386, 953-972.	3.7	107
170	Evaluation of commercial immunoassays for the detection of estrogens in water by comparison with high-performance liquid chromatography tandem mass spectrometry HPLC–MS/MS (QqQ). Analytical and Bioanalytical Chemistry, 2006, 385, 1001-1011.	3.7	36
171	Biosensors as useful tools for environmental analysis and monitoring. Analytical and Bioanalytical Chemistry, 2006, 386, 1025-1041.	3.7	374
172	Analysis of pesticides in water by liquid chromatographyâ€ŧandem mass spectrometric techniques. Mass Spectrometry Reviews, 2006, 25, 900-916.	5.4	77
173	Automated Water Analyser Computer Supported System (AWACSS) Part I: Project objectives, basic technology, immunoassay development, software design and networking. Biosensors and Bioelectronics, 2005, 20, 1499-1508.	10.1	86
174	Automated Water Analyser Computer Supported System (AWACSS). Biosensors and Bioelectronics, 2005, 20, 1509-1519.	10.1	90
175	MODELKEY. Models for assessing and forecasting the impact of environmental key pollutants on freshwater and marine ecosystems and biodiversity (5 pp). Environmental Science and Pollution Research, 2005, 12, 252-256.	5.3	76
176	Fully automated multianalyte determination of different classes of pesticides, at picogram per litre levels in water, by on-line solid-phase extraction–liquid chromatography–electrospray–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2005, 382, 1815-1825.	3.7	75
177	Analysis of bisphenol A in natural waters by means of an optical immunosensor. Water Research, 2005, 39, 5071-5079.	11.3	83
178	Biosensors for environmental monitoring A global perspective. Talanta, 2005, 65, 291-297.	5.5	194
179	Biosensors for unattended, cost-effective and continuous monitoring of environmental pollution: Automated Water Analyser Computer Supported System (AWACSS) and River Analyser (RIANA). International Journal of Environmental Analytical Chemistry, 2005, 85, 837-852.	3.3	11
180	Chapter 21 Environmental analysis. Journal of Chromatography Library, 2004, 69, 987-1036.	0.1	4

#	Article	IF	CITATIONS
181	Biosensors for environmental applications: Future development trends. Pure and Applied Chemistry, 2004, 76, 723-752.	1.9	199
182	Endocrine disrupting compounds and other emerging contaminants in the environment: A survey on new monitoring strategies and occurrence data. Analytical and Bioanalytical Chemistry, 2004, 378, 549-562.	3.7	280
183	Simultaneous determination of selected endocrine disrupters (pesticides, phenols and phthalates) in water by in-field solid-phase extraction (SPE) using the prototype PROFEXS followed by on-line SPE (PROSPEKT) and analysis by liquid chromatography-atmospheric pressure chemical ionisation-mass spectrometry. Analytical and Bioanalytical Chemistry, 2004, 378, 599-609.	3.7	65
184	Biosensors for environmental monitoring of endocrine disruptors: a review article. Analytical and Bioanalytical Chemistry, 2004, 378, 588-598.	3.7	141
185	Three new mussel tissue standard reference materials (SRMs) for the determination of organic contaminants. Analytical and Bioanalytical Chemistry, 2004, 378, 1213-1231.	3.7	32
186	Multianalyte determination of different classes of pesticides (acidic, triazines, phenyl ureas, anilines,) Tj ETQq0 0 0 spectrometry. Analytical and Bioanalytical Chemistry, 2004, 378, 940-954.) rgBT /Ov 3.7	erlock 10 Tf 50
187	Two new marine sediment standard reference materials (SRMs) for the determination of organic contaminants. Analytical and Bioanalytical Chemistry, 2004, 378, 1251-1264.	3.7	45
188	Simultaneous multi-analyte determination of estrone, isoproturon and atrazine in natural waters by the River ANAlyser (RIANA), an optical immunosensor. Biosensors and Bioelectronics, 2004, 19, 633-640.	10.1	120
189	Analysis and distribution of estrogens and progestogens in sewage sludge, soils and sediments. TrAC - Trends in Analytical Chemistry, 2004, 23, 790-798.	11.4	142
190	Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction–liquid chromatography–mass spectrometry. Journal of Chromatography A, 2004, 1045, 85-92.	3.7	349
191	Picogram per Liter Level Determination of Estrogens in Natural Waters and Waterworks by a Fully Automated On-Line Solid-Phase Extraction-Liquid Chromatography-Electrospray Tandem Mass Spectrometry Method. Analytical Chemistry, 2004, 76, 6998-7006.	6.5	161
192	Determination of estrogens and progestogens by mass spectrometric techniques (GC/MS, LC/MS and) Tj ETQq0 C)	Verlock 10
193	Environmental behavior and analysis of veterinary and human drugs in soils, sediments and sludge. TrAC - Trends in Analytical Chemistry, 2003, 22, 340-351.	11.4	390
194	Liquid chromatography–(tandem) mass spectrometry of selected emerging pollutants (steroid sex) Tj ETQq0 0 Chromatography A, 2003, 1000, 503-526.	0 rgBT /Ov 3.7	verlock 10 T 200
195	Development and Analysis of Three Diesel Particulate-Related Standard Reference Materials for the Determination of Chemical, Physical, and Biological Characteristics. Polycyclic Aromatic Compounds, 2003, 23, 141-191.	2.6	27
196	Occurrence and analysis of estrogens and progestogens in river sediments by liquid chromatography-electrospray-mass spectrometry. Analyst, The, 2002, 127, 1299-1304.	3.5	126
197	Recent advances in the mass spectrometric analysis related to endocrine disrupting compounds in aquatic environmental samples. Journal of Chromatography A, 2002, 974, 23-51.	3.7	196
198	Identification of toxic compounds in wastewater treatment plants during a field experiment. Analytica Chimica Acta, 2002, 456, 19-30.	5.4	56

#	Article	IF	Citations
199	Recent Developments in NIST Standard Reference Materials for Polycyclic Aromatic Hydrocarbons in Environmental Matrices. Polycyclic Aromatic Compounds, 2001, 19, 297-313.	2.6	11
200	Review of analytical methods for the determination of estrogens and progestogens in waste waters. Fresenius' Journal of Analytical Chemistry, 2001, 371, 437-447.	1.5	139
201	Analysis and environmental levels of endocrine-disrupting compounds in freshwater sediments. TrAC - Trends in Analytical Chemistry, 2001, 20, 637-648.	11.4	192
202	Monitoring of endocrine disruptors in surface waters by the yeast recombinant assay. Environmental Toxicology and Chemistry, 2001, 20, 1152-1158.	4.3	137
203	Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction–liquid chromatography–diode array detection. Journal of Chromatography A, 2001, 911, 203-210.	3.7	144
204	Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water. Journal of Chromatography A, 2001, 938, 145-153.	3.7	150
205	Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by liquid chromatography–diode array detection–mass spectrometry. Journal of Chromatography A, 2000, 892, 391-406.	3.7	176
206	Estrogenicity Determination in Sewage Treatment Plants and Surface Waters from the Catalonian Area (NE Spain). Environmental Science & Eamp; Technology, 2000, 34, 5076-5083.	10.0	296
207	Determination of PAHs in Combustion-Related Samples and in SRM 1597, Complex Mixture of PAHs from Coal Tar. Polycyclic Aromatic Compounds, 2000, 20, 79-95.	2.6	17
208	Estrogenicity determination in carp, Cyprinus carpio: a laboratory and field approach. Analusis - European Journal of Analytical Chemistry, 2000, 28, 783-788.	0.4	5
209	Certification of a Diesel Particulate Related Standard Reference Material (SRM 1975) for PAHs. Polycyclic Aromatic Compounds, 1999, 14, 23-31.	2.6	8
210	Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[b]thiophenes, benzo[b]naphthothiophenes and alkyl-substituted) Tj ETQq0 0 0 rgBT 207-228.	lOyerlock	19 Tf 50 30
211	Determination of the alcohol denaturants denatonium benzoate (bitrex) and diethyl phthalate by direct flow injection APCI-MS analysis. Journal of High Resolution Chromatography, 1997, 20, 321-324.	1.4	5
212	Second-derivative constant-wavelength synchronous scan spectrofluorimetry for determination of benzo[]fluoranthene, benzo[]pyrene and indeno[1,2,3-]pyrene in drinking water. Talanta, 1996, 43, 1405-1412.	5.5	21
213	Rapid zero-order and second-derivative UV spectrophotometric determination of cyanocobalamin in pharmaceutical formulations containing dextran and preservatives. Journal of Pharmaceutical and Biomedical Analysis, 1996, 14, 363-365.	2.8	5
214	A Validated High-Performance Liquid Chromatographic Method for the Determination Of Paracetamol and Its Major Metabolites in Urine. Journal of Liquid Chromatography and Related Technologies, 1995, 18, 3257-3268.	1.0	30
215	Determination of polycyclic aromatic hydrocarbons in drinking and surface waters from Galicia (N.W. Spain) by constant-wavelength synchronous spectrofluorimetry. Talanta, 1995, 42, 967-970.	5.5	19