

Randall T Moon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6870316/publications.pdf>

Version: 2024-02-01

288
papers

48,381
citations

1238

110
h-index

1715

213
g-index

398
all docs

398
docs citations

398
times ranked

43287
citing authors

#	ARTICLE	IF	CITATIONS
1	Amino acid primed mTOR activity is essential for heart regeneration. <i>IScience</i> , 2022, 25, 103574.	4.1	15
2	Small-molecule probe reveals a kinase cascade that links stress signaling to TCF/LEF and Wnt responsiveness. <i>Cell Chemical Biology</i> , 2021, 28, 625-635.e5.	5.2	5
3	Loss of the ciliary protein Chibby1 in mice leads to exocrine pancreatic degeneration and pancreatitis. <i>Scientific Reports</i> , 2021, 11, 17220.	3.3	4
4	Metabolism as an early predictor of DPSCs aging. <i>Scientific Reports</i> , 2019, 9, 2195.	3.3	26
5	High-Throughput Screening Enhances Kidney Organoid Differentiation from Human Pluripotent Stem Cells and Enables Automated Multidimensional Phenotyping. <i>Cell Stem Cell</i> , 2018, 22, 929-940.e4.	11.1	328
6	ALPK2 Promotes Cardiogenesis in Zebrafish and Human Pluripotent Stem Cells. <i>IScience</i> , 2018, 2, 88-100.	4.1	23
7	Transcriptomic, proteomic, and metabolomic landscape of positional memory in the caudal fin of zebrafish. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E717-E726.	7.1	81
8	First critical repressive H3K27me3 marks in embryonic stem cells identified using designed protein inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10125-10130.	7.1	39
9	Beyond canonical: The Wnt and β -catenin story. <i>Science Signaling</i> , 2016, 9, eg5.	3.6	14
10	USP6 oncogene promotes Wnt signaling by deubiquitylating Frizzleds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2945-54.	7.1	84
11	Wnt/ β -catenin signaling promotes self-renewal and inhibits the primed state transition in naïve human embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6382-E6390.	7.1	98
12	Wnt/ β -catenin signaling promotes regeneration after adult zebrafish spinal cord injury. <i>Biochemical and Biophysical Research Communications</i> , 2016, 477, 952-956.	2.1	70
13	The 1918 Influenza Virus PB2 Protein Enhances Virulence through the Disruption of Inflammatory and Wnt-Mediated Signaling in Mice. <i>Journal of Virology</i> , 2016, 90, 2240-2253.	3.4	31
14	Quantitative proteomics identify DAB2 as a cardiac developmental regulator that inhibits WNT/ β -catenin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1002-1007.	7.1	53
15	Wnt signaling induces transcription, spatial proximity, and translocation of fusion gene partners in human hematopoietic cells. <i>Blood</i> , 2015, 126, 1785-1789.	1.4	28
16	Macrophages modulate adult zebrafish tail fin regeneration. <i>Development (Cambridge)</i> , 2015, 142, 406-406.	2.5	24
17	The metabolome regulates the epigenetic landscape during naïve-to-primed human embryonic stem cell transition. <i>Nature Cell Biology</i> , 2015, 17, 1523-1535.	10.3	360
18	Endothelium and NOTCH specify and amplify aorta-gonad-mesonephros-derived hematopoietic stem cells. <i>Journal of Clinical Investigation</i> , 2015, 125, 2032-2045.	8.2	74

#	ARTICLE	IF	CITATIONS
19	A Quantitative Proteomic Analysis of Hemogenic Endothelium Reveals Differential Regulation of Hematopoiesis by SOX17. Stem Cell Reports, 2015, 5, 291-304.	4.8	12
20	Inhibition of β -catenin signaling respecifies anterior-like endothelium into beating human cardiomyocytes. Development (Cambridge), 2015, 142, 3198-209.	2.5	64
21	Substrate Trapping Proteomics Reveals Targets of the β TrCP2/FBXW11 Ubiquitin Ligase. Molecular and Cellular Biology, 2015, 35, 167-181.	2.3	55
22	Inhibition of β -catenin signaling respecifies anterior-like endothelium into beating human cardiomyocytes. Journal of Cell Science, 2015, 128, e1.2-e1.2.	2.0	1
23	Wnt Signaling in Chronic Disease. , 2014, , 357-357.		0
24	Macrophages modulate adult zebrafish tail fin regeneration. Development (Cambridge), 2014, 141, 2581-2591.	2.5	320
25	Porous Implants Modulate Healing and Induce Shifts in Local Macrophage Polarization in the Foreign Body Reaction. Annals of Biomedical Engineering, 2014, 42, 1508-1516.	2.5	325
26	Hypoxia-Inducible Factors Have Distinct and Stage-Specific Roles during Reprogramming of Human Cells to Pluripotency. Cell Stem Cell, 2014, 14, 592-605.	11.1	193
27	Botulinum Toxin Induces Muscle Paralysis and Inhibits Bone Regeneration in Zebrafish. Journal of Bone and Mineral Research, 2014, 29, 2346-2356.	2.8	35
28	Disruptive CHD8 Mutations Define a Subtype of Autism Early in Development. Cell, 2014, 158, 263-276.	28.9	637
29	Simvastatin Promotes Adult Hippocampal Neurogenesis by Enhancing Wnt/ β -Catenin Signaling. Stem Cell Reports, 2014, 2, 9-17.	4.8	64
30	WNT7B mediates autocrine Wnt/ β -catenin signaling and anchorage-independent growth in pancreatic adenocarcinoma. Oncogene, 2014, 33, 899-908.	5.9	105
31	Wnt Signaling in Embryonic Development and Adult Tissue Homeostasis. , 2014, , 251-252.		1
32	Molecular Signaling Mechanisms. , 2014, , 1-2.		0
33	Selected Key Molecules in Wnt Signaling. , 2014, , 177-178.		0
34	WNT5A enhances resistance of melanoma cells to targeted BRAF inhibitors. Journal of Clinical Investigation, 2014, 124, 2877-2890.	8.2	144
35	Targeted BRAF Inhibition Impacts Survival in Melanoma Patients with High Levels of Wnt/ β -Catenin Signaling. PLoS ONE, 2014, 9, e94748.	2.5	35
36	Notch Signaling By Either Notch1 or Notch2 Mediates Expansion of AGM-Derived Long-Term HSC Populations in Vitro. Blood, 2014, 124, 2897-2897.	1.4	0

#	ARTICLE	IF	CITATIONS
37	A novel functional low-density lipoprotein receptor-related protein 6 gene alternative splice variant is associated with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2013, 34, 1709.e9-1709.e18.	3.1	39
38	Microfluidic bioreactor for dynamic regulation of early mesodermal commitment in human pluripotent stem cells. <i>Lab on A Chip</i> , 2013, 13, 355-364.	6.0	51
39	LRP-6 is a coreceptor for multiple fibrogenic signaling pathways in pericytes and myofibroblasts that are inhibited by DKK-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1440-1445.	7.1	167
40	WNT signalling pathways as therapeutic targets in cancer. <i>Nature Reviews Cancer</i> , 2013, 13, 11-26.	28.4	1,665
41	Microenvironmental protection of CML stem and progenitor cells from tyrosine kinase inhibitors through N-cadherin and Wnt/ β -catenin signaling. <i>Blood</i> , 2013, 121, 1824-1838.	1.4	234
42	Making a Point with Wnt Signals. <i>Science</i> , 2013, 339, 1388-1389.	12.6	14
43	Altered splicing of ATP6AP2 causes X-linked parkinsonism with spasticity (XPDS). <i>Human Molecular Genetics</i> , 2013, 22, 3259-3268.	2.9	113
44	Wnt/ β -catenin signaling suppresses DUX4 expression and prevents apoptosis of FSHD muscle cells. <i>Human Molecular Genetics</i> , 2013, 22, 4661-4672.	2.9	92
45	Transmembrane protein 88: a Wnt regulatory protein that specifies cardiomyocyte development. <i>Development (Cambridge)</i> , 2013, 140, 3799-3808.	2.5	56
46	Protein Kinase PKN1 Represses Wnt/ β -Catenin Signaling in Human Melanoma Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 34658-34670.	3.4	29
47	A rare WNT1 missense variant overrepresented in ASD leads to increased Wnt signal pathway activation. <i>Translational Psychiatry</i> , 2013, 3, e301-e301.	4.8	33
48	A disease-associated PTPN22 variant promotes systemic autoimmunity in murine models. <i>Journal of Clinical Investigation</i> , 2013, 123, 2024-2036.	8.2	162
49	Adhesion Of Acute Myeloid Leukemia Blasts To E-Selectin In The Vascular Niche Enhances Their Survival By Mechanisms Such As Wnt Activation. <i>Blood</i> , 2013, 122, 61-61.	1.4	29
50	FAM129B is a novel regulator of Wnt/ β -catenin signal transduction in melanoma cells. <i>F1000Research</i> , 2013, 2, 134.	1.6	12
51	FAM129B is a novel regulator of Wnt/ β -catenin signal transduction in melanoma cells. <i>F1000Research</i> , 2013, 2, 134.	1.6	21
52	Activation of Wnt/ β -Catenin Signaling Increases Apoptosis in Melanoma Cells Treated with Trail. <i>PLoS ONE</i> , 2013, 8, e69593.	2.5	78
53	ACM-Derived Endothelial Cells and Notch Ligands Provide Embryonic Hematopoietic Stem Cell-Supportive Niches In Vitro. <i>Blood</i> , 2013, 122, 1167-1167.	1.4	0
54	Wnt/ β -catenin signaling promotes differentiation, not self-renewal, of human embryonic stem cells and is repressed by Oct4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4485-4490.	7.1	313

#	ARTICLE	IF	CITATIONS
55	Wnt5a and Wnt11 are essential for second heart field progenitor development. Development (Cambridge), 2012, 139, 1931-1940.	2.5	135
56	A protein complex of SCRIB, NOS1AP and VANGL1 regulates cell polarity and migration, and is associated with breast cancer progression. Oncogene, 2012, 31, 3696-3708.	5.9	109
57	Wilms Tumor Gene on X Chromosome (WTX) Inhibits Degradation of NRF2 Protein through Competitive Binding to KEAP1 Protein. Journal of Biological Chemistry, 2012, 287, 6539-6550.	3.4	110
58	Crystal structure of a Tankyrase-Axin complex and its implications for Axin turnover and Tankyrase substrate recruitment. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 1500-1505.	7.1	93
59	Wnt/ β -Catenin Signaling and AXIN1 Regulate Apoptosis Triggered by Inhibition of the Mutant Kinase BRAF ^{V600E} in Human Melanoma. Science Signaling, 2012, 5, ra3.	3.6	150
60	WLS inhibits melanoma cell proliferation through the β -catenin signalling pathway and induces spontaneous metastasis. EMBO Molecular Medicine, 2012, 4, 1294-1307.	6.9	29
61	Targeting Wnt Pathways in Disease. Cold Spring Harbor Perspectives in Biology, 2012, 4, a008086-a008086.	5.5	93
62	A Temporal Chromatin Signature in Human Embryonic Stem Cells Identifies Regulators of Cardiac Development. Cell, 2012, 151, 221-232.	28.9	306
63	Regulating the response to targeted MEK inhibition in melanoma. Cell Cycle, 2012, 11, 3724-3730.	2.6	40
64	Intrinsic and extrinsic modifiers of the regulative capacity of the developing liver. Mechanisms of Development, 2012, 128, 525-535.	1.7	19
65	WIKI4, a Novel Inhibitor of Tankyrase and Wnt/ β -Catenin Signaling. PLoS ONE, 2012, 7, e50457.	2.5	89
66	Wnt/ β -catenin pathway regulates bone morphogenetic protein (BMP2)-mediated differentiation of dental follicle cells. Journal of Periodontal Research, 2012, 47, 309-319.	2.7	65
67	Microenvironmental Protection of CML Stem and Progenitor Cells From Tyrosine Kinase Inhibitors Through N-Cadherin and Wnt Signaling. Blood, 2012, 120, 912-912.	1.4	1
68	Crystal structures of the extracellular domain of LRP6 and its complex with DKK1. Nature Structural and Molecular Biology, 2011, 18, 1204-1210.	8.2	166
69	Differential requirement for the dual functions of β -catenin in embryonic stem cell self-renewal and germ layer formation. Nature Cell Biology, 2011, 13, 753-761.	10.3	224
70	Wnt Signaling Exerts an Antiproliferative Effect on Adult Cardiac Progenitor Cells Through IGFBP3. Circulation Research, 2011, 109, 1363-1374.	4.5	84
71	Assessment of Hypoxia Inducible Factor Levels in Cancer Cell Lines upon Hypoxic Induction Using a Novel Reporter Construct. PLoS ONE, 2011, 6, e27460.	2.5	36
72	Mindbomb 1, an E3 ubiquitin ligase, forms a complex with RYK to activate Wnt/ β -catenin signaling. Journal of Cell Biology, 2011, 194, 737-750.	5.2	90

#	ARTICLE	IF	CITATIONS
73	AKT Kinase Activity Is Required for Lithium to Modulate Mood-Related Behaviors in Mice. <i>Neuropsychopharmacology</i> , 2011, 36, 1397-1411.	5.4	98
74	β -Catenin Signaling Increases in Proliferating NG2+ Progenitors and Astrocytes during Post-Traumatic Gliogenesis in the Adult Brain. <i>Stem Cells</i> , 2010, 28, 297-307.	3.2	71
75	A Re-evaluation of the "Oncogenic" Nature of Wnt/ β -catenin Signaling in Melanoma and Other Cancers. <i>Current Oncology Reports</i> , 2010, 12, 314-318.	4.0	110
76	Chemical-Genetic Screen Identifies Riluzole as an Enhancer of Wnt/ β -catenin Signaling in Melanoma. <i>Chemistry and Biology</i> , 2010, 17, 1177-1182.	6.0	49
77	Wnt3a Activates Dormant c-Kit ⁺ Bone Marrow-Derived Cells with Short-Term Multilineage Hematopoietic Reconstitution Capacity. <i>Stem Cells</i> , 2010, 28, 1379-1389.	3.2	24
78	Wnt and Related Signaling Pathways in Melanomagenesis. <i>Cancers</i> , 2010, 2, 1000-1012.	3.7	4
79	Canonical Wnt3a Modulates Intracellular Calcium and Enhances Excitatory Neurotransmission in Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2010, 285, 18939-18947.	3.4	62
80	Remembering John B. Morrill. <i>Developmental Biology</i> , 2010, 348, 2.	2.0	0
81	Microfluidic device generating stable concentration gradients for long term cell culture: application to Wnt3a regulation of β -catenin signaling. <i>Lab on A Chip</i> , 2010, 10, 3277.	6.0	81
82	A 1,536-Well Ultra-High-Throughput siRNA Screen to Identify Regulators of the Wnt/ β -Catenin Pathway. <i>Assay and Drug Development Technologies</i> , 2010, 8, 286-294.	1.2	13
83	Modulation of the β -Catenin Signaling Pathway by the Dishevelled-Associated Protein Hpk1. <i>PLoS ONE</i> , 2009, 4, e4310.	2.5	32
84	Adiponectin Haploinsufficiency Promotes Mammary Tumor Development in MMTV-PyVT Mice by Modulation of Phosphatase and Tensin Homolog Activities. <i>PLoS ONE</i> , 2009, 4, e4968.	2.5	75
85	Bili Inhibits Wnt/ β -Catenin Signaling by Regulating the Recruitment of Axin to LRP6. <i>PLoS ONE</i> , 2009, 4, e6129.	2.5	25
86	Integrative Analysis of Genome-Wide RNA Interference Screens. <i>Science Signaling</i> , 2009, 2, pt4.	3.6	8
87	"Omic" Risk Assessment. <i>Science Signaling</i> , 2009, 2, eg7.	3.6	4
88	Bruton's Tyrosine Kinase Revealed as a Negative Regulator of Wnt/ β -Catenin Signaling. <i>Science Signaling</i> , 2009, 2, ra25.	3.6	56
89	Inactivation of Chibby affects function of motile airway cilia. <i>Journal of Cell Biology</i> , 2009, 185, 225-233.	5.2	81
90	Activated Wnt/ β -catenin signaling in melanoma is associated with decreased proliferation in patient tumors and a murine melanoma model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1193-1198.	7.1	313

#	ARTICLE	IF	CITATIONS
91	Phenylmethimazole Decreases Toll-Like Receptor 3 and Noncanonical Wnt5a Expression in Pancreatic Cancer and Melanoma Together with Tumor Cell Growth and Migration. <i>Clinical Cancer Research</i> , 2009, 15, 4114-4122.	7.0	64
92	β^2 -catenin gets jaded and von Hippel-Lindau is to blame. <i>Trends in Biochemical Sciences</i> , 2009, 34, 101-104.	7.5	20
93	Lentiviral-Mediated Transgene Expression Can Potentiate Intestinal Mesenchymal-Epithelial Signaling. <i>Biological Procedures Online</i> , 2009, 11, 130-144.	2.9	3
94	Wnt/Fz signaling and the cytoskeleton: potential roles in tumorigenesis. <i>Cell Research</i> , 2009, 19, 532-545.	12.0	134
95	A Wnt Survival Guide: From Flies to Human Disease. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1614-1627.	0.7	327
96	Posterior malformations in Dact1 mutant mice arise through misregulated Vangl2 at the primitive streak. <i>Nature Genetics</i> , 2009, 41, 977-985.	21.4	69
97	Transcription-Based Reporters of Wnt/ β^2 -Catenin Signaling. <i>Cold Spring Harbor Protocols</i> , 2009, 2009, pdb.prot5223.	0.3	37
98	Disrupted in Schizophrenia 1 Regulates Neuronal Progenitor Proliferation via Modulation of GSK3/ β^2 -Catenin Signaling. <i>Cell</i> , 2009, 136, 1017-1031.	28.9	703
99	Genetic Interaction of PGE2 and Wnt Signaling Regulates Developmental Specification of Stem Cells and Regeneration. <i>Cell</i> , 2009, 136, 1136-1147.	28.9	628
100	Noncanonical Wnt Signaling Orchestrates Early Developmental Events toward Hematopoietic Cell Fate from Human Embryonic Stem Cells. <i>Cell Stem Cell</i> , 2009, 4, 248-262.	11.1	83
101	Noncanonical Wnt Signaling Orchestrates Early Developmental Events toward Hematopoietic Cell Fate from Human Embryonic Stem Cells. <i>Cell Stem Cell</i> , 2009, 4, 464.	11.1	0
102	Requirement of Wnt/ β^2 -catenin signaling in pronephric kidney development. <i>Mechanisms of Development</i> , 2009, 126, 142-159.	1.7	53
103	Proximal events in Wnt signal transduction. <i>Nature Reviews Molecular Cell Biology</i> , 2009, 10, 468-477.	37.0	982
104	A Lentivirus-Mediated Genetic Screen Identifies Dihydrofolate Reductase (DHFR) as a Modulator of β^2 -Catenin/GSK3 Signaling. <i>PLoS ONE</i> , 2009, 4, e6892.	2.5	18
105	β^2 -Catenin-Independent Wnt Pathways: Signals, Core Proteins, and Effectors. <i>Methods in Molecular Biology</i> , 2008, 468, 131-144.	0.9	56
106	CTLA-4 Is a Direct Target of Wnt/ β^2 -Catenin Signaling and Is Expressed in Human Melanoma Tumors. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2870-2879.	0.7	68
107	Crystal Structure of a Full-Length β^2 -Catenin. <i>Structure</i> , 2008, 16, 478-487.	3.3	158
108	Assaying β^2 -Catenin/TCF Transcription with β^2 -Catenin/TCF Transcription-Based Reporter Constructs. <i>Methods in Molecular Biology</i> , 2008, 468, 99-110.	0.9	103

#	ARTICLE	IF	CITATIONS
109	APC mutant zebrafish uncover a changing temporal requirement for wnt signaling in liver development. <i>Developmental Biology</i> , 2008, 320, 161-174.	2.0	173
110	New Regulators of Wnt/ β -Catenin Signaling Revealed by Integrative Molecular Screening. <i>Science Signaling</i> , 2008, 1, ra12.	3.6	135
111	Wnt5a Control of Cell Polarity and Directional Movement by Polarized Redistribution of Adhesion Receptors. <i>Science</i> , 2008, 320, 365-369.	12.6	229
112	Adiponectin stimulates Wnt inhibitory factor-1 expression through epigenetic regulations involving the transcription factor specificity protein 1. <i>Carcinogenesis</i> , 2008, 29, 2195-2202.	2.8	53
113	Active β -Catenin Signaling Is an Inhibitory Pathway for Human Immunodeficiency Virus Replication in Peripheral Blood Mononuclear Cells. <i>Journal of Virology</i> , 2008, 82, 2813-2820.	3.4	78
114	Wnt signaling promotes hematoendothelial cell development from human embryonic stem cells. <i>Blood</i> , 2008, 111, 122-131.	1.4	161
115	Common genetic variation within the Low-Density Lipoprotein Receptor-Related Protein 6 and late-onset Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9434-9439.	7.1	252
116	Prolonged <i>In Vivo</i> Gene Silencing by Electroporation-Mediated Plasmid Delivery of Small Interfering RNA. <i>Human Gene Therapy</i> , 2007, 18, 861-869.	2.7	21
117	Wilms Tumor Suppressor WTX Negatively Regulates WNT/ β -Catenin Signaling. <i>Science</i> , 2007, 316, 1043-1046.	12.6	379
118	Biphasic role for Wnt/ β -catenin signaling in cardiac specification in zebrafish and embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9685-9690.	7.1	579
119	Chibby Promotes Adipocyte Differentiation through Inhibition of β -Catenin Signaling. <i>Molecular and Cellular Biology</i> , 2007, 27, 4347-4354.	2.3	49
120	Overexpression of Wnt-1 in thyrocytes enhances cellular growth but suppresses transcription of the thyroperoxidase gene via different signaling mechanisms. <i>Journal of Endocrinology</i> , 2007, 193, 93-106.	2.6	20
121	Wnt/ β -catenin signaling has an essential role in the initiation of limb regeneration. <i>Developmental Biology</i> , 2007, 306, 170-178.	2.0	110
122	The Renewal and Differentiation of Isl1+ Cardiovascular Progenitors Are Controlled by a Wnt/ β -Catenin Pathway. <i>Cell Stem Cell</i> , 2007, 1, 165-179.	11.1	300
123	High Basal Levels of Functional Toll-Like Receptor 3 (TLR3) and Noncanonical Wnt5a Are Expressed in Papillary Thyroid Cancer and Are Coordinately Decreased by Phenylmethimazole Together with Cell Proliferation and Migration. <i>Endocrinology</i> , 2007, 148, 4226-4237.	2.8	74
124	Advances in signaling in vertebrate regeneration as a prelude to regenerative medicine. <i>Genes and Development</i> , 2007, 21, 1292-1315.	5.9	270
125	Distinct Wnt signaling pathways have opposing roles in appendage regeneration. <i>Development (Cambridge)</i> , 2007, 134, 479-489.	2.5	480
126	The Wnt5A/Protein Kinase C Pathway Mediates Motility in Melanoma Cells via the Inhibition of Metastasis Suppressors and Initiation of an Epithelial to Mesenchymal Transition. <i>Journal of Biological Chemistry</i> , 2007, 282, 17259-17271.	3.4	310

#	ARTICLE	IF	CITATIONS
127	The Interaction of the Wnt and Notch Pathways Modulates Natural Killer Versus T Cell Differentiation. <i>Stem Cells</i> , 2007, 25, 2488-2497.	3.2	34
128	Wnt- β -catenin signaling initiates taste papilla development. <i>Nature Genetics</i> , 2007, 39, 106-112.	21.4	139
129	Wnt Signaling: It Gets More Humorous with Age. <i>Current Biology</i> , 2007, 17, R923-R925.	3.9	30
130	Small-molecule synergist of the Wnt/ β -catenin signaling pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 7444-7448.	7.1	118
131	The CCN family member Wisp3, mutant in progressive pseudorheumatoid dysplasia, modulates BMP and Wnt signaling. <i>Journal of Clinical Investigation</i> , 2007, 117, 3075-3086.	8.2	75
132	Genetic Interaction between PGE2 and the Wnt/ β -Catenin Signaling Pathway Regulates Definitive HSC Development and Homeostasis.. <i>Blood</i> , 2007, 110, 203-203.	1.4	1
133	WNTS and WNT receptors as therapeutic tools and targets in human disease processes. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 448.	3.0	45
134	Wnt signaling induces epithelial differentiation during cutaneous wound healing. <i>BMC Cell Biology</i> , 2006, 7, 4.	3.0	128
135	The KLHL12 Cullin-3 ubiquitin ligase negatively regulates the Wnt/ β -catenin pathway by targeting Dishevelled for degradation. <i>Nature Cell Biology</i> , 2006, 8, 348-357.	10.3	346
136	Hematopoietic stem cell biology: too much of a Wnt thing. <i>Nature Immunology</i> , 2006, 7, 1021-1023.	14.5	34
137	Glycogen synthase kinase-3 is an in vivo regulator of hematopoietic stem cell repopulation. <i>Nature Medicine</i> , 2006, 12, 89-98.	30.7	235
138	Molecular architecture and assembly of the DDB1 CUL4A ubiquitin ligase machinery. <i>Nature</i> , 2006, 443, 590-593.	27.8	580
139	The ups and downs of Wnt signaling in prevalent neurological disorders. <i>Oncogene</i> , 2006, 25, 7545-7553.	5.9	196
140	TC1(C8orf4) Correlates with Wnt/ β -Catenin Target Genes and Aggressive Biological Behavior in Gastric Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 3541-3548.	7.0	44
141	TC1 (C8orf4) Enhances the Wnt/ β -Catenin Pathway by Relieving Antagonistic Activity of Chibby. <i>Cancer Research</i> , 2006, 66, 723-728.	0.9	56
142	Transforming Growth Factor β Receptor Type II Inactivation Induces the Malignant Transformation of Intestinal Neoplasms Initiated by Apc Mutation. <i>Cancer Research</i> , 2006, 66, 9837-9844.	0.9	153
143	It takes a village to grow a tissue. <i>Nature Biotechnology</i> , 2005, 23, 1237-1239.	17.5	43
144	Wnt and calcium signaling: β -Catenin-independent pathways. <i>Cell Calcium</i> , 2005, 38, 439-446.	2.4	647

#	ARTICLE	IF	CITATIONS
145	The Sp1-Related Transcription Factors sp5 and sp5-like Act Downstream of Wnt/ β 2-Catenin Signaling in Mesoderm and Neuroectoderm Patterning. <i>Current Biology</i> , 2005, 15, 489-500.	3.9	189
146	Wnt/ β -Catenin Pathway. <i>Science Signaling</i> , 2005, 2005, cm1-cm1.	3.6	147
147	Functional Genomic Analysis of the Wnt-Wingless Signaling Pathway. <i>Science</i> , 2005, 308, 826-833.	12.6	325
148	Wnt/ β 2-catenin regulation of the Sp1-related transcription factor sp5l promotes tail development in zebrafish. <i>Development (Cambridge)</i> , 2005, 132, 1763-1772.	2.5	86
149	Kaiso/p120-Catenin and TCF/ β 2-Catenin Complexes Coordinately Regulate Canonical Wnt Gene Targets. <i>Developmental Cell</i> , 2005, 8, 843-854.	7.0	206
150	Kaiso/p120-Catenin and TCF/ β 2-Catenin Complexes Coordinately Regulate Canonical Wnt Gene Targets. <i>Developmental Cell</i> , 2005, 9, 305.	7.0	0
151	The Interaction of the Wnt and Notch Pathways Modulates NK vs. T Cell Commitment.. <i>Blood</i> , 2005, 106, 765-765.	1.4	1
152	Zebrafish Dapper1 and Dapper2 play distinct roles in Wnt-mediated developmental processes. <i>Development (Cambridge)</i> , 2004, 131, 5909-5921.	2.5	74
153	A small molecule inhibitor of β 2-catenin/cyclic AMP response element-binding protein transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 12682-12687.	7.1	815
154	nemo-like kinase is an essential co-activator of Wnt signaling during early zebrafish development. <i>Development (Cambridge)</i> , 2004, 131, 2899-2909.	2.5	69
155	Lymphoid Enhancer Factor-1 Links Two Hereditary Leukemia Syndromes through Core-binding Factor β ± Regulation of ELA2. <i>Journal of Biological Chemistry</i> , 2004, 279, 2873-2884.	3.4	36
156	Reiterated Wnt signaling during zebrafish neural crest development. <i>Development (Cambridge)</i> , 2004, 131, 1299-1308.	2.5	241
157	Mutant Frizzled 4 associated with vitreoretinopathy traps wild-type Frizzled in the endoplasmic reticulum by oligomerization. <i>Nature Cell Biology</i> , 2004, 6, 52-58.	10.3	152
158	WNT and β 2-catenin signalling: diseases and therapies. <i>Nature Reviews Genetics</i> , 2004, 5, 691-701.	16.3	1,675
159	A PKC wave follows the calcium wave after activation of <i>Xenopus</i> eggs. <i>Differentiation</i> , 2004, 72, 41-47.	1.9	15
160	A plasmid-based system for expressing small interfering RNA libraries in mammalian cells. , 2004, 5, 16.		48
161	Canonical Wnt/ β -catenin Signaling. <i>Science Signaling</i> , 2004, 2004, tr5-tr5.	3.6	10
162	Formation and Functions of the Gastrula Organizer in Zebrafish. , 2004, , 375-393.		0

#	ARTICLE	IF	CITATIONS
163	β^2 -catenin Signaling and Axis Specification. Science's STKE: Signal Transduction Knowledge Environment, 2004, 2004, tr6.	3.9	2
164	Zebrafish Prickle, a Modulator of Noncanonical Wnt/Fz Signaling, Regulates Gastrulation Movements. Current Biology, 2003, 13, 680-685.	3.9	841
165	The fragilis interferon-inducible gene family of transmembrane proteins is associated with germ cell specification in mice. BMC Developmental Biology, 2003, 3, 1.	2.1	121
166	Stromelysin-1 and mesothelin are differentially regulated by Wnt-5a and Wnt-1 in C57mg mouse mammary epithelial cells. , 2003, 3, 2.		77
167	Chibby, a nuclear β^2 -catenin-associated antagonist of the Wnt/Wingless pathway. Nature, 2003, 422, 905-909.	27.8	260
168	Wnt1 and wnt10b function redundantly at the zebrafish midbrain-hindbrain boundary. Developmental Biology, 2003, 254, 172-187.	2.0	85
169	A Second Canon. Developmental Cell, 2003, 5, 367-377.	7.0	1,294
170	Wnt Protein Family. , 2003, , 665-674.		1
171	Dishevelled activates Ca ²⁺ flux, PKC, and CamKII in vertebrate embryos. Journal of Cell Biology, 2003, 161, 769-777.	5.2	288
172	The TAK1-NLK Mitogen-Activated Protein Kinase Cascade Functions in the Wnt-5a/Ca ²⁺ Pathway To Antagonize Wnt/ β^2 -Catenin Signaling. Molecular and Cellular Biology, 2003, 23, 131-139.	2.3	503
173	When Wnts antagonize Wnts. Journal of Cell Biology, 2003, 162, 753-756.	5.2	94
174	The Tuberlin-Hamartin Complex Negatively Regulates β^2 -Catenin Signaling Activity. Journal of Biological Chemistry, 2003, 278, 5947-5951.	3.4	95
175	Twotcf3genes cooperate to pattern the zebrafish brain. Development (Cambridge), 2003, 130, 1937-1947.	2.5	137
176	Wnt-5A augments repopulating capacity and primitive hematopoietic development of human blood stem cells <i>in vivo</i> . Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 3422-3427.	7.1	208
177	Frizzleds as G-Protein-Coupled Receptors for Wnt Ligands. , 2003, , 177-180.		0
178	The Xenopus Egg Wnt/ β^2 -catenin Pathway. Science's STKE: Signal Transduction Knowledge Environment, 2003, 2003, .	3.9	0
179	A Transgenic Lef1/ β^2 -Catenin-Dependent Reporter Is Expressed in Spatially Restricted Domains throughout Zebrafish Development. Developmental Biology, 2002, 241, 229-237.	2.0	284
180	The Promise and Perils of Wnt Signaling Through β -Catenin. Science, 2002, 296, 1644-1646.	12.6	937

#	ARTICLE	IF	CITATIONS
181	Signaling of Rat Frizzled-2 Through Phosphodiesterase and Cyclic GMP. <i>Science</i> , 2002, 298, 2006-2010.	12.6	160
182	Dapper, a Dishevelled-Associated Antagonist of β^2 -Catenin and JNK Signaling, Is Required for Notochord Formation. <i>Developmental Cell</i> , 2002, 2, 449-461.	7.0	238
183	Signalling polarity. <i>Nature</i> , 2002, 417, 239-240.	27.8	27
184	The planar cell-polarity gene <i>stbm</i> regulates cell behaviour and cell fate in vertebrate embryos. <i>Nature Cell Biology</i> , 2002, 4, 20-25.	10.3	344
185	Mutant frizzled-4 disrupts retinal angiogenesis in familial exudative vitreoretinopathy. <i>Nature Genetics</i> , 2002, 32, 326-330.	21.4	409
186	Disruption of <i>acvr1</i> increases endothelial cell number in zebrafish cranial vessels. <i>Development (Cambridge)</i> , 2002, 129, 3009-3019.	2.5	325
187	G Protein Signaling from Activated Rat Frizzled-1 to the β^2 -Catenin-Lef-Tcf Pathway. <i>Science</i> , 2001, 292, 1718-1722.	12.6	248
188	Wnt Signaling and Heterotrimeric G-Proteins: Strange Bedfellows or a Classic Romance?. <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 589-593.	2.1	91
189	Zebrafish <i>mdk2</i> , a Novel Secreted Midkine, Participates in Posterior Neurogenesis. <i>Developmental Biology</i> , 2001, 229, 102-118.	2.0	33
190	Antagonistic regulation of convergent extension movements in <i>Xenopus</i> by Wnt/ β^2 -catenin and Wnt/Ca ²⁺ signaling. <i>Mechanisms of Development</i> , 2001, 106, 61-76.	1.7	206
191	Zebrafish <i>wnt8</i> Encodes Two Wnt8 Proteins on a Bicistronic Transcript and Is Required for Mesoderm and Neurectoderm Patterning. <i>Developmental Cell</i> , 2001, 1, 103-114.	7.0	313
192	Inhibition of Tcf3 Binding by I-mfa Domain Proteins. <i>Molecular and Cellular Biology</i> , 2001, 21, 1866-1873.	2.3	55
193	Environmental signals and cell fate specification in premigratory neural crest. <i>BioEssays</i> , 2000, 22, 708-716.	2.5	100
194	Expression, crystallization and preliminary X-ray studies of the PDZ domain of Dishevelled protein. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2000, 56, 212-214.	2.5	5
195	The maternal <i>Xenopus</i> β -catenin signaling pathway, activated by frizzled homologs, induces <i>goosecoid</i> in a cell non-autonomous manner. <i>Development Growth and Differentiation</i> , 2000, 42, 347-357.	1.5	17
196	Cell regulation: Cellular aspects of signal transduction. <i>Current Opinion in Cell Biology</i> , 2000, 12, 153-156.	5.4	4
197	The Wnt/Ca ²⁺ pathway. <i>Trends in Genetics</i> , 2000, 16, 279-283.	6.7	820
198	Reverse genetics in zebrafish. <i>Physiological Genomics</i> , 2000, 2, 37-48.	2.3	29

#	ARTICLE	IF	CITATIONS
199	Ca ²⁺ /Calmodulin-dependent Protein Kinase II Is Stimulated by Wnt and Frizzled Homologs and Promotes Ventral Cell Fates in <i>Xenopus</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 12701-12711.	3.4	423
200	The Integrin-linked Kinase Regulates the Cyclin D1 Gene through Glycogen Synthase Kinase 3 ^β and cAMP-responsive Element-binding Protein-dependent Pathways. <i>Journal of Biological Chemistry</i> , 2000, 275, 32649-32657.	3.4	225
201	The Transcriptional Coactivator Cbp Interacts with β^2 -Catenin to Activate Gene Expression. <i>Journal of Cell Biology</i> , 2000, 149, 249-254.	5.2	436
202	Actin-Dependent Propulsion of Endosomes and Lysosomes by Recruitment of N-Wasp ^α . <i>Journal of Cell Biology</i> , 2000, 148, 519-530.	5.2	410
203	The bHLH Class Protein pMesogenin1 Can Specify Paraxial Mesoderm Phenotypes. <i>Developmental Biology</i> , 2000, 222, 376-391.	2.0	64
204	Environmental signals and cell fate specification in premigratory neural crest. <i>BioEssays</i> , 2000, 22, 708-716.	2.5	1
205	Direct regulation of <i>nacre</i> , a zebrafish <i>MITF</i> homolog required for pigment cell formation, by the Wnt pathway. <i>Genes and Development</i> , 2000, 14, 158-162.	5.9	221
206	Establishment of the Dorsal-Ventral Axis in <i>Xenopus</i> Embryos Coincides with the Dorsal Enrichment of Dishevelled That Is Dependent on Cortical Rotation. <i>Journal of Cell Biology</i> , 1999, 146, 427-438.	5.2	236
207	Activation of Rat Frizzled-1 Promotes Wnt Signaling and Differentiation of Mouse F9 Teratocarcinoma Cells via Pathways That Require G _i ±q and G _i ±o Function. <i>Journal of Biological Chemistry</i> , 1999, 274, 33539-33544.	3.4	89
208	Activation of a Frizzled-2/ β -adrenergic receptor chimera promotes Wnt signaling and differentiation of mouse F9 teratocarcinoma cells via G _α o and G _α t. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 14383-14388.	7.1	127
209	Mechanism and function of signal transduction by the Wnt/ β^2 -catenin and Wnt/Ca ²⁺ pathways. <i>Oncogene</i> , 1999, 18, 7860-7872.	5.9	660
210	Protein kinase C is differentially stimulated by Wnt and Frizzled homologs in a G-protein-dependent manner. <i>Current Biology</i> , 1999, 9, 695-S1.	3.9	445
211	Regulation of β -Catenin Signaling by the B56 Subunit of Protein Phosphatase 2A. <i>Science</i> , 1999, 283, 2089-2091.	12.6	407
212	Maternal and embryonic expression of zebrafish <i>lef1</i> . <i>Mechanisms of Development</i> , 1999, 86, 147-150.	1.7	53
213	Direct regulation of the <i>Xenopus</i> engrailed-2 promoter by the Wnt signaling pathway, and a molecular screen for Wnt-responsive genes, confirm a role for Wnt signaling during neural patterning in <i>Xenopus</i> . <i>Mechanisms of Development</i> , 1999, 87, 21-32.	1.7	112
214	A Role for xGCNF in Midbrain-Hindbrain Patterning in <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 1999, 213, 170-179.	2.0	11
215	Regulation of Ribosomal S6 Protein Kinase-p90 ^{rsk} , Glycogen Synthase Kinase 3, and β^2 -Catenin in Early <i>Xenopus</i> Development. <i>Molecular and Cellular Biology</i> , 1999, 19, 1427-1437.	2.3	54
216	Control of neural crest cell fate by the Wnt signalling pathway. <i>Nature</i> , 1998, 396, 370-373.	27.8	452

#	ARTICLE	IF	CITATIONS
217	From cortical rotation to organizer gene expression: toward a molecular explanation of axis specification in <i>Xenopus</i> . <i>BioEssays</i> , 1998, 20, 536-546.	2.5	292
218	Wnt signaling: why is everything so negative?. <i>Current Opinion in Cell Biology</i> , 1998, 10, 182-187.	5.4	110
219	BMP-2/-4 and Wnt-8 cooperatively pattern the <i>Xenopus</i> mesoderm. <i>Mechanisms of Development</i> , 1998, 71, 119-129.	1.7	172
220	Differential recruitment of Dishevelled provides signaling specificity in the planar cell polarity and Wingless signaling pathways. <i>Genes and Development</i> , 1998, 12, 2610-2622.	5.9	572
221	Establishment of the Dorso-ventral Axis in <i>Xenopus</i> Embryos Is Presaged by Early Asymmetries in β^2 -Catenin That Are Modulated by the Wnt Signaling Pathway. <i>Journal of Cell Biology</i> , 1997, 136, 1123-1136.	5.2	380
222	Positive and Negative Regulation of Muscle Cell Identity by Members of the hedgehog and TGF- β^2 Gene Families. <i>Journal of Cell Biology</i> , 1997, 139, 145-156.	5.2	200
223	Analysis of the Signaling Activities of Localization Mutants of β^2 -Catenin during Axis Specification in <i>Xenopus</i> . <i>Journal of Cell Biology</i> , 1997, 139, 229-243.	5.2	175
224	A β^2 -catenin/XTcf-3 complex binds to the <i>siamois</i> promoter to regulate dorsal axis specification in <i>Xenopus</i> . <i>Genes and Development</i> , 1997, 11, 2359-2370.	5.9	494
225	Modulation of Embryonic Intracellular Ca^{2+} Signaling by Wnt-5A. <i>Developmental Biology</i> , 1997, 182, 114-120.	2.0	363
226	Structurally Related Receptors and Antagonists Compete for Secreted Wnt Ligands. <i>Cell</i> , 1997, 88, 725-728.	28.9	122
227	Wnt and FGF pathways cooperatively pattern anteroposterior neural ectoderm in <i>Xenopus</i> . <i>Mechanisms of Development</i> , 1997, 69, 105-114.	1.7	202
228	Microtubule-mediated transport of organelles and localization of β^2 -catenin to the future dorsal side of <i>Xenopus</i> eggs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 1224-1229.	7.1	153
229	Interaction of Wnt and a Frizzled homologue triggers G-protein-linked phosphatidylinositol signalling. <i>Nature</i> , 1997, 390, 410-413.	27.8	622
230	The APC tumor suppressor protein in development and cancer. <i>Trends in Genetics</i> , 1997, 13, 256-258.	6.7	45
231	Inhibition of Protein Kinase A Phenocopies Ectopic Expression of hedgehog in the CNS of Wild-Type and <i>cyclops</i> Mutant Embryos. <i>Developmental Biology</i> , 1996, 178, 186-191.	2.0	61
232	Signal transduction through β -catenin and specification of cell fate during embryogenesis.. <i>Genes and Development</i> , 1996, 10, 2527-2539.	5.9	613
233	A frizzled homolog functions in a vertebrate Wnt signaling pathway. <i>Current Biology</i> , 1996, 6, 1302-1306.	3.9	430
234	Expression of a dominant-negative Wnt blocks induction of MyoD in <i>Xenopus</i> embryos.. <i>Genes and Development</i> , 1996, 10, 2805-2817.	5.9	319

#	ARTICLE	IF	CITATIONS
235	Activities of the Wnt-1 class of secreted signaling factors are antagonized by the Wnt-5A class and by a dominant negative cadherin in early <i>Xenopus</i> development.. <i>Journal of Cell Biology</i> , 1996, 133, 1123-1137.	5.2	358
236	The axis-inducing activity, stability, and subcellular distribution of beta-catenin is regulated in <i>Xenopus</i> embryos by glycogen synthase kinase 3.. <i>Genes and Development</i> , 1996, 10, 1443-1454.	5.9	1,051
237	Patterning activities of vertebrate hedgehog proteins in the developing eye and brain. <i>Current Biology</i> , 1995, 5, 944-955.	3.9	548
238	Involvement of <i>Wnt1</i> and <i>Pax2</i> in the formation of the midbrain-hindbrain boundary in the zebrafish gastrula. <i>Genesis</i> , 1995, 17, 129-140.	2.1	57
239	Identification of Distinct Classes and Functional Domains of Wnts through Expression of Wild-Type and Chimeric Proteins in <i>Xenopus</i> Embryos. <i>Molecular and Cellular Biology</i> , 1995, 15, 2625-2634.	2.3	288
240	Specification of the Anteroposterior Neural Axis through Synergistic Interaction of the Wnt Signaling Cascade withnogginandfollistatin. <i>Developmental Biology</i> , 1995, 172, 337-342.	2.0	210
241	Induction of a secondary embryonic axis in zebrafish occurs following the overexpression of β^2 -catenin. <i>Mechanisms of Development</i> , 1995, 53, 261-273.	1.7	134
242	Wnt4 affects morphogenesis when misexpressed in the zebrafish embryo. <i>Mechanisms of Development</i> , 1995, 52, 153-164.	1.7	124
243	In pursuit of the functions of theWnt family of developmental regulators: Insights from <i>Xenopus laevis</i> . <i>BioEssays</i> , 1993, 15, 91-97.	2.5	91
244	Hypothesis. When cells take fate into their own hands: Differential competence to respond to inducing signals generates diversity in the embryonic mesoderm. <i>BioEssays</i> , 1993, 15, 135-140.	2.5	16
245	Overlapping Expression of Xwnt-3A and Xwnt-1 in Neural Tissue of <i>Xenopus laevis</i> Embryos. <i>Developmental Biology</i> , 1993, 155, 46-57.	2.0	187
246	Expression of Wnt10a in the Central Nervous System of Developing Zebrafish. <i>Developmental Biology</i> , 1993, 158, 113-121.	2.0	38
247	Responses to Wnt signals in vertebrate embryos may involve changes in cell adhesion and cell movement. <i>Journal of Cell Science</i> , 1993, 1993, 183-188.	2.0	32
248	Interactions between Xwnt-8 and Spemann organizer signaling pathways generate dorsoventral pattern in the embryonic mesoderm of <i>Xenopus</i> .. <i>Genes and Development</i> , 1993, 7, 13-28.	5.9	423
249	Dissecting Wnt signalling pathways and Wnt-sensitive developmental processes through transient misexpression analyses in embryos of <i>Xenopus laevis</i> . <i>Development (Cambridge)</i> , 1993, 119, 85-94.	2.5	35
250	Protein kinase C isozymes have distinct roles in neural induction and competence in <i>Xenopus</i> . <i>Cell</i> , 1992, 68, 1021-1029.	28.9	105
251	Competence modifiers synergize with growth factors during mesoderm induction and patterning in <i>xenopus</i> . <i>Cell</i> , 1992, 71, 709-712.	28.9	52
252	The armadillo homologs β^2 -catenin and plakoglobin are differentially expressed during early development of <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 1992, 153, 337-346.	2.0	67

#	ARTICLE	IF	CITATIONS
253	Ectopic induction of dorsal mesoderm by overexpression of Xwnt-8 elevates the neural competence of Xenopus ectoderm. <i>Developmental Biology</i> , 1992, 152, 184-187.	2.0	8
254	Distinct effects of ectopic expression of Wnt-1, activin B, and bFGF on gap junctional permeability in 32-cell Xenopus embryos. <i>Developmental Biology</i> , 1992, 151, 204-212.	2.0	50
255	Isolation of cDNAs partially encoding four Xenopus proteins and characterization of their transient expression during embryonic development. <i>Developmental Biology</i> , 1991, 143, 230-234.	2.0	76
256	Injected Wnt RNA induces a complete body axis in Xenopus embryos. <i>Cell</i> , 1991, 67, 741-752.	28.9	487
257	A new nomenclature for int-1 and related genes: The Wnt gene family. <i>Cell</i> , 1991, 64, 231.	28.9	268
258	Effect of wnt-1 and related proteins on gap junctional communication in Xenopus embryos. <i>Science</i> , 1991, 252, 1173-1176.	12.6	128
259	Chapter 7 Dominant Mutations of Cytoskeletal Proteins in Xenopus Embryos. <i>Current Topics in Membranes</i> , 1991, 38, 99-111.	0.9	1
260	Chapter 21 Histological Preparation of Xenopus laevis Oocytes and Embryos. <i>Methods in Cell Biology</i> , 1991, 36, 389-417.	1.1	35
261	Identification of a calcium-dependent calmodulin-binding domain in Xenopus membrane skeleton protein 4.1. <i>Journal of Biological Chemistry</i> , 1991, 266, 12469-73.	3.4	24
262	Membrane skeleton protein 4.1 in developing Xenopus: Expression in postmitotic cells of the retina. <i>Developmental Biology</i> , 1990, 139, 279-291.	2.0	15
263	Ectopic expression of the proto-oncogene int-1 in Xenopus embryos leads to duplication of the embryonic axis. <i>Cell</i> , 1989, 58, 1075-1084.	28.9	482
264	int-1 - a proto-oncogene involved in cell signalling. <i>Development (Cambridge)</i> , 1989, 107, 161-167.	2.5	34
265	Identification of a 33-kilodalton cytoskeletal protein with high affinity for the sodium channel. <i>Biochemistry</i> , 1988, 27, 1818-1822.	2.5	30
266	Antisense RNA inhibits expression of membrane skeleton protein 4.1 during embryonic development of xenopus. <i>Cell</i> , 1988, 53, 601-615.	28.9	78
267	Changes in the expression of alpha-fodrin during embryonic development of Xenopus laevis.. <i>Journal of Cell Biology</i> , 1987, 105, 843-853.	5.2	49
268	Structure and evolution of a non-erythroid spectrin, human α -fodrin. <i>Biochemical Society Transactions</i> , 1987, 15, 804-807.	3.4	8
269	Regulated expression of multiple chicken erythroid membrane skeletal protein 4.1 variants is governed by differential RNA processing and translational control.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 4432-4436.	7.1	44
270	Composition and expression of spectrin-based membrane skeletons in non-erythroid cells. <i>BioEssays</i> , 1987, 7, 159-164.	2.5	18

#	ARTICLE	IF	CITATIONS
271	cDNA cloning, sequencing and chromosome mapping of a non-erythroid spectrin, human $\hat{1}\pm$ -fodrin. Differentiation, 1987, 34, 68-78.	1.9	66
272	cDNA cloning, sequencing and chromosome mapping of a non-erythroid spectrin, human α -fodrin. Differentiation, 1987, 34, 241.	1.9	0
273	Separate ribosomal pools in sea urchin embryos: ammonia activates a movement between pools. Biochemistry, 1986, 25, 3696-3702.	2.5	1
274	Tissue-specific expression of distinct spectrin and ankyrin transcripts in erythroid and nonerythroid cells.. Journal of Cell Biology, 1985, 100, 152-160.	5.2	61
275	Anion transporter: highly cell-type-specific expression of distinct polypeptides and transcripts in erythroid and nonerythroid cells.. Journal of Cell Biology, 1985, 100, 1548-1557.	5.2	63
276	Developmental significance of a cortical cytoskeletal domain in Chaetopterus eggs. Developmental Biology, 1985, 111, 434-450.	2.0	13
277	Biogenesis of the avian erythroid membrane skeleton: receptor-mediated assembly and stabilization of ankyrin (goblin) and spectrin.. Journal of Cell Biology, 1984, 98, 1899-1904.	5.2	63
278	Assembly and topogenesis of the spectrin-based membrane skeleton in erythroid development. Cell, 1984, 37, 354-356.	28.9	64
279	Regulation of Assembly of the Spectrin-Based Membrane Skeleton in Chicken Embryo Erythroid Cells. , 1984, , 197-218.		1
280	$\hat{1}^2$ -Spectrin limits $\hat{1}\pm$ -spectrin assembly on membranes following synthesis in a chicken erythroid cell lysate. Nature, 1983, 305, 62-65.	27.8	43
281	Poly(A)-Containing Messenger Ribonucleoprotein Complexes from Sea Urchin Eggs and Embryos: Polypeptides Associated with Native and UV-Crosslinked mRNPs. Differentiation, 1983, 24, 13-23.	1.9	8
282	Synthesis and assembly of spectrin during avian erythropoiesis: Stoichiometric assembly but unequal synthesis of $\hat{1}\pm$ and $\hat{1}^2$ spectrin. Cell, 1983, 32, 1081-1091.	28.9	111
283	The cytoskeletal framework of sea urchin eggs and embryos: Developmental changes in the association of messenger RNA. Developmental Biology, 1983, 95, 447-458.	2.0	83
284	Canavanine inhibits vimentin assembly but not its synthesis in chicken embryo erythroid cells.. Journal of Cell Biology, 1983, 97, 1309-1314.	5.2	21
285	An assessment of the masked message hypothesis: Sea urchin egg messenger ribonucleoprotein complexes are efficient templates for in vitro protein synthesis. Developmental Biology, 1982, 93, 389-403.	2.0	43
286	Translational control in sea urchin eggs and embryos: Initiation is rate limiting in blastula stage embryos. Developmental Biology, 1981, 86, 241-249.	2.0	24
287	Polypeptides of nonpolyribosomal messenger ribonucleoprotein complexes of sea urchin eggs. Biochemistry, 1980, 19, 2723-2730.	2.5	16
288	WNT signalling pathways as therapeutic targets in cancer. , 0, .		1