

Chia Yu Chu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6878918/publications.pdf>

Version: 2024-02-01

186
papers

8,223
citations

66343

42
h-index

54911

84
g-index

192
all docs

192
docs citations

192
times ranked

8551
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | HLA-B*5801 allele as a genetic marker for severe cutaneous adverse reactions caused by allopurinol. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4134-4139. | 7.1 | 1,110 |
| 2 | Drug reaction with eosinophilia and systemic symptoms (DRESS): an original multisystem adverse drug reaction. Results from the prospective RegiSCAR study. British Journal of Dermatology, 2013, 169, 1071-1080. | 1.5 | 652 |
| 3 | Tumor-Associated Macrophage-Induced Invasion and Angiogenesis of Human Basal Cell Carcinoma Cells by Cyclooxygenase-2 Induction. Journal of Investigative Dermatology, 2009, 129, 1016-1025. | 0.7 | 292 |
| 4 | Common risk allele in aromatic antiepileptic-drug induced Stevens-Johnson syndrome and toxic epidermal necrolysis in Han Chinese. Pharmacogenomics, 2010, 11, 349-356. | 1.3 | 277 |
| 5 | Drug Reaction With Eosinophilia and Systemic Symptoms. Archives of Dermatology, 2010, 146, 1373. | 1.4 | 274 |
| 6 | Once-daily upadacitinib versus placebo in adolescents and adults with moderate-to-severe atopic dermatitis (Measure Up 1 and Measure Up 2): results from two replicate double-blind, randomised controlled phase 3 trials. Lancet, The, 2021, 397, 2151-2168. | 13.7 | 259 |
| 7 | Abrocitinib versus Placebo or Dupilumab for Atopic Dermatitis. New England Journal of Medicine, 2021, 384, 1101-1112. | 27.0 | 239 |
| 8 | MicroRNA-519c Suppresses Hypoxia-Inducible Factor-1 α Expression and Tumor Angiogenesis. Cancer Research, 2010, 70, 2675-2685. | 0.9 | 187 |
| 9 | Ligelizumab for Chronic Spontaneous Urticaria. New England Journal of Medicine, 2019, 381, 1321-1332. | 27.0 | 187 |
| 10 | Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS): An Interplay among Drugs, Viruses, and Immune System. International Journal of Molecular Sciences, 2017, 18, 1243. | 4.1 | 170 |
| 11 | Long-term sequelae of drug reaction with eosinophilia and systemic symptoms: A retrospective cohort study from Taiwan. Journal of the American Academy of Dermatology, 2013, 68, 459-465. | 1.2 | 145 |
| 12 | IL-6 induces AGS gastric cancer cell invasion via activation of the c-Src/RhoA/ROCK signaling pathway. International Journal of Cancer, 2007, 120, 2600-2608. | 5.1 | 127 |
| 13 | miR-107 promotes tumor progression by targeting the let-7 microRNA in mice and humans. Journal of Clinical Investigation, 2011, 121, 3442-3455. | 8.2 | 126 |
| 14 | Connective tissue growth factor (CTGF) and cancer progression. Journal of Biomedical Science, 2008, 15, 675-685. | 7.0 | 118 |
| 15 | Risk and association of HLA with oxcarbazepine-induced cutaneous adverse reactions in Asians. Neurology, 2017, 88, 78-86. | 1.1 | 117 |
| 16 | Interleukin-6 Induced Basic Fibroblast Growth Factor-Dependent Angiogenesis in Basal Cell Carcinoma Cell Line via JAK/STAT3 and PI3-Kinase/Akt Pathways. Journal of Investigative Dermatology, 2004, 123, 1169-1175. | 0.7 | 112 |
| 17 | Sequelae in 145 patients with drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms: Survey conducted by the Asian Research Committee on Severe Cutaneous Adverse Reactions (ASCAR). Journal of Dermatology, 2015, 42, 276-282. | 1.2 | 97 |
| 18 | CXCL12/CXCR4 promotes laryngeal and hypopharyngeal squamous cell carcinoma metastasis through MMP-13-dependent invasion via the ERK1/2/AP-1 pathway. Carcinogenesis, 2008, 29, 1519-1527. | 2.8 | 91 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Generalized bullous fixed drug eruption is distinct from Stevens-Johnson syndrome/toxic epidermal necrolysis by immunohistopathological features. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 539-548. | 1.2 | 90 |
| 20 | Efficacy and Safety of Upadacitinib in Patients With Moderate to Severe Atopic Dermatitis. <i>JAMA Dermatology</i> , 2022, 158, 404. | 4.1 | 90 |
| 21 | Spectrometric analysis of mercury content in 549 skin-lightening products: Is mercury toxicity a hidden global health hazard?. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 281-287.e3. | 1.2 | 83 |
| 22 | Long-term Sequelae of Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>Acta Dermato-Venereologica</i> , 2016, 96, 525-529. | 1.3 | 81 |
| 23 | Staphylococcus colonization in atopic dermatitis treated with fluticasone or tacrolimus with or without antibiotics. <i>Annals of Allergy, Asthma and Immunology</i> , 2007, 98, 51-56. | 1.0 | 80 |
| 24 | Dermatologic adverse events associated with afatinib: an oral ErbB family blocker. <i>Expert Review of Anticancer Therapy</i> , 2013, 13, 721-728. | 2.4 | 80 |
| 25 | Transformation between Kaposiform Hemangioendothelioma and Tufted Angioma. <i>Dermatology</i> , 2003, 206, 334-337. | 2.1 | 75 |
| 26 | Effect of Connective Tissue Growth Factor on Hypoxia-Inducible Factor 1 α Degradation and Tumor Angiogenesis. <i>Journal of the National Cancer Institute</i> , 2006, 98, 984-995. | 6.3 | 74 |
| 27 | Involvement of matrix metalloproteinase-13 in stromal-cell-derived factor 1 α -directed invasion of human basal cell carcinoma cells. <i>Oncogene</i> , 2007, 26, 2491-2501. | 5.9 | 72 |
| 28 | Fixed erythroderma plaque due to intravenous injection of docetaxel. <i>British Journal of Dermatology</i> , 2000, 142, 808-811. | 1.5 | 65 |
| 29 | Consensus guidelines for the management of atopic dermatitis: An American Academy of Dermatology perspective. <i>Journal of Dermatology</i> , 2013, 40, 160-171. | 1.2 | 64 |
| 30 | First-line combination therapy with rituximab and corticosteroids provides a high complete remission rate in moderate-to-severe bullous pemphigoid. <i>British Journal of Dermatology</i> , 2015, 173, 302-304. | 1.5 | 61 |
| 31 | Burden of atopic dermatitis in Asia. <i>Journal of Dermatology</i> , 2019, 46, 825-834. | 1.2 | 61 |
| 32 | Cyclooxygenase-2 Overexpression in Human Basal Cell Carcinoma Cell Line Increases Antiapoptosis, Angiogenesis, and Tumorigenesis. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1143-1151. | 0.7 | 59 |
| 33 | Liver injury in patients with DRESS: A clinical study of 72 cases. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 984-991. | 1.2 | 59 |
| 34 | Involvement of Hypoxia-inducing Factor-1 α -dependent Plasminogen Activator Inhibitor-1 Up-regulation in Cyr61/CCN1-induced Gastric Cancer Cell Invasion. <i>Journal of Biological Chemistry</i> , 2008, 283, 15807-15815. | 3.4 | 58 |
| 35 | The presence of clusters of plasmacytoid dendritic cells is a helpful feature for differentiating lupus panniculitis from subcutaneous panniculitis-like T-cell lymphoma. <i>Histopathology</i> , 2013, 62, 1057-1066. | 2.9 | 57 |
| 36 | The Medication Risk of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Asians: The Major Drug Causality and Comparison With the US FDA Label. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 112-120. | 4.7 | 54 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Topical corticosteroid phobia in atopic dermatitis: International feasibility study of the <sc>TOPICOP</sc> score. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 1713-1719. | 5.7 | 52 |
| 38 | Human herpes virus reactivations and dynamic cytokine profiles in patients with cutaneous adverse drug reactions— a prospective comparative study. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 568-575. | 5.7 | 49 |
| 39 | Stromal cell-derived factor-1 \pm (SDF-1 \pm /CXCL12)-enhanced angiogenesis of human basal cell carcinoma cells involves ERK1/2 \pm “NF- κ B/interleukin-6 pathway. Carcinogenesis, 2009, 30, 205-213. | 2.8 | 48 |
| 40 | Drug reaction with eosinophilia and systemic symptoms: A drug-induced hypersensitivity syndrome with variable clinical features. Dermatologica Sinica, 2013, 31, 196-204. | 0.5 | 48 |
| 41 | The use of 1% pimecrolimus cream for the treatment of steroid-induced rosacea. British Journal of Dermatology, 2005, 152, 396-399. | 1.5 | 47 |
| 42 | Elevated Expression of Cyr61 Enhances Peritoneal Dissemination of Gastric Cancer Cells through Integrin α 2 β 1. Journal of Biological Chemistry, 2007, 282, 34594-34604. | 3.4 | 45 |
| 43 | Oxcarbazepine \pm induced Stevens \pm Johnson syndrome in a patient with <i>HLA \pm B*1502</i> genotype. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 702-703. | 2.4 | 44 |
| 44 | Epidemiology and comorbidities of patients with chronic urticaria in Taiwan \pm A nationwide population-based study. Journal of Dermatological Science, 2017, 88, 192-198. | 1.9 | 44 |
| 45 | Cysteine-Rich 61 (CCN1) Enhances Chemotactic Migration, Transendothelial Cell Migration, and Intravasation by Concomitantly Up-Regulating Chemokine Receptor 1 and 2. Molecular Cancer Research, 2007, 5, 1111-1123. | 3.4 | 43 |
| 46 | The Phosphatidylinositol 3-Kinase/Akt Signal Pathway Is Involved in Interleukin-6-mediated Mcl-1 Upregulation and Anti-apoptosis Activity in Basal Cell Carcinoma Cells. Journal of Investigative Dermatology, 2002, 119, 1121-1127. | 0.7 | 42 |
| 47 | Contact sensitization to metals in Taiwan. Contact Dermatitis, 2008, 59, 353-360. | 1.4 | 42 |
| 48 | IMP-3 Promotes Migration and Invasion of Melanoma Cells by Modulating the Expression of HMGA2 and Predicts Poor Prognosis in Melanoma. Journal of Investigative Dermatology, 2015, 135, 1065-1073. | 0.7 | 40 |
| 49 | Treatments for Severe Cutaneous Adverse Reactions. Journal of Immunology Research, 2017, 2017, 1-9. | 2.2 | 40 |
| 50 | Dopamine-induced apoptosis in human melanocytes involves generation of reactive oxygen species. British Journal of Dermatology, 2006, 154, 1071-1079. | 1.5 | 39 |
| 51 | A clinicopathological analysis of 153 acral melanomas and the relevance of mechanical stress. Scientific Reports, 2017, 7, 5564. | 3.3 | 39 |
| 52 | Unique Epitopes on C μ mX in IgE \pm B Cell Receptors Are Potentially Applicable for Targeting IgE-Committed B Cells. Journal of Immunology, 2010, 184, 1748-1756. | 0.8 | 38 |
| 53 | CCN2 inhibits lung cancer metastasis through promoting DAPK-dependent anoikis and inducing EGFR degradation. Cell Death and Differentiation, 2013, 20, 443-455. | 11.2 | 37 |
| 54 | <i><sc>TERT</sc></i> promoter mutation is uncommon in acral lentiginous melanoma. Journal of Cutaneous Pathology, 2014, 41, 504-508. | 1.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Osimertinib: A Novel Dermatologic Adverse Event Profile in Patients with Lung Cancer. <i>Oncologist</i> , 2018, 23, 891-899. | 3.7 | 36 |
| 56 | Prevalence of BRAF and NRAS mutations in cutaneous melanoma patients in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 121-127. | 1.7 | 33 |
| 57 | Methimazole-induced Antineutrophil Cytoplasmic Antibody (ANCA)-associated Vasculitis and Lupus-like Syndrome with a Cutaneous Feature of Vesiculo-bullous Systemic Lupus Erythematosus. <i>Acta Dermato-Venereologica</i> , 2002, 82, 206-208. | 1.3 | 32 |
| 58 | First-line Combination Therapy with Rituximab and Corticosteroids is Effective and Safe for Pemphigus. <i>Acta Dermato-Venereologica</i> , 2014, 94, 472-473. | 1.3 | 32 |
| 59 | Genetic alterations in primary melanoma in Taiwan. <i>British Journal of Dermatology</i> , 2020, 182, 1205-1213. | 1.5 | 31 |
| 60 | Chronic urticaria treatment patterns and changes in quality of life: AWARE study 2-year results. <i>World Allergy Organization Journal</i> , 2020, 13, 100460. | 3.5 | 30 |
| 61 | Allergic contact dermatitis from triethanolamine in a sunscreen. <i>Contact Dermatitis</i> , 2001, 44, 59-59. | 1.4 | 29 |
| 62 | Topical tacrolimus therapy for localized bullous pemphigoid. <i>British Journal of Dermatology</i> , 2003, 149, 1079-1081. | 1.5 | 29 |
| 63 | Concomitant contact allergy to the resins, reactive diluents and hardener of a bisphenol A/F-based epoxy resin in subway construction workers. <i>Contact Dermatitis</i> , 2006, 54, 131-139. | 1.4 | 29 |
| 64 | G9a/RelB regulates self-renewal and function of colon-cancer-initiating cells by silencing Let-7b and activating the K-RAS/ β -catenin pathway. <i>Nature Cell Biology</i> , 2016, 18, 993-1005. | 10.3 | 29 |
| 65 | Comparison of Skin Toxic Effects Associated With Gefitinib, Erlotinib, or Afatinib Treatment for Non-Small Cell Lung Cancer. <i>JAMA Dermatology</i> , 2016, 152, 340. | 4.1 | 29 |
| 66 | An open-label pilot study to evaluate the safety and efficacy of topically applied pimecrolimus cream for the treatment of steroid-induced rosacea-like eruption. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 21, 070209222700037-??? | 2.4 | 28 |
| 67 | HLA-Cw6 specificity and polymorphic residues are associated with susceptibility among Chinese psoriatics in Taiwan. <i>Archives of Dermatological Research</i> , 2002, 294, 214-220. | 1.9 | 27 |
| 68 | Sustained safety and efficacy of ligelizumab in patients with chronic spontaneous urticaria: A one-year extension study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2175-2184. | 5.7 | 26 |
| 69 | Patient-reported outcomes from the JADE COMPARE randomized phase 3 study of abrocitinib in adults with moderate-to-severe atopic dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 434-443. | 2.4 | 26 |
| 70 | Fixed-drug eruption: A retrospective study in a single referral center in northern Taiwan. <i>Dermatologica Sinica</i> , 2012, 30, 11-15. | 0.5 | 25 |
| 71 | Nanohybrids of Silver Particles Immobilized on Silicate Platelet for Infected Wound Healing. <i>PLoS ONE</i> , 2012, 7, e38360. | 2.5 | 25 |
| 72 | Eccrine squamous syringometaplasia associated with sunitinib therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 21, 1136-1137. | 2.4 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Multiple eruptive dermatofibromas in a patient with dermatomyositis taking prednisolone and methotrexate. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S81-S84. | 1.2 | 23 |
| 74 | Dapsone hypersensitivity syndrome in non-leprosy patients: A retrospective study of its incidence in a tertiary referral center in Taiwan. <i>Journal of Dermatological Treatment</i> , 2009, 20, 340-343. | 2.2 | 23 |
| 75 | Systematized linear porokeratosis: A rare variant of diffuse porokeratosis with good response to systemic acitretin. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 713-715. | 1.2 | 23 |
| 76 | Lichen planus with xanthomatous change in a patient with primary biliary cirrhosis. <i>British Journal of Dermatology</i> , 2000, 142, 377-378. | 1.5 | 22 |
| 77 | Acute Generalized Exanthematous Pustulosis due to Teicoplanin. <i>Dermatology</i> , 2001, 202, 141-142. | 2.1 | 22 |
| 78 | Dapsone as a Potential Treatment for Cutaneous Rosai-Dorfman Disease With Neutrophilic Predominance. <i>Archives of Dermatology</i> , 2006, 142, 428. | 1.4 | 22 |
| 79 | Supportive care in the acute phase of Stevens-Johnson syndrome and toxic epidermal necrolysis: an international, multidisciplinary Delphi-based consensus. <i>British Journal of Dermatology</i> , 2021, 185, 616-626. | 1.5 | 22 |
| 80 | Taiwanese Dermatological Association consensus for the prevention and management of epidermal growth factor receptor tyrosine kinase inhibitor-related skin toxicities. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 413-423. | 1.7 | 21 |
| 81 | The interferon- γ -induced protein 10/CXCR3 axis is associated with human herpesvirus-6 reactivation and the development of sequelae in drug reaction with eosinophilia and systemic symptoms*. <i>British Journal of Dermatology</i> , 2020, 183, 909-919. | 1.5 | 21 |
| 82 | Chronic Idiopathic Urticaria in Taiwan: A Clinical Study of Demographics, Aggravating Factors, Laboratory Findings, Serum Autoreactivity and Treatment Response. <i>Journal of the Formosan Medical Association</i> , 2011, 110, 175-182. | 1.7 | 20 |
| 83 | Treatments for Childhood Atopic Dermatitis: an Update on Emerging Therapies. <i>Clinical Reviews in Allergy and Immunology</i> , 2021, 61, 114-127. | 6.5 | 20 |
| 84 | The Minimal Erythema Dose of Broadband Ultraviolet B in Taiwanese. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 975-978. | 1.7 | 19 |
| 85 | Secretome analysis of novel IgE-binding proteins from <i>Penicillium citrinum</i> . <i>Proteomics - Clinical Applications</i> , 2008, 2, 33-45. | 1.6 | 19 |
| 86 | The role of IL-8 in the SDF-1/CXCR4-induced angiogenesis of laryngeal and hypopharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 507-515. | 1.5 | 19 |
| 87 | Taiwanese Dermatological Association consensus for the management of atopic dermatitis: A 2020 update. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 429-442. | 1.7 | 18 |
| 88 | Coexistence of histopathological features is characteristic in drug reaction with eosinophilia and systemic symptoms and correlates with high grades of cutaneous abnormalities. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 2077-2084. | 2.4 | 17 |
| 89 | Frequent PIK3CA-activating mutations in hidradenoma papilliferums. <i>Human Pathology</i> , 2016, 55, 57-62. | 2.0 | 17 |
| 90 | Digital infarcts showing microangiopathy in adult dermatomyositis suggest severe pulmonary involvement and poor prognosis. <i>British Journal of Dermatology</i> , 2004, 150, 1214-1216. | 1.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Disseminated human papillomavirus type 11 infection in a patient with pemphigus vulgaris: Confirmed by DNA analysis. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, S190-S193. | 1.2 | 16 |
| 92 | Allergic contact dermatitis due to sodium metabisulfite in a bleaching cream. <i>Contact Dermatitis</i> , 2007, 56, 123-124. | 1.4 | 16 |
| 93 | Severe Purpuric Xerotic Dermatitis Associated With Gefitinib Therapy. <i>Archives of Dermatology</i> , 2008, 144, 269-70. | 1.4 | 16 |
| 94 | The pharmacological mechanisms of omalizumab in patients with very high IgE levels—Clues from studies on atopic dermatitis. <i>Dermatologica Sinica</i> , 2012, 30, 147-153. | 0.5 | 16 |
| 95 | Taiwanese Dermatological Association consensus for the management of atopic dermatitis. <i>Dermatologica Sinica</i> , 2015, 33, 220-230. | 0.5 | 16 |
| 96 | Clinicopathological features and prognosis of patients with de novo versus nevus-associated melanoma in Taiwan. <i>PLoS ONE</i> , 2017, 12, e0177126. | 2.5 | 16 |
| 97 | Advances in systemic treatment for adults with moderate-to-severe atopic dermatitis. <i>Dermatologica Sinica</i> , 2019, 37, 3. | 0.5 | 16 |
| 98 | Gefitinib-induced epidermal growth factor receptor-independent keratinocyte apoptosis is mediated by the JNK activation pathway. <i>British Journal of Dermatology</i> , 2011, 164, 38-46. | 1.5 | 15 |
| 99 | Vesicant-type Reaction Due to Docetaxel Extravasation. <i>Acta Dermato-Venereologica</i> , 2003, 83, 467-468. | 1.3 | 14 |
| 100 | 1,2-Ethanedithiol-induced Erythema Multiforme-like Contact Dermatitis. <i>Acta Dermato-Venereologica</i> , 2004, 84, 393-396. | 1.3 | 14 |
| 101 | Purpuric Drug Eruptions Caused by Epidermal Growth Factor Receptor Inhibitors for Non—Small Cell Lung Cancer. <i>JAMA Dermatology</i> , 2017, 153, 906. | 4.1 | 14 |
| 102 | Prevalence of baseline comorbidities in patients with atopic dermatitis: A population-based cohort study in Taiwan. <i>JAAD International</i> , 2020, 1, 50-58. | 2.2 | 14 |
| 103 | Intermittent use of biologic agents for the treatment of psoriasis in adults. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 360-367. | 2.4 | 14 |
| 104 | Reply to: “Using a diagnostic score when reporting the long-term sequelae of the drug reaction with eosinophilia and systemic symptoms”. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 1060-1062. | 1.2 | 13 |
| 105 | High serum anti-BP180 IgE levels correlate to prominent urticarial lesions in patients with bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2016, 83, 78-80. | 1.9 | 13 |
| 106 | <i>TERT</i> promoter mutations in periocular carcinomas: implications of ultraviolet light in pathogenesis. <i>British Journal of Ophthalmology</i> , 2016, 100, 274-277. | 3.9 | 13 |
| 107 | Frequent <i>PIK3CA</i> activating mutations in nipple adenomas. <i>Histopathology</i> , 2017, 70, 195-202. | 2.9 | 13 |
| 108 | Using a novel scoring system for paronychia related to oncologic treatments (<i>SPOT</i>) for assessing paronychia severity and its correlation with pain index and quality of life. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 204-212. | 2.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Antineutrophil Cytoplasmic Antibody-Positive Cutaneous Leukocytoclastic Vasculitis Associated With Propylthiouracil Therapy. <i>Archives of Dermatology</i> , 2006, 142, 879-80. | 1.4 | 12 |
| 110 | Mutation of keratin 9 (R163W) in a family with epidermolytic palmoplantar keratoderma and knuckle pads. <i>Journal of Dermatological Science</i> , 2007, 45, 63-65. | 1.9 | 12 |
| 111 | Adult pityriasis lichenoides-like mycosis fungoides with high density of CD8-positive T-lymphocytic infiltration. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 21, 401-402. | 2.4 | 12 |
| 112 | Insulin-Like Growth Factor II mRNA-Binding Protein 3 Expression Correlates with Poor Prognosis in Acral Lentiginous Melanoma. <i>PLoS ONE</i> , 2016, 11, e0147431. | 2.5 | 12 |
| 113 | Taiwanese Dermatological Association consensus for the definition, classification, diagnosis, and management of urticaria. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 968-980. | 1.7 | 12 |
| 114 | Olmotinib-induced palmoplantar keratoderma. <i>British Journal of Dermatology</i> , 2018, 178, e129-e131. | 1.5 | 12 |
| 115 | Keeping an eye on the ocular problems in dupilumab clinical trials. <i>British Journal of Dermatology</i> , 2019, 181, 436-437. | 1.5 | 12 |
| 116 | Patients with chronic urticaria have a higher risk of psychiatric disorders: a population-based study. <i>British Journal of Dermatology</i> , 2020, 182, 335-341. | 1.5 | 12 |
| 117 | Inflammation of Seborrheic Keratoses due to Docetaxel Treatment. <i>Acta Dermato-Venereologica</i> , 2001, 81, 316-317. | 1.3 | 10 |
| 118 | Docetaxel-induced recall dermatitis on previous laser treatment sites. <i>British Journal of Dermatology</i> , 2005, 153, 441-443. | 1.5 | 10 |
| 119 | Polymorphisms of MTHFR gene associated with livedoid vasculopathy in Taiwanese population. <i>Journal of Dermatological Science</i> , 2009, 54, 214-216. | 1.9 | 10 |
| 120 | A randomized, double-blind, active-controlled, parallel-group pilot study to compare the efficacy and sedative effects of desloratadine 5 mg with levocetirizine 5 mg in the treatment of chronic idiopathic urticaria. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, e100-e102. | 1.2 | 10 |
| 121 | Induction of chemokine receptor CXCR4 expression by transforming growth factor- β 21 in human basal cell carcinoma cells. <i>Journal of Dermatological Science</i> , 2013, 72, 123-133. | 1.9 | 10 |
| 122 | Contact dermatitis to topical medicaments: A retrospective study from a medical center in Taiwan. <i>Dermatologica Sinica</i> , 2015, 33, 181-186. | 0.5 | 10 |
| 123 | A study on the knowledge, attitudes, and practices of Asian dermatologists in the management of atopic dermatitis. <i>Dermatologica Sinica</i> , 2020, 38, 67. | 0.5 | 10 |
| 124 | Fixed Erythrodermia Plaque due to Gemcitabine and Epirubicin Treatment. <i>Acta Dermato-Venereologica</i> , 2002, 82, 147-148. | 1.3 | 9 |
| 125 | Paraneoplastic pemphigus: A retrospective case series in a referral center in northern Taiwan. <i>Dermatologica Sinica</i> , 2014, 32, 1-6. | 0.5 | 9 |
| 126 | Correlation of thiopurine methyltransferase and inosine triphosphate pyrophosphatase polymorphisms and adverse effects induced by azathioprine treatment in Taiwanese dermatology patients. <i>Dermatologica Sinica</i> , 2014, 32, 13-18. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Unmet medical needs for chronic spontaneous urticaria patients: highlighting the real-life clinical practice in Taiwan. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 41-49. | 2.4 | 9 |
| 128 | Osimertinib-induced Stevens-Johnson syndrome in a patient with EGFR T790M mutation-positive non-small cell lung cancer. <i>Lung Cancer</i> , 2019, 129, 110-111. | 2.0 | 9 |
| 129 | Urticaria and the gut. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2020, 20, 381-385. | 2.3 | 9 |
| 130 | The impact of atopic dermatitis on health-related quality of life in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 269-277. | 1.7 | 9 |
| 131 | Paraneoplastic Pemphigus and Bronchiolitis Obliterans in a Patient with Splenic B-cell Lymphoma. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 768-773. | 1.7 | 8 |
| 132 | Magnetic resonance imaging as a diagnostic tool for extensive lipodermatosclerosis. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 525-527. | 1.2 | 8 |
| 133 | Chronic actinic dermatitis: A clinical study of 15 cases in northern Taiwan. <i>Dermatologica Sinica</i> , 2014, 32, 82-86. | 0.5 | 8 |
| 134 | Maintenance therapy with azathioprine prolonged duration of remission for pemphigus patients who received rituximab as first-line or add-on therapy. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 230-237. | 1.7 | 8 |
| 135 | The risk of anti-osteoporotic agent-induced severe cutaneous adverse drug reactions and their association with HLA. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 712-720. | 2.4 | 8 |
| 136 | Analysis of severe cutaneous adverse reactions (SCARs) in Taiwan drug-injury relief system: 18-year results. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1397-1405. | 1.7 | 8 |
| 137 | Cutaneous immune-related adverse events among Taiwanese cancer patients receiving immune checkpoint inhibitors link to a survival benefit. <i>Scientific Reports</i> , 2022, 12, 7021. | 3.3 | 8 |
| 138 | Carcinoma Erysipeloides From Ovarian Clear-Cell Carcinoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 5828-5830. | 1.6 | 7 |
| 139 | Involvement of hypoxia-inducing factor-1 α -dependent plasminogen activator inhibitor-1 up-regulation in Cyr61/CCN1-induced gastric cancer cell invasion.. <i>Journal of Biological Chemistry</i> , 2016, 291, 27433. | 3.4 | 7 |
| 140 | Pembrolizumab-induced linear psoriasis. <i>Lung Cancer</i> , 2020, 146, 378-379. | 2.0 | 7 |
| 141 | Purpuric drug eruptions induced by EGFR tyrosine kinase inhibitors are associated with IQGAP1-mediated increase in vascular permeability. <i>Journal of Pathology</i> , 2020, 250, 452-463. | 4.5 | 7 |
| 142 | Allergic Contact Dermatitis from Etofenamate without Cross-Sensitization to Other Anthranilic Acid Derivatives. <i>Dermatology</i> , 2003, 206, 341-342. | 2.1 | 6 |
| 143 | Severe Refractory Scarring Alopecia Associated With Combinational Use of Ficlatazumab (AV-299) and Gefitinib. <i>Journal of Clinical Oncology</i> , 2013, 31, e335-e337. | 1.6 | 6 |
| 144 | Impact of Atopic Dermatitis on Work and Activity Impairment in Taiwan. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00556. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Chemotherapy-induced Recall Dermatitis on a Previously Scalded Wound in a Patient with Acute Myeloid Leukaemia. <i>Acta Dermato-Venereologica</i> , 2003, 83, 382-383. | 1.3 | 5 |
| 146 | Linear IgA bullous dermatosis: a clinical study of 16 cases at National Taiwan University Hospital. <i>Dermatologica Sinica</i> , 2010, 28, 21-26. | 0.5 | 5 |
| 147 | Esomeprazole-induced Stevens-Johnson syndrome in a patient who underwent nivolumab therapy for advanced lung adenocarcinoma. <i>Lung Cancer</i> , 2020, 148, 177-178. | 2.0 | 5 |
| 148 | Changing trends of contact allergens: A 40-year retrospective study from a referral centre in northern Taiwan. <i>Contact Dermatitis</i> , 2021, 85, 39-45. | 1.4 | 5 |
| 149 | Functionalizing Collagen with Vessel-Penetrating Two-Photon Phosphorescence Probes: A New In Vivo Strategy to Map Oxygen Concentration in Tumor Microenvironment and Tissue Ischemia. <i>Advanced Science</i> , 2021, 8, e2102788. | 11.2 | 5 |
| 150 | Healthcare utilization and costs of atopic dermatitis in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, , . | 1.7 | 5 |
| 151 | Taiwanese dermatological association consensus for the definition, classification, diagnosis, and management of urticaria: A 2021 update. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1191-1203. | 1.7 | 5 |
| 152 | Allergic contact dermatitis from acrylonitrile. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , 2001, 12, 113-114. | 0.4 | 4 |
| 153 | Skin manifestations of gefitinib and the association with survival of advanced non-small-cell lung cancer in Taiwan. <i>Dermatologica Sinica</i> , 2011, 29, 13-18. | 0.5 | 4 |
| 154 | Skin as an immune organ. <i>Dermatologica Sinica</i> , 2012, 30, 119-120. | 0.5 | 4 |
| 155 | Analysis of melanoma-related microRNA expression during the spontaneous regression of cutaneous melanomas in MeLiM pigs. <i>Pigment Cell and Melanoma Research</i> , 2014, 27, 668-670. | 3.3 | 4 |
| 156 | A patient with acantholytic pustular purpuric eruption due to gefitinib successfully treated with systemic antibiotics. <i>Dermatologica Sinica</i> , 2016, 34, 166-167. | 0.5 | 4 |
| 157 | Fever, eosinophilia, and abnormal liver function are early signs suggestive of DRESS: A comparative study between DRESS and MPE. <i>Dermatologica Sinica</i> , 2018, 36, 25-29. | 0.5 | 4 |
| 158 | Drug eruptions: Great imitators. <i>Clinics in Dermatology</i> , 2020, 38, 193-207. | 1.6 | 4 |
| 159 | Clinical characteristics and management of chronic spontaneous urticaria in patients refractory to H1-Antihistamines in Asia, Middle-East and Africa: Results from the AWARE-AMAC study. <i>World Allergy Organization Journal</i> , 2020, 13, 100117. | 3.5 | 4 |
| 160 | Comment on "Viral reactivation in hospitalized DRESS patients: A retrospective study from a tertiary medical center in the United States". <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e209-e210. | 1.2 | 4 |
| 161 | Cutaneous Polyarteritis Nodosa in a Patient With Fabry Disease. <i>Archives of Dermatology</i> , 2008, 144, 122-3. | 1.4 | 3 |
| 162 | Localized AL Amyloidosis in a Patient with Diffuse Large B-cell Lymphoma of the Breast. <i>Acta Dermato-Venereologica</i> , 2012, 92, 284-285. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Efficacy of omalizumab treatment for patients with chronic idiopathic urticaria (CIU)/chronic spontaneous urticaria (CSU) in Taiwan. <i>Dermatologica Sinica</i> , 2017, 35, 182-186. | 0.5 | 3 |
| 164 | Allergic contact dermatitis caused by acrylates in nail cosmetic products: Case reports and review of the literatures. <i>Dermatologica Sinica</i> , 2018, 36, 218-221. | 0.5 | 3 |
| 165 | Co-occurrence of <i>TERT</i> promotor mutations with <i>BRAF</i> or <i>NRAS</i> alterations correlates with worse prognosis in melanoma. <i>British Journal of Dermatology</i> , 2021, 184, 390-391. | 1.5 | 3 |
| 166 | New targets in treating granuloma annulare. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1646-1647. | 2.9 | 3 |
| 167 | Treatment strategies of epidermal growth factor receptor inhibitor-induced skin toxicities: pre-emptive or reactive?. <i>Annals of Translational Medicine</i> , 2016, 4, 318-318. | 1.7 | 3 |
| 168 | Targeting the cutaneous microbiota in atopic dermatitis: a "new hope" or "attack of the CoNS"? <i>Clinical and Translational Medicine</i> , 2022, 12, e865. | 4.0 | 3 |
| 169 | Clinical Effectiveness and Safety of Initial Combination Therapy with Corticosteroids and Rituximab in Bullous Pemphigoid: A Retrospective Cohort Study. <i>American Journal of Clinical Dermatology</i> , 2022, 23, 571-585. | 6.7 | 3 |
| 170 | The Role of Viral Reactivation in Drug Reaction with Eosinophilia and Systemic Symptoms and Other Cutaneous Adverse Drug Reactions (cADRs). <i>Current Dermatology Reports</i> , 2016, 5, 5-11. | 2.1 | 2 |
| 171 | Measuring quality of life in infants, children and adolescents with eczema. <i>British Journal of Dermatology</i> , 2017, 176, 848-849. | 1.5 | 2 |
| 172 | Contact allergy to methylisothiazolinone/methylchloroisothiazolinone: A retrospective case series in a referral center in northern Taiwan. <i>Dermatologica Sinica</i> , 2017, 35, 201-205. | 0.5 | 2 |
| 173 | Management of Toxicities of Targeted Therapies. , 2018, , 490-500.e3. | | 2 |
| 174 | Annular drug eruptions. <i>Clinics in Dermatology</i> , 2021, , . | 1.6 | 2 |
| 175 | Sarcoidal alopecia mimicking discoid lupus erythematosus: Report of a case and review of the literature. <i>Dermatologica Sinica</i> , 2014, 32, 43-46. | 0.5 | 1 |
| 176 | Adult T cell leukemia/lymphoma presenting as multiple necrotic ulcers. <i>Dermatologica Sinica</i> , 2017, 35, 157-158. | 0.5 | 1 |
| 177 | An investigator-initiated, open-label, single-center, proof-of-concept-study of omalizumab in patients with poorly controlled acute urticaria. <i>Dermatologica Sinica</i> , 2017, 35, 161-162. | 0.5 | 1 |
| 178 | Comment on "Abnormal erythrocyte morphology in drug reaction with eosinophilia and systemic symptoms". <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e181. | 1.2 | 1 |
| 179 | Characteristics of patients with chronic spontaneous urticaria showing early and complete responses to omalizumab. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 127, 394-395. | 1.0 | 1 |
| 180 | Genetic markers for methazolamide-induced Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 764-764. | 2.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Clinical, Histopathologic, and Immunohistochemical Features of Patients with IgG/IgA Pemphigus. <i>Biomedicines</i> , 2022, 10, 1197. | 3.2 | 1 |
| 182 | Clinical pattern of liver injury in drug reaction with eosinophilia and systemic symptoms (DRESS): a retrospective study in Taiwan. <i>Clinical and Translational Allergy</i> , 2014, 4, P18. | 3.2 | 0 |
| 183 | Differential cytokine/chemokine profiles and reactivation of human herpes viruses in various forms of cutaneous adverse drug reactions. A comparative study in Taiwan. <i>Clinical and Translational Allergy</i> , 2014, 4, P20. | 3.2 | 0 |
| 184 | Autoantibodies against members of the plakin family in severe drug eruptions: does the phenomenon matter?. <i>British Journal of Dermatology</i> , 2016, 175, 866-867. | 1.5 | 0 |
| 185 | Asian type atopic dermatitis. , 0, 2, 48. | | 0 |
| 186 | Cutaneous type pemphigus vulgaris might be a transient subtype in pemphigus vulgaris: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, . | 2.4 | 0 |