

Carlos Monteagudo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6884501/publications.pdf>

Version: 2024-02-01

65
papers

1,458
citations

471509

17
h-index

345221

36
g-index

69
all docs

69
docs citations

69
times ranked

1737
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluorescent in situ hybridization (FISH): A useful diagnostic tool for childhood conjunctival melanoma. <i>European Journal of Ophthalmology</i> , 2022, 32, NP13-NP19.	1.3	1
2	A deep embedded refined clustering approach for breast cancer distinction based on DNA methylation. <i>Neural Computing and Applications</i> , 2022, 34, 10243-10255.	5.6	12
3	The Prognostic Value of miR-125b, miR-200c and miR-205 in Primary Cutaneous Malignant Melanoma Is Independent of BRAF Mutational Status. <i>Cancers</i> , 2022, 14, 1532.	3.7	1
4	Prognostic Value of IGF2 mRNA-Binding Protein 3 (IGF2BP3) Intratumoral Expression in Melanoma Patients at the Time of Diagnosis: Comparative Analysis of RT-qPCR Versus Immunohistochemistry. <i>Cancers</i> , 2022, 14, 2319.	3.7	2
5	Fibroxantoma atÃpico y sarcoma pleomÃ³rfico dÃ©rmico: estudio bicÃ©ntrico retrospectivo de 74 casos. <i>Actas Dermo-sifilogrÃ¡ficas</i> , 2022, 113, T654-T654.	0.4	0
6	Multi-Resolution Framework For Spitzoid Neoplasm Classification Using Histological Data. , 2022, , .		2
7	DermatopatologÃa de la oclusiÃ³n intraluminal vascular: parte II (coagulopatÃas, Ã©mbolos y Tj ETQq1 1 0.784314 µgBT /Oyerlock 10	0.4	3
8	Liquen plano hipertrÃ³fico: importancia del seguimiento y de la correlaciÃ³n clinicopatolÃ³gica. <i>Actas Dermo-sifilogrÃ¡ficas</i> , 2021, 112, 184-185.	0.4	0
9	DermatopatologÃa de la oclusiÃ³n intraluminal vascular: parte I (trombos). <i>Actas Dermo-sifilogrÃ¡ficas</i> , 2021, 112, 1-13.	0.4	2
10	Painful cutaneous lesions on the hand palm after Takotsubo cardiomyopathy and coronary angiography. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 387-390.	1.3	0
11	Subcutaneous panniculitis-like T-cell lymphoma, lupus erythematosus profundus, and overlapping cases: molecular characterization through the study of 208 genes. <i>Leukemia and Lymphoma</i> , 2021, 62, 2130-2140.	1.3	9
12	A heterozygous mutation in the <i>RAG2</i> gene with cutaneous and systemic manifestations partially resembling Omenn syndrome. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 906-908.	0.8	1
13	Granulomas en dermatopatologÃa: principales entidades. Parte II. <i>Actas Dermo-sifilogrÃ¡ficas</i> , 2021, 112, 705-724.	0.4	1
14	Granulomas en dermatopatologÃa: principales entidades. Parte I. <i>Actas Dermo-sifilogrÃ¡ficas</i> , 2021, 112, 682-704.	0.4	3
15	CCL27 Signaling in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1302, 113-132.	1.6	7
16	An attention-based weakly supervised framework for spitzoid melanocytic lesion diagnosis in whole slide images. <i>Artificial Intelligence in Medicine</i> , 2021, 121, 102197.	6.5	18
17	Melanocytic Hyperactivation Simulating an Acral Lentiginous Melanoma in a Patient With Parkinson Disease Treated by Levodopa. <i>American Journal of Dermatopathology</i> , 2021, 43, 238-241.	0.6	2
18	A Deep Embedded Framework for Spitzoid Neoplasm Classification Using DNA Methylation Data. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
19	Asymptomatic erythematous hardened plaque on the scalp. <i>Clinical and Experimental Dermatology</i> , 2020, 45, 218-221.	1.3	0
20	Circulating miRNA expression analysis reveals new potential biomarkers for human cutaneous melanoma staging. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e126-e129.	2.4	8
21	Transcriptomic identification of miR-205 target genes potentially involved in metastasis and survival of cutaneous malignant melanoma. <i>Scientific Reports</i> , 2020, 10, 4771.	3.3	9
22	Reply to "Primary cutaneous biphasic sarcomatoid basal cell carcinoma with myoepithelial carcinoma differentiation. Is it a new variant of sarcomatoid basal cell carcinoma or a collision tumor composed of a myoepithelial carcinoma and an incidental basal cell carcinoma?" <i>Journal of Cutaneous Pathology</i> , 2020, 47, 578-580.	1.3	0
23	Epigenetic Silencing of CDR1as Drives IGF2BP3-Mediated Melanoma Invasion and Metastasis. <i>Cancer Cell</i> , 2020, 37, 55-70.e15.	16.8	200
24	Mioepitelioma sincitial cutáneo doloroso: desde la clínica inespecífica al diagnóstico histopatológico. <i>Actas Dermo-sifiligráficas</i> , 2020, 111, 173-175.	0.4	0
25	Levetiracetam-induced pediatric toxic epidermal necrolysis successfully treated with etanercept. <i>Pediatric Dermatology</i> , 2020, 37, 701-705.	0.9	8
26	Primary cutaneous biphasic sarcomatoid basal cell carcinoma with myoepithelial carcinoma differentiation: A new variant. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 949-953.	1.3	7
27	Meningioma-like Tumor of the Skin Revisited. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1518-1525.	3.7	1
28	h-caldesmon immunoreactivity in atypical fibroxanthoma: implications for the differential diagnosis. <i>Pathology</i> , 2018, 50, 358-361.	0.6	5
29	Verrucous Plaque With Unusually Large Candida Blastocidia: A Unique Clinicopathological Presentation of Systemic Mucocutaneous Candidiasis. <i>American Journal of Dermatopathology</i> , 2018, 40, 846-848.	0.6	1
30	Pruriginous Lesions in a Young Girl: Challenge. <i>American Journal of Dermatopathology</i> , 2018, 40, e32-e33.	0.6	1
31	Expression of Peripheral Node Addressins by Plasmacytic Plaque of Children, APACHE, TRAPP, and Primary Cutaneous Angioplasmacellular Hyperplasia. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 411-419.	1.2	5
32	Downregulation of intratumoral expression of miR-205, miR-200c and miR-125b in primary human cutaneous melanomas predicts shorter survival. <i>Scientific Reports</i> , 2018, 8, 17076.	3.3	25
33	Two-year-old girl with tuberous xanthomas. <i>Journal of Clinical Pathology</i> , 2018, 71, 860-862.	2.0	3
34	In regard to "A tale of two clones: Caldesmon staining in the differentiation of cutaneous spindle cell neoplasms" <i>Journal of Cutaneous Pathology</i> , 2018, 45, 869-870.	1.3	0
35	Answer to "Immunoexpression of p53 in cutaneous and subcutaneous leiomyosarcomas" <i>Annals of Diagnostic Pathology</i> , 2017, 26, 75-76.	1.3	0
36	High CCL27 immunoreactivity in "supratumoral" epidermis correlates with better prognosis in patients with cutaneous malignant melanoma. <i>Journal of Clinical Pathology</i> , 2017, 70, 15-19.	2.0	13

#	ARTICLE	IF	CITATIONS
37	Desmoplastic melanoma may mimic a cutaneous peripheral nerve sheath tumor: Report of 3 challenging cases. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 632-638.	1.3	11
38	Familial seborrhoeic keratosis associated with multiple "pure reticulated acanthomas" and infundibulocystic basal cell carcinomas. <i>British Journal of Dermatology</i> , 2017, 177, 1654-1663.	1.5	3
39	Histiocytosis with mixed cell populations. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 456-460.	1.3	7
40	Telomeric length heterogeneity influences spontaneous regression of malignant melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e223-e224.	2.4	0
41	Immunoexpression of p53 in cutaneous and subcutaneous leiomyosarcomas. <i>Annals of Diagnostic Pathology</i> , 2016, 24, 25-29.	1.3	7
42	Pigmented desmoplastic trichilemmoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 535-537.	1.3	7
43	Biphasic dermatofibrosarcoma protuberans with a labyrinthine plexiform high-grade fibrosarcomatous transformation. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 206-212.	1.3	5
44	Expression of the Chemokine Receptors CXCR3, CXCR4, CXCR7 and Their Ligands in Rhabdomyosarcoma. <i>Pathology and Oncology Research</i> , 2015, 21, 1191-1199.	1.9	3
45	Deregulation of glyceraldehyde-3-phosphate dehydrogenase expression during tumor progression of human cutaneous melanoma. <i>Anticancer Research</i> , 2015, 35, 439-44.	1.1	13
46	Intracellular coexpression of CXC- and CC" chemokine receptors and their ligands in human melanoma cell lines and dynamic variations after xenotransplantation. <i>BMC Cancer</i> , 2014, 14, 118.	2.6	20
47	Evaluaci3n de la regresi3n en melanomas primarios sucesivos. <i>Actas Dermo-sifiliogr3ficas</i> , 2014, 105, 768-773.	0.4	7
48	Dermatofibrosarcoma protuberans: a comprehensive review and update on diagnosis and management. <i>Seminars in Diagnostic Pathology</i> , 2013, 30, 13-28.	1.5	208
49	The density and type of MECA" positive high endothelial venules correlate with lymphocytic infiltration and tumour regression in primary cutaneous melanoma. <i>Histopathology</i> , 2013, 63, 852-861.	2.9	41
50	CCL27"CCR10 and CXCL12"CXCR4 chemokine ligand-receptor mRNA expression ratio: new predictive factors of tumor progression in cutaneous malignant melanoma. <i>Clinical and Experimental Metastasis</i> , 2012, 29, 625-637.	3.3	27
51	Role of Chemokines in Melanoma Progression. <i>Actas Dermo-sifiliogr3ficas</i> , 2011, 102, 498-504.	0.4	4
52	Dermatofibrosarcoma protuberans: A clinicopathological, immunohistochemical, genetic () Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 564-575.	1.2	92
53	Molecular diagnosis of dermatofibrosarcoma protuberans: A comparison between reverse transcriptase"polymerase chain reaction and fluorescence in situ hybridization methodologies. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 510-517.	2.8	69
54	CXCR3 chemokine receptor immunoreactivity in primary cutaneous malignant melanoma: correlation with clinicopathological prognostic factors. <i>Journal of Clinical Pathology</i> , 2007, 60, 596-599.	2.0	89

#	ARTICLE	IF	CITATIONS
55	Tissue invasiveness and non-acidic pH in human candidiasis correlate with "in vivo" expression by <i>Candida albicans</i> of the carbohydrate epitope recognised by new monoclonal antibody 1H4. <i>Journal of Clinical Pathology</i> , 2004, 57, 598-603.	2.0	10
56	Matrical Carcinoma with Prominent Melanocytic Hyperplasia (Malignant Melanocytic Matricoma?). <i>American Journal of Dermatopathology</i> , 2003, 25, 485-489.	0.6	40
57	CD99 Immunoreactivity in Atypical Fibroxanthoma. <i>American Journal of Clinical Pathology</i> , 2002, 117, 126-131.	0.7	106
58	Psammomatous malignant melanoma arising in an intradermal naevus. <i>Histopathology</i> , 2001, 39, 493-497.	2.9	27
59	Immunodetection of CD45 Epitopes on the Surface of <i>Candida albicans</i> Cells in Culture and Infected Human Tissues. <i>American Journal of Clinical Pathology</i> , 2000, 113, 59-63.	0.7	2
60	Diagnostic value of CD34 immunostaining in desmoplastic trichilemmoma. <i>Journal of Cutaneous Pathology</i> , 1998, 25, 435-439.	1.3	65
61	New type of chimeric fusion product between the EWS and ATF1 genes in clear cell sarcoma (malignant) Tj ETQq1 1 0.784314 r gBT / Oe 32	0.7	2
62	Erythrophagocytic tumour cells in melanoma and squamous cell carcinoma of the skin. <i>Histopathology</i> , 1997, 31, 367-373.	2.9	31
63	Expression of the fibrinogen binding mannoprotein and the laminin receptor of <i>Candida albicans</i> in vitro and in infected tissues. <i>FEMS Microbiology Letters</i> , 1996, 142, 117-122.	1.8	25
64	Specific Immunohistochemical Identification of <i>Candida albicans</i> in Paraffin-embedded Tissue With a New Monoclonal Antibody (1B12). <i>American Journal of Clinical Pathology</i> , 1995, 103, 130-135.	0.7	21
65	Identification of a 58-kilodalton cell surface fibrinogen-binding mannoprotein from <i>Candida albicans</i> . <i>Infection and Immunity</i> , 1992, 60, 4221-4229.	2.2	119