

Jun Miyashita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6886969/publications.pdf>

Version: 2024-02-01

19
papers

330
citations

1163117

8
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

433
citing authors

#	ARTICLE	IF	CITATIONS
1	Systematic Review and Metaanalysis. <i>Chest</i> , 2009, 136, 1576-1585.	0.8	154
2	Patient experience of primary care and advance care planning: a multicentre cross-sectional study in Japan. <i>Family Practice</i> , 2017, 34, 206-212.	1.9	39
3	Patients'™ preferences and factors influencing initial advance care planning discussions'™ timing: A cross-cultural mixed-methods study. <i>Palliative Medicine</i> , 2020, 34, 906-916.	3.1	22
4	Impact of hyponatremia and the syndrome of inappropriate antidiuresis on mortality in elderly patients with aspiration pneumonia. <i>Journal of Hospital Medicine</i> , 2012, 7, 464-469.	1.4	14
5	Association between social networks and discussions regarding advance care planning among Japanese older adults. <i>PLoS ONE</i> , 2019, 14, e0213894.	2.5	14
6	Effects of self-monitoring of daily salt intake estimated by a simple electrical device for salt reduction: a cluster randomized trial. <i>Hypertension Research</i> , 2018, 41, 524-530.	2.7	13
7	Association between religious beliefs and discussions regarding advance care planning: A nationwide survey. <i>Palliative Medicine</i> , 2021, 35, 1856-1864.	3.1	13
8	Experience as an Informal Caregiver and Discussions Regarding Advance Care Planning in Japan. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 63-70.	1.2	11
9	Added value of inflammatory markers to vital signs to predict mortality in patients suspected of severe infection. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1389-1395.	1.6	10
10	How Psychosocial Factors Contribute to Japanese Older Adults'™ Initiation of Advance Care Planning Discussions: A Qualitative Study. <i>Journal of Applied Gerontology</i> , 2021, 40, 1180-1188.	2.0	9
11	Healthcare Providers'™ Perceptions on the Timing of Initial Advance Care Planning Discussions in Japan: a Mixed-Methods Study. <i>Journal of General Internal Medicine</i> , 2021, 36, 2935-2942.	2.6	8
12	Diagnostic utility of appetite loss in addition to existing prediction models for community-acquired pneumonia in the elderly: a prospective diagnostic study in acute care hospitals in Japan. <i>BMJ Open</i> , 2017, 7, e019155.	1.9	5
13	Usefulness of computed tomography in the diagnosis of acute pyelonephritis in older patients suspected of infection with unknown focus. <i>Acta Radiologica</i> , 2022, 63, 268-277.	1.1	5
14	Usefulness of a mobile phone application for respiratory rate measurement in adult patients. <i>Japan Journal of Nursing Science</i> , 2022, 19, e12481.	1.3	4
15	Association between daily salt intake of 3-year-old children and that of their mothers: A cross-sectional study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 730-735.	2.0	2
16	Development and validation of a prediction model for functional decline in older medical inpatients. <i>Archives of Gerontology and Geriatrics</i> , 2018, 77, 184-188.	3.0	2
17	Determinants of incentive preferences for health behavior change in Japan. <i>Health Promotion International</i> , 2019, 34, 760-769.	1.8	2
18	Association between direct interpersonal involvement with a dying family member and discussions regarding advance care planning among Japanese older adults. <i>Geriatrics and Gerontology International</i> , 2021, 21, 197-202.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Association between the use of physical restraint and functional decline among older inpatients admitted with pneumonia in an acute care hospital: A retrospective cohort study. Archives of Gerontology and Geriatrics, 2021, 94, 104330.	3.0	1