

Nicole Dubilier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6890677/publications.pdf>

Version: 2024-02-01

83

papers

8,495

citations

66343

42

h-index

64796

79

g-index

103

all docs

103

docs citations

103

times ranked

8140

citing authors

#	ARTICLE	IF	CITATIONS
1	Sugars dominate the seagrass rhizosphere. <i>Nature Ecology and Evolution</i> , 2022, 6, 866-877.	7.8	27
2	Deep-sea mussels from a hybrid zone on the Mid-Atlantic Ridge host genetically indistinguishable symbionts. <i>ISME Journal</i> , 2021, 15, 3076-3083.	9.8	15
3	Life in the Dark: Phylogenetic and Physiological Diversity of Chemosynthetic Symbioses. <i>Annual Review of Microbiology</i> , 2021, 75, 695-718.	7.3	27
4	Coming togetherâ€”symbiont acquisition and early development in deep-sea bathymodioline mussels. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20211044.	2.6	20
5	Horizontal acquisition of a patchwork Calvin cycle by symbiotic and free-living Campylobacterota (formerly Epsilonproteobacteria). <i>ISME Journal</i> , 2020, 14, 104-122.	9.8	55
6	Chemosynthetic symbioses. <i>Current Biology</i> , 2020, 30, R1137-R1142.	3.9	44
7	High-Quality Draft Genome Sequences of the Uncultured Delta3 Endosymbiont (Deltaproteobacteria) Assembled from Metagenomes of the Gutless Marine Worm <i>Olavius algarvensis</i> . <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.6	3
8	High-Quality Draft Genome Sequences of Two Deltaproteobacterial Endosymbionts, Delta1a and Delta1b, from the Uncultured Sva0081 Clade, Assembled from Metagenomes of the Gutless Marine Worm <i>Olavius algarvensis</i> . <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.6	2
9	Deep-sea corals provide new insight into the ecology, evolution, and the role of plastids in widespread apicomplexan symbionts of anthozoans. <i>Microbiome</i> , 2020, 8, 34.	11.1	23
10	Spatial metabolomics of <i>in situ</i> hostâ€“microbe interactions at the micrometre scale. <i>Nature Microbiology</i> , 2020, 5, 498-510.	13.3	144
11	Functional diversity enables multiple symbiont strains to coexist in deep-sea mussels. <i>Nature Microbiology</i> , 2019, 4, 2487-2497.	13.3	76
12	Horizontally transmitted symbiont populations in deep-sea mussels are genetically isolated. <i>ISME Journal</i> , 2019, 13, 2954-2968.	9.8	42
13	Fueled by methane: deep-sea sponges from asphalt seeps gain their nutrition from methane-oxidizing symbionts. <i>ISME Journal</i> , 2019, 13, 1209-1225.	9.8	68
14	Sulfur-Oxidizing Symbionts without Canonical Genes for Autotrophic CO ₂ Fixation. <i>MBio</i> , 2019, 10, .	4.1	29
15	Two intracellular and cell type-specific bacterial symbionts in the placozoan <i>Trichoplax H2</i> . <i>Nature Microbiology</i> , 2019, 4, 1465-1474.	13.3	57
16	Marine Metabolomics: a Method for Nontargeted Measurement of Metabolites in Seawater by Gas Chromatographyâ€“Mass Spectrometry. <i>MSystems</i> , 2019, 4, .	3.8	45
17	Genetic Evidence for Two Carbon Fixation Pathways (the Calvin-Benson-Bassham Cycle and the Reverse) Tj ETQql 1.0.784314 rgBT /Ove	2.9	33
18	Correlative 3D anatomy and spatial chemistry in animal-microbe symbioses: developing sample preparation for phase-contrast synchrotron radiation based micro-computed tomography and mass spectrometry imaging., 2019, , .		3

#	ARTICLE	IF	CITATIONS
19	Metaorganisms in extreme environments: do microbes play a role in organismal adaptation?. <i>Zoology</i> , 2018, 127, 1-19.	1.2	194
20	Acquisition of a Novel Sulfur-Oxidizing Symbiont in the Gutless Marine Worm <i>Inanidrilus exumae</i> . <i>Applied and Environmental Microbiology</i> , 2018, 84, .	3.1	22
21	Short-chain alkanes fuel mussel and sponge <i>Cycloclasticus</i> symbionts from deep-sea gas and oil seeps. <i>Nature Microbiology</i> , 2017, 2, 17093.	13.3	80
22	Dunkle Energie: Symbiosen zwischen Tieren und chemosynthetischen Bakterien. , 2017, , 231-244.		0
23	Specificity in diversity: single origin of a widespread ciliate-bacteria symbiosis. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20170764.	2.6	34
24	Metabolic and physiological interdependencies in the <i>Bathymodiolus azoricus</i> symbiosis. <i>ISME Journal</i> , 2017, 11, 463-477.	9.8	116
25	Starvation and recovery in the deepâ€sea methanotroph <i>M</i> <i>ethyloprofundus sedimenti</i> . <i>Molecular Microbiology</i> , 2017, 103, 242-252.	2.5	40
26	Closely coupled evolutionary history of ectoâ€and endosymbionts from two distantly related animal phyla. <i>Molecular Ecology</i> , 2016, 25, 3203-3223.	3.9	35
27	Biophysical and Population Genetic Models Predict the Presence of â€œPhantomâ€Stepping Stones Connecting Mid-Atlantic Ridge Vent Ecosystems. <i>Current Biology</i> , 2016, 26, 2257-2267.	3.9	69
28	Transcriptomic and proteomic insights into innate immunity and adaptations to a symbiotic lifestyle in the gutless marine worm <i>Olavius algarvensis</i> . <i>BMC Genomics</i> , 2016, 17, 942.	2.8	41
29	A specific and widespread association between deepâ€sea <i>Bathymodiolus</i> mussels and a novel family of Epsilonproteobacteria. <i>Environmental Microbiology Reports</i> , 2016, 8, 805-813.	2.4	43
30	MiL-FISH: Multilabeled Oligonucleotides for Fluorescence <i>In Situ</i> Hybridization Improve Visualization of Bacterial Cells. <i>Applied and Environmental Microbiology</i> , 2016, 82, 62-70.	3.1	64
31	Use of carbon monoxide and hydrogen by a bacteriaâ€animal symbiosis from seagrass sediments. <i>Environmental Microbiology</i> , 2015, 17, 5023-5035.	3.8	37
32	Microbiology: Create a global microbiome effort. <i>Nature</i> , 2015, 526, 631-634.	27.8	107
33	Abundant toxin-related genes in the genomes of beneficial symbionts from deep-sea hydrothermal vent mussels. <i>ELife</i> , 2015, 4, e07966.	6.0	50
34	Dual symbiosis with coâ€occurring sulfurâ€oxidizing symbionts in vestimentiferan tubeworms from a Mediterranean hydrothermal vent. <i>Environmental Microbiology</i> , 2014, 16, 3638-3656.	3.8	38
35	Forever competent: deepâ€sea bivalves are colonized by their chemosynthetic symbionts throughout their lifetime. <i>Environmental Microbiology</i> , 2014, 16, 3699-3713.	3.8	60
36	The gill chamber epibiosis of deepâ€sea shrimp <i>R</i> <i>imicaris</i> <i>exoculata</i> : an inâ€depth metagenomic investigation and discovery of <i>Z</i> <i>etaproteobacteria</i> . <i>Environmental Microbiology</i> , 2014, 16, 2723-2738.	3.8	93

#	ARTICLE	IF	CITATIONS
37	Nature's microbiome: introduction. <i>Molecular Ecology</i> , 2014, 23, 1225-1237.	3.9	36
38	Gene swapping in the dead zone. <i>ELife</i> , 2014, 3, e04600.	6.0	2
39	Animals in a bacterial world, a new imperative for the life sciences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3229-3236.	7.1	2,181
40	Metaproteomics Reveals Abundant Transposase Expression in Mutualistic Endosymbionts. <i>MBio</i> , 2013, 4, e00223-13.	4.1	41
41	Shift from widespread symbiont infection of host tissues to specific colonization of gills in juvenile deep-sea mussels. <i>ISME Journal</i> , 2013, 7, 1244-1247.	9.8	33
42	RAYMOND L. LINDEMAN AWARD: JILLIAN M. PETERSEN. <i>Limnology and Oceanography Bulletin</i> , 2013, 22, 20-20.	0.4	0
43	Expression patterns of mRNAs for methanotrophy and thiotrophy in symbionts of the hydrothermal vent mussel <i>< i> Bathymodiolus puteoserpentis </i></i> . <i>ISME Journal</i> , 2012, 6, 104-112.	9.8	26
44	Metaproteomics of a gutless marine worm and its symbiotic microbial community reveal unusual pathways for carbon and energy use. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1173-82.	7.1	191
45	Origins and Evolutionary Flexibility of Chemosynthetic Symbionts From Deep-Sea Animals. <i>Biological Bulletin</i> , 2012, 223, 123-137.	1.8	53
46	Symbiontâ€“host relationships in chemosynthetic mussels: A comprehensive lipid biomarker study. <i>Organic Geochemistry</i> , 2012, 43, 112-124.	1.8	32
47	Convergent and divergent evolution of metabolism in sulfur-oxidizing symbionts and the role of horizontal gene transfer. <i>Current Opinion in Microbiology</i> , 2012, 15, 621-631.	5.1	57
48	Genetic Connectivity between North and South Mid-Atlantic Ridge Chemosynthetic Bivalves and Their Symbionts. <i>PLoS ONE</i> , 2012, 7, e39994.	2.5	31
49	Plasticity of symbiont acquisition throughout the life cycle of the shallowâ€“water tropical lucinid <i>< i> Codakia orbiculata </i></i> (Mollusca: Bivalvia). <i>Environmental Microbiology</i> , 2012, 14, 1584-1595.	3.8	35
50	In situ measurements of hydrogen sulfide, oxygen, and temperature in diffuse fluids of an ultramafic-hosted hydrothermal vent field (Logatchev, 14°45â€²N, Mid-Atlantic Ridge): Implications for chemosymbiotic bathymodiolin mussels. <i>Geochemistry, Geophysics, Geosystems</i> , 2011, 12, n/a-n/a.	2.5	18
51	Pathways of Carbon and Energy Metabolism of the Epibiotic Community Associated with the Deep-Sea Hydrothermal Vent Shrimp <i>Rimicaris exoculata</i> . <i>PLoS ONE</i> , 2011, 6, e16018.	2.5	80
52	Hydrogen is an energy source for hydrothermal vent symbioses. <i>Nature</i> , 2011, 476, 176-180.	27.8	251
53	Dual symbiosis of the vent shrimp <i>< i> Rimicaris exoculata </i></i> with filamentous gammaâ€“and epsilonproteobacteria at four Midâ€“Atlantic Ridge hydrothermal vent fields. <i>Environmental Microbiology</i> , 2010, 12, 2204-2218.	3.8	102
54	Gammaâ€“and epsilonproteobacterial ectosymbionts of a shallowâ€“water marine worm are related to deepâ€“sea hydrothermal vent ectosymbionts. <i>Environmental Microbiology</i> , 2010, 12, 2312-2326.	3.8	24

#	ARTICLE	IF	CITATIONS
55	High symbiont diversity in the bone-eating worm <i><Osedax mucofloris></i> from shallow whale-falls in the North Atlantic. Environmental Microbiology, 2010, 12, 2355-2370.	3.8	47
56	Widespread occurrence of an intranuclear bacterial parasite in vent and seep bathymodiolin mussels. Environmental Microbiology, 2009, 11, 1150-1167.	3.8	81
57	Methanotrophic symbioses in marine invertebrates. Environmental Microbiology Reports, 2009, 1, 319-335.	2.4	121
58	Symbiotic diversity in marine animals: the art of harnessing chemosynthesis. Nature Reviews Microbiology, 2008, 6, 725-740.	28.6	875
59	Endosymbioses between bacteria and deep-sea siboglinid tubeworms from an Arctic Cold Seep (Haakon) Tj ETQq1 0.784314 rgBT /Overlock 10 Tf ₁₃ 107 Td	3.8	107
60	Multiple bacterial symbionts in two species of co-occurring gutless oligochaete worms from Mediterranean sea grass sediments. Environmental Microbiology, 2008, 10, 3404-3416.	3.8	55
61	Ammonia-oxidizing <i><Crenarchaeota></i> and nitrification inside the tissue of a colonial ascidian. Environmental Microbiology, 2008, 10, 2991-3001.	3.8	48
62	Enigmatic dual symbiosis in the excretory organ of <i>Nautilus macromphalus</i> (Cephalopoda) Tj ETQq0 0 0 rgBT /Overlock 10 Tf ₁₃ 50 462 Td	2.6	13
63	The searchlight and the bucket of microbial ecology. Environmental Microbiology, 2007, 9, 2-3.	3.8	5
64	Molecular and morphological characterization of the association between bacterial endosymbionts and the marine nematode <i>Astomonema</i> sp. from the Bahamas. Environmental Microbiology, 2007, 9, 1345-1353.	3.8	47
65	Diversity, relative abundance and metabolic potential of bacterial endosymbionts in three Bathymodiolus mussel species from cold seeps in the Gulf of Mexico. Environmental Microbiology, 2007, 9, 1423-1438.	3.8	133
66	Symbioses between Bacteria and Gutless Marine Oligochaetes. , 2006, 41, 251-275.		64
67	Microbial community structure of sandy intertidal sediments in the North Sea, Sylt-RÃ¶mÃ¶ Basin, Wadden Sea. Systematic and Applied Microbiology, 2006, 29, 333-348.	2.8	148
68	A dual symbiosis shared by two mussel species, <i>Bathymodiolus azoricus</i> and <i>Bathymodiolus puteoserpentis</i> (Bivalvia: Mytilidae), from hydrothermal vents along the northern Mid-Atlantic Ridge. Environmental Microbiology, 2006, 8, 1441-1447.	3.8	179
69	Symbiosis insights through metagenomic analysis of a microbial consortium. Nature, 2006, 443, 950-955.	27.8	396
70	Characterization by 16S rRNA gene analysis and in situ hybridization of bacteria living in the hindgut of a deposit-feeding echinoid (Echinodermata). Journal of the Marine Biological Association of the United Kingdom, 2006, 86, 1209-1213.	0.8	17
71	Phylogeny of 16S rRNA, Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase, and Adenosine 5'-Phosphosulfate Reductase Genes from Gamma- and Alphaproteobacterial Symbionts in Gutless Marine Worms (Oligochaeta) from Bermuda and the Bahamas. Applied and Environmental Microbiology, 2006, 72, 5527-5536.	3.1	57
72	Transport and mineralization rates in North Sea sandy intertidal sediments, Sylt-RÃ¶mÃ¶ Basin, Wadden Sea. Limnology and Oceanography, 2005, 50, 113-127.	3.1	188

#	ARTICLE	IF	CITATIONS
73	Hydrothermal vent gastropods from the same family (Provannidae) harbour e- and gamma-proteobacterial endosymbionts. <i>Environmental Microbiology</i> , 2005, 7, 750-754.	3.8	70
74	Dual Symbiosis in a <i>Bathymodiolus</i> sp. Mussel from a Methane Seep on the Gabon Continental Margin (Southeast Atlantic): 16S rRNA Phylogeny and Distribution of the Symbionts in Gills. <i>Applied and Environmental Microbiology</i> , 2005, 71, 1694-1700.	3.1	155
75	Coexistence of Bacterial Sulfide Oxidizers, Sulfate Reducers, and Spirochetes in a Gutless Worm (Oligochaeta) from the Peru Margin. <i>Applied and Environmental Microbiology</i> , 2005, 71, 1553-1561.	3.1	106
76	Novel Epibiotic Thiothrix Bacterium on a Marine Amphipod. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3772-3775.	3.1	33
77	Acidovorax-like symbionts in the nephridia of earthworms. <i>Environmental Microbiology</i> , 2003, 5, 804-809.	3.8	63
78	Endosymbiotic sulphate-reducing and sulphide-oxidizing bacteria in an oligochaete worm. <i>Nature</i> , 2001, 411, 298-302.	27.8	196
79	Morphological and Ecophysiological Adaptations of the Marine Oligochaete <i>Tubificoides benedicti</i> in Sulfidic Sediments. <i>American Zoologist</i> , 1995, 35, 163-173.	0.7	30
80	Concomitant effects of sulfide and hypoxia on the aerobic metabolism of the marine oligochaete <i>Tubificoides benedicti</i> . <i>The Journal of Experimental Zoology</i> , 1994, 269, 287-297.	1.4	28
81	Structural peculiarities of the body wall of <i>Tubificoides benedicti</i> (Oligochaeta) and possible relations to its life in sulphidic sediments. <i>Zoomorphology</i> , 1988, 108, 29-39.	0.8	48
82	H ₂ Sâ€”A Settlement Cue or a Toxic Substance For <i>Capitella</i> sp. I Larvae?. <i>Biological Bulletin</i> , 1988, 174, 30-38.	1.8	62
83	Some aspects of the ecophysiology of <i>Tubificoides benedicti</i> and ultrastructural observations on endocuticular bacteria. <i>Hydrobiologia</i> , 1987, 155, 161-161.	2.0	1