

Naoaki Yabuuchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6895295/publications.pdf>

Version: 2024-02-01

143
papers

26,843
citations

23567

58
h-index

16183

124
g-index

149
all docs

149
docs citations

149
times ranked

18780
citing authors

#	ARTICLE	IF	CITATIONS
1	Research Development on Sodium-Ion Batteries. <i>Chemical Reviews</i> , 2014, 114, 11636-11682.	47.7	4,970
2	Design principles for oxygen-reduction activity on perovskite oxide catalysts for fuel cells and metal-air batteries. <i>Nature Chemistry</i> , 2011, 3, 546-550.	13.6	2,331
3	P2-type $\text{Na}_x[\text{Fe}_{1/2}\text{Mn}_{1/2}]\text{O}_2$ made from earth-abundant elements for rechargeable Na-ion batteries. <i>Nature Materials</i> , 2012, 11, 512-517.	27.5	1,884
4	Electrochemical Na Insertion and Solid Electrolyte Interphase for Hard-Carbon Electrodes and Application to Na-ion Batteries. <i>Advanced Functional Materials</i> , 2011, 21, 3859-3867.	14.9	1,717
5	Detailed Studies of a High-Capacity Electrode Material for Rechargeable Batteries, $\text{Li}_{2/3}\text{MnO}_3 \sim \text{LiCo}_{1/3}\text{Ni}_{1/3}\text{Mn}_{1/3}\text{O}_2$. <i>Journal of the American Chemical Society</i> , 2011, 133, 4404-4419.	13.7	1,066
6	High-power lithium batteries from functionalized carbon-nanotube electrodes. <i>Nature Nanotechnology</i> , 2010, 5, 531-537.	31.5	1,026
7	Novel lithium insertion material of $\text{LiCo}_{1/3}\text{Ni}_{1/3}\text{Mn}_{1/3}\text{O}_2$ for advanced lithium-ion batteries. <i>Journal of Power Sources</i> , 2003, 119-121, 171-174.	7.8	770
8	Fluorinated Ethylene Carbonate as Electrolyte Additive for Rechargeable Na Batteries. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 4165-4168.	8.0	595
9	Study on the Reversible Electrode Reaction of $\text{Na}_{1-x}\text{Ni}_{0.5}\text{Mn}_{0.5}\text{O}_2$ for a Rechargeable Sodium-Ion Battery. <i>Inorganic Chemistry</i> , 2012, 51, 6211-6220.	4.0	593
10	Negative electrodes for Na-ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 15007.	2.8	555
11	Electrochemical intercalation activity of layered NaCrO_2 vs. LiCrO_2 . <i>Electrochemistry Communications</i> , 2010, 12, 355-358.	4.7	509
12	High-capacity electrode materials for rechargeable lithium batteries: Li_3NbO_4 -based system with cation-disordered rocksalt structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 7650-7655.	7.1	400
13	Redox reaction of Sn-polyacrylate electrodes in aprotic Na cell. <i>Electrochemistry Communications</i> , 2012, 21, 65-68.	4.7	384
14	Study on Polymer Binders for High-Capacity SiO Negative Electrode of Li-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2011, 115, 13487-13495.	3.1	344
15	Electrocatalytic Measurement Methodology of Oxide Catalysts Using a Thin-Film Rotating Disk Electrode. <i>Journal of the Electrochemical Society</i> , 2010, 157, B1263.	2.9	339
16	P2-type $\text{Na}_{2/3}\text{Ni}_{1/3}\text{Mn}_{2/3}\text{Ti}_x\text{O}_2$ as a new positive electrode for higher energy Na-ion batteries. <i>Chemical Communications</i> , 2014, 50, 3677-3680.	4.1	334
17	Origin of stabilization and destabilization in solid-state redox reaction of oxide ions for lithium-ion batteries. <i>Nature Communications</i> , 2016, 7, 13814.	12.8	330
18	Crystal Structures and Electrode Performance of $\alpha\text{-NaFeO}_2$ for Rechargeable Sodium Batteries. <i>Electrochemistry</i> , 2012, 80, 716-719.	1.4	329

#	ARTICLE	IF	CITATIONS
19	Solid-State Chemistry and Electrochemistry of $\text{LiCo}_{1-x}\text{Ni}_x\text{Mn}_x\text{O}_2$ for Advanced Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2007, 154, A314.	2.9	328
20	New O2/P2-type Li-Excess Layered Manganese Oxides as Promising Multifunctional Electrode Materials for Rechargeable Li/Na Batteries. <i>Advanced Energy Materials</i> , 2014, 4, 1301453.	19.5	307
21	A new electrode material for rechargeable sodium batteries: P2-type $\text{Na}_{2/3}[\text{Mg}_{0.28}\text{Mn}_{0.72}]_2\text{O}_2$ with anomalously high reversible capacity. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16851-16855.	10.3	284
22	Probing the Origin of Enhanced Stability of AlPO_4 -Nanoparticle Coated LiCoO_2 during Cycling to High Voltages: Combined XRD and XPS Studies. <i>Chemistry of Materials</i> , 2009, 21, 4408-4424.	6.7	279
23	Enhanced Activity for Oxygen Reduction Reaction on Pt_3Co -Nanoparticles: Direct Evidence of Percolated and Sandwich-Segregation Structures. <i>Journal of the American Chemical Society</i> , 2008, 130, 13818-13819.	13.7	271
24	Origin of Oxygen Reduction Reaction Activity on Pt_3Co -Nanoparticles: Atomically Resolved Chemical Compositions and Structures. <i>Journal of Physical Chemistry C</i> , 2009, 113, 1109-1125.	3.1	267
25	$\text{NaFe}_{0.5}\text{Co}_{0.5}\text{O}_2$ as high energy and power positive electrode for Na-ion batteries. <i>Electrochemistry Communications</i> , 2013, 34, 60-63.	4.7	262
26	Synthesis and electrode performance of carbon coated $\text{Na}_2\text{FePO}_4\text{F}$ for rechargeable Na batteries. <i>Electrochemistry Communications</i> , 2011, 13, 1225-1228.	4.7	244
27	Black Phosphorus as a High-Capacity, High-Capability Negative Electrode for Sodium-Ion Batteries: Investigation of the Electrode/Electrolyte Interface. <i>Chemistry of Materials</i> , 2016, 28, 1625-1635.	6.7	238
28	Layered oxides as positive electrode materials for Na-ion batteries. <i>MRS Bulletin</i> , 2014, 39, 416-422.	3.5	208
29	Comparative Study of Sodium Polyacrylate and Poly(vinylidene fluoride) as Binders for High Capacity Si^{t} -Graphite Composite Negative Electrodes in Li-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2012, 116, 1380-1389.	3.1	203
30	Recent research progress on iron- and manganese-based positive electrode materials for rechargeable sodium batteries. <i>Science and Technology of Advanced Materials</i> , 2014, 15, 043501.	6.1	199
31	Phosphorus Electrodes in Sodium Cells: Small Volume Expansion by Sodiation and the Surface Stabilization Mechanism in Aprotic Solvent. <i>ChemElectroChem</i> , 2014, 1, 580-589.	3.4	196
32	Roles of Surface Steps on Pt Nanoparticles in Electro-oxidation of Carbon Monoxide and Methanol. <i>Journal of the American Chemical Society</i> , 2009, 131, 15669-15677.	13.7	186
33	Synthesis and Electrode Performance of O3-Type $\text{NaFeO}_2\text{-NaNi}_{1/2}\text{Mn}_{1/2}\text{O}_2$ Solid Solution for Rechargeable Sodium Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A3131-A3137.	2.9	182
34	Sodium carboxymethyl cellulose as a potential binder for hard-carbon negative electrodes in sodium-ion batteries. <i>Electrochemistry Communications</i> , 2014, 44, 66-69.	4.7	182
35	Solid-State Chemistry and Electrochemistry of $\text{LiCo}_{1-x}\text{Ni}_x\text{Mn}_x\text{O}_2$ for Advanced Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2005, 152, A1434.	2.9	179
36	NMR study for electrochemically inserted Na in hard carbon electrode of sodium ion battery. <i>Journal of Power Sources</i> , 2013, 225, 137-140.	7.8	165

#	ARTICLE	IF	CITATIONS
37	High-capacity Siâ€“graphite composite electrodes with a self-formed porous structure by a partially neutralized polyacrylate for Li-ion batteries. <i>Energy and Environmental Science</i> , 2012, 5, 9014.	30.8	156
38	Solid-State Chemistry and Electrochemistry of $\text{LiCo}_{1/3}\text{Ni}_{1/3}\text{Mn}_{1/3}\text{O}_2$ for Advanced Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2004, 151, A1545.	2.9	154
39	Electrochemical Insertion of Li and Na Ions into Nanocrystalline Fe_3O_4 and Fe_2O_3 for Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A60.	2.9	152
40	New Insight into Structural Evolution in Layered NaCrO_2 during Electrochemical Sodium Extraction. <i>Journal of Physical Chemistry C</i> , 2015, 119, 166-175.	3.1	152
41	Structural Analysis of Sucrose-Derived Hard Carbon and Correlation with the Electrochemical Properties for Lithium, Sodium, and Potassium Insertion. <i>Chemistry of Materials</i> , 2020, 32, 2961-2977.	6.7	150
42	Effect of Hexafluorophosphate and Fluoroethylene Carbonate on Electrochemical Performance and the Surface Layer of Hard Carbon for Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2016, 3, 1856-1867.	3.4	147
43	Graphiteâ€“Siliconâ€“Polyacrylate Negative Electrodes in Ionic Liquid Electrolyte for Safer Rechargeable Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2011, 1, 759-765.	19.5	140
44	Understanding the Structural Evolution and Redox Mechanism of a NaFeO_2 - NaCoO_2 Solid Solution for Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 6047-6059.	14.9	132
45	Functional binders for reversible lithium intercalation into graphite in propylene carbonate and ionic liquid media. <i>Journal of Power Sources</i> , 2010, 195, 6069-6074.	7.8	122
46	Changes in the Cation Ordering of Layered $\text{O}_3 \text{Li}_x\text{Ni}_{0.5}\text{Mn}_{0.5}\text{O}_2$ during Electrochemical Cycling to High Voltages: An Electron Diffraction Study. <i>Chemistry of Materials</i> , 2007, 19, 2551-2565.	6.7	121
47	Electrochemical behaviors of $\text{LiCo}_{1/3}\text{Ni}_{1/3}\text{Mn}_{1/3}\text{O}_2$ in lithium batteries at elevated temperatures. <i>Journal of Power Sources</i> , 2005, 146, 636-639.	7.8	108
48	A layer-structured $\text{Na}_2\text{CoP}_2\text{O}_7$ pyrophosphate cathode for sodium-ion batteries. <i>RSC Advances</i> , 2013, 3, 3857.	3.6	104
49	Cropâ€“Derived Polysaccharides as Binders for High-Capacity Silicon/Graphite-Based Electrodes in Lithium-Ion Batteries. <i>ChemSusChem</i> , 2012, 5, 2307-2311.	6.8	92
50	Thermal Instability of Cycled $\text{Li}_{1-x}\text{Ni}_{0.5}\text{Mn}_{0.5}\text{O}_2$ Electrodes: An in Situ Synchrotron X-ray Powder Diffraction Study. <i>Chemistry of Materials</i> , 2008, 20, 4936-4951.	6.7	87
51	Lithium-Excess Cation-Disordered Rocksalt-Type Oxide with Nanoscale Phase Segregation: $\text{Li}_{1.25}\text{Nb}_{0.25}\text{V}_{0.5}\text{O}_2$. <i>Chemistry of Materials</i> , 2017, 29, 6927-6935.	6.7	87
52	Electrochemical Properties of LiCoO_2 Electrodes with Latex Binders on High-Voltage Exposure. <i>Journal of the Electrochemical Society</i> , 2015, 162, A538-A544.	2.9	80
53	Understanding Particle-Size-Dependent Electrochemical Properties of Li_2MnO_3 -Based Positive Electrode Materials for Rechargeable Lithium Batteries. <i>Journal of Physical Chemistry C</i> , 2016, 120, 875-885.	3.1	77
54	Synthesis and electrochemical properties of $\text{Li}_{1.3}\text{Nb}_{0.3}\text{V}_{0.4}\text{O}_2$ as a positive electrode material for rechargeable lithium batteries. <i>Chemical Communications</i> , 2016, 52, 2051-2054.	4.1	76

#	ARTICLE	IF	CITATIONS
55	A Comparison of Crystal Structures and Electrode Performance between Na ₂ FePO ₄ F and Na ₂ Fe _{0.5} Mn _{0.5} PO ₄ F Synthesized by Solid-State Method for Rechargeable Na-Ion Batteries. <i>Electrochemistry</i> , 2012, 80, 80-84.	1.4	72
56	Electrochemical lithiation performance and characterization of silicon-graphite composites with lithium, sodium, potassium, and ammonium polyacrylate binders. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 3783-3795.	2.8	72
57	Effect of heat-treatment process on FeF ₃ nanocomposite electrodes for rechargeable Li batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 10035.	6.7	69
58	Reversible Three-Electron Redox Reaction of Mo ³⁺ /Mo ⁶⁺ for Rechargeable Lithium Batteries. <i>ACS Energy Letters</i> , 2017, 2, 733-738.	17.4	61
59	Cross-Linked Poly(acrylic acid) with Polycarbodiimide as Advanced Binder for Si/Graphite Composite Negative Electrodes in Li-Ion Batteries. <i>ECS Electrochemistry Letters</i> , 2012, 2, A17-A20.	1.9	59
60	Solid-state Redox Reaction of Oxide Ions for Rechargeable Batteries. <i>Chemistry Letters</i> , 2017, 46, 412-422.	1.3	59
61	Reversible Li storage for nanosize cation/anion-disordered rocksalt-type oxyfluorides: LiMoO ₂ · x LiF (0 ≤ x ≤ 2) binary system. <i>Journal of Power Sources</i> , 2017, 367, 122-129.	7.8	59
62	Metastable and nanosize cation-disordered rocksalt-type oxides: revisit of stoichiometric LiMnO ₂ and NaMnO ₂ . <i>Journal of Materials Chemistry A</i> , 2018, 6, 13943-13951.	10.3	59
63	Material Design Concept of Lithium-Excess Electrode Materials with Rocksalt-Related Structures for Rechargeable Non-Aqueous Batteries. <i>Chemical Record</i> , 2019, 19, 690-707.	5.8	59
64	Layered Na _x Cr _x Ti _{1-x} O ₂ as Bifunctional Electrode Materials for Rechargeable Sodium Batteries. <i>Chemistry of Materials</i> , 2016, 28, 7006-7016.	6.7	56
65	Tomographic reconstruction of oxygen orbitals in lithium-rich battery materials. <i>Nature</i> , 2021, 594, 213-216.	27.8	56
66	Synthesis and Electrochemical Properties of Li ₄ MoO ₅ · NiO Binary System as Positive Electrode Materials for Rechargeable Lithium Batteries. <i>Chemistry of Materials</i> , 2016, 28, 416-419.	6.7	55
67	Materials Strategy for Advanced Lithium-Ion (Shuttlecock) Batteries: Lithium Nickel Manganese Oxides with or without Cobalt. <i>Electrochemistry</i> , 2005, 73, 2-11.	1.4	53
68	Polyacrylate as Functional Binder for Silicon and Graphite Composite Electrode in Lithium-Ion Batteries. <i>Electrochemistry</i> , 2011, 79, 6-9.	1.4	52
69	High performance red phosphorus electrode in ionic liquid-based electrolyte for Na-ion batteries. <i>Journal of Power Sources</i> , 2017, 363, 404-412.	7.8	52
70	A Comparative Study of LiCoO ₂ Polymorphs: Structural and Electrochemical Characterization of O ₂ -, O ₃ -, and O ₄ -type Phases. <i>Inorganic Chemistry</i> , 2013, 52, 9131-9142.	4.0	51
71	Structural and Electrochemical Characterizations on Li ₂ MnO ₃ -LiCoO ₂ -LiCrO ₂ System as Positive Electrode Materials for Rechargeable Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A39-A45.	2.9	51
72	Electrochemical behavior and structural change of spinel-type Li[Li Mn ₂]O ₄ (x= 0 and 0.2) in sodium cells. <i>Electrochimica Acta</i> , 2012, 82, 296-301.	5.2	50

#	ARTICLE	IF	CITATIONS
73	Na ₂ CoPO ₄ F as a High-voltage Electrode Material for Na-ion Batteries. <i>Electrochemistry</i> , 2014, 82, 909-911.	1.4	49
74	Changes in the Crystal Structure and Electrochemical Properties of Li _x Ni _{0.5} Mn _{0.5} O ₂ during Electrochemical Cycling to High Voltages. <i>Journal of the Electrochemical Society</i> , 2007, 154, A566.	2.9	46
75	Nano-structured birnessite prepared by electrochemical activation of manganese(III)-based oxides for aqueous supercapacitors. <i>Electrochimica Acta</i> , 2012, 59, 455-463.	5.2	46
76	Activation and stabilization mechanisms of anionic redox for Li storage applications: Joint experimental and theoretical study on Li ₂ TiO ₃ –LiMnO ₂ binary system. <i>Materials Today</i> , 2020, 37, 43-55.	14.2	46
77	Impact of the Cut-Off Voltage on Cyclability and Passive Interphase of Sn-Polyacrylate Composite Electrodes for Sodium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2016, 120, 15017-15026.	3.1	40
78	Na-Excess Cation-Disordered Rocksalt Oxide: Na _{1.3} Nb _{0.3} Mn _{0.4} O ₂ . <i>Chemistry of Materials</i> , 2017, 29, 5043-5047.	6.7	38
79	Charge Compensation Mechanism of Lithium-Excess Metal Oxides with Different Covalent and Ionic Characters Revealed by <i>Operando</i> Soft and Hard X-ray Absorption Spectroscopy. <i>Chemistry of Materials</i> , 2020, 32, 139-147.	6.7	37
80	Thermal Stability of Na _x CrO ₂ for Rechargeable Sodium Batteries; Studies by High-Temperature Synchrotron X-ray Diffraction. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 32292-32299.	8.0	36
81	Acrylic Acid-Based Copolymers as Functional Binder for Silicon/Graphite Composite Electrode in Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2245-A2249.	2.9	35
82	Improved Electrode Performance of Lithium-Excess Molybdenum Oxyfluoride: Titanium Substitution with Concentrated Electrolyte. <i>ACS Applied Energy Materials</i> , 2019, 2, 1629-1633.	5.1	34
83	Why is the O3 to O1 phase transition hindered in LiNiO ₂ on full delithiation?. <i>Journal of Materials Chemistry A</i> , 2021, 9, 15963-15967.	10.3	34
84	Low-temperature phase of Li ₂ FeSiO ₄ : crystal structure and a preliminary study of electrochemical behavior. <i>Dalton Transactions</i> , 2011, 40, 1846.	3.3	33
85	Effect of Nanosizing on Reversible Sodium Storage in a NaCrO ₂ Electrode. <i>ACS Applied Nano Materials</i> , 2018, 1, 364-370.	5.0	32
86	Improved High-Temperature Performance and Surface Chemistry of Graphite/LiMn ₂ O ₄ Li-Ion Cells by Fluorosilane-Based Electrolyte Additive. <i>Electrochimica Acta</i> , 2015, 160, 347-356.	5.2	31
87	Synthesis and Electrode Performance of Li ₄ MoO ₅ -LiFeO ₂ Binary System as Positive Electrode Materials for Rechargeable Lithium Batteries. <i>Electrochemistry</i> , 2016, 84, 797-801.	1.4	30
88	Hydrothermal Synthesis and Characterization of Li ₂ FeSiO ₄ as Positive Electrode Materials for Li-Ion Batteries. <i>Electrochemistry</i> , 2010, 78, 363-366.	1.4	28
89	Fabrication of Carbon-Based Multi-Enzyme Immobilized Anodes to Oxidize Sucrose for Biofuel Cells. <i>ChemPhysChem</i> , 2014, 15, 2145-2151.	2.1	27
90	A New Polymorph of Layered LiCoO ₂ . <i>Chemistry Letters</i> , 2009, 38, 954-955.	1.3	22

#	ARTICLE	IF	CITATIONS
91	Efficient Electrolyte Additives of Phosphate, Carbonate, and Borate to Improve Redox Capacitor Performance of Manganese Oxide Electrodes. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1952-A1961.	2.9	22
92	Nanostructured LiMnO_2 with Li_3PO_4 Integrated at the Atomic Scale for High-Energy Electrode Materials with Reversible Anionic Redox. <i>ACS Central Science</i> , 2020, 6, 2326-2338.	11.3	22
93	High-temperature X-ray diffraction study of crystallization and phase segregation on spinel-type lithium manganese oxides. <i>Journal of Solid State Chemistry</i> , 2010, 183, 234-241.	2.9	21
94	All-solid-state ion-selective electrodes with redox-active lithium, sodium, and potassium insertion materials as the inner solid-contact layer. <i>Analyst</i> , 2017, 142, 3857-3866.	3.5	20
95	Nanosize Cation-Disordered Rocksalt Oxides: Na_2TiO_3 – NaMnO_2 Binary System. <i>Small</i> , 2020, 16, e1902462.	10.0	20
96	The Influence of Heat-Treatment Temperature on the Cation Distribution of $\text{LiNi}_{0.5}\text{Mn}_{0.5}\text{O}_2$ and Its Rate Capability in Lithium Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , 2011, 158, A192.	2.9	16
97	Acrylonitrile-grafted poly(vinyl alcohol) copolymer as effective binder for high-voltage spinel positive electrode. <i>Journal of Power Sources</i> , 2017, 358, 121-127.	7.8	16
98	Fundamentals of metal oxide/oxyfluoride electrodes for Li-/Na-ion batteries. <i>Chemical Physics Reviews</i> , 2021, 2, .	5.7	16
99	Electrochemical Control of the Magnetic Moment of CrO_2 . <i>Journal of the Electrochemical Society</i> , 2008, 155, P83.	2.9	15
100	The Influence of Surface Chemistry on the Rate Capability of $\text{LiNi}_{0.5}\text{Mn}_{0.5}\text{O}_2$ for Lithium Rechargeable Batteries. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, A158.	2.2	15
101	Efficient Stabilization of Na Storage Reversibility by Ti Integration into $\text{O}^{\delta 23}$ -Type NaMnO_2 . <i>Energy Material Advances</i> , 2021, 2021, .	11.0	15
102	Nanosized and metastable molybdenum oxides as negative electrode materials for durable high-energy aqueous Li-ion batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	15
103	Rational material design of Li-excess metal oxides with disordered rock salt structure. <i>Current Opinion in Electrochemistry</i> , 2022, 34, 100978.	4.8	15
104	Synthesis of Conjugated Carbonyl Containing Polymer Negative Electrodes for Sodium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A434-A438.	2.9	14
105	Influence of Synthesis Conditions on Electrochemical Properties of P2 -Type $\text{Na}_{2/3}\text{Fe}_{2/3}\text{Mn}_{1/3}\text{O}_2$ for Rechargeable Na Batteries. <i>Small Methods</i> , 2019, 3, 1800032.	8.6	14
106	Degradation Mechanisms of Electric Double Layer Capacitors with Activated Carbon Electrodes on High Voltage Exposure. <i>Electrochemistry</i> , 2015, 83, 609-618.	1.4	12
107	Improvement of Electrochemical Performance of Bilirubin Oxidase Modified Gas Diffusion Biocathode by Hydrophilic Binder. <i>Journal of the Electrochemical Society</i> , 2015, 162, F1425-F1430.	2.9	11
108	Metastable and Nanosized $\text{Li}_{1.2}\text{Nb}_{0.2}\text{V}_{0.6}\text{O}_2$ for High-Energy Li-ion Batteries. <i>Electrochemistry</i> , 2022, 90, 037005-037005.	1.4	10

#	ARTICLE	IF	CITATIONS
109	Unexpectedly Large Contribution of Oxygen to Charge Compensation Triggered by Structural Disorder: Detailed Experimental and Theoretical Study on a Li_3NbO_4 - NiO Binary System. ACS Central Science, 2022, 8, 775-794.	11.3	10
110	$\text{Li}_{4/3}\text{Ni}_{1/3}\text{Mo}_{1/3}\text{O}_2$ as High Capacity Positive Electrode Materials for Rechargeable Lithium Batteries. Journal of the Electrochemical Society, 2018, 165, A1357-A1362.	2.9	9
111	Li/Na Storage Properties of Disordered Carbons Synthesized by Mechanical Milling. Electrochemistry, 2019, 87, 276-280.	1.4	8
112	Effect of diphenylethane as an electrolyte additive to enhance high-temperature durability of $\text{LiCoO}_2/\text{graphite}$ cells. Electrochimica Acta, 2018, 270, 120-128.	5.2	7
113	Highly Graphitic Carbon Coating on $\text{Li}_{1.25}\text{Nb}_{0.25}\text{V}_{0.5}\text{O}_2$ Derived from a Precursor with a Perylene Core for High-Power Battery Applications. Chemistry of Materials, 2022, 34, 1946-1955.	6.7	7
114	P2-type layered $\text{Na}_{0.67}\text{Cr}_{0.33}\text{Mg}_{0.17}\text{Ti}_{0.5}\text{O}_2$ for Na storage applications. Chemical Communications, 2021, 57, 2756-2759.	4.1	6
115	Double-layered polyion complex for application to biosensing electrodes. Electrochemistry Communications, 2014, 47, 88-91.	4.7	5
116	Magnetic Compton Scattering Study of Li-Rich Battery Materials. Condensed Matter, 2022, 7, 4.	1.8	5
117	Tuning cation migration. Nature Materials, 2020, 19, 372-373.	27.5	4
118	Rocksalt and Layered Metal Sulfides for Li Storage Applications: $\text{LiMe}_{0.5}\text{Ti}_{0.5}\text{S}_2$ (Me = Fe^{2+} , Mn^{2+} , and Tj)		
119	$2\text{r}^2/4\check{Z}\check{a}\check{f}\check{S}\check{a}\check{f}\check{a}\check{f}\check{a}\check{a}, \check{a}\check{f}\check{a},\check{a},\check{a}\check{f}\check{a}^{\circ}\text{CE}\check{a}-\check{e}\rangle\rangle\check{a}\pm\check{a}\check{e}^{\circ}\check{a}-\check{a},\check{e}\rangle\rangle\check{a}\pm\check{a}\check{a};\check{e}\check{c}^3\rangle\check{a}\check{a}^{\circ}\check{a}\text{CE}^{\check{e}} \check{a}\check{e}^{\circ}$. Electrochemistry, 2012, 80, 93-97. 2		
120	Corrigendum to "Efficient Stabilization of Na Storage Reversibility by Ti Integration into O^{2-} -Type NaMnO_2 " Energy Material Advances, 2021, 2021, .	11.0	2
121	Partially reversible changes in magnetic properties of CrO_2 nanoparticles through electrochemical cycling. Journal of Applied Physics, 2008, 103, 07D708.	2.5	1
122	Neutralized Poly(Acrylic Acid) as Polymer Binder for High Capacity Silicon Negative Electrodes. ECS Meeting Abstracts, 2011, .	0.0	1
123	Origin of Stabilization and Destabilization in Solid-State Redox Reaction of Oxide Ions for Rechargeable Lithium Batteries. ECS Meeting Abstracts, 2016, .	0.0	1
124	Materials Strategy for Advanced Lithium-Ion (Shuttlecock) Batteries: Lithium Nickel Manganese Oxides with or Without Cobalt. ChemInform, 2005, 36, no.	0.0	0
125	Crystal Structures and Electrochemical Properties of P2/O2-type Mn-based Layered Oxides. Hamon, 2015, 25, 264-267.	0.0	0
126	Manganese Oxides. , 2014, , 1218-1223.		0

#	ARTICLE	IF	CITATIONS
127	Electrochemical Properties of High-Voltage Spinel Positive Electrodes Prepared with Non-Fluorine PAN-Based Binders. ECS Meeting Abstracts, 2016, , .	0.0	0
128	Li _{1.2} Ti _{0.4} Mn _{0.4} O ₂ As 300 m Ah g ⁻¹ -Class Electrode Material Using Redox Reaction of Oxide Ions. ECS Meeting Abstracts, 2016, , .	0.0	0
129	Layered Na _x Cr _x Ti _{1-x} O ₂ As Bi-Functional Electrode Materials for Rechargeable Sodium Batteries. ECS Meeting Abstracts, 2016, , .	0.0	0
130	Charge/Discharge Reaction Mechanisms of Nanosized Li-Excess Li ₂ TiO ₃ â€“LiVO ₂ System. ECS Meeting Abstracts, 2021, MA2021-02, 1675-1675.	0.0	0
131	Synthesis and Electrochemical Properties of Mg-Substituted Ni/Mn-Based High-Voltage Spinel Oxides. ECS Meeting Abstracts, 2020, MA2020-02, 3540-3540.	0.0	0
132	Factors Affecting on Electrochemical Properties of O ₃ -Type NaFeO ₂ for Sodium Ion Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 3539-3539.	0.0	0
133	Highly Reversible Anionic Redox without Voltage Decay. ECS Meeting Abstracts, 2020, MA2020-02, 3537-3537.	0.0	0
134	Electrochemical Properties of LiNiO ₂ Integrated with Nanosize Li ₃ PO ₄ . ECS Meeting Abstracts, 2020, MA2020-02, 3533-3533.	0.0	0
135	Rechargeable Aqueous Lithium-Ion Batteries with Molybdenum-Based Oxides As Negative Electrode Materials. ECS Meeting Abstracts, 2020, MA2020-02, 3538-3538.	0.0	0
136	(Invited) Nanostructured Rocksalt-Based Positive Electrode Materials for Rechargeable Li/Na Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 510-510.	0.0	0
137	Impact of Nb Substitution on Crystal Structures and Electrode Reversibility of LiNiO ₂ . ECS Meeting Abstracts, 2020, MA2020-02, 3535-3535.	0.0	0
138	Lithium Storage Properties of Rocksalt-Type Li-Excess Titanium Sulfides. ECS Meeting Abstracts, 2020, MA2020-02, 3534-3534.	0.0	0
139	(Invited) Nanostructured High-Capacity Positive Electrode Materials for Li-Ion Batteries. ECS Meeting Abstracts, 2021, MA2021-02, 191-191.	0.0	0
140	Studies on Electrochemistry and Factors Affecting Phase Transition Behavior of LiMnO ₂ Polymorphs. ECS Meeting Abstracts, 2021, MA2021-02, 1677-1677.	0.0	0
141	High Capacity Li-Excess Vanadium Oxides for Positive Electrode Materials. ECS Meeting Abstracts, 2020, MA2020-02, 3536-3536.	0.0	0
142	Electrochemical Properties of Ti-Based Negative Electrode Materials with Different Binders Possessing Branched Structures for Rechargeable Sodium-Ion Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 3541-3541.	0.0	0
143	Extended conjugated carbonyl-containing polymer as a negative electrode material for Na-ion batteries. Polymer Journal, 0, , .	2.7	0