## Caroline Hayward

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6895975/publications.pdf

Version: 2024-02-01

512 papers 88,046 citations

124
h-index

265 g-index

610 all docs

610 docs citations

610 times ranked

74170 citing authors

#	Article	IF	CITATIONS
1	Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206.	27.8	3,823
2	Biological, clinical and population relevance of 95 loci for blood lipids. Nature, 2010, 466, 707-713.	27.8	3,249
3	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
4	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nature Genetics, 2010, 42, 937-948.	21.4	2,634
5	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	21.4	2,224
6	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. Nature Genetics, 2010, 42, 105-116.	21.4	1,982
7	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. Nature, 2011, 478, 103-109.	27.8	1,855
8	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. Nature Genetics, 2018, 50, 1112-1121.	21.4	1,835
9	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	21.4	1,818
10	Hundreds of variants clustered in genomic loci and biological pathways affect human height. Nature, 2010, 467, 832-838.	27.8	1,789
11	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. Nature Genetics, 2018, 50, 381-389.	21.4	1,332
12	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
13	Genome-wide association study identifies 74 loci associated with educational attainment. Nature, 2016, 533, 539-542.	27.8	1,204
14	A large genome-wide association study of age-related macular degeneration highlights contributions of rare and common variants. Nature Genetics, 2016, 48, 134-143.	21.4	1,167
15	Genetic mechanisms of critical illness in COVID-19. Nature, 2021, 591, 92-98.	27.8	1,014
16	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. Nature Genetics, 2014, 46, 234-244.	21.4	959
17	Runs of Homozygosity in European Populations. American Journal of Human Genetics, 2008, 83, 359-372.	6.2	958
18	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929

#	Article	IF	CITATIONS
19	Genetic analysis of over $1$ million people identifies 535 new loci associated with blood pressure traits. Nature Genetics, 2018, 50, 1412-1425.	21.4	924
20	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. Nature Genetics, 2016, 48, 624-633.	21.4	870
21	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. Nature Genetics, 2010, 42, 949-960.	21.4	836
22	Loci influencing lipid levels and coronary heart disease risk in 16 European population cohorts. Nature Genetics, 2009, 41, 47-55.	21.4	776
23	Complement C3 Variant and the Risk of Age-Related Macular Degeneration. New England Journal of Medicine, 2007, 357, 553-561.	27.0	762
24	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. Nature Genetics, 2012, 44, 659-669.	21.4	762
25	Common variants associated with plasma triglycerides and risk for coronary artery disease. Nature Genetics, 2013, 45, 1345-1352.	21.4	754
26	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. Science, 2013, 340, 1467-1471.	12.6	750
27	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. Nature Genetics, 2012, 44, 991-1005.	21.4	746
28	New loci associated with kidney function and chronic kidney disease. Nature Genetics, 2010, 42, 376-384.	21.4	710
29	SLC2A9 is a newly identified urate transporter influencing serum urate concentration, urate excretion and gout. Nature Genetics, 2008, 40, 437-442.	21.4	678
30	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. Nature Genetics, 2013, 45, 145-154.	21.4	675
31	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. Nature Genetics, 2010, 42, 436-440.	21.4	581
32	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. Nature Genetics, 2013, 45, 501-512.	21.4	578
33	A General Approach for Haplotype Phasing across the Full Spectrum of Relatedness. PLoS Genetics, 2014, 10, e1004234.	3.5	553
34	Multi-ethnic genome-wide association study for atrial fibrillation. Nature Genetics, 2018, 50, 1225-1233.	21.4	552
35	A catalog of genetic loci associated with kidney function from analyses of a million individuals. Nature Genetics, 2019, 51, 957-972.	21.4	549
36	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	27.8	544

3

#	Article	IF	CITATIONS
37	Genome-wide association study identifies five loci associated with lung function. Nature Genetics, 2010, 42, 36-44.	21.4	518
38	Genome-wide association analysis identifies novel blood pressure loci and offers biological insights into cardiovascular risk. Nature Genetics, 2017, 49, 403-415.	21.4	492
39	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. Nature Neuroscience, 2018, 21, 1656-1669.	14.8	490
40	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. Nature Communications, 2018, 9, 2098.	12.8	484
41	Exome-wide association study of plasma lipids in >300,000 individuals. Nature Genetics, 2017, 49, 1758-1766.	21.4	470
42	Mutations in SOX2 cause anophthalmia. Nature Genetics, 2003, 33, 462-463.	21.4	466
43	Meta-Analysis of Genome-Wide Association Studies in >80 000 Subjects Identifies Multiple Loci for C-Reactive Protein Levels. Circulation, 2011, 123, 731-738.	1.6	461
44	Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. Nature Genetics, 2010, 42, 1077-1085.	21.4	445
45	Ultra-High-Throughput Clinical Proteomics Reveals Classifiers of COVID-19 Infection. Cell Systems, 2020, 11, 11-24.e4.	6.2	439
46	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. Science, 2016, 351, 1166-1171.	12.6	438
47	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. Nature Genetics, 2017, 49, 834-841.	21.4	426
48	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. PLoS Genetics, 2012, 8, e1002607.	3.5	419
49	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. Nature Communications, 2016, 7, 10023.	12.8	412
50	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. Nature Genetics, 2011, 43, 1005-1011.	21.4	403
51	Genome-wide meta-analyses of multiancestry cohorts identify multiple new susceptibility loci for refractive error and myopia. Nature Genetics, 2013, 45, 314-318.	21.4	398
52	Common Variants at 10 Genomic Loci Influence Hemoglobin A1C Levels via Glycemic and Nonglycemic Pathways. Diabetes, 2010, 59, 3229-3239.	0.6	387
53	FTO genotype is associated with phenotypic variability of body mass index. Nature, 2012, 490, 267-272.	27.8	383
54	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. PLoS Genetics, 2013, 9, e1003500.	3.5	371

#	Article	IF	CITATIONS
55	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. Nature Genetics, 2011, 43, 1082-1090.	21.4	367
56	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184.	21.4	362
57	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. Nature Genetics, 2015, 47, 1294-1303.	21.4	357
58	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. Nature Genetics, 2018, 50, 559-571.	21.4	356
59	The power of genetic diversity in genome-wide association studies of lipids. Nature, 2021, 600, 675-679.	27.8	353
60	Genome-wide association study of alcohol consumption and genetic overlap with other health-related traits in UK Biobank (N=112 117). Molecular Psychiatry, 2017, 22, 1376-1384.	7.9	351
61	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. Nature Genetics, 2019, 51, 481-493.	21.4	350
62	Genetic contributions to variation in general cognitive function: a meta-analysis of genome-wide association studies in the CHARGE consortium (N=53 949). Molecular Psychiatry, 2015, 20, 183-192.	7.9	344
63	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. PLoS Medicine, 2017, 14, e1002383.	8.4	341
64	The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860.	21.4	341
65	Genome-Wide Association Identifies Nine Common Variants Associated With Fasting Proinsulin Levels and Provides New Insights Into the Pathophysiology of Type 2 Diabetes. Diabetes, 2011, 60, 2624-2634.	0.6	335
66	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	3.5	331
67	Trans-ethnic association study of blood pressure determinants in over 750,000 individuals. Nature Genetics, 2019, 51, 51-62.	21.4	328
68	Genomic and drug target evaluation of 90 cardiovascular proteins in 30,931 individuals. Nature Metabolism, 2020, 2, 1135-1148.	11.9	327
69	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. American Journal of Human Genetics, 2018, 103, 691-706.	6.2	326
70	Loci Associated with N-Glycosylation of Human Immunoglobulin G Show Pleiotropy with Autoimmune Diseases and Haematological Cancers. PLoS Genetics, 2013, 9, e1003225.	3.5	323
71	Genome-wide association study of cognitive functions and educational attainment in UK Biobank (N=112 151). Molecular Psychiatry, 2016, 21, 758-767.	7.9	317
72	Novel Associations of Multiple Genetic Loci With Plasma Levels of Factor VII, Factor VIII, and von Willebrand Factor. Circulation, 2010, 121, 1382-1392.	1.6	311

#	Article	IF	CITATIONS
73	Common variants in 22 loci are associated with QRS duration and cardiac ventricular conduction. Nature Genetics, 2010, 42, 1068-1076.	21.4	308
74	Genome-Wide Association Analyses in 128,266 Individuals Identifies New Morningness and Sleep Duration Loci. PLoS Genetics, 2016, 12, e1006125.	3.5	308
75	Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and immune pathways. Nature Genetics, 2012, 44, 260-268.	21.4	303
76	Glycans Are a Novel Biomarker of Chronological and Biological Ages. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 779-789.	3.6	297
77	Genome-wide association study in 79,366 European-ancestry individuals informs the genetic architecture of 25-hydroxyvitamin D levels. Nature Communications, 2018, 9, 260.	12.8	295
78	Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. Nature Genetics, 2011, 43, 753-760.	21.4	289
79	Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. JAMA Psychiatry, 2015, 72, 642.	11.0	289
80	Association of Low-Frequency and Rare Coding-Sequence Variants with Blood Lipids and Coronary Heart Disease in 56,000 Whites and Blacks. American Journal of Human Genetics, 2014, 94, 223-232.	6.2	287
81	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41.	21.4	286
82	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. Nature Genetics, 2016, 48, 1462-1472.	21.4	284
83	Identification of heart rate–associated loci and their effects on cardiac conduction and rhythm disorders. Nature Genetics, 2013, 45, 621-631.	21.4	282
84	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. Nature Genetics, 2014, 46, 826-836.	21.4	281
85	Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. Nature Genetics, 2017, 49, 946-952.	21.4	279
86	Genome-wide association analyses identify multiple loci associated with central corneal thickness and keratoconus. Nature Genetics, 2013, 45, 155-163.	21.4	269
87	Cognitive change and the APOE É,4 allele. Nature, 2002, 418, 932-932.	27.8	267
88	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. Nature Genetics, 2016, 48, 1151-1161.	21.4	261
89	Genome-wide association analyses for lung function and chronic obstructive pulmonary disease identify new loci and potential druggable targets. Nature Genetics, 2017, 49, 416-425.	21.4	257
90	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. Nature Genetics, 2019, 51, 1459-1474.	21.4	251

#	Article	IF	Citations
91	Identification of SATB2 as the cleft palate gene on 2q32-q33. Human Molecular Genetics, 2003, 12, 2491-2501.	2.9	248
92	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. Nature Communications, 2016, 7, 10495.	12.8	245
93	Common genetic variants associated with cognitive performance identified using the proxy-phenotype method. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 13790-13794.	7.1	244
94	Genome-wide association meta-analysis highlights light-induced signaling as a driver for refractive error. Nature Genetics, 2018, 50, 834-848.	21.4	239
95	Application of high-dimensional feature selection: evaluation for genomic prediction in man. Scientific Reports, 2015, 5, 10312.	3.3	233
96	Genome-wide analysis of over 106 000 individuals identifies 9 neuroticism-associated loci. Molecular Psychiatry, 2016, 21, 749-757.	7.9	220
97	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. Nature Genetics, 2022, 54, 437-449.	21.4	215
98	Genomics Meets Glycomicsâ€"The First GWAS Study of Human N-Glycome Identifies HNF1α as a Master Regulator of Plasma Protein Fucosylation. PLoS Genetics, 2010, 6, e1001256.	3.5	213
99	Variability, Heritability and Environmental Determinants of Human Plasma N-Glycome. Journal of Proteome Research, 2009, 8, 694-701.	3.7	212
100	CUBN Is a Gene Locus for Albuminuria. Journal of the American Society of Nephrology: JASN, 2011, 22, 555-570.	6.1	208
101	Cardiac Troponin T and Troponin I in the General Population. Circulation, 2019, 139, 2754-2764.	1.6	200
102	A large-scale genome-wide association study meta-analysis of cannabis use disorder. Lancet Psychiatry,the, 2020, 7, 1032-1045.	7.4	200
103	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. PLoS ONE, 2012, 7, e29202.	2.5	197
104	Whole-Exome Sequencing Identifies Rare and Low-Frequency Coding Variants Associated with LDL Cholesterol. American Journal of Human Genetics, 2014, 94, 233-245.	6.2	193
105	Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. Nature Genetics, 2011, 43, 940-947.	21.4	191
106	Genetic Determinants of Circulating Sphingolipid Concentrations in European Populations. PLoS Genetics, 2009, 5, e1000672.	3.5	184
107	Genetic insights into biological mechanisms governing human ovarian ageing. Nature, 2021, 596, 393-397.	27.8	183
108	Genome-Wide Association Study Identifies Novel Loci Associated with Circulating Phospho- and Sphingolipid Concentrations. PLoS Genetics, 2012, 8, e1002490.	3.5	181

#	Article	IF	CITATIONS
109	Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. Behavior Genetics, 2016, 46, 170-182.	2.1	178
110	Effects of genome-wide heterozygosity on a range of biomedically relevant human quantitative traits. Human Molecular Genetics, 2007, 16, 233-241.	2.9	176
111	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. Biological Psychiatry, 2017, 81, 325-335.	1.3	175
112	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. Nature Communications, 2015, 6, 5897.	12.8	173
113	Directional dominance on stature and cognition inÂdiverse human populations. Nature, 2015, 523, 459-462.	27.8	173
114	Mutation in a short-chain collagen gene, CTRP5, results in extracellular deposit formation in late-onset retinal degeneration: a genetic model for age-related macular degeneration. Human Molecular Genetics, 2003, 12, 2657-2667.	2.9	172
115	Association analyses identify 31 new risk loci for colorectal cancer susceptibility. Nature Communications, 2019, 10, 2154.	12.8	172
116	Comparative Performance of Four Methods for High-throughput Glycosylation Analysis of Immunoglobulin G in Genetic and Epidemiological Research. Molecular and Cellular Proteomics, 2014, 13, 1598-1610.	3.8	169
117	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977.	12.8	169
118	Genome-Wide Association and Functional Follow-Up Reveals New Loci for Kidney Function. PLoS Genetics, 2012, 8, e1002584.	3.5	166
119	Genome-wide physical activity interactions in adiposity ― A meta-analysis of 200,452 adults. PLoS Genetics, 2017, 13, e1006528.	3.5	158
120	Molecular genetic contributions to socioeconomic status and intelligence. Intelligence, 2014, 44, 26-32.	3.0	156
121	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. BMJ Open, 2014, 4, e006141.	1.9	150
122	Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. Nature Communications, 2017, 8, 80.	12.8	147
123	The brain-derived neurotrophic factor Val66Met polymorphism is associated with age-related change in reasoning skills. Molecular Psychiatry, 2006, 11, 505-513.	7.9	146
124	Common polygenic risk for autism spectrum disorder (ASD) is associated with cognitive ability in the general population. Molecular Psychiatry, 2016, 21, 419-425.	7.9	145
125	Meta-Analysis of Genome-Wide Association Studies Identifies Six New Loci for Serum Calcium Concentrations. PLoS Genetics, 2013, 9, e1003796.	3.5	142
126	Within-sibship genome-wide association analyses decrease bias in estimates of direct genetic effects. Nature Genetics, 2022, 54, 581-592.	21.4	142

#	Article	IF	Citations
127	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. Nature Genetics, 2020, 52, 494-504.	21.4	138
128	New loci associated with central cornea thickness include COL5A1, AKAP13 and AVGR8. Human Molecular Genetics, 2010, 19, 4304-4311.	2.9	136
129	GWAS for executive function and processing speed suggests involvement of the CADM2 gene. Molecular Psychiatry, 2016, 21, 189-197.	7.9	134
130	Evidence for a Familial Pregnancy-Induced Hypertension Locus in the eNOS-Gene Region. American Journal of Human Genetics, 1997, 61, 354-362.	6.2	132
131	A KATP channel gene effect on sleep duration: from genome-wide association studies to function in Drosophila. Molecular Psychiatry, 2013, 18, 122-132.	7.9	132
132	Genome-wide association analysis identifies six new loci associated with forced vital capacity. Nature Genetics, 2014, 46, 669-677.	21.4	131
133	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. Diabetes, 2016, 65, 803-817.	0.6	131
134	Systems genetics identifies a convergent gene network for cognition and neurodevelopmental disease. Nature Neuroscience, 2016, 19, 223-232.	14.8	131
135	Genomic analysis of family data reveals additional genetic effects on intelligence and personality. Molecular Psychiatry, 2018, 23, 2347-2362.	7.9	131
136	Evidence of association of <i>APOE</i> with age-related macular degeneration - a pooled analysis of 15 studies. Human Mutation, 2011, 32, 1407-1416.	2.5	130
137	Multiethnic Meta-Analysis of Genome-Wide Association Studies in >100 000 Subjects Identifies 23 Fibrinogen-Associated Loci but No Strong Evidence of a Causal Association Between Circulating Fibrinogen and Cardiovascular Disease. Circulation, 2013, 128, 1310-1324.	1.6	128
138	Identification of susceptibility loci for colorectal cancer in a genome-wide meta-analysis. Human Molecular Genetics, 2014, 23, 4729-4737.	2.9	128
139	A time-resolved proteomic and prognostic map of COVID-19. Cell Systems, 2021, 12, 780-794.e7.	6.2	125
140	Common Genetic Variants Associate with Serum Phosphorus Concentration. Journal of the American Society of Nephrology: JASN, 2010, 21, 1223-1232.	6.1	123
141	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. Hypertension, 2017, 70, .	2.7	123
142	Genetic Evidence for a Link Between Favorable Adiposity and Lower Risk of Type 2 Diabetes, Hypertension, and Heart Disease. Diabetes, 2016, 65, 2448-2460.	0.6	122
143	Genome-wide meta-analysis associates HLA-DQA1/DRB1 and LPA and lifestyle factors with human longevity. Nature Communications, 2017, 8, 910.	12.8	118
144	An epigenome-wide association study of sex-specific chronological ageing. Genome Medicine, 2020, 12, 1.	8.2	117

#	Article	IF	Citations
145	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. Molecular Psychiatry, 2020, 25, 1430-1446.	7.9	116
146	52 Genetic Loci Influencing MyocardialÂMass. Journal of the American College of Cardiology, 2016, 68, 1435-1448.	2.8	113
147	Genomeâ€wide association uncovers shared genetic effects among personality traits and mood states. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 684-695.	1.7	112
148	Genome-wide meta-analysis of 158,000 individuals of European ancestry identifies three loci associated with chronic back pain. PLoS Genetics, 2018, 14, e1007601.	3.5	112
149	Multi-ancestry genome-wide gene–smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. Nature Genetics, 2019, 51, 636-648.	21.4	112
150	Localising Loci underlying Complex Trait Variation Using Regional Genomic Relationship Mapping. PLoS ONE, 2012, 7, e46501.	2.5	111
151	Genetic variants linked to education predict longevity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13366-13371.	7.1	110
152	Exploration of haplotype research consortium imputation for genome-wide association studies in 20,032 Generation Scotland participants. Genome Medicine, 2017, 9, 23.	8.2	110
153	Genome-wide analysis identifies molecular systems and 149 genetic loci associated with income. Nature Communications, 2019, 10, 5741.	12.8	110
154	Epigenetic measures of ageing predict the prevalence and incidence of leading causes of death and disease burden. Clinical Epigenetics, 2020, 12, 115.	4.1	109
155	Sixteen new lung function signals identified through 1000 Genomes Project reference panel imputation. Nature Communications, 2015, 6, 8658.	12.8	108
156	Associations of Mitochondrial and Nuclear Mitochondrial Variants and Genes with Seven Metabolic Traits. American Journal of Human Genetics, 2019, 104, 112-138.	6.2	106
157	Genome Wide Association Identifies Common Variants at the SERPINA6/SERPINA1 Locus Influencing Plasma Cortisol and Corticosteroid Binding Globulin. PLoS Genetics, 2014, 10, e1004474.	3.5	105
158	Meta-analysis of gene–environment-wide association scans accounting for education level identifies additional loci for refractive error. Nature Communications, 2016, 7, 11008.	12.8	104
159	Harmonization of Neuroticism and Extraversion phenotypes across inventories and cohorts in the Genetics of Personality Consortium: an application of Item Response Theory. Behavior Genetics, 2014, 44, 295-313.	2.1	103
160	Multivariate discovery and replication of five novel loci associated with Immunoglobulin G N-glycosylation. Nature Communications, 2017, 8, 447.	12.8	102
161	Genome-Wide Association Transethnic Meta-Analyses Identifies Novel Associations Regulating Coagulation Factor VIII and von Willebrand Factor Plasma Levels. Circulation, 2019, 139, 620-635.	1.6	102
162	Comparison between High-Sensitivity Cardiac Troponin T and Cardiac Troponin I in a Large General Population Cohort. Clinical Chemistry, 2018, 64, 1607-1616.	3.2	101

#	Article	IF	Citations
163	Association Between Chromosome 9p21 Variants and the Ankle-Brachial Index Identified by a Meta-Analysis of 21 Genome-Wide Association Studies. Circulation: Cardiovascular Genetics, 2012, 5, 100-112.	5.1	98
164	Marfan Database (third edition): new mutations and new routines for the software. Nucleic Acids Research, 1998, 26, 229-233.	14.5	97
165	Mutations in <i>HNF1A</i> Result in Marked Alterations of Plasma Glycan Profile. Diabetes, 2013, 62, 1329-1337.	0.6	97
166	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. PLoS ONE, 2018, 13, e0198166.	2.5	94
167	lgG glycan patterns are associated with type 2 diabetes in independent European populations. Biochimica Et Biophysica Acta - General Subjects, 2017, 1861, 2240-2249.	2.4	93
168	Complement Factor D in Age-Related Macular Degeneration. , 2011, 52, 8828.		92
169	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. Nature Genetics, 2020, 52, 1314-1332.	21.4	91
170	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. Human Molecular Genetics, 2014, 23, 3054-3068.	2.9	90
171	Glycosylation of immunoglobulin G is regulated by a large network of genes pleiotropic with inflammatory diseases. Science Advances, 2020, 6, eaax0301.	10.3	90
172	Genome-wide association studies identify 137 genetic loci for DNA methylation biomarkers of aging. Genome Biology, 2021, 22, 194.	8.8	90
173	Fibrillin-1 mutations in Marfan syndrome and other type-1 fibrillinopathies. Human Mutation, 1997, 10, 415-423.	2.5	89
174	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. Nature Genetics, 2019, 51, 452-469.	21.4	89
175	Common variants in the JAZF1 gene associated with height identified by linkage and genome-wide association analysis. Human Molecular Genetics, 2009, 18, 373-380.	2.9	88
176	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. JAMA Psychiatry, 2021, 78, 1258.	11.0	88
177	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. Biological Psychiatry, 2018, 84, 138-147.	1.3	87
178	Genome-wide by environment interaction studies of depressive symptoms and psychosocial stress in UK Biobank and Generation Scotland. Translational Psychiatry, 2019, 9, 14.	4.8	87
179	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. Nature Communications, 2021, 12, 24.	12.8	87
180	Variations in Apolipoprotein E Frequency With Age in a Pooled Analysis of a Large Group of Older People. American Journal of Epidemiology, 2011, 173, 1357-1364.	3.4	85

#	Article	IF	CITATIONS
181	Common Variants in UMOD Associate with Urinary Uromodulin Levels. Journal of the American Society of Nephrology: JASN, 2014, 25, 1869-1882.	6.1	85
182	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. American Journal of Epidemiology, 2019, 188, 1033-1054.	3.4	85
183	Associations of autozygosity with a broad range of human phenotypes. Nature Communications, 2019, 10, 4957.	12.8	84
184	A meta-analysis of genome-wide association studies of epigenetic age acceleration. PLoS Genetics, 2019, 15, e1008104.	3.5	83
185	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. Molecular Psychiatry, 2020, 25, 2392-2409.	7.9	83
186	Platelet-Related Variants Identified by Exomechip Meta-analysis in 157,293 Individuals. American Journal of Human Genetics, 2016, 99, 40-55.	6.2	82
187	KLOTHO genotype and cognitive ability in childhood and old age in the same individuals. Neuroscience Letters, 2005, 378, 22-27.	2.1	81
188	The functional COMT polymorphism, Val158Met, is associated with logical memory and the personality trait intellect/imagination in a cohort of healthy 79 year olds. Neuroscience Letters, 2005, 385, 1-6.	2.1	81
189	Genome-wide association study of age-related macular degeneration identifies associated variants in the TNXB–FKBPL–NOTCH4 region of chromosome 6p21.3. Human Molecular Genetics, 2012, 21, 4138-4150.	2.9	80
190	Novel Approach Identifies SNPs in SLC2A10 and KCNK9 with Evidence for Parent-of-Origin Effect on Body Mass Index. PLoS Genetics, 2014, 10, e1004508.	3.5	80
191	Evidence of Inbreeding Depression on Human Height. PLoS Genetics, 2012, 8, e1002655.	3.5	79
192	Genome-wide association study identifies 48 common genetic variants associated with handedness. Nature Human Behaviour, 2021, 5, 59-70.	12.0	79
193	Cognitive ability at age 11 and 70 years, information processing speed, and APOE variation: The Lothian Birth Cohort 1936 study Psychology and Aging, 2009, 24, 129-138.	1.6	77
194	Genetic influences on plasma CFH and CFHR1 concentrations and their role in susceptibility to age-related macular degeneration. Human Molecular Genetics, 2013, 22, 4857-4869.	2.9	77
195	Identification of epigenome-wide DNA methylation differences between carriers of APOE $\hat{l}\mu 4$ and APOE $\hat{l}\mu 2$ alleles. Genome Medicine, 2021, 13, 1.	8.2	76
196	Estimating Human Inbreeding Coefficients: Comparison of Genealogical and Marker Heterozygosity Approaches. Annals of Human Genetics, 2006, 70, 666-676.	0.8	75
197	N-Glycan Profile and Kidney Disease in Type 1 Diabetes. Diabetes Care, 2018, 41, 79-87.	8.6	<b>7</b> 5
198	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. Nature Human Behaviour, 2019, 3, 950-961.	12.0	75

#	Article	IF	Citations
199	Polymorphisms in B3GAT1, SLC9A9 and MGAT5 are associated with variation within the human plasma N-glycome of 3533 European adults. Human Molecular Genetics, 2011, 20, 5000-5011.	2.9	74
200	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. Nature Communications, 2016, 7, 13357.	12.8	74
201	Molecular genetic analysis of the <i>APEX nuclease</i> gene in amyotrophic lateral sclerosis. Neurology, 1999, 52, 1899-1899.	1.1	74
202	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. Human Molecular Genetics, 2016, 25, 358-370.	2.9	73
203	Genome-Wide and Abdominal MRI Data Provide Evidence That a Genetically Determined Favorable Adiposity Phenotype Is Characterized by Lower Ectopic Liver Fat and Lower Risk of Type 2 Diabetes, Heart Disease, and Hypertension. Diabetes, 2019, 68, 207-219.	0.6	72
204	Pedigree- and SNP-Associated Genetics and Recent Environment are the Major Contributors to Anthropometric and Cardiometabolic Trait Variation. PLoS Genetics, 2016, 12, e1005804.	3.5	72
205	Genome-wide linkage analysis of serum creatinine in three isolated European populations. Kidney International, 2009, 76, 297-306.	5.2	71
206	Hearing function and thresholds: a genome-wide association study in European isolated populations identifies new loci and pathways. Journal of Medical Genetics, 2011, 48, 369-374.	3.2	71
207	Increased Genetic Vulnerability to Smoking at CHRNA5 in Early-Onset Smokers. Archives of General Psychiatry, 2012, 69, 854.	12.3	71
208	PR interval genome-wide association meta-analysis identifies 50 loci associated with atrial and atrioventricular electrical activity. Nature Communications, 2018, 9, 2904.	12.8	71
209	Apolipoprotein E Gene Variability and Cognitive Functions at Age 79: A Follow-Up of the Scottish Mental Survey of 1932 Psychology and Aging, 2004, 19, 367-371.	1.6	70
210	The Eysenck personality factors: Psychometric structure, reliability, heritability and phenotypic and genetic correlations with psychological distress in an isolated Croatian population. Personality and Individual Differences, 2007, 42, 123-133.	2.9	70
211	Identification of myopia-associated WNT7B polymorphisms provides insights into the mechanism underlying the development of myopia. Nature Communications, 2015, 6, 6689.	12.8	70
212	A genetic association analysis of cognitive ability and cognitive ageing using 325 markers for 109 genes associated with oxidative stress or cognition. BMC Genetics, 2007, 8, 43.	2.7	69
213	Discovery and Fine Mapping of Serum Protein Loci through Transethnic Meta-analysis. American Journal of Human Genetics, 2012, 91, 744-753.	6.2	69
214	Chronic obstructive pulmonary disease and related phenotypes: polygenic risk scores in population-based and case-control cohorts. Lancet Respiratory Medicine, the, 2020, 8, 696-708.	10.7	69
215	The Role of Recent Admixture in Forming the Contemporary West Eurasian Genomic Landscape. Current Biology, 2015, 25, 2518-2526.	3.9	68
216	Large scale international replication and meta-analysis study confirms association of the 15q14 locus with myopia. The CREAM consortium. Human Genetics, 2012, 131, 1467-1480.	3.8	67

#	Article	IF	Citations
217	Genome-wide Studies of Verbal Declarative Memory in Nondemented Older People: The Cohorts for Heart and Aging Research in Genomic Epidemiology Consortium. Biological Psychiatry, 2015, 77, 749-763.	1.3	67
218	Network inference from glycoproteomics data reveals new reactions in the IgG glycosylation pathway. Nature Communications, 2017, 8, 1483.	12.8	67
219	Factors associated with sharing e-mail information and mental health survey participation in large population cohorts. International Journal of Epidemiology, 2020, 49, 410-421.	1.9	67
220	Molecular mechanisms underlying variations in lung function: a systems genetics analysis. Lancet Respiratory Medicine, the, 2015, 3, 782-795.	10.7	66
221	Genome-wide meta-analyses of stratified depression in Generation Scotland and UK Biobank. Translational Psychiatry, 2018, 8, 9.	4.8	66
222	Genome-Wide Association Study on Immunoglobulin G Glycosylation Patterns. Frontiers in Immunology, 2018, 9, 277.	4.8	66
223	Genome-Wide Association Study of Suicide Death and Polygenic Prediction of Clinical Antecedents. American Journal of Psychiatry, 2020, 177, 917-927.	7.2	66
224	Integration of genome-wide association studies with biological knowledge identifies six novel genes related to kidney function. Human Molecular Genetics, 2012, 21, 5329-5343.	2.9	64
225	Genetic effects influencing risk for major depressive disorder in China and Europe. Translational Psychiatry, 2017, 7, e1074-e1074.	4.8	64
226	CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. Nature Communications, 2017, 8, 744.	12.8	64
227	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. Nature Communications, 2019, 10, 376.	12.8	64
228	Modulation of Genetic Associations with Serum Urate Levels by Body-Mass-Index in Humans. PLoS ONE, 2015, 10, e0119752.	2.5	64
229	Cross-ancestry genome-wide association analysis of corneal thickness strengthens link between complex and Mendelian eye diseases. Nature Communications, 2018, 9, 1864.	12.8	63
230	PROSPECTIVE PRENATAL DIAGNOSIS OF CYSTIC FIBROSIS. Lancet, The, 1985, 325, 1175-1178.	13.7	62
231	Novel association to the proprotein convertase PCSK7 gene locus revealed by analysing soluble transferrin receptor (sTfR) levels. Human Molecular Genetics, 2011, 20, 1042-1047.	2.9	62
232	Exploring causality in the association between circulating 25-hydroxyvitamin D and colorectal cancer risk: a large Mendelian randomisation study. BMC Medicine, 2018, 16, 142.	5 <b>.</b> 5	62
233	3000 years of solitude: extreme differentiation in the island isolates of Dalmatia, Croatia. European Journal of Human Genetics, 2006, 14, 478-487.	2.8	61
234	Uncovering Networks from Genome-Wide Association Studies via Circular Genomic Permutation. G3: Genes, Genomes, Genetics, 2012, 2, 1067-1075.	1.8	61

#	Article	IF	Citations
235	Genetic Predictors of Fibrin D-Dimer Levels in Healthy Adults. Circulation, 2011, 123, 1864-1872.	1.6	60
236	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. American Journal of Human Genetics, 2013, 93, 236-248.	6.2	60
237	Meta-analysis of genome-wide association studies in five cohorts reveals common variants in RBFOX1, a regulator of tissue-specific splicing, associated with refractive error. Human Molecular Genetics, 2013, 22, 2754-2764.	2.9	60
238	Exome Genotyping Identifies Pleiotropic Variants Associated with Red Blood Cell Traits. American Journal of Human Genetics, 2016, 99, 8-21.	6.2	60
239	Genetic contributions to two special factors of neuroticism are associated with affluence, higher intelligence, better health, and longer life. Molecular Psychiatry, 2020, 25, 3034-3052.	7.9	60
240	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. PLoS Medicine, 2016, 13, e1002090.	8.4	60
241	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. Nature Communications, 2020, 11, 2542.	12.8	59
242	Homozygosity for Asn86Ser mutation in the CuZn-superoxide dismutase gene produces a severe clinical phenotype in a juvenile onset case of familial amyotrophic lateral sclerosis Journal of Medical Genetics, 1998, 35, 174-174.	3.2	56
243	DNA mismatch repair gene MSH6 implicated in determining age at natural menopause. Human Molecular Genetics, 2014, 23, 2490-2497.	2.9	56
244	A Comprehensive Evaluation of Potential Lung Function Associated Genes in the SpiroMeta General Population Sample. PLoS ONE, 2011, 6, e19382.	2.5	56
245	Rare and low-frequency variants and their association with plasma levels of fibrinogen, FVII, FVIII, and vWF. Blood, 2015, 126, e19-e29.	1.4	55
246	Linkage and Genomeâ€wide Association Analysis of Obesityâ€related Phenotypes: Association of Weight With the <i>MGAT1</i> Gene. Obesity, 2010, 18, 803-808.	3.0	54
247	Differential effects of the APOE e4 allele on different domains of cognitive ability across the life-course. European Journal of Human Genetics, 2016, 24, 919-923.	2.8	54
248	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium: TableÂ1. BMJ Open, 2015, 5, e008808.	1.9	53
249	Tissue localization and chromosomal assignment of a serum protein that tracks the cystic fibrosis gene. Nature, 1985, 315, 513-515.	27.8	52
250	The association between galactosylation of immunoglobulin G and body mass index. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 48, 20-25.	4.8	52
251	Recurrence of SOX2 anophthalmia syndrome with gonosomal mosaicism in a phenotypically normal mother. American Journal of Medical Genetics, Part A, 2006, 140A, 636-639.	1.2	51
252	Disease mechanisms in late-onset retinal macular degeneration associated with mutation in C1QTNF5. Human Molecular Genetics, 2006, 15, 1680-1689.	2.9	51

#	Article	IF	Citations
253	Modeling of Environmental Effects in Genome-Wide Association Studies Identifies SLC2A2 and HP as Novel Loci Influencing Serum Cholesterol Levels. PLoS Genetics, 2010, 6, e1000798.	3.5	51
254	Pedigree and genotyping quality analyses of over 10,000 DNA samples from the Generation Scotland: Scottish Family Health Study. BMC Medical Genetics, 2013, 14, 38.	2.1	51
255	Association of Adiposity Genetic Variants With Menarche Timing in 92,105 Women of European Descent. American Journal of Epidemiology, 2013, 178, 451-460.	3.4	51
256	A common biological basis of obesity and nicotine addiction. Translational Psychiatry, 2013, 3, e308-e308.	4.8	51
257	Large-Scale Exome-wide Association Analysis Identifies Loci for White Blood Cell Traits and Pleiotropy with Immune-Mediated Diseases. American Journal of Human Genetics, 2016, 99, 22-39.	6.2	50
258	Integrating omics datasets with the OmicsPLS package. BMC Bioinformatics, 2018, 19, 371.	2.6	50
259	Genome-wide Association Study of Biochemical Traits in KorÄula Island, Croatia. Croatian Medical Journal, 2009, 50, 23-33.	0.7	49
260	A meta-analysis of genome-wide data from five European isolates reveals an association of COL22A1, SYT1, and GABRR2with serum creatinine level. BMC Medical Genetics, 2010, 11, 41.	2.1	48
261	Concordant Association of Insulin Degrading Enzyme Gene (IDE) Variants with IDE mRNA, Aß, and Alzheimer's Disease. PLoS ONE, 2010, 5, e8764.	2.5	48
262	New Blood Pressure–Associated Loci Identified in Meta-Analyses of 475 000 Individuals. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	48
263	Variation in the dysbindin gene and normal cognitive function in three independent population samples. Genes, Brain and Behavior, 2009, 8, 218-227.	2.2	47
264	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. Genome Biology, 2018, 19, 87.	8.8	47
265	Rare Functional Variant in TM2D3 is Associated with Late-Onset Alzheimer's Disease. PLoS Genetics, 2016, 12, e1006327.	3.5	47
266	Recent genomic heritage in Scotland. BMC Genomics, 2015, 16, 437.	2.8	46
267	Gel electrophoresis of amniotic fluid acetylcholinesterase as an aid to the prenatal diagnosis of fetal defects. Clinica Chimica Acta, 1980, 108, 135-141.	1.1	45
268	Mutation screening of all 65 exons of the fibrillin-1 gene in 60 patients with Marfan syndrome: Report of 12 novel mutations. Human Mutation, 1997, 10, 280-289.	2.5	45
269	Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. PLoS Genetics, 2014, 10, e1004799.	3.5	45
270	Genome of the Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. Nature Communications, 2015, 6, 6065.	12.8	45

#	Article	IF	CITATIONS
271	Genome-wide association studies identify genetic loci for low von Willebrand factor levels. European Journal of Human Genetics, 2016, 24, 1035-1040.	2.8	45
272	Do regional brain volumes and major depressive disorder share genetic architecture? A study of Generation Scotland (n=19 762), UK Biobank (n=24 048) and the English Longitudinal Study of Ageing (n=5766). Translational Psychiatry, 2017, 7, e1205-e1205.	4.8	45
273	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. Pharmacogenomics Journal, 2020, 20, 329-341.	2.0	45
274	An exclusion map for pre-eclampsia: assuming autosomal recessive inheritance. American Journal of Human Genetics, 1992, 50, 749-57.	6.2	45
275	Association of Existing and New Candidate Genes for Anxiety, Depression and Personality Traits in Older People. Behavior Genetics, 2010, 40, 518-532.	2.1	44
276	Variation in the Uric Acid Transporter Gene SLC2A9 and Its Association with AAO of Parkinson's Disease. Journal of Molecular Neuroscience, 2011, 43, 246-250.	2.3	44
277	Causal and Synthetic Associations of Variants in the SERPINA Gene Cluster with Alpha1-antitrypsin Serum Levels. PLoS Genetics, 2013, 9, e1003585.	3.5	43
278	Genome-Wide Association Study for Circulating Tissue Plasminogen Activator Levels and Functional Follow-Up Implicates Endothelial <i>STXBP5</i> and <i>STX2</i> Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 1093-1101.	2.4	43
279	Extent of linkage disequilibrium in a Sardinian sub-isolate: sampling and methodological considerations. Human Molecular Genetics, 2003, 13, 25-33.	2.9	42
280	Genetic influences on oxidative stress and their association with normal cognitive ageing. Neuroscience Letters, 2005, 386, 116-120.	2.1	42
281	Common Genetic Variants Explain the Majority of the Correlation Between Height and Intelligence: The Generation Scotland Study. Behavior Genetics, 2014, 44, 91-96.	2.1	41
282	A novel mutation in the fibrillin gene (FBN1) in familial arachnodactyly. Molecular and Cellular Probes, 1994, 8, 325-327.	2.1	40
283	Bayesian methods for instrumental variable analysis with genetic instruments ( Mendelian) Tj ETQq1 1 0.78431 urate levels on metabolic syndrome. International Journal of Epidemiology, 2010, 39, 907-918.	4 rgBT /Ov 1.9	verlock 10 1 40
284	Genome-Wide Meta-Analysis of Myopia and Hyperopia Provides Evidence for Replication of 11 Loci. PLoS ONE, 2014, 9, e107110.	2.5	40
285	Quantifying the extent to which index event biases influence large genetic association studies. Human Molecular Genetics, 2017, 26, ddw433.	2.9	40
286	A validation of the diathesis-stress model for depression in Generation Scotland. Translational Psychiatry, 2019, 9, 25.	4.8	40
287	Variation in the SERPINA6/SERPINA1 locus alters morning plasma cortisol, hepatic corticosteroid binding globulin expression, gene expression in peripheral tissues, and risk of cardiovascular disease. Journal of Human Genetics, 2021, 66, 625-636.	2.3	40
288	Prenatal diagnosis of cystic fibrosis by assay of amniotic fluid microvillar enzymes. Human Genetics, 1984, 65, 248-251.	3.8	39

#	Article	IF	CITATIONS
289	Serum C-reactive protein in assessment of pulmonary exacerbations and antimicrobial therapy in cystic fibrosis. Journal of Pediatrics, 1988, 113, 76-79.	1.8	39
290	Assessing the genetic overlap between BMI and cognitive function. Molecular Psychiatry, 2016, 21, 1477-1482.	7.9	39
291	SOS2 and ACP1 Loci Identified through Large-Scale Exome Chip Analysis Regulate Kidney Development and Function. Journal of the American Society of Nephrology: JASN, 2017, 28, 981-994.	6.1	39
292	Assessing the presence of shared genetic architecture between Alzheimer's disease and major depressive disorder using genome-wide association data. Translational Psychiatry, 2017, 7, e1094-e1094.	4.8	38
293	Disentangling the genetics of lean mass. American Journal of Clinical Nutrition, 2019, 109, 276-287.	4.7	38
294	Characterisation of an inflammation-related epigenetic score and its association with cognitive ability. Clinical Epigenetics, 2020, 12, 113.	4.1	38
295	Exome Sequencing Identifies Genes and Gene Sets Contributing to Severe Childhood Obesity, Linking PHIP Variants to Repressed POMC Transcription. Cell Metabolism, 2020, 31, 1107-1119.e12.	16.2	38
296	Epigenetic silencing of <i>HNF1A</i> associates with changes in the composition of the human plasma <i>N</i> elycome. Epigenetics, 2012, 7, 164-172.	2.7	37
297	The Uromodulin Gene Locus Shows Evidence of Pathogen Adaptation through Human Evolution. Journal of the American Society of Nephrology: JASN, 2016, 27, 2983-2996.	6.1	37
298	Parent of origin genetic effects on methylation in humans are common and influence complex trait variation. Nature Communications, 2019, 10, 1383.	12.8	37
299	Global variability of the human IgG glycome. Aging, 2020, 12, 15222-15259.	3.1	37
300	Epigenetic scores for the circulating proteome as tools for disease prediction. ELife, 2022, 11, .	6.0	37
301	The power of regional heritability analysis for rare and common variant detection: simulations and application to eye biometrical traits. Frontiers in Genetics, 2013, 4, 232.	2.3	36
302	Mediterranean diet in the southern Croatia – does it still exist?. Croatian Medical Journal, 2016, 57, 415-424.	0.7	36
303	Evidence for large-scale gene-by-smoking interaction effects on pulmonary function. International Journal of Epidemiology, 2017, 46, dyw318.	1.9	36
304	Common variants on 6q16.2, 12q24.31 and 16p13.3 are associated with major depressive disorder. Neuropsychopharmacology, 2018, 43, 2146-2153.	5.4	36
305	Two novel mutations and a neutral polymorphism in EGF-like domains of the fibrillin gene (FBN1): SSCP screening of exons 15–21 in Marfan syndrome patients. Human Molecular Genetics, 1994, 3, 373-375.	2.9	35
306	Lack of association between polymorphisms in angiotensin-converting-enzyme and methylenetetrahydrofolate reductase genes and normal cognitive ageing in humans. Neuroscience Letters, 2003, 347, 175-178.	2.1	34

#	Article	IF	CITATIONS
307	Genome-wide association study identifies genetic risk underlying primary rhegmatogenous retinal detachment. Human Molecular Genetics, 2013, 22, 3174-3185.	2.9	34
308	Meta-analysis of 49â€549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in ⟨i⟩ANGPTL4⟨ i⟩determining fasting TG levels. Journal of Medical Genetics, 2016, 53, 441-449.	3.2	34
309	Genome-Wide Meta-Analysis Unravels Interactions between Magnesium Homeostasis and Metabolic Phenotypes. Journal of the American Society of Nephrology: JASN, 2018, 29, 335-348.	6.1	34
310	The influence of the $\hat{l}\mu 4$ allele of the apolipoprotein E gene on childhood IQ, nonverbal reasoning in old age, and lifetime cognitive change. Intelligence, 2003, 31, 85-92.	3.0	33
311	The <i>TCF7L2</i> Diabetes Risk Variant is Associated with HbA <sub>1C</sub> Levels: a Genomeâ€Wide Association Metaâ€Analysis. Annals of Human Genetics, 2010, 74, 471-478.	0.8	33
312	Variation in the uric acid transporter gene (SLC2A9) and memory performance. Human Molecular Genetics, 2010, 19, 2321-2330.	2.9	33
313	Genome-wide analysis of epistasis in body mass index using multiple human populations. European Journal of Human Genetics, 2012, 20, 857-862.	2.8	33
314	Genome-wide meta-analysis of common variant differences between men and women. Human Molecular Genetics, 2012, 21, 4805-4815.	2.9	33
315	Common Variants in Mendelian Kidney Disease Genes and Their Association with Renal Function. Journal of the American Society of Nephrology: JASN, 2013, 24, 2105-2117.	6.1	33
316	Genetic Stratification to Identify Risk Groups for Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 57, 275-283.	2.6	33
317	Genetic comorbidity between major depression and cardioâ€metabolic traits, stratified by age at onset of major depression. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2020, 183, 309-330.	1.7	33
318	Genomeâ€Wide Association Study of NAFLD Using Electronic Health Records. Hepatology Communications, 2022, 6, 297-308.	4.3	33
319	Marfan Database (second edition): software and database for the analysis of mutations in the human FBN1 gene. Nucleic Acids Research, 1997, 25, 147-150.	14.5	32
320	Apolipoprotein E is not Related to Memory Abilities at 70ÂYears of Age. Behavior Genetics, 2009, 39, 6-14.	2.1	32
321	Rare coding variants and X-linked loci associated with age at menarche. Nature Communications, 2015, 6, 7756.	12.8	32
322	Shared Genetics and Couple-Associated Environment Are Major Contributors to the Risk of Both Clinical and Self-Declared Depression. EBioMedicine, 2016, 14, 161-167.	6.1	32
323	A Combined Pathway and Regional Heritability Analysis Indicates NETRIN1 Pathway Is Associated With Major Depressive Disorder. Biological Psychiatry, 2017, 81, 336-346.	1.3	32
324	A genome-wide association study finds genetic variants associated with neck or shoulder pain in UK Biobank. Human Molecular Genetics, 2020, 29, 1396-1404.	2.9	32

#	Article	IF	CITATIONS
325	A multi-ancestry genome-wide study incorporating gene–smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. Human Molecular Genetics, 2019, 28, 2615-2633.	2.9	31
326	Identifying the Common Genetic Basis of Antidepressant Response. Biological Psychiatry Global Open Science, 2022, 2, 115-126.	2.2	31
327	Association of Medication with the Human Plasma <i>N</i> -Glycome. Journal of Proteome Research, 2012, 11, 1821-1831.	3.7	30
328	Salt-inducible kinase 3, SIK3, is a new gene associated with hearing. Human Molecular Genetics, 2014, 23, 6407-6418.	2.9	30
329	Novel pathogenic mutations in C1QTNF5 support a dominant negative disease mechanism in late-onset retinal degeneration. Scientific Reports, 2017, 7, 12147.	3.3	30
330	Low-frequency variation in TP53 has large effects on head circumference and intracranial volume. Nature Communications, 2019, 10, 357.	12.8	30
331	Sex Differences in Cardiac Troponin I and T and the Prediction of Cardiovascular Events in the General Population. Clinical Chemistry, 2021, 67, 1351-1360.	3.2	30
332	50bp deletion in the promoter for superoxide dismutase 1 (SOD1) reduces SOD1 expression in vitro and may correlate with increased age of onset of sporadic amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2008, 9, 229-237.	2.1	29
333	Comparative assessment of methods for estimating individual genome-wide homozygosity-by-descent from human genomic data. BMC Genomics, 2010, 11, 139.	2.8	29
334	Discovery of novel heart rate-associated loci using the Exome Chip. Human Molecular Genetics, 2017, 26, 2346-2363.	2.9	29
335	Linking protein to phenotype with Mendelian Randomization detects 38 proteins with causal roles in human diseases and traits. PLoS Genetics, 2020, 16, e1008785.	3.5	29
336	Integrative pathway genomics of lung function and airflow obstruction. Human Molecular Genetics, 2015, 24, 6836-6848.	2.9	28
337	A proteomic survival predictor for COVID-19 patients in intensive care., 2022, 1, e0000007.		28
338	Amniotic fluid microvillar enzyme activities in the early detection of fetal abnormalities. Prenatal Diagnosis, 1984, 4, 261-266.	2.3	27
339	Increased Level of Linkage Disequilibrium in Rural Compared with Urban Communities: A Factor to Consider in Association-Study Design. American Journal of Human Genetics, 2005, 76, 763-772.	6.2	27
340	Quantifying the increase in average human heterozygosity due to urbanisation. European Journal of Human Genetics, 2008, 16, 1097-1102.	2.8	27
341	Genome-wide Association Study of Anthropometric Traits in KorÄula Island, Croatia. Croatian Medical Journal, 2009, 50, 7-16.	0.7	27
342	Complement Factor H Autoantibodies and Age-Related Macular Degeneration., 2010, 51, 5858.		27

#	Article	IF	Citations
343	Homozygous loss-of-function variants in European cosmopolitan and isolate populations. Human Molecular Genetics, 2015, 24, 5464-5474.	2.9	27
344	Genetic variants in RBFOX3 are associated with sleep latency. European Journal of Human Genetics, 2016, 24, 1488-1495.	2.8	27
345	Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a populationâ€based cohort. Addiction Biology, 2016, 21, 469-480.	2.6	27
346	Common variants in CLDN14 are associated with differential excretion of magnesium over calcium in urine. Pflugers Archiv European Journal of Physiology, 2017, 469, 91-103.	2.8	27
347	Investigating shared aetiology between type 2 diabetes and major depressive disorder in a population based cohort. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2017, 174, 227-234.	1.7	27
348	Understanding biological mechanisms underlying adverse birth outcomes in developing countries: protocol for a prospective cohort (AMANHI bio–banking) study. Journal of Global Health, 2017, 7, 021202.	2.7	27
349	ExomeChip-Wide Analysis of 95 626 Individuals Identifies 10 Novel Loci Associated With QT and JT Intervals. Circulation Genomic and Precision Medicine, 2018, 11, e001758.	3.6	27
350	Regional heritability mapping method helps explain missing heritability of blood lipid traits in isolated populations. Heredity, 2016, 116, 333-338.	2.6	26
351	The Greeks in the West: genetic signatures of the Hellenic colonisation in southern Italy and Sicily. European Journal of Human Genetics, 2016, 24, 429-436.	2.8	26
352	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. Biological Psychiatry, 2017, 82, 312-321.	1.3	26
353	Insights into the genetic basis of retinal detachment. Human Molecular Genetics, 2020, 29, 689-702.	2.9	26
354	Copy Number Variation across European Populations. PLoS ONE, 2011, 6, e23087.	2.5	25
355	Genetic variation in complement regulators and susceptibility to age-related macular degeneration. Immunobiology, 2012, 217, 158-161.	1.9	25
356	Dissection of major depressive disorder using polygenic risk scores for schizophrenia in two independent cohorts. Translational Psychiatry, 2016, 6, e938-e938.	4.8	25
357	Nut Consumption and Cardiovascular Risk Factors: A Cross-Sectional Study in a Mediterranean Population. Nutrients, 2017, 9, 1296.	4.1	25
358	The Association between Salt Taste Perception, Mediterranean Diet and Metabolic Syndrome: A Cross-Sectional Study. Nutrients, 2020, 12, 1164.	4.1	25
359	Nicastrin gene polymorphisms, cognitive ability level and cognitive ageing. Neuroscience Letters, 2005, 373, 110-114.	2.1	24
360	Recurrent Coding Sequence Variation Explains Only A Small Fraction of the Genetic Architecture of Colorectal Cancer. Scientific Reports, 2015, 5, 16286.	3.3	24

#	Article	IF	CITATIONS
361	Genomic prediction of complex human traits: relatedness, trait architecture and predictive meta-models. Human Molecular Genetics, 2015, 24, 4167-4182.	2.9	24
362	Genome-wide association study for refractive astigmatism reveals genetic co-determination with spherical equivalent refractive error: the CREAM consortium. Human Genetics, 2015, 134, 131-146.	3.8	24
363	Major depressive disorder and current psychological distress moderate the effect of polygenic risk for obesity on body mass index. Translational Psychiatry, 2015, 5, e592-e592.	4.8	24
364	Lateâ€onset retinal degeneration pathology due to mutations in CTRP5 is mediated through HTRA1. Aging Cell, 2019, 18, e13011.	6.7	24
365	The genetic landscape of Scotland and the Isles. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 19064-19070.	7.1	24
366	Genome-wide interaction study with major depression identifies novel variants associated with cognitive function. Molecular Psychiatry, 2022, 27, 1111-1119.	7.9	24
367	A linkage map of 10 loci flanking the Marfan syndrome locus on 15q: results of an International Consortium study Journal of Medical Genetics, 1992, 29, 75-80.	3.2	23
368	Genetic architecture of circulating lipid levels. European Journal of Human Genetics, 2011, 19, 813-819.	2.8	23
369	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank. Translational Psychiatry, 2017, 7, 1263.	4.8	23
370	Neuroticism and pain catastrophizing aggravate response to pain in healthy adults: an experimental study. Korean Journal of Pain, 2018, 31, 16-26.	2.2	23
371	Novel Genetic Locus Influencing Retinal Venular Tortuosity Is Also Associated With Risk of Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2019, 39, 2542-2552.	2.4	23
372	Quantitative immunoassays for diagnosis and carrier detection in cystic fibrosis. Clinical Genetics, 1982, 21, 336-341.	2.0	22
373	Genes predict village of origin in rural Europe. European Journal of Human Genetics, 2010, 18, 1269-1270.	2.8	22
374	Individual multi-locus heterozygosity is associated with lower morning plasma cortisol concentrations. European Journal of Endocrinology, 2013, 169, 59-64.	3.7	22
375	Multi-trait genome-wide association study identifies new loci associated with optic disc parameters. Communications Biology, 2019, 2, 435.	4.4	22
376	Genome-wide association meta-analysis of corneal curvature identifies novel loci and shared genetic influences across axial length and refractive error. Communications Biology, 2020, 3, 133.	4.4	22
377	Evaluation of Shared Genetic Susceptibility to High and Low Myopia and Hyperopia. JAMA Ophthalmology, 2021, 139, 601.	2.5	22
378	A catalogue of omics biological ageing clocks reveals substantial commonality and associations with disease risk. Aging, 2022, 14, 623-659.	3.1	22

#	Article	IF	Citations
379	Identification of a novel nonsense mutation in the fibrillin gene (FBN1) using nonisotopic techniques. Human Mutation, 1994, 3, 159-162.	2.5	21
380	No evidence of association between complement factor I genetic variant rs10033900 and age-related macular degeneration. European Journal of Human Genetics, 2012, 20, 1-2.	2.8	21
381	Identification of novel differentially methylated sites with potential as clinical predictors of impaired respiratory function and COPD. EBioMedicine, 2019, 43, 576-586.	6.1	21
382	Sex- and age-specific genetic analysis of chronic back pain. Pain, 2021, 162, 1176-1187.	4.2	21
383	Heritabilities of Ocular Biometrical Traits in Two Croatian Isolates with Extended Pedigrees. , 2010, 51, 737.		20
384	Epigenome-wide association study of kidney function identifies trans-ethnic and ethnic-specific loci. Genome Medicine, 2021, 13, 74.	8.2	20
385	Mendelian randomization to assess causality between uromodulin, blood pressure and chronic kidney disease. Kidney International, 2021, 100, 1282-1291.	5.2	20
386	Genetic Landscape of the ACE2 Coronavirus Receptor. Circulation, 2022, 145, 1398-1411.	1.6	20
387	The total burden of rare, non-synonymous exome genetic variants is not associated with childhood or late-life cognitive ability. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20140117.	2.6	19
388	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. Circulation Genomic and Precision Medicine, 2018, 11, e002037.	3.6	19
389	DNA sequence-level analyses reveal potential phenotypic modifiers in a large family with psychiatric disorders. Molecular Psychiatry, 2018, 23, 2254-2265.	7.9	19
390	Meta-analysis of exome array data identifies six novel genetic loci for lung function. Wellcome Open Research, 2018, 3, 4.	1.8	19
391	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. Wellcome Open Research, 2018, 3, 11.	1.8	19
392	Genetic regulation of post-translational modification of two distinct proteins. Nature Communications, 2022, 13, 1586.	12.8	19
393	An Empirical Comparison of Joint and Stratified Frameworks for Studying G × E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Geneâ€Lifestyle Interactions Working Group. Genetic Epidemiology, 2016, 40, 404-415.	1.3	18
394	Validation of Surrogates of Urine Osmolality in Population Studies. American Journal of Nephrology, 2017, 46, 26-36.	3.1	18
395	Polygenic contributions to alcohol use and alcohol use disorders across population-based and clinically ascertained samples. Psychological Medicine, 2021, 51, 1147-1156.	4.5	18
396	Serum concentrations of a granulocyte-derived calcium-binding protein in cystic fibrosis patients and heterozygotes. Clinica Chimica Acta, 1987, 170, 45-55.	1.1	17

#	Article	IF	CITATIONS
397	The low single nucleotide polymorphism heritability of plasma and saliva cortisol levels. Psychoneuroendocrinology, 2017, 85, 88-95.	2.7	17
398	An actionable KCNH2 Long QT Syndrome variant detected by sequence and haplotype analysis in a population research cohort. Scientific Reports, 2019, 9, 10964.	3.3	17
399	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. Molecular Psychiatry, 2020, 26, 2111-2125.	7.9	17
400	The influence of X chromosome variants on trait neuroticism. Molecular Psychiatry, 2021, 26, 483-491.	7.9	17
401	High-Performance Mixed Models Based Genome-Wide Association Analysis with omicABEL software. F1000Research, 2014, 3, 200.	1.6	17
402	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. Communications Biology, 2022, 5, .	4.4	17
403	A monoclonal antibody-based immunoassay for human lactoferrin. Journal of Immunological Methods, 1985, 84, 135-141.	1.4	16
404	Polygenic risk for coronary artery disease is associated with cognitive ability in older adults. International Journal of Epidemiology, 2016, 45, 433-440.	1.9	16
405	Association of Whole-Genome and NETRIN1 Signaling Pathway–Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 91-100.	1.5	16
406	Rare and common genetic variations in the Keap1/Nrf2 antioxidant response pathway impact thyroglobulin gene expression and circulating levels, respectively. Biochemical Pharmacology, 2020, 173, 113605.	4.4	16
407	Association of Genetic Variant at Chromosome 12q23.1 With Neuropathic Pain Susceptibility. JAMA Network Open, 2021, 4, e2136560.	5.9	16
408	Monoclonal antibodies to cystic fibrosis antigen. Journal of Immunological Methods, 1986, 91, 117-122.	1.4	15
409	Soluble transferrin receptor levels are positively associated with insulin resistance but not with the metabolic syndrome or its individual components. British Journal of Nutrition, 2016, 116, 1165-1174.	2.3	15
410	Regional variation in health is predominantly driven by lifestyle rather than genetics. Nature Communications, 2017, 8, 801.	12.8	15
411	Dietary Factors Associated with Plasma Thyroid Peroxidase and Thyroglobulin Antibodies. Nutrients, 2017, 9, 1186.	4.1	15
412	Is experimentally induced pain associated with socioeconomic status? Do poor people hurt more?. Medical Science Monitor, 2014, 20, 1232-1238.	1,1	15
413	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. Wellcome Open Research, 2018, 3, 11.	1.8	15
414	Characterisation of Genome-Wide Association Epistasis Signals for Serum Uric Acid in Human Population Isolates. PLoS ONE, 2011, 6, e23836.	2.5	15

#	Article	IF	CITATIONS
415	Genetic Associations and Architecture of Asthma-COPD Overlap. Chest, 2022, 161, 1155-1166.	0.8	15
416	Controlled trial of serum isoelectric focusing in the detection of the cystic fibrosis gene. Human Genetics, 1982, 60, 30-31.	3.8	14
417	Fabrillin (FBN1) mutations in Marfan syndrome. Human Mutation, 1992, 1, 79-79.	2.5	14
418	Polymorphisms in the gene encoding 11B-hydroxysteroid dehydrogenase type 1 (HSD11B1) and lifetime cognitive change. Neuroscience Letters, 2006, 393, 74-77.	2.1	14
419	Automated workflow-based exploitation of pathway databases provides new insights into genetic associations of metabolite profiles. BMC Genomics, 2013, 14, 865.	2.8	14
420	Inference of identity by descent in population isolates and optimal sequencing studies. European Journal of Human Genetics, 2013, 21, 1140-1145.	2.8	14
421	Polygenic risk of ischemic stroke is associated with cognitive ability. Neurology, 2016, 86, 611-618.	1.1	14
422	Genome-wide interaction study of a proxy for stress-sensitivity and its prediction of major depressive disorder. PLoS ONE, 2018, 13, e0209160.	2.5	14
423	Electronic health record and genome-wide genetic data in Generation Scotland participants. Wellcome Open Research, 2017, 2, 85.	1.8	14
424	Meta-GWAS Reveals Novel Genetic Variants Associated with Urinary Excretion of Uromodulin. Journal of the American Society of Nephrology: JASN, 2022, 33, 511-529.	6.1	14
425	Runs of Homozygosity in European Populations. American Journal of Human Genetics, 2008, 83, 658.	6.2	13
426	Genome-wide meta-analysis identifies novel loci associated with free triiodothyronine and thyroid-stimulating hormone. Journal of Endocrinological Investigation, 2019, 42, 1171-1180.	3.3	13
427	A strategy to incorporate prior knowledge into correlation network cutoff selection. Nature Communications, 2020, 11, 5153.	12.8	13
428	Systematic Evaluation of Normalization Methods for Glycomics Data Based on Performance of Network Inference. Metabolites, 2020, 10, 271.	2.9	13
429	CovidLife: a resource to understand mental health, well-being and behaviour during the COVID-19 pandemic in the UK. Wellcome Open Research, 0, 6, 176.	1.8	13
430	Local Exome Sequences Facilitate Imputation of Less Common Variants and Increase Power of Genome Wide Association Studies. PLoS ONE, 2013, 8, e68604.	2.5	13
431	DISTINGUISHING NEURAL TUBE DEFECTS AND CONGENITAL NEPHROSIS BY AMNIOTIC FLUID ASSAY. Lancet, The, 1980, 315, 773.	13.7	12
432	Prenatal diagnosis of cystic fibrosis by methylumbelliferylguanidinobenzoate protease titration in amniotic fluid. Prenatal Diagnosis, 1983, 3, 1-5.	2.3	12

#	Article	IF	Citations
433	Fructose-1,6-Bisphosphatase: Genetic and Physical Mapping to Human Chromosome 9q22.3 and Evaluation in Non-Insulin-Dependent Diabetes Mellitus. Genomics, 1995, 29, 187-194.	2.9	12
434	Molecular Genetic Risk for Psychosis Is Associated With Psychosis Risk Symptoms in a Population-Based UK Cohort: Findings From Generation Scotland. Schizophrenia Bulletin, 2020, 46, 1045-1052.	4.3	12
435	Distinguishing pedigree relationships via multi-way identity by descent sharing and sex-specific genetic maps. American Journal of Human Genetics, 2021, 108, 68-83.	6.2	12
436	SMAD7 Variant rs4939827 Is Associated with Colorectal Cancer Risk in Croatian Population. PLoS ONE, 2013, 8, e74042.	2.5	12
437	Genomeâ€wide analysis identifies gallstoneâ€susceptibility loci including genes regulating gastrointestinal motility. Hepatology, 2022, 75, 1081-1094.	7.3	12
438	Multiâ€phenotype analyses of hemostatic traits with cardiovascular events reveal novel genetic associations. Journal of Thrombosis and Haemostasis, 2022, 20, 1331-1349.	3.8	12
439	Genome-wide studies reveal factors associated with circulating uromodulin and its relationships to complex diseases. JCI Insight, 2022, 7, .	5.0	12
440	Current Versus Lifetime Depression, APOE Variation, and Their Interaction on Cognitive Performance in Younger and Older Adults. Psychosomatic Medicine, 2015, 77, 480-492.	2.0	11
441	Whole-exome sequencing in an isolated population from the Dalmatian island of Vis. European Journal of Human Genetics, 2016, 24, 1479-1487.	2.8	11
442	Phenotypic and genetic analysis of cognitive performance in Major Depressive Disorder in the Generation Scotland: Scottish Family Health Study. Translational Psychiatry, 2018, 8, 63.	4.8	11
443	Genome-wide meta-analysis identifies novel gender specific loci associated with thyroid antibodies level in Croatians. Genomics, 2019, 111, 737-743.	2.9	11
444	Genome-wide association study of cardiac troponin I in the general population. Human Molecular Genetics, 2021, 30, 2027-2039.	2.9	11
445	Meta-analysis of exome array data identifies six novel genetic loci for lung function. Wellcome Open Research, 0, 3, 4.	1.8	11
446	Investigation of the causal relationships between human IgG N-glycosylation and 12 common diseases associated with changes in the IgG N-glycome. Human Molecular Genetics, 2022, 31, 1545-1559.	2.9	11
447	Epidemiology of Hypothyroidism, Hyperthyroidism and Positive Thyroid Antibodies in the Croatian Population. Biology, 2022, 11, 394.	2.8	11
448	METHYLUMBELLIFERYL-GUANIDINOBENZOATE REACTIVE PROTEASES AND PRENATAL DIAGNOSIS OF CYSTIC FIBROSIS. Lancet, The, 1979, 313, 1245-1246.	13.7	10
449	Beckwith-Wiedemann syndrome in a child with chromosome 18q deletion Journal of Medical Genetics, 1998, 35, 162-164.	3.2	10
450	Sequencing of high-complexity DNA pools for identification of nucleotide and structural variants in regions associated with complex traits. European Journal of Human Genetics, 2012, 20, 77-83.	2.8	10

#	Article	IF	Citations
451	Probabilistic partial least squares model: Identifiability, estimation and application. Journal of Multivariate Analysis, 2018, 167, 331-346.	1.0	10
452	Using tree-based methods for detection of gene–gene interactions in the presence of a polygenic signal: simulation study with application to educational attainment in the Generation Scotland Cohort Study. Bioinformatics, 2019, 35, 181-188.	4.1	10
453	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. Molecular Psychiatry, 2021, 26, 4344-4354.	7.9	10
454	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. PLoS ONE, 2020, 15, e0230815.	2.5	10
455	Biochemical Characterisation of the C1QTNF5 Gene Associated with Late-Onset Retinal Degeneration. , 2006, 572, 41-48.		10
456	A multi-omics study of circulating phospholipid markers of blood pressure. Scientific Reports, 2022, 12, 574.	3.3	10
457	Historic, Demographic, and Genetic Evidence for Increased Population Frequencies of CCR5Δ32 Mutation in Croatian Island Isolates after Lethal 15th Century Epidemics. Croatian Medical Journal, 2009, 50, 34-42.	0.7	9
458	No Evidence for Genome-Wide Interactions on Plasma Fibrinogen by Smoking, Alcohol Consumption and Body Mass Index: Results from Meta-Analyses of 80,607 Subjects. PLoS ONE, 2014, 9, e111156.	2.5	8
459	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. Npj Aging and Mechanisms of Disease, $2015, 1, 15011$ .	4.5	8
460	Genome-wide meta-analysis identifies novel loci associated with parathyroid hormone level. Molecular Medicine, 2018, 24, 15.	4.4	8
461	Epigenomeâ€wide analyses identify DNA methylation signatures of dementia risk. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12078.	2.4	8
462	Multivariate genome-wide analysis of immunoglobulin G N-glycosylation identifies new loci pleiotropic with immune function. Human Molecular Genetics, 2021, 30, 1259-1270.	2.9	8
463	The effect of food groups and nutrients on thyroid hormone levels in healthy individuals. Nutrition, 2021, 91-92, 111394.	2.4	8
464	The Role of Socioeconomic Status in Adherence to the Mediterranean Diet and Body Mass Index Change: A Follow-Up Study in the General Population of Southern Croatia. Nutrients, 2021, 13, 3802.	4.1	8
465	Can genetics aggravate the health of isolated and remote populations? The case of gout, hyperuricaemia and osteoarthritis in Dalmatia. Rural and Remote Health, 2013, 13, 2153.	0.5	8
466	AMNIOTIC FLUID GGTP IN PRENATAL DIAGNOSIS OF CYSTIC FIBROSIS: A WORD OF WARNING. Lancet, The, 1983, 321, 1099.	13.7	7
467	Immunoreactive trypsin and the prenatal diagnosis of cystic fibrosis. BJOG: an International Journal of Obstetrics and Gynaecology, 1984, 91, 449-452.	2.3	7
468	HLA-DR and pre-eclampsia in Edinburgh. Lancet, The, 1990, 335, 1458-1459.	13.7	7

#	Article	IF	Citations
469	High prevalence of glaucoma in Veli Brgud, Croatia, is caused by a dominantly inherited T377M mutation in the MYOC gene. British Journal of Ophthalmology, 2008, 92, 1567-1568.	3.9	7
470	Genetic comparison of a Croatian isolate and CEPH European founders. Genetic Epidemiology, 2010, 34, 140-145.	1.3	7
471	Leprosy epidemics during history increased protective allele frequency of PARK2/PACRG genes in the population of the Mljet Island, Croatia. European Journal of Medical Genetics, 2011, 54, e548-52.	1.3	7
472	Exome Sequencing to Detect Rare Variants Associated With General Cognitive Ability: A Pilot Study. Twin Research and Human Genetics, 2015, 18, 117-125.	0.6	7
473	Genome-wide methylation data improves dissection of the effect of smoking on body mass index. PLoS Genetics, 2021, 17, e1009750.	3.5	7
474	TeenCovidLife:Âa resource to understand the impact of the COVID-19 pandemic on adolescents in Scotland. Wellcome Open Research, 0, 6, 277.	1.8	7
475	Historic exposure to plague and present-day frequency of CCR5del32 in two isolated island communities of Dalmatia, Croatia. Croatian Medical Journal, 2006, 47, 579-84.	0.7	7
476	Genome-wide association study identifies FUT8 and ESR2 as co-regulators of a bi-antennary N-linked glycan A2 (GlcNAc~2~Man~3~GlcNAc~2~) in human plasma proteins. Nature Precedings, 2009, , .	0.1	6
477	Genome-Wide Analysis Identifies Two Susceptibility Loci for Positive Thyroid Peroxidase and Thyroglobulin Antibodies. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 944-951.	3.6	6
478	Contribution of common risk variants to multiple sclerosis in Orkney and Shetland. European Journal of Human Genetics, 2021, 29, 1701-1709.	2.8	6
479	Using symptom-based case predictions to identify host genetic factors that contribute to COVID-19 susceptibility. PLoS ONE, 2021, 16, e0255402.	2.5	6
480	SNP mistyping in genotyping arrays-an important cause of spurious association in case-control studies. Genetic Epidemiology, 2011, 35, 423-426.	1.3	5
481	Genome-wide association meta-analysis for total thyroid hormone levels in Croatian population. Journal of Human Genetics, 2019, 64, 473-480.	2.3	5
482	Genetic Variants in the ST6GAL1 Gene Are Associated with Thyroglobulin Plasma Level in Healthy Individuals. Thyroid, 2019, 29, 886-893.	4.5	5
483	Utilizing Large Electronic Medical Record Data Sets to Identify Novel Drug–Gene Interactions for Commonly Used Drugs. Clinical Pharmacology and Therapeutics, 2021, 110, 816-825.	4.7	5
484	Lifestyle and Genetic Factors Modify Parent-of-Origin Effects on the Human Methylome. EBioMedicine, 2021, 74, 103730.	6.1	5
485	Elucidating mechanisms of genetic cross-disease associations at the PROCR vascular disease locus. Nature Communications, 2022, 13, 1222.	12.8	5
486	Haplotype-based association analysis of general cognitive ability in Generation Scotland, the English Longitudinal Study of Ageing, and UK Biobank. Wellcome Open Research, 2017, 2, 61.	1.8	4

#	Article	IF	Citations
487	Variants associated with HHIP expression have sex-differential effects on lung function. Wellcome Open Research, 2020, 5, 111.	1.8	4
488	Variants associated with HHIP expression have sex-differential effects on lung function. Wellcome Open Research, 2020, 5, 111.	1.8	3
489	Genome-Wide Association Study to Identify Common Variants Associated with Brachial Circumference: A Meta-Analysis of 14 Cohorts. PLoS ONE, 2012, 7, e31369.	2.5	3
490	Genome-wide association study of susceptibility to hospitalised respiratory infections. Wellcome Open Research, 0, 6, 290.	1.8	3
491	Lost in transition-the Island of Susak (1951-2001). Collegium Antropologicum, 2004, 28, 403-21.	0.2	3
492	Does inbreeding affect N-glycosylation of human plasma proteins?. Molecular Genetics and Genomics, 2011, 285, 427-432.	2.1	2
493	The effect of multiple nutrients on plasma parathyroid hormone level in healthy individuals. International Journal of Food Sciences and Nutrition, 2019, 70, 638-644.	2.8	2
494	SNP and Haplotype Regional Heritability Mapping (SNHap-RHM): Joint Mapping of Common and Rare Variation Affecting Complex Traits. Frontiers in Genetics, 2021, 12, 791712.	2.3	2
495	Association of low-frequency and rare coding variants with information processing speed. Translational Psychiatry, 2021, 11, 613.	4.8	2
496	Immunoglobulin levels in maternal and neonatal sera from normal and abnormal pregnancies. Journal of Perinatal Medicine, 1988, 16, 233-239.	1.4	1
497	Heritability Analysis Suggests Comparable Genetic Component of Mechanical Pain Threshold and Tolerance: Table 1. Pain Medicine, 2012, 13, 1248-1249.	1.9	1
498	The association of dispositional optimism and handedness with pressure pain: A cross-sectional study in the general population. Personality and Individual Differences, 2022, 185, 111265.	2.9	1
499	Meta-analysis of exome array data identifies six novel genetic loci for lung function. Wellcome Open Research, 0, 3, 4.	1.8	1
500	Genome-Wide Association Analysis and Genomic Prediction of Thyroglobulin Plasma Levels. International Journal of Molecular Sciences, 2022, 23, 2173.	4.1	1
501	TeenCovidLife:Âa resource to understand the impact of the COVID-19 pandemic on adolescents in Scotland. Wellcome Open Research, 0, 6, 277.	1.8	1
502	The PediGFR consortium: studying the genetics of complex kidney traits in children. Nephrology Dialysis Transplantation, 2015, 31, gfv356.	0.7	0
503	General Framework for Metaâ€Analysis of Haplotype Association Tests. Genetic Epidemiology, 2016, 40, 244-252.	1.3	0
504	Genome-wide association study of copy number variation with lung function identifies a novel signal of association near BANP for forced vital capacity. BMC Genetics, 2016, 17, 116.	2.7	0

#	Article	IF	CITATIONS
505	Face covering adherence is positively associated with better mental health and wellbeing: a longitudinal analysis of the CovidLife surveys. Wellcome Open Research, 0, 6, 62.	1.8	0
506	RuralCovidLife: Study protocol and description of the data. Wellcome Open Research, 0, 6, 317.	1.8	0
507	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose., 2020, 15, e0230815.		0
508	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose., 2020, 15, e0230815.		0
509	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose., 2020, 15, e0230815.		0
510	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose., 2020, 15, e0230815.		0
511	Abstract P185: Novel Loci for Blood Pressure Using Gene-alcohol Interactions and 1000g Imputed Data. Circulation, 2016, 133, .	1.6	0
512	RuralCovidLife: A new resource for the impact of the pandemic on rural Scotland Wellcome Open Research, 0, 6, 317.	1.8	0