

Timothy A Cross

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6899365/publications.pdf>

Version: 2024-02-01

146
papers

9,065
citations

31976

53
h-index

48315

88
g-index

146
all docs

146
docs citations

146
times ranked

4802
citing authors

#	ARTICLE	IF	CITATIONS
1	High-resolution conformation of gramicidin A in a lipid bilayer by solid-state NMR. <i>Science</i> , 1993, 261, 1457-1460.	12.6	685
2	Insight into the Mechanism of the Influenza A Proton Channel from a Structure in a Lipid Bilayer. <i>Science</i> , 2010, 330, 509-512.	12.6	422
3	High-resolution polypeptide structure in a lamellar phase lipid environment from solid state NMR derived orientational constraints. <i>Structure</i> , 1997, 5, 1655-1669.	3.3	269
4	Influences of Membrane Mimetic Environments on Membrane Protein Structures. <i>Annual Review of Biophysics</i> , 2013, 42, 361-392.	10.0	237
5	Histidines, heart of the hydrogen ion channel from influenza A virus: Toward an understanding of conductance and proton selectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 6865-6870.	7.1	236
6	Structure of the transmembrane region of the M2 protein H ⁺ channel. <i>Protein Science</i> , 2008, 10, 2241-2250.	7.6	221
7	Influence of solubilizing environments on membrane protein structures. <i>Trends in Biochemical Sciences</i> , 2011, 36, 117-125.	7.5	186
8	Transmembrane four-helix bundle of influenza A M2 protein channel: structural implications from helix tilt and orientation. <i>Biophysical Journal</i> , 1997, 73, 2511-2517.	0.5	184
9	Backbone Structure of the Amantadine-Blocked Trans-Membrane Domain M2 Proton Channel from Influenza A Virus. <i>Biophysical Journal</i> , 2007, 92, 4335-4343.	0.5	175
10	Helix tilt of the M2 transmembrane peptide from influenza A virus: an intrinsic property. <i>Journal of Molecular Biology</i> , 2000, 295, 117-125.	4.2	143
11	Macromolecular structural elucidation with solid-state NMR-derived orientational constraints. <i>Journal of Biomolecular NMR</i> , 1996, 8, 1-14.	2.8	137
12	Perturbations of Native Membrane Protein Structure in Alkyl Phosphocholine Detergents: A Critical Assessment of NMR and Biophysical Studies. <i>Chemical Reviews</i> , 2018, 118, 3559-3607.	47.7	132
13	NMR spectroscopy up to 35.2 T using a series-connected hybrid magnet. <i>Journal of Magnetic Resonance</i> , 2017, 284, 125-136.	2.1	122
14	Ultra-wide bore 900MHz high-resolution NMR at the National High Magnetic Field Laboratory. <i>Journal of Magnetic Resonance</i> , 2005, 177, 1-8.	2.1	121
15	Initial structural and dynamic characterization of the M2 protein transmembrane and amphipathic helices in lipid bilayers. <i>Protein Science</i> , 2009, 12, 2597-2605.	7.6	119
16	Protein structure by solid state nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1985, 182, 367-381.	4.2	118
17	Noncontact Dipole Effects on Channel Permeation. I. Experiments with (5F-Indole)Trp13 Gramicidin A Channels. <i>Biophysical Journal</i> , 1998, 75, 2830-2844.	0.5	115
18	Seeking Higher Resolution and Sensitivity for NMR of Quadrupolar Nuclei at Ultrahigh Magnetic Fields. <i>Journal of the American Chemical Society</i> , 2002, 124, 5634-5635.	13.7	108

#	ARTICLE	IF	CITATIONS
19	Determination of the carbon-13 chemical shift and nitrogen-14 electric field gradient tensor orientations with respect to the molecular frame in a polypeptide. <i>Journal of the American Chemical Society</i> , 1992, 114, 5312-5321.	13.7	107
20	A Secondary Gate As a Mechanism for Inhibition of the M2 Proton Channel by Amantadine. <i>Journal of Physical Chemistry B</i> , 2008, 112, 7977-7979.	2.6	106
21	Protein structure by solid-state NMR. <i>Journal of the American Chemical Society</i> , 1983, 105, 306-308.	13.7	105
22	SOLID-STATE NUCLEAR MAGNETIC RESONANCE INVESTIGATION OF PROTEIN AND POLYPEPTIDE STRUCTURE. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 1999, 28, 235-268.	18.3	105
23	Identification of <i>Mycobacterium tuberculosis</i> H37Rv Integral Membrane Proteins by One-Dimensional Gel Electrophoresis and Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2005, 4, 855-861.	3.7	104
24	Solvent history dependence of gramicidin A conformations in hydrated lipid bilayers. <i>Biophysical Journal</i> , 1988, 54, 259-267.	0.5	103
25	Conformational heterogeneity of the M2 proton channel and a structural model for channel activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13311-13316.	7.1	102
26	Optimizing and characterizing alignment of oriented lipid bilayers containing gramicidin D. <i>Biophysical Journal</i> , 1990, 57, 351-362.	0.5	98
27	Protein dynamics by solid-state NMR: aromatic rings of the coat protein in fd bacteriophage.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 101-105.	7.1	96
28	Transmembrane Domain of M2 Protein from Influenza A Virus Studied by Solid-State 15N Polarization Inversion Spin Exchange at Magic Angle NMR. <i>Biophysical Journal</i> , 2000, 79, 767-775.	0.5	93
29	Solid phase peptide synthesis of 15N-gramicidins A, B, and C and high performance liquid chromatographic purification. <i>International Journal of Peptide and Protein Research</i> , 2009, 33, 298-303.	0.1	89
30	Cloning and expression of multiple integral membrane proteins from <i>Mycobacterium tuberculosis</i> in <i>Escherichia coli</i> . <i>Protein Science</i> , 2005, 14, 148-158.	7.6	86
31	M2 Proton Channel Structural Validation from Full-Length Protein Samples in Synthetic Bilayers and <i>E. coli</i> Membranes. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 8383-8386.	13.8	84
32	[31] Solid-state nuclear magnetic resonance characterization of gramicidin channel structure. <i>Methods in Enzymology</i> , 1997, 289, 672-684.	1.0	83
33	Solid State NMR Strategy for Characterizing Native Membrane Protein Structures. <i>Accounts of Chemical Research</i> , 2013, 46, 2172-2181.	15.6	81
34	Orientational constraints as three-dimensional structural constraints from chemical shift anisotropy: The polypeptide backbone of gramicidin A in a lipid bilayer. <i>Protein Science</i> , 1993, 2, 532-542.	7.6	78
35	Comprehensive evaluation of solution nuclear magnetic resonance spectroscopy sample preparation for helical integral membrane proteins. <i>Journal of Structural and Functional Genomics</i> , 2006, 7, 51-64.	1.2	77
36	Transmembrane Helix Uniformity Examined by Spectral Mapping of Torsion Angles. <i>Structure</i> , 2008, 16, 787-797.	3.3	77

#	ARTICLE	IF	CITATIONS
37	Uniformity, Ideality, and Hydrogen Bonds in Transmembrane α -Helices. <i>Biophysical Journal</i> , 2002, 83, 2084-2095.	0.5	75
38	Validation of the single-stranded channel conformation of gramicidin A by solid-state NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 7910-7915.	7.1	73
39	Strategy for nitrogen NMR analysis of biopolymers. <i>Journal of the American Chemical Society</i> , 1982, 104, 1759-1761.	13.7	72
40	The Chemical and Dynamical Influence of the Anti-Viral Drug Amantadine on the M2 Proton Channel Transmembrane Domain. <i>Biophysical Journal</i> , 2007, 93, 276-283.	0.5	72
41	Solid-phase peptide synthesis and solid-state NMR spectroscopy of [Ala3-15N][Val1]gramicidin A.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 1384-1388.	7.1	66
42	Cation transport: an example of structural based selectivity 1 Edited by I. B. Holland. <i>Journal of Molecular Biology</i> , 1999, 285, 1993-2003.	4.2	65
43	<i>Mycobacterium tuberculosis</i> CwsA Interacts with CrgA and Wag31, and the CrgA-CwsA Complex Is Involved in Peptidoglycan Synthesis and Cell Shape Determination. <i>Journal of Bacteriology</i> , 2012, 194, 6398-6409.	2.2	65
44	Recent progress in structure-based anti-influenza drug design. <i>Drug Discovery Today</i> , 2012, 17, 1111-1120.	6.4	64
45	Experimental determination of torsion angles in the polypeptide backbone of the gramicidin a channel by solid state nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1991, 218, 607-619.	4.2	63
46	Aminoadamantanes with Persistent in Vitro Efficacy against H1N1 (2009) Influenza A. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 4629-4639.	6.4	62
47	Characterization of CrgA, a New Partner of the <i>Mycobacterium tuberculosis</i> Peptidoglycan Polymerization Complexes. <i>Journal of Bacteriology</i> , 2011, 193, 3246-3256.	2.2	61
48	Lipid bilayer preparations of membrane proteins for oriented and magic-angle spinning solid-state NMR samples. <i>Nature Protocols</i> , 2013, 8, 2256-2270.	12.0	61
49	Gramicidin channel controversy--revisited. <i>Nature Structural Biology</i> , 1999, 6, 610-611.	9.7	58
50	M2 protein from Influenza A: from multiple structures to biophysical and functional insights. <i>Current Opinion in Virology</i> , 2012, 2, 128-133.	5.4	58
51	Nitrogen-15 spin exchange in a protein. <i>Journal of the American Chemical Society</i> , 1983, 105, 7471-7473.	13.7	57
52	Solid-State 19F-NMR Analysis of 19F-Labeled Tryptophan in Gramicidin A in Oriented Membranes. <i>Biophysical Journal</i> , 2002, 83, 3336-3350.	0.5	56
53	Ion Solvation by Channel Carbonyls Characterized by 17O Solid-State NMR at 21 T. <i>Journal of the American Chemical Society</i> , 2005, 127, 11922-11923.	13.7	56
54	Proton Transport through Influenza A Virus M2 Protein Reconstituted in Vesicles. <i>Biophysical Journal</i> , 2008, 94, 434-445.	0.5	55

#	ARTICLE	IF	CITATIONS
55	Helical membrane protein conformations and their environment. <i>European Biophysics Journal</i> , 2013, 42, 731-755.	2.2	55
56	Proton Conductance of Influenza Virus M2 Protein in Planar Lipid Bilayers. <i>Biophysical Journal</i> , 2004, 87, 1697-1704.	0.5	53
57	Ion-Binding Study by ¹⁷ O Solid-State NMR Spectroscopy in the Model Peptide Gly-Gly-Gly at 19.6 T. <i>Journal of the American Chemical Society</i> , 2006, 128, 9849-9855.	13.7	53
58	Dynamic Short Hydrogen Bonds in Histidine Tetrad of Full-Length M2 Proton Channel Reveal Tetrameric Structural Heterogeneity and Functional Mechanism. <i>Structure</i> , 2015, 23, 2300-2308.	3.3	53
59	Structural properties of fd coat protein in sodium dodecyl sulfate micelles. <i>Biochemical and Biophysical Research Communications</i> , 1980, 92, 478-484.	2.1	51
60	Water: Foldase activity in catalyzing polypeptide conformational rearrangements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 9057-9061.	7.1	50
61	² H NMR determination of the global correlation time of the gramicidin channel in a lipid bilayer. <i>Biophysical Journal</i> , 1993, 65, 1162-1167.	0.5	49
62	Conformational trapping in a membrane environment: a regulatory mechanism for protein activity?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 5872-5876.	7.1	49
63	Lipid bilayers: an essential environment for the understanding of membrane proteins. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, S2-S11.	1.9	49
64	Magic Angle Spinning and Oriented Sample Solid-State NMR Structural Restraints Combine for Influenza A M2 Protein Functional Insights. <i>Journal of the American Chemical Society</i> , 2012, 134, 9022-9025.	13.7	48
65	Solid-State ¹⁹ F NMR Spectroscopy Reveals That Trp ₄₁ Participates in the Gating Mechanism of the M2 Proton Channel of Influenza A Virus. <i>Journal of the American Chemical Society</i> , 2008, 130, 918-924.	13.7	47
66	Solid-State NMR and Hydrogen-Deuterium Exchange in a Bilayer-Solubilized Peptide: Structural and Mechanistic Implications. <i>Biophysical Journal</i> , 1999, 76, 1179-1189.	0.5	46
67	Expression of membrane proteins from <i>Mycobacterium tuberculosis</i> in <i>Escherichia coli</i> as fusions with maltose binding protein. <i>Protein Expression and Purification</i> , 2007, 53, 24-30.	1.3	46
68	Modeling the membrane environment has implications for membrane protein structure and function: Influenza A M2 protein. <i>Protein Science</i> , 2013, 22, 381-394.	7.6	46
69	Solid-State NMR and MD Simulations of the Antiviral Drug Amantadine Solubilized in DMPC Bilayers. <i>Biophysical Journal</i> , 2008, 94, 1295-1302.	0.5	45
70	Structure of CrgA, a cell division structural and regulatory protein from <i>Mycobacterium tuberculosis</i> , in lipid bilayers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E119-26.	7.1	45
71	¹⁷ O MAS NMR Correlation Spectroscopy at High Magnetic Fields. <i>Journal of the American Chemical Society</i> , 2017, 139, 17953-17963.	13.7	44
72	Protein dynamics by solid-state nuclear magnetic resonance spectroscopy. <i>Journal of Molecular Biology</i> , 1982, 159, 543-549.	4.2	43

#	ARTICLE	IF	CITATIONS
73	Solid-state nuclear magnetic resonance derived model for dynamics in the polypeptide backbone of the gramicidin a channel. <i>Journal of Molecular Biology</i> , 1991, 218, 621-637.	4.2	43
74	Noncontact Dipole Effects on Channel Permeation. III. Anomalous Proton Conductance Effects in Gramicidin. <i>Biophysical Journal</i> , 1999, 77, 2492-2501.	0.5	42
75	Protein structure in anisotropic environments: Development of orientational constraints. <i>Concepts in Magnetic Resonance</i> , 2000, 12, 55-70.	1.3	42
76	Structure of an isolated gramicidin A double helical species by high-resolution nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1992, 226, 1101-1109.	4.2	40
77	Side-chain structure and dynamics at the lipid-protein interface: Val1 of the gramicidin A channel. <i>Biophysical Journal</i> , 1994, 66, 1380-1387.	0.5	39
78	Low-Temperature Solid-State ¹⁵ N NMR Characterization of Polypeptide Backbone Librations. <i>Journal of Magnetic Resonance Series B</i> , 1995, 107, 43-50.	1.6	38
79	Structural biology of transmembrane domains: Efficient production and characterization of transmembrane peptides by NMR. <i>Protein Science</i> , 2007, 16, 2153-2165.	7.6	38
80	High-resolution structure and dynamic implications for a double-helical gramicidin A conformer. <i>Journal of Biomolecular NMR</i> , 1993, 3, 495-513.	2.8	37
81	Structural Influences: Cholesterol, Drug, and Proton Binding to Full-Length Influenza A M2 Protein. <i>Biophysical Journal</i> , 2016, 110, 1391-1399.	0.5	37
82	Flow-Through Lipid Nanotube Arrays for Structure-Function Studies of Membrane Proteins by Solid-State NMR Spectroscopy. <i>Biophysical Journal</i> , 2006, 91, 3076-3084.	0.5	36
83	Nuclear magnetic resonance of the filamentous bacteriophage fd. <i>Biophysical Journal</i> , 1980, 32, 531-548.	0.5	35
84	Protein stability and conformational rearrangements in lipid bilayers: linear gramicidin, a model system. <i>Biophysical Journal</i> , 1997, 73, 614-623.	0.5	35
85	Inter- and intramolecular distance measurements by solid-state MAS NMR: determination of gramicidin A channel dimer structure in hydrated phospholipid bilayers. <i>Journal of Biomolecular NMR</i> , 2000, 16, 261-268.	2.8	34
86	Backbone structure of a small helical integral membrane protein: A unique structural characterization. <i>Protein Science</i> , 2009, 18, 134-146.	7.6	34
87	Influenza A M2 Channel Clustering at High Protein/Lipid Ratios: Viral Budding Implications. <i>Biophysical Journal</i> , 2019, 116, 1075-1084.	0.5	33
88	Nitrogen-hydrogen bond length determinations and implications for the gramicidin channel conformation and dynamics from nitrogen-15-proton dipolar interactions. <i>Journal of the American Chemical Society</i> , 1989, 111, 1910-1912.	13.7	32
89	Uniformly Aligned Full-Length Membrane Proteins in Liquid Crystalline Bilayers for Structural Characterization. <i>Journal of the American Chemical Society</i> , 2007, 129, 5304-5305.	13.7	32
90	Solid state NMR and protein-protein interactions in membranes. <i>Current Opinion in Structural Biology</i> , 2013, 23, 919-928.	5.7	32

#	ARTICLE	IF	CITATIONS
91	Functional stability of water wireâ€“carbonyl interactions in an ion channel. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 11908-11915.	7.1	32
92	Solid state NMR: The essential technology for helical membrane protein structural characterization. Journal of Magnetic Resonance, 2014, 239, 100-109.	2.1	31
93	Cerebral Metabolic Studies in Situ by 31P-: Nuclear Magnetic Resonance after Hypothermic Circulatory Arrest. Pediatric Research, 1986, 20, 867-871.	2.3	30
94	Molecular dynamics computations and solid state nuclear magnetic resonance of the gramicidin cation channel. Biophysical Journal, 1991, 60, 974-978.	0.5	30
95	Structural analysis of uniaxially aligned polymers using solid-state nitrogen-15 NMR. Macromolecules, 1993, 26, 6660-6663.	4.8	29
96	Observation of the Imidazole-Imidazolium Hydrogen Bonds Responsible for Selective Proton Conductance in the Influenza A M2 Channel. Journal of the American Chemical Society, 2020, 142, 2115-2119.	13.7	29
97	A systematic assessment of mature MBP in membrane protein production: Overexpression, membrane targeting and purification. Protein Expression and Purification, 2011, 80, 34-40.	1.3	28
98	Differential Binding of Rimantadine Enantiomers to Influenza A M2 Proton Channel. Journal of the American Chemical Society, 2016, 138, 1506-1509.	13.7	28
99	The Role of Trp Side Chains in Tuning Single Proton Conduction through Gramicidin Channels. Biophysical Journal, 2002, 83, 880-898.	0.5	27
100	A method for the analytic determination of polypeptide structure using solid state nuclear magnetic resonance: The â€“metric methodâ€“TMâ€“TM. Journal of Chemical Physics, 1990, 92, 1483-1494.	3.0	26
101	Rapidly Frozen Polypeptide Samples for Characterization of High-Definition Dynamics by Solid-State NMR Spectroscopy. Biochemical and Biophysical Research Communications, 1993, 197, 904-909.	2.1	26
102	Noncontact Dipole Effects on Channel Permeation. IV. Kinetic Model of 5F-Trp13 Gramicidin A Currents. Biophysical Journal, 2001, 81, 1245-1254.	0.5	26
103	Complete Cross-Validation and R-Factor Calculation of a Solid-State NMR Derived Structure. Journal of the American Chemical Society, 2001, 123, 7292-7298.	13.7	25
104	Noncontact Dipole Effects on Channel Permeation. VI. 5F- and 6F-Trp Gramicidin Channel Currents. Biophysical Journal, 2002, 83, 1974-1986.	0.5	25
105	A Solid State Nuclear Magnetic Resonance Approach for Determining the Structure of Gramicidin a without Model Fitting. Biophysical Journal, 1986, 49, 124-126.	0.5	24
106	Protein structural analysis from solid-state NMR-derived orientational constraints. Biophysical Journal, 1997, 72, 2342-2348.	0.5	24
107	Protein structure in anisotropic environments: Unique structural fold from orientational constraints. Concepts in Magnetic Resonance, 2000, 12, 71-82.	1.3	24
108	Membrane Protein Structural Validation by Oriented Sample Solid-State NMR: Diacylglycerol Kinase. Biophysical Journal, 2014, 106, 1559-1569.	0.5	22

#	ARTICLE	IF	CITATIONS
109	Identification and minimization of sources of temporal instabilities in high field (>23 T) resistive magnets. <i>Review of Scientific Instruments</i> , 2000, 71, 2882-2889.	1.3	21
110	Ab initio calculations and validation of the pH-dependent structures of the His37-Trp41 quartet, the heart of acid activation and proton conductance in the M2 protein of Influenza A virus. <i>Chemical Science</i> , 2013, 4, 2776.	7.4	21
111	Binding of MgtR, a Salmonella Transmembrane Regulatory Peptide, to MgtC, a Mycobacterium tuberculosis Virulence Factor: A Structural Study. <i>Journal of Molecular Biology</i> , 2014, 426, 436-446.	4.2	21
112	Fuzzy Association of an Intrinsically Disordered Protein with Acidic Membranes. <i>Jacs Au</i> , 2021, 1, 66-78.	7.9	21
113	NMR of fd coat protein. <i>Journal of Supramolecular Structure</i> , 1979, 11, 139-145.	2.3	20
114	Noncontact Dipole Effects on Channel Permeation. V. Computed Potentials for Fluorinated Gramicidin. <i>Biophysical Journal</i> , 2001, 81, 1255-1264.	0.5	20
115	³¹ P nuclear magnetic resonance of the RNA in tobacco mosaic virus. <i>Journal of Molecular Biology</i> , 1983, 170, 1037-1043.	4.2	19
116	Mathematical aspects of protein structure determination with NMR orientational restraints. <i>Bulletin of Mathematical Biology</i> , 2004, 66, 1705-1730.	1.9	19
117	Structural analysis of highly oriented poly(p-phenylene-terephthalamide) by ¹⁵ N solid-state nuclear magnetic resonance. <i>Solid State Nuclear Magnetic Resonance</i> , 1994, 3, 209-218.	2.3	18
118	Structure and dynamics from solid-state NMR spectroscopy. <i>Structure</i> , 1994, 2, 699-701.	3.3	18
119	A Catalytic Role for Protic Solvents in Conformational Interconversion. <i>Journal of the American Chemical Society</i> , 1996, 118, 9176-9177.	13.7	18
120	Ligand Binding in the Conserved Interhelical Loop of CorA, a Magnesium Transporter from Mycobacterium tuberculosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 15619-15628.	3.4	18
121	Identifying inter-residue resonances in crowded 2D ¹³ C- ¹³ C chemical shift correlation spectra of membrane proteins by solid-state MAS NMR difference spectroscopy. <i>Journal of Biomolecular NMR</i> , 2013, 56, 265-273.	2.8	18
122	Solid-state ¹³ C NMR spectroscopy of a ¹³ C carbonyl-labeled polypeptide. <i>Biophysical Journal</i> , 1992, 61, 1550-1556.	0.5	17
123	Binding and Proton Blockage by Amantadine Variants of the Influenza M2_{WT} and M2_{S31N} Explained. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 1716-1733.	6.4	17
124	Analysis of Polypeptide Backbone T1 Relaxation Data Using an Experimentally Derived Model. <i>Journal of Magnetic Resonance Series B</i> , 1993, 101, 35-43.	1.6	16
125	Modeling the Membrane Environment for Membrane Proteins. <i>Biophysical Journal</i> , 2011, 100, 2073-2074.	0.5	16
126	Drug sensitivity, drug-resistant mutations, and structures of three conductance domains of viral porins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 538-546.	2.6	16

#	ARTICLE	IF	CITATIONS
127	Experimental observation of orientational dispersion in the peptide backbone of the gramicidin cation channel. <i>Journal of the American Chemical Society</i> , 1989, 111, 400-401.	13.7	15
128	High resolution and high fields in biological solid state NMR. <i>Solid State Nuclear Magnetic Resonance</i> , 1997, 9, 77-80.	2.3	14
129	Probing Hydronium Ion Histidine NH Exchange Rate Constants in the M2 Channel via Indirect Observation of Dipolar-Dephased ¹⁵ N Signals in Magic-Angle-Spinning NMR. <i>Journal of the American Chemical Society</i> , 2016, 138, 15801-15804.	13.7	14
130	Structure and architecture of the bacterial virus fd. an infrared linear dichroism study. <i>Biophysical Chemistry</i> , 1981, 14, 283-291.	2.8	13
131	Gramicidin Channels Are Internally Gated. <i>Biophysical Journal</i> , 2010, 98, 1486-1493.	0.5	13
132	Polypeptide Conformational Space. <i>Journal of Molecular Biology</i> , 1994, 241, 431-439.	4.2	12
133	Surprising Rigidity of Functionally Important Water Molecules Buried in the Lipid Headgroup Region. <i>Journal of the American Chemical Society</i> , 2022, 144, 7881-7888.	13.7	12
134	Structural Restraints and Heterogeneous Orientation of the Gramicidin A Channel Closed State in Lipid Bilayers. <i>Biophysical Journal</i> , 2004, 86, 2837-2845.	0.5	11
135	Assignment of oriented sample NMR resonances from a three transmembrane helix protein. <i>Journal of Magnetic Resonance</i> , 2014, 240, 34-44.	2.1	10
136	Hydrogen exchange in the lipid bilayer-bound gramicidin channel. <i>Solid State Nuclear Magnetic Resonance</i> , 1996, 7, 177-183.	2.3	9
137	False positives in using the zymogram assay for identification of peptidoglycan hydrolases. <i>Analytical Biochemistry</i> , 2018, 543, 162-166.	2.4	9
138	Flu BM2 structure and function. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 1207-1209.	8.2	7
139	Beyond Structural Biology to Functional Biology: Solid-State NMR Experiments and Strategies for Understanding the M2 Proton Channel Conductance. <i>Journal of Physical Chemistry B</i> , 2017, 121, 4799-4809.	2.6	7
140	Anisotropy and NMR of macromolecules. <i>Biophysical Journal</i> , 1993, 64, 301-302.	0.5	6
141	Geometry of kinked protein helices from NMR data. <i>Journal of Magnetic Resonance</i> , 2011, 210, 82-89.	2.1	6
142	In support of the BMRB. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 854-860.	8.2	6
143	Emulating Membrane Protein Environments – How Much Lipid Is Required for a Native Structure: Influenza S31N M2. <i>Journal of the American Chemical Society</i> , 2022, 144, 2137-2148.	13.7	5
144	¹ H, ¹⁵ N and ¹³ C backbone resonance assignment of Rv1567c, an integral membrane protein from <i>Mycobacterium tuberculosis</i> . <i>Biomolecular NMR Assignments</i> , 2008, 2, 47-49.	0.8	1

#	ARTICLE	IF	CITATIONS
145	YidC: Evaluating the Importance of the Native Environment. Structure, 2018, 26, 2-4.	3.3	1
146	¹⁵ N NMR. Studies in Physical and Theoretical Chemistry, 1998, 84, 218-235.	0.0	0