

Wan-ting Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/690075/publications.pdf>

Version: 2024-02-01

29
papers

348
citations

933447

10
h-index

839539

18
g-index

32
all docs

32
docs citations

32
times ranked

519
citing authors

#	ARTICLE	IF	CITATIONS
1	Phosphorylated p70S6K expression is an independent prognosticator for patients with esophageal squamous cell carcinoma. <i>Surgery</i> , 2015, 157, 570-580.	1.9	39
2	Angiotensin II type I receptor (AT1R) is an independent prognosticator of esophageal squamous cell carcinoma and promotes cells proliferation via mTOR activation. <i>Oncotarget</i> , 2016, 7, 67150-67165.	1.8	36
3	Cycling Regimen Induces Spinal Circuitry Plasticity and Improves Leg Muscle Coordination in Individuals With Spinocerebellar Ataxia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1006-1013.	0.9	35
4	Primary Gastrointestinal Follicular Lymphoma: A Clinicopathologic Study of 13 Cases From Taiwan. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 997-1002.	2.2	32
5	Primary effusion lymphoma in Taiwan shows two distinctive clinicopathological subtypes with rare human immunodeficiency virus association. <i>Histopathology</i> , 2018, 72, 930-944.	2.9	27
6	TP53 mutations in peripheral mature T and NK cell lymphomas: a whole-exome sequencing study with correlation to p53 expression. <i>Human Pathology</i> , 2018, 80, 145-151.	2.0	21
7	Phosphorylated mammalian target of rapamycin expression is associated with the response to chemoradiotherapy in patients with esophageal squamous cell carcinoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 144, 1352-1359.e1.	0.8	20
8	Expression of the multidrug resistance protein MRP and the lung-resistance protein LRP in nasal NK/T cell lymphoma: further exploring the role of P53 and WT1 gene. <i>Pathology</i> , 2009, 41, 127-132.	0.6	16
9	Nontuberculous mycobacterial infection with concurrent IgG4-related lymphadenopathy. <i>Apmis</i> , 2016, 124, 216-220.	2.0	15
10	Clinical utility of mean platelet volume and immature platelet fraction in acute coronary syndrome. <i>Biomedical Journal</i> , 2019, 42, 107-115.	3.1	15
11	Positive Programmed Cell Death-Ligand 1 Expression Predicts Poor Treatment Outcomes in Esophageal Squamous Cell Carcinoma Patients Receiving Neoadjuvant Chemoradiotherapy. <i>Journal of Clinical Medicine</i> , 2019, 8, 1864.	2.4	13
12	Clinicopathological Manifestations and Immune Phenotypes in Adult-Onset Immunodeficiency with Anti-interferon- β Autoantibodies. <i>Journal of Clinical Immunology</i> , 2022, 42, 672-683.	3.8	11
13	CUL4A overexpression as an independent adverse prognosticator in intrahepatic cholangiocarcinoma. <i>BMC Cancer</i> , 2017, 17, 395.	2.6	9
14	Osteopontin Expression Is Associated with the Poor Prognosis in Patients with Locally Advanced Esophageal Squamous Cell Carcinoma Receiving Preoperative Chemoradiotherapy. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	8
15	Retrobulbar Cellular Schwannoma. Two Cases Report and Review of the Literature. <i>Pathology Research and Practice</i> , 2003, 199, 171-174.	2.3	7
16	Copy number aberrations in combined hepatocellular carcinoma and cholangiocarcinoma. <i>Experimental and Molecular Pathology</i> , 2012, 92, 281-286.	2.1	7
17	Recurrent Amplification at 13q34 Targets at CUL4A, IRS2, and TFDP1 As an Independent Adverse Prognosticator in Intrahepatic Cholangiocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0145388.	2.5	7
18	RHOA G17V mutation in angioimmunoblastic T-cell lymphoma: A potential biomarker for cytological assessment. <i>Experimental and Molecular Pathology</i> , 2019, 110, 104294.	2.1	7

#	ARTICLE	IF	CITATIONS
19	HSPA4 Is a Biomarker of Placenta Accreta and Enhances the Angiogenesis Ability of Vessel Endothelial Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5682.	4.1	6
20	A comparative study of isolated and metachronous oesophageal squamous cell carcinoma with antecedent upper aerodigestive tract cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2013, 44, 860-865.	1.4	5
21	Genome-wide single nucleotide polymorphism array analysis reveals recurrent genomic alterations associated with histopathologic features in intrahepatic cholangiocarcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6841-51.	0.5	5
22	Rapid and Simple Analysis of the Human Pepsin Secondary Structure Using a Portable Raman Spectrometer. <i>Analytical Chemistry</i> , 2022, 94, 1318-1324.	6.5	3
23	Synchronous CIN 3 and cervical lymphoma: a case report and review of the literature. <i>Pathology Research and Practice</i> , 2005, 201, 521-526.	2.3	2
24	Mutations of candidate tumor suppressor genes at chromosome 3p in intrahepatic cholangiocarcinoma. <i>Experimental and Molecular Pathology</i> , 2017, 103, 249-254.	2.1	1
25	Recurrent monomorphic epitheliotropic intestinal T-cell lymphoma with aberrant CD20 expression: An implication for anti-CD20 (rituximab) antibody therapy?. <i>Pathology International</i> , 2018, 68, 712-714.	1.3	0
26	Analysis of latent T-cell epitopes in Epstein-Barr virus isolated from extranodal nasal-type natural killer/T-cell lymphoma in Taiwanese population. <i>Experimental and Molecular Pathology</i> , 2021, 118, 104577.	2.1	0
27	Incidence, characteristics and outcomes among inpatient, outpatient and emergency department with reported high critical serum potassium values. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1231-1237.	2.3	0
28	Autophagy Plays a Role in the CUL4A-Related Poor Prognosis of Intrahepatic Cholangiocarcinoma. <i>Pathology and Oncology Research</i> , 2021, 27, 602714.	1.9	0
29	Spontaneous splenic rupture as the first clinical manifestation of Niemann-Pick disease type B: A case report and review of the literature. <i>Journal of Clinical Lipidology</i> , 2022, , .	1.5	0