

Anne M Moseley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6905987/publications.pdf>

Version: 2024-02-01

64
papers

7,479
citations

218677

26
h-index

118850

62
g-index

66
all docs

66
docs citations

66
times ranked

6382
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Knowledge, skills and barriers to evidence-based practice and the impact of a flipped classroom training program for physical therapists: An observational study. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2702-2713. | 1.3 | 0 |
| 2 | The Physiotherapy Evidence Database (PEDro) has better free full-text access than PubMed: An observational study. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100392. | 2.5 | 2 |
| 3 | Research Note: Evaluating risk of bias in randomised controlled trials. <i>Journal of Physiotherapy</i> , 2022, 68, 148-150. | 1.7 | 1 |
| 4 | Evolution of the thematic structure and main producers of physical therapy interventions research: A bibliometric analysis (1986 to 2017). <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100429. | 2.5 | 3 |
| 5 | Factors associated with the reporting quality of low back pain systematic review abstracts in physical therapy: a methodological study. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 233-241. | 2.5 | 4 |
| 6 | What makes a great clinical trial in physiotherapy?. <i>Physiotherapy Theory and Practice</i> , 2021, , 1-10. | 1.3 | 0 |
| 7 | A new high-quality scholarly journal will help drive physiotherapy towards being an evidence-based healthcare profession in France.. , 2021, 1, 1-2. | | 0 |
| 8 | Eight in Every 10 Abstracts of Low Back Pain Systematic Reviews Presented Spin and Inconsistencies With the Full Text: An Analysis of 66 Systematic Reviews. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 17-23. | 3.5 | 27 |
| 9 | Using research to guide practice: The Physiotherapy Evidence Database (PEDro). <i>Brazilian Journal of Physical Therapy</i> , 2020, 24, 384-391. | 2.5 | 69 |
| 10 | Tackling the language barrier to implementing research into practice: A survey of usage of the Physiotherapy Evidence Database. <i>Brazilian Journal of Physical Therapy</i> , 2020, 24, 524-531. | 2.5 | 3 |
| 11 | Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020, 35, 2907-2916. | 2.6 | 18 |
| 12 | Investigating causal mechanisms in randomised controlled trials. <i>Trials</i> , 2019, 20, 524. | 1.6 | 25 |
| 13 | Agreement between the Cochrane risk of bias tool and Physiotherapy Evidence Database (PEDro) scale: A meta-epidemiological study of randomized controlled trials of physical therapy interventions. <i>PLoS ONE</i> , 2019, 14, e0222770. | 2.5 | 99 |
| 14 | Societ  Italiana de Fisioterapia and the Physiotherapy Evidence Database (PEDro). <i>Archives of Physiotherapy</i> , 2019, 9, 5. | 1.8 | 5 |
| 15 | A methodological survey on reporting of pilot and feasibility trials for physiotherapy interventions: a study protocol. <i>BMJ Open</i> , 2019, 9, e020580. | 1.9 | 4 |
| 16 | PEDro searching has improved over time: A comparison of search commands from two six-month periods three years apart. <i>International Journal of Medical Informatics</i> , 2019, 121, 1-9. | 3.3 | 3 |
| 17 | Use of 95% confidence intervals in the reporting of between-group differences in randomized controlled trials: analysis of a representative sample of 200 physical therapy trials. <i>Brazilian Journal of Physical Therapy</i> , 2019, 23, 302-310. | 2.5 | 19 |
| 18 | Time use and physical activity in a specialised brain injury rehabilitation unit: an observational study. <i>Brain Injury</i> , 2018, 32, 850-857. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Methodologic Quality and Statistical Reporting of Physical Therapy Randomized Controlled Trials Relevant to Musculoskeletal Conditions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 129-136. | 0.9 | 44 |
| 20 | Quality, language, subdiscipline and promotion were associated with article accesses on Physiotherapy Evidence Database (PEDro). <i>Physiotherapy</i> , 2018, 104, 122-128. | 0.4 | 14 |
| 21 | Rasch analysis suggested that items from the template for intervention description and replication (TIDieR) checklist can be summed to create a score. <i>Journal of Clinical Epidemiology</i> , 2018, 101, 28-34. | 5.0 | 40 |
| 22 | Stretch for the treatment and prevention of contractures. <i>The Cochrane Library</i> , 2017, 2017, CD007455. | 2.8 | 49 |
| 23 | The PEDro scale had acceptably high convergent validity, construct validity, and interrater reliability in evaluating methodological quality of pharmaceutical trials. <i>Journal of Clinical Epidemiology</i> , 2017, 86, 176-181. | 5.0 | 140 |
| 24 | Diagnostic accuracy of the Ottawa Ankle and Midfoot Rules: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2017, 51, 504-510. | 6.7 | 48 |
| 25 | Comparison of effect sizes between enriched and nonenriched trials of analgesics for chronic musculoskeletal pain: a systematic review. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2347-2355. | 2.4 | 9 |
| 26 | The TIDieR checklist will benefit the physiotherapy profession. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 267-268. | 1.3 | 19 |
| 27 | Citation of prior research has increased in introduction and discussion sections with time: A survey of clinical trials in physiotherapy. <i>Clinical Trials</i> , 2017, 14, 372-380. | 1.6 | 8 |
| 28 | Stretch for the treatment and prevention of contracture: an abridged republication of a Cochrane Systematic Review. <i>Journal of Physiotherapy</i> , 2017, 63, 67-75. | 1.7 | 50 |
| 29 | Evidence-based physiotherapy and the use of PEDro. <i>Physiotherapy</i> , 2017, 103, 337-338. | 0.4 | 1 |
| 30 | The quality of clinical practice guidelines for chronic respiratory diseases and the reliability of the AGREE II: an observational study. <i>Physiotherapy</i> , 2017, 103, 439-445. | 0.4 | 8 |
| 31 | What Searches Do Users Run on PEDro?. <i>Methods of Information in Medicine</i> , 2016, 55, 333-339. | 1.2 | 10 |
| 32 | Use of the Physiotherapy Evidence Database (PEDro) in Japan. <i>Physical Therapy Research</i> , 2016, 19, 58-66. | 0.9 | 8 |
| 33 | The TIDieR Checklist Will Benefit the Physiotherapy Profession. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016, 68, 311-312. | 0.6 | 5 |
| 34 | The TIDieR Checklist Will Benefit the Physical Therapy Profession. <i>Physical Therapy</i> , 2016, 96, 930-931. | 2.4 | 17 |
| 35 | The Aetiology of Reduced Cardiorespiratory Fitness Among Adults with Severe Traumatic Brain Injury and the Relationship with Physical Activity: A Narrative Review. <i>Brain Impairment</i> , 2016, 17, 43-54. | 0.7 | 14 |
| 36 | The TIDieR (Template for Intervention, descriptor and replication) checklist will benefit the physiotherapy profession. <i>Manual Therapy</i> , 2016, 24, v-vi. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Improving completeness and transparency of reporting in clinical trials using the template for intervention description and replication (TIDieR) checklist will benefit the physiotherapy profession. <i>Journal of Manual and Manipulative Therapy</i> , 2016, 24, 183-184. | 1.2 | 8 |
| 38 | Funding is related to the quality, conduct, and reporting of trial reports in musculoskeletal physical therapy: A survey of 210 published trials. <i>Physiotherapy Theory and Practice</i> , 2016, 32, 628-635. | 1.3 | 6 |
| 39 | Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and) Tj ETQq1 1 0.784314 rgBT3 Overlo | 1.4 | 4 |
| 40 | A systematic review reveals that the credibility of subgroup claims in low back pain trials was low. <i>Journal of Clinical Epidemiology</i> , 2016, 79, 3-9. | 5.0 | 41 |
| 41 | How completely are physiotherapy interventions described in reports of randomised trials?. <i>Physiotherapy</i> , 2016, 102, 121-126. | 0.4 | 106 |
| 42 | The TIDieR checklist will benefit the physical therapy profession. <i>Brazilian Journal of Physical Therapy</i> , 2016, 20, 191-193. | 2.5 | 19 |
| 43 | Usage evaluation of the Physiotherapy Evidence Database (PEDro) among Brazilian physical therapists. <i>Brazilian Journal of Physical Therapy</i> , 2015, 19, 320-328. | 2.5 | 10 |
| 44 | Intention-to-treat analysis. <i>Journal of Physiotherapy</i> , 2015, 61, 165-167. | 1.7 | 62 |
| 45 | 15 years of tracking physiotherapy evidence on PEDro, where are we now?. <i>British Journal of Sports Medicine</i> , 2015, 49, 907-909. | 6.7 | 62 |
| 46 | Rehabilitation After Immobilization for Ankle Fracture. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 1376. | 7.4 | 41 |
| 47 | Standing with electrical stimulation and splinting is no better than standing alone for management of ankle plantarflexion contractures in people with traumatic brain injury: a randomised trial. <i>Journal of Physiotherapy</i> , 2014, 60, 201-208. | 1.7 | 15 |
| 48 | The Quality of Reports of Randomized Controlled Trials Varies between Subdisciplines of Physiotherapy. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014, 66, 36-43. | 0.6 | 32 |
| 49 | Usage evaluation of a resource to support evidence-based physiotherapy: the Physiotherapy Evidence Database (PEDro). <i>Physiotherapy</i> , 2013, 99, 252-257. | 0.4 | 17 |
| 50 | An Intensive Programme of Passive Stretch and Motor Training to Manage Severe Knee Contractures after Traumatic Brain Injury: A Case Report. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013, 65, 223-228. | 0.6 | 6 |
| 51 | Growth in the Physiotherapy Evidence Database (PEDro) and use of the PEDro scale. <i>British Journal of Sports Medicine</i> , 2013, 47, 188-189. | 6.7 | 88 |
| 52 | Reported quality of randomized controlled trials of physiotherapy interventions has improved over time. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 594-601. | 5.0 | 92 |
| 53 | Reproducibility of the Portuguese version of the PEDro Scale. <i>Cadernos De Saude Publica</i> , 2011, 27, 2063-2068. | 1.0 | 47 |
| 54 | CENTRAL, PEDro, PubMed, and EMBASE Are the Most Comprehensive Databases Indexing Randomized Controlled Trials of Physical Therapy Interventions. <i>Physical Therapy</i> , 2011, 91, 190-197. | 2.4 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | There was evidence of convergent and construct validity of Physiotherapy Evidence Database quality scale for physiotherapy trials. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 920-925. | 5.0 | 262 |
| 56 | Indexing of randomised controlled trials of physiotherapy interventions: a comparison of AMED, CENTRAL, CINAHL, EMBASE, Hooked on Evidence, PEDro, PsycINFO and PubMed. <i>Physiotherapy</i> , 2009, 95, 151-156. | 0.4 | 72 |
| 57 | Ecological Validity of Walking Speed Assessment After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2004, 19, 341-348. | 1.7 | 65 |
| 58 | Challenges for Evidence-Based Physical Therapy: Accessing and Interpreting High-Quality Evidence on Therapy. <i>Physical Therapy</i> , 2004, 84, 644-654. | 2.4 | 149 |
| 59 | High- and low-ankle flexibility and motor task performance. <i>Gait and Posture</i> , 2003, 18, 73-80. | 1.4 | 28 |
| 60 | Treadmill Training and Body Weight Support for Walking After Stroke. <i>Stroke</i> , 2003, 34, 3006-3006. | 2.0 | 44 |
| 61 | Reliability of the PEDro Scale for Rating Quality of Randomized Controlled Trials. <i>Physical Therapy</i> , 2003, 83, 713-721. | 2.4 | 3,431 |
| 62 | Reliability of the PEDro scale for rating quality of randomized controlled trials. <i>Physical Therapy</i> , 2003, 83, 713-21. | 2.4 | 1,141 |
| 63 | Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). <i>Australian Journal of Physiotherapy</i> , 2002, 48, 43-49. | 0.9 | 680 |
| 64 | The Extent and Quality of Evidence in Neurological Physiotherapy: An Analysis of the Physiotherapy Evidence Database (PEDro). <i>Brain Impairment</i> , 2000, 1, 130-140. | 0.7 | 27 |