Leonardo Tozzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6907342/publications.pdf

Version: 2024-02-01

37 2,652 21 37 papers citations h-index g-index

43 43 43 5392 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Variability in the analysis of a single neuroimaging dataset by many teams. Nature, 2020, 582, 84-88.	27.8	634
2	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. Translational Psychiatry, 2020, 10, 100.	4.8	365
3	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. Molecular Psychiatry, 2020, 25, 1511-1525.	7.9	218
4	The Hippocampus in Depression: More Than the Sum of Its Parts? Advanced Hippocampal Substructure Segmentation in Depression. Biological Psychiatry, 2019, 85, 487-497.	1.3	169
5	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. Translational Psychiatry, 2020, 10, 172.	4.8	121
6	DNA methylation differences at the glucocorticoid receptor gene in depression are related to functional alterations in hypothalamic–pituitary–adrenal axis activity and to early life emotional abuse. Psychiatry Research, 2018, 265, 341-348.	3. 3	120
7	Epigenetic Changes of FKBP5 as a Link Connecting Genetic and Environmental Risk Factors with Structural and Functional Brain Changes in Major Depression. Neuropsychopharmacology, 2018, 43, 1138-1145.	5 . 4	112
8	Single-Nucleotide Polymorphism of the FKBP5 Gene and Childhood Maltreatment as Predictors of Structural Changes in Brain Areas Involved in Emotional Processing in Depression. Neuropsychopharmacology, 2016, 41, 487-497.	5.4	83
9	Childhood adversity impacts on brain subcortical structures relevant to depression. Journal of Psychiatric Research, 2017, 86, 58-65.	3.1	81
10	Beyond emotions: A meta-analysis of neural response within face processing system in social anxiety. Experimental Biology and Medicine, 2016, 241, 225-237.	2.4	74
11	Altered tryptophan catabolite concentrations in major depressive disorder and associated changes in hippocampal subfield volumes. Psychoneuroendocrinology, 2018, 95, 8-17.	2.7	69
12	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. Psychological Medicine, 2020, 50, 1020-1031.	4.5	59
13	Diurnal Hypothalamic-Pituitary-Adrenal Axis Measures and Inflammatory Marker Correlates in Major Depressive Disorder. International Journal of Molecular Sciences, 2017, 18, 2226.	4.1	49
14	Reduced functional connectivity of default mode network subsystems in depression: Meta-analytic evidence and relationship with trait rumination. Neurolmage: Clinical, 2021, 30, 102570.	2.7	48
15	Functional magnetic resonance imaging correlates of emotion recognition and voluntary attentional regulation in depression: A generalized psycho-physiological interaction study. Journal of Affective Disorders, 2017, 208, 535-544.	4.1	44
16	Connectivity of the Cognitive Control Network During Response Inhibition as a Predictive and Response Biomarker in Major Depression: Evidence From a Randomized Clinical Trial. Biological Psychiatry, 2020, 87, 462-472.	1.3	42
17	Longitudinal functional connectivity changes correlate with mood improvement after regular exercise in a dose-dependent fashion. European Journal of Neuroscience, 2016, 43, 1089-1096.	2.6	41
18	Effects of early life adversity and FKBP5 genotype on hippocampal subfields volume in major depression. Journal of Affective Disorders, 2019, 252, 152-159.	4.1	37

#	Article	IF	Citations
19	The human connectome project for disordered emotional states: Protocol and rationale for a research domain criteria study of brain connectivity in young adult anxiety and depression. Neurolmage, 2020, 214, 116715.	4.2	31
20	Aerobic exercise increases hippocampal subfield volumes in younger adults and prevents volume decline in the elderly. Brain Imaging and Behavior, 2020, 14, 1577-1587.	2.1	27
21	Test-retest reliability of the human functional connectome over consecutive days: identifying highly reliable portions and assessing the impact of methodological choices. Network Neuroscience, 2020, 4, 925-945.	2.6	25
22	<p>The Impact of Childhood Trauma on Developing Bipolar Disorder: Current Understanding and Ensuring Continued Progress</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 3095-3115.	2.2	23
23	Gambling among youths in Switzerland and its association with other addictive behaviours: a population-based study. Swiss Medical Weekly, 2013, 143, w13768.	1.6	20
24	Recent Advances in Translational Magnetic Resonance Imaging in Animal Models of Stress and Depression. Frontiers in Cellular Neuroscience, 2017, 11, 150.	3.7	17
25	Coping Strategies, Neural Structure, and Depression and Anxiety During the COVID-19 Pandemic: A Longitudinal Study in a Naturalistic Sample Spanning Clinical Diagnoses and Subclinical Symptoms. Biological Psychiatry Global Open Science, 2021, 1, 261-271.	2.2	17
26	Impaired reward processing in the human prefrontal cortex distinguishes between persistent and remittent attention deficit hyperactivity disorder. Human Brain Mapping, 2015, 36, 4648-4663.	3.6	16
27	DNA methylation differences in stress-related genes, functional connectivity and gray matter volume in depressed and healthy adolescents. Journal of Affective Disorders, 2020, 271, 160-168.	4.1	16
28	Modality Dependent Cross-Modal Functional Reorganization Following Congenital Visual Deprivation within Occipital Areas: A Meta-Analysis of Tactile and Auditory Studies. Multisensory Research, 2014, 27, 247-262.	1.1	14
29	Aggressiveness of martial artists correlates with reduced temporal pole grey matter concentration. Psychiatry Research - Neuroimaging, 2018, 281, 24-30.	1.8	12
30	Awakening Neuropsychiatric Research Into the Stria Medullaris: Development of a Diffusion-Weighted Imaging Tractography Protocol of This Key Limbic Structure. Frontiers in Neuroanatomy, 2018, 12, 39.	1.7	12
31	Relating whole-brain functional connectivity to self-reported negative emotion in a large sample of young adults using group regularized canonical correlation analysis. Neurolmage, 2021, 237, 118137.	4.2	7
32	Canonical correlation analysis in high dimensions with structured regularization. Statistical Modelling, 2023, 23, 203-227.	1.1	5
33	C-reactive protein is related to a distinct set of alterations in resting-state functional connectivity contributing to a differential pathophysiology of major depressive disorder. Psychiatry Research - Neuroimaging, 2022, 321, 111440.	1.8	5
34	Neurobiological correlates of violence perception in martial artists. Brain and Behavior, 2019, 9, e01276.	2.2	4
35	Longitudinal diffusion weighted imaging of limbic regions in patients with major depressive disorder after 6 years and partial to full remission. Psychiatry Research - Neuroimaging, 2019, 287, 75-86.	1.8	4
36	Long-term cortisol stress response in depression and comorbid anxiety is linked with reduced N-acetylaspartate in the anterior cingulate cortex. World Journal of Biological Psychiatry, 2023, 24, 34-45.	2.6	3

#	Article	IF	CITATIONS
37	Convergence, preliminary findings and future directions across the four human connectome projects investigating mood and anxiety disorders. Neurolmage, 2021, 245, 118694.	4.2	2