

# Leonardo Tozzi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6907342/publications.pdf>

Version: 2024-02-01

37  
papers

2,652  
citations

331670

21  
h-index

330143

37  
g-index

43  
all docs

43  
docs citations

43  
times ranked

5392  
citing authors

#	ARTICLE	IF	CITATIONS
1	Canonical correlation analysis in high dimensions with structured regularization. <i>Statistical Modelling</i> , 2023, 23, 203-227.	1.1	5
2	Long-term cortisol stress response in depression and comorbid anxiety is linked with reduced N-acetylaspartate in the anterior cingulate cortex. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 34-45.	2.6	3
3	C-reactive protein is related to a distinct set of alterations in resting-state functional connectivity contributing to a differential pathophysiology of major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2022, 321, 111440.	1.8	5
4	Coping Strategies, Neural Structure, and Depression and Anxiety During the COVID-19 Pandemic: A Longitudinal Study in a Naturalistic Sample Spanning Clinical Diagnoses and Subclinical Symptoms. <i>Biological Psychiatry Global Open Science</i> , 2021, 1, 261-271.	2.2	17
5	Relating whole-brain functional connectivity to self-reported negative emotion in a large sample of young adults using group regularized canonical correlation analysis. <i>NeuroImage</i> , 2021, 237, 118137.	4.2	7
6	Reduced functional connectivity of default mode network subsystems in depression: Meta-analytic evidence and relationship with trait rumination. <i>NeuroImage: Clinical</i> , 2021, 30, 102570.	2.7	48
7	Convergence, preliminary findings and future directions across the four human connectome projects investigating mood and anxiety disorders. <i>NeuroImage</i> , 2021, 245, 118694.	4.2	2
8	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020, 50, 1020-1031.	4.5	59
9	Aerobic exercise increases hippocampal subfield volumes in younger adults and prevents volume decline in the elderly. <i>Brain Imaging and Behavior</i> , 2020, 14, 1577-1587.	2.1	27
10	Connectivity of the Cognitive Control Network During Response Inhibition as a Predictive and Response Biomarker in Major Depression: Evidence From a Randomized Clinical Trial. <i>Biological Psychiatry</i> , 2020, 87, 462-472.	1.3	42
11	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020, 25, 1511-1525.	7.9	218
12	Variability in the analysis of a single neuroimaging dataset by many teams. <i>Nature</i> , 2020, 582, 84-88.	27.8	634
13	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	4.8	121
14	The human connectome project for disordered emotional states: Protocol and rationale for a research domain criteria study of brain connectivity in young adult anxiety and depression. <i>NeuroImage</i> , 2020, 214, 116715.	4.2	31
15	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	4.8	365
16	DNA methylation differences in stress-related genes, functional connectivity and gray matter volume in depressed and healthy adolescents. <i>Journal of Affective Disorders</i> , 2020, 271, 160-168.	4.1	16
17	Test-retest reliability of the human functional connectome over consecutive days: identifying highly reliable portions and assessing the impact of methodological choices. <i>Network Neuroscience</i> , 2020, 4, 925-945.	2.6	25
18	&lt;p&gt;The Impact of Childhood Trauma on Developing Bipolar Disorder: Current Understanding and Ensuring Continued Progress&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 3095-3115.	2.2	23

#	ARTICLE	IF	CITATIONS
19	Neurobiological correlates of violence perception in martial artists. <i>Brain and Behavior</i> , 2019, 9, e01276.	2.2	4
20	Effects of early life adversity and FKBP5 genotype on hippocampal subfields volume in major depression. <i>Journal of Affective Disorders</i> , 2019, 252, 152-159.	4.1	37
21	Longitudinal diffusion weighted imaging of limbic regions in patients with major depressive disorder after 6 years and partial to full remission. <i>Psychiatry Research - Neuroimaging</i> , 2019, 287, 75-86.	1.8	4
22	The Hippocampus in Depression: More Than the Sum of Its Parts? Advanced Hippocampal Substructure Segmentation in Depression. <i>Biological Psychiatry</i> , 2019, 85, 487-497.	1.3	169
23	Epigenetic Changes of FKBP5 as a Link Connecting Genetic and Environmental Risk Factors with Structural and Functional Brain Changes in Major Depression. <i>Neuropsychopharmacology</i> , 2018, 43, 1138-1145.	5.4	112
24	Aggressiveness of martial artists correlates with reduced temporal pole grey matter concentration. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 24-30.	1.8	12
25	Altered tryptophan catabolite concentrations in major depressive disorder and associated changes in hippocampal subfield volumes. <i>Psychoneuroendocrinology</i> , 2018, 95, 8-17.	2.7	69
26	DNA methylation differences at the glucocorticoid receptor gene in depression are related to functional alterations in hypothalamic-pituitary-adrenal axis activity and to early life emotional abuse. <i>Psychiatry Research</i> , 2018, 265, 341-348.	3.3	120
27	Awakening Neuropsychiatric Research Into the Stria Medullaris: Development of a Diffusion-Weighted Imaging Tractography Protocol of This Key Limbic Structure. <i>Frontiers in Neuroanatomy</i> , 2018, 12, 39.	1.7	12
28	Childhood adversity impacts on brain subcortical structures relevant to depression. <i>Journal of Psychiatric Research</i> , 2017, 86, 58-65.	3.1	81
29	Functional magnetic resonance imaging correlates of emotion recognition and voluntary attentional regulation in depression: A generalized psycho-physiological interaction study. <i>Journal of Affective Disorders</i> , 2017, 208, 535-544.	4.1	44
30	Diurnal Hypothalamic-Pituitary-Adrenal Axis Measures and Inflammatory Marker Correlates in Major Depressive Disorder. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2226.	4.1	49
31	Recent Advances in Translational Magnetic Resonance Imaging in Animal Models of Stress and Depression. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 150.	3.7	17
32	Longitudinal functional connectivity changes correlate with mood improvement after regular exercise in a dose-dependent fashion. <i>European Journal of Neuroscience</i> , 2016, 43, 1089-1096.	2.6	41
33	Beyond emotions: A meta-analysis of neural response within face processing system in social anxiety. <i>Experimental Biology and Medicine</i> , 2016, 241, 225-237.	2.4	74
34	Single-Nucleotide Polymorphism of the FKBP5 Gene and Childhood Maltreatment as Predictors of Structural Changes in Brain Areas Involved in Emotional Processing in Depression. <i>Neuropsychopharmacology</i> , 2016, 41, 487-497.	5.4	83
35	Impaired reward processing in the human prefrontal cortex distinguishes between persistent and remittent attention deficit hyperactivity disorder. <i>Human Brain Mapping</i> , 2015, 36, 4648-4663.	3.6	16
36	Modality Dependent Cross-Modal Functional Reorganization Following Congenital Visual Deprivation within Occipital Areas: A Meta-Analysis of Tactile and Auditory Studies. <i>Multisensory Research</i> , 2014, 27, 247-262.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Gambling among youths in Switzerland and its association with other addictive behaviours: a population-based study. <i>Swiss Medical Weekly</i> , 2013, 143, w13768.	1.6	20