

# Tommy Nyberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6910429/publications.pdf>

Version: 2024-02-01

96  
papers

6,053  
citations

109321

35  
h-index

76900

74  
g-index

100  
all docs

100  
docs citations

100  
times ranked

7723  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hospital admission and emergency care attendance risk for SARS-CoV-2 delta (B.1.617.2) compared with alpha (B.1.1.7) variants of concern: a cohort study. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 35-42.	9.1	612
2	Hospitalization and Mortality Risk for COVID-19 Cases With SARS-CoV-2 AY.4.2 (VUI-21OCT-01) Compared to Non-AY.4.2 Delta Variant Sublineages. <i>Journal of Infectious Diseases</i> , 2022, 226, 808-811.	4.0	7
3	Comparative analysis of the risks of hospitalisation and death associated with SARS-CoV-2 omicron (B.1.1.529) and delta (B.1.617.2) variants in England: a cohort study. <i>Lancet</i> , The, 2022, 399, 1303-1312.	13.7	889
4	BRCA1 and BRCA2 pathogenic variants and prostate cancer risk: systematic review and meta-analysis. <i>British Journal of Cancer</i> , 2022, 126, 1067-1081.	6.4	18
5	Adjusting for time of infection or positive test when estimating the risk of a post-infection outcome in an epidemic. <i>Statistical Methods in Medical Research</i> , 2022, 31, 1942-1958.	1.5	9
6	Acute and long-term grief reactions and experiences in parentally cancer-bereaved teenagers. <i>BMC Palliative Care</i> , 2021, 20, 75.	1.8	6
7	Risk of hospital admission for patients with SARS-CoV-2 variant B.1.1.7: cohort analysis. <i>BMJ</i> , The, 2021, 373, n1412.	6.0	114
8	Prostate Cancer Risks for Male BRCA1 and BRCA2 Mutation Carriers: A Prospective Cohort Study. <i>European Urology</i> , 2020, 77, 24-35.	1.9	124
9	Prostate Cancer Risk by BRCA2 Genomic Regions. <i>European Urology</i> , 2020, 78, 494-497.	1.9	6
10	Losing a parent to cancer as a teenager: Family cohesion in childhood, teenage, and young adulthood as perceived by bereaved and non-bereaved youths. <i>Psycho-Oncology</i> , 2019, 28, 1845-1853.	2.3	15
11	Homeobox B13 G84E Mutation and Prostate Cancer Risk. <i>European Urology</i> , 2019, 75, 834-845.	1.9	28
12	Preoperative staging using magnetic resonance imaging and risk of positive surgical margins after prostate-cancer surgery. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 391-398.	3.9	28
13	Quality of Life After Open Radical Prostatectomy Compared with Robot-assisted Radical Prostatectomy. <i>European Urology Focus</i> , 2019, 5, 389-398.	3.1	38
14	Accuracy in local staging of prostate cancer by adding a three-dimensional T2-weighted sequence with radial reconstructions in magnetic resonance imaging. <i>Acta Radiologica Open</i> , 2018, 7, 205846011875460.	0.6	3
15	Oncologic Outcomes After Robot-assisted Radical Prostatectomy: A Large European Single-centre Cohort with Median 10-Year Follow-up. <i>European Urology Focus</i> , 2018, 4, 351-359.	3.1	32
16	Care at End of Life Influences Grief: A Nationwide Long-Term Follow-Up among Young Adults Who Lost a Brother or Sister to Childhood Cancer. <i>Journal of Palliative Medicine</i> , 2018, 21, 156-162.	1.1	35
17	Erectile Function and Oncologic Outcomes Following Open Retropubic and Robot-assisted Radical Prostatectomy: Results from the LAParoscopic Prostatectomy Robot Open Trial. <i>European Urology</i> , 2018, 73, 618-627.	1.9	62
18	Bladder health in patients treated with BCG instillations for T1G2-G3 bladder cancer – a follow-up five years after the start of treatment. <i>Scandinavian Journal of Urology</i> , 2018, 52, 377-384.	1.0	8

#	ARTICLE	IF	CITATIONS
19	Self-care in Female Cancer Survivors With Secondary Lymphedema: Characteristics of Women Needing Support to Perform Self-care. <i>Rehabilitation Oncology</i> , 2018, 36, 37-47.	0.5	2
20	Quality of Life after Radical Prostatectomy or Watchful Waiting With or Without Androgen Deprivation Therapy: The SPCG-4 Randomized Trial. <i>European Urology Oncology</i> , 2018, 1, 134-142.	5.4	11
21	Encountering the Body at the Site of the Suicide: A Population-Based Survey in Sweden. <i>Suicide and Life-Threatening Behavior</i> , 2017, 47, 38-47.	1.9	2
22	Lower accuracy in prediction of delivery date in Stockholm County following introduction of new guidelines. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 223-232.	2.8	1
23	Survival Among Men at High Risk of Disseminated Prostate Cancer Receiving Initial Locally Directed Radical Treatment or Initial Androgen Deprivation Therapy. <i>European Urology</i> , 2017, 72, 345-351.	1.9	16
24	PD15-07 ERECTILE-FUNCTION AND ONCOLOGIC OUTCOMES AFTER OPEN RETROPUBIC AND ROBOT-ASSISTED RADICAL PROSTATECTOMY: RESULTS FROM A LARGE, PROSPECTIVE SWEDISH TRIAL. <i>Journal of Urology</i> , 2017, 197, .	0.4	1
25	MP34-15 A EUROPEAN MULTI-CENTRE REPORT ON CURRENT NEOADJUVANT CHEMOTHERAPY ADMINISTRATION RATES IN ROBOT-ASSISTED RADICAL CYSTECTOMY PATIENTS AND THE IMPACT ON PATHOLOGICAL STAGING. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
26	PD03-11 COMORBIDITY AND PROSTATE-CANCER SPECIFIC MORTALITY. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
27	Corrigendum re: "Early Recurrence Patterns Following Totally Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section (ERUS) Scientific Working Group" [ <i>Eur Urol</i> 2017;71:723-6]. <i>European Urology</i> , 2017, 72, e80.	1.9	1
28	Early Recurrence Patterns Following Totally Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section (ERUS) Scientific Working Group. <i>European Urology</i> , 2017, 71, 723-726.	1.9	51
29	Effect of Comorbidity on Prostate Cancer-Specific Mortality: A Prospective Observational Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 3566-3574.	1.6	29
30	Distrust in the End-of-Life Care Provided to a Parent and Long-Term Negative Outcomes Among Bereaved Adolescents: A Population-Based Survey Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 3136-3142.	1.6	8
31	Oncological and functional outcomes 1 year after radical prostatectomy for very-low-risk prostate cancer: results from the prospective LAPPRO trial. <i>BJU International</i> , 2016, 118, 205-212.	2.5	38
32	Preparedness for side effects and bother in symptomatic men after radical prostatectomy in a prospective, non-randomized trial, LAPPRO. <i>Acta Oncologica</i> , 2016, 55, 1467-1476.	1.8	10
33	Insufficient communication and anxiety in cancer-bereaved siblings: A nationwide long-term follow-up. <i>Palliative and Supportive Care</i> , 2016, 14, 488-494.	1.0	30
34	PD39-03 COMPLICATIONS AFTER TOTALLY INTRACORPOREAL ROBOT-ASSISTED RADICAL CYSTECTOMY: RESULTS FROM THE EUROPEAN ASSOCIATION OF UROLOGY ROBOTIC UROLOGY SECTION (ERUS) SCIENTIFIC WORKING GROUP.. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
35	Defecation into clothing without forewarning and mean radiation dose to bowel and anal-sphincter among gynecological cancer survivors. <i>Acta Oncologica</i> , 2016, 55, 1285-1293.	1.8	14
36	Accurate prediction tools in prostate cancer require consistent assessment of included variables. <i>Scandinavian Journal of Urology</i> , 2016, 50, 260-266.	1.0	3

#	ARTICLE	IF	CITATIONS
37	PD39-05 ONCOLOGICAL OUTCOMES OF TOTALLY INTRACORPOREAL ROBOT-ASSISTED RADICAL CYSTECTOMY: RESULTS FROM THE EUROPEAN ASSOCIATION OF UROLOGY ROBOTIC UROLOGY SECTION (ERUS) SCIENTIFIC WORKING GROUP. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
38	A Multi-institutional Analysis of Perioperative Outcomes in 106 Men Who Underwent Radical Prostatectomy for Distant Metastatic Prostate Cancer at Presentation. <i>European Urology</i> , 2016, 69, 788-794.	1.9	140
39	Introducing an enhanced recovery programme to an established totally intracorporeal robot-assisted radical cystectomy service. <i>Scandinavian Journal of Urology</i> , 2016, 50, 39-46.	1.0	60
40	Serum Androgen Levels and Sexual Function Before and One Year After Treatment of Uterine Cervical Cancer: A Pilot Study. <i>Journal of Sexual Medicine</i> , 2016, 13, 413-424.	0.6	14
41	Time-dependent dose-response relation for absence of vaginal elasticity after gynecological radiation therapy. <i>Radiotherapy and Oncology</i> , 2016, 120, 537-541.	0.6	6
42	Unresolved grief and its consequences. A nationwide follow-up of teenage loss of a parent to cancer 6-9 years earlier. <i>Supportive Care in Cancer</i> , 2016, 24, 3095-103.	2.2	32
43	A Contemporary Prostate Cancer Grading System: A Validated Alternative to the Gleason Score. <i>European Urology</i> , 2016, 69, 428-435.	1.9	1,039
44	Depression among Parents Two to Six Years Following the Loss of a Child by Suicide: A Novel Prediction Model. <i>PLoS ONE</i> , 2016, 11, e0164091.	2.5	3
45	Hormone therapy after uterine cervical cancer treatment. <i>Menopause</i> , 2015, 22, 633-639.	2.0	19
46	Teenagers want to be told when a parent's death is near: A nationwide study of cancer-bereaved youths' opinions and experiences. <i>Acta Oncologica</i> , 2015, 54, 944-950.	1.8	36
47	Surgical margin length and location affect recurrence rates after robotic prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 109.e7-109.e13.	1.6	61
48	Thromboembolic Complications in 3,544 Patients Undergoing Radical Prostatectomy with or without Lymph Node Dissection. <i>Journal of Urology</i> , 2015, 193, 117-125.	0.4	58
49	The impact of length and location of positive margins in predicting biochemical recurrence after robot-assisted radical prostatectomy with a minimum follow-up of 5 years. <i>BJU International</i> , 2015, 115, 106-113.	2.5	56
50	Lack of Trust in the Health-Care System After Losing a Child to Suicide. <i>Crisis</i> , 2015, 36, 161-172.	1.2	0
51	Tips and Tricks for Intracorporeal Robot-Assisted Urinary Diversion. <i>Current Urology Reports</i> , 2014, 15, 457.	2.2	13
52	Comparative effectiveness of radical prostatectomy and radiotherapy in prostate cancer: observational study of mortality outcomes. <i>BMJ, The</i> , 2014, 348, g1502-g1502.	6.0	204
53	Self-injury in youths who lost a parent to cancer: nationwide study of the impact of family-related and health-care-related factors. <i>Psycho-Oncology</i> , 2014, 23, 989-997.	2.3	34
54	MP70-18 MORTALITY IN MEN WITH ADVANCED PROSTATE CANCER MAY BE REDUCED WITH RADICAL TREATMENT COMPARED TO ANDROGEN DEPRIVATION ALONE. <i>Journal of Urology</i> , 2014, 191, .	0.4	0

#	ARTICLE	IF	CITATIONS
55	Robotic Intracorporeal Orthotopic Neobladder during Radical Cystectomy in 132 Patients. <i>Journal of Urology</i> , 2014, 192, 1734-1740.	0.4	107
56	Robot-assisted radical cystectomy (<scp>RARC</scp>) with intracorporeal neobladder – what is the effect of the learning curve on outcomes?. <i>BJU International</i> , 2014, 113, 100-107.	2.5	90
57	MP5-10 ROBOTIC INTRA-CORPOREAL ORTHOTOPIC NEOBLADDER DURING RADICAL CYSTECTOMY: 132 PATIENTS. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
58	Authors' reply to Roach. <i>BMJ</i> , The, 2014, 348, g2271-g2271.	6.0	3
59	Viewing the Body after Bereavement Due to Suicide: A Population-Based Survey in Sweden. <i>PLoS ONE</i> , 2014, 9, e101799.	2.5	14
60	Robot-assisted radical cystectomy with intracorporeal neobladder diversion: The karolinska experience. <i>Indian Journal of Urology</i> , 2014, 30, 307.	0.6	41
61	Bereaved siblings' perception of participating in research – a nationwide study. <i>Psycho-Oncology</i> , 2013, 22, 411-416.	2.3	18
62	Psychological health in siblings who lost a brother or sister to cancer 2 to 9 years earlier. <i>Psycho-Oncology</i> , 2013, 22, 683-691.	2.3	56
63	Lower limb lymphedema in gynecological cancer survivors – effect on daily life functioning. <i>Supportive Care in Cancer</i> , 2013, 21, 3063-3070.	2.2	81
64	Oncologic, Functional, and Complications Outcomes of Robot-assisted Radical Cystectomy with Totally Intracorporeal Neobladder Diversion. <i>European Urology</i> , 2013, 64, 734-741.	1.9	153
65	1000 PROGNOSTIC SIGNIFICANCE OF LENGTH OF POSITIVE SURGICAL MARGINS ON BIOCHEMICAL RECURRENCE AFTER ROBOTIC-ASSISTED RADICAL PROSTATECTOMY IN A SINGLE CENTER WITH MINIMUM FOLLOW-UP OF FIVE YEARS. <i>Journal of Urology</i> , 2013, 189, .	0.4	1
66	335 SURGERY VERSUS RADIOTHERAPY IN PROSTATE CANCER: ANALYSIS OF MORTALITY OUTCOMES IN 34,515 PATIENTS TREATED WITH UP TO 15 YEARS FOLLOW-UP. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
67	CD8+ and CD4+ tumour infiltrating lymphocytes in relation to human papillomavirus status and clinical outcome in tonsillar and base of tongue squamous cell carcinoma. <i>European Journal of Cancer</i> , 2013, 49, 2522-2530.	2.8	171
68	Robot-assisted Radical Cystectomy: Description of an Evolved Approach to Radical Cystectomy. <i>European Urology</i> , 2013, 64, 654-663.	1.9	93
69	Psychological morbidity among suicide-bereaved and non-bereaved parents: a nationwide population survey. <i>BMJ Open</i> , 2013, 3, e003108.	1.9	15
70	Dose-response relationships for an atomized symptom of fecal incontinence after gynecological radiotherapy. <i>Acta Oncologica</i> , 2013, 52, 719-726.	1.8	11
71	Communication and Trust in the Care Provided to a Dying Parent: A Nationwide Study of Cancer-Bereaved Youths. <i>Journal of Clinical Oncology</i> , 2013, 31, 2886-2894.	1.6	41
72	Self-injury in Teenagers Who Lost a Parent to Cancer. <i>JAMA Pediatrics</i> , 2013, 167, 133.	6.2	48

#	ARTICLE	IF	CITATIONS
73	Impact of Social Support on Bereaved Siblingsâ€™ Anxiety. Journal of Pediatric Oncology Nursing, 2013, 30, 301-310.	1.5	47
74	Radical Prostatectomy, Sparing of the Seminal Vesicles, and Painful Orgasm. Journal of Sexual Medicine, 2013, 10, 1417-1423.	0.6	19
75	HLA Class I and II Expression in Oropharyngeal Squamous Cell Carcinoma in Relation to Tumor HPV Status and Clinical Outcome. PLoS ONE, 2013, 8, e77025.	2.5	69
76	Self-perceived penile shortening after radical prostatectomy. International Journal of Impotence Research, 2012, 24, 179-184.	1.8	35
77	Biochemical Recurrence After Robot-assisted Radical Prostatectomy in a European Single-centre Cohort with a Minimum Follow-up Time of 5 Years. European Urology, 2012, 62, 768-774.	1.9	85
78	Pad Use and Patient Reported Bother From Urinary Leakage After Radical Prostatectomy. Journal of Urology, 2012, 187, 196-200.	0.4	24
79	Commentary on "Surgery-related complications of robot-assisted radical cystectomy with intracorporeal urinary diversion." Schumacher MC, Jonsson MN, Hosseini A, Nyberg T, Poulakis V, Pardalidis NP, John H, Wiklund PN, Department of Molecular Medicine and Surgery, Division of Urology, Karolinska Institutet, Stockholm, Sweden. Urologic Oncology: Seminars and Original Investigations, 2012, 20, 116.	1.6	0
80	1207 BIOCHEMICAL FAILURE IN D'AMICO LOW RISK PATIENTS WITH GLEASON SUM UPGRADING FOLLOWING RADICAL PROSTATECTOMY: AN INTERNATIONAL, MULTI-INSTITUTIONAL STUDY. Journal of Urology, 2011, 185, .	0.4	0
81	1107 EFFECT OF RADICAL PROSTATECTOMY ON PENILE SHORTENING. Journal of Urology, 2011, 185, .	0.4	1
82	650 COMPARATIVE OUTCOME ANALYSIS OF OPEN VERSUS ROBOTIC-ASSISTED RADICAL PROSTATECTOMY MATCHED BY D'AMICO RISK CATEGORY. Journal of Urology, 2011, 185, .	0.4	1
83	651 COMPARATIVE ONCOLOGIC EFFECTIVENESS OF OPEN VERSUS ROBOTIC-ASSISTED RADICAL PROSTATECTOMY IN PATIENTS WITH EXTRACAPSULAR EXTENSION AND/OR SEMINAL VESICLE INVASION. Journal of Urology, 2011, 185, .	0.4	0
84	Late symptoms in long-term gynaecological cancer survivors after radiation therapy: a population-based cohort study. British Journal of Cancer, 2011, 105, 737-745.	6.4	91
85	Ser608Leu polymorphisms in the nitric oxide synthase-2 gene may influence urinary bladder cancer pathogenesis. Scandinavian Journal of Urology and Nephrology, 2011, 45, 319-325.	1.4	12
86	Polymorphisms in nitric-oxide synthase 3 may influence the risk of urinary-bladder cancer. Nitric Oxide - Biology and Chemistry, 2011, 25, 338-343.	2.7	27
87	Surgery-related Complications of Robot-assisted Radical Cystectomy With Intracorporeal Urinary Diversion. Urology, 2011, 77, 871-876.	1.0	68
88	Long-term quality-of-life outcomes after radical prostatectomy or watchful waiting: the Scandinavian Prostate Cancer Group-4 randomised trial. Lancet Oncology, The, 2011, 12, 891-899.	10.7	311
89	350 OUTCOMES OF OPEN VERSUS ROBOTIC-ASSISTED RADICAL PROSTATECTOMY FOR HIGH-RISK PROSTATE CANCER: A MULTI-INSTITUTION STUDY ON 13,567 MEN. Journal of Urology, 2011, 185, .	0.4	1
90	Age at surgery, educational level and long-term urinary incontinence after radical prostatectomy. BJU International, 2011, 108, 1572-1577.	2.5	38

#	ARTICLE	IF	CITATIONS
91	Orgasm-Associated Urinary Incontinence and Sexual Life after Radical Prostatectomy. Journal of Sexual Medicine, 2011, 8, 2632-2639.	0.6	52
92	Fecal Incontinence Affecting Quality of Life and Social Functioning Among Long-Term Gynecological Cancer Survivors. International Journal of Gynecological Cancer, 2010, 20, 449-460.	2.5	48
93	Inguinal Hernia After Radical Prostatectomy for Prostate Cancer: Results From a Randomized Setting and a Nonrandomized Setting. European Urology, 2010, 58, 719-726.	1.9	76
94	The (CCTT)n Microsatellite Polymorphism in the Nitric Oxide Synthase 2 Gene May Influence Bladder Cancer Pathogenesis. Journal of Urology, 2010, 184, 2150-2157.	0.4	9
95	964 POLYMORPHISMS IN NITRIC-OXIDE SYNTHASE 2 INFLUENCE URINARY-BLADDER CANCER PATHOGENESIS. Journal of Urology, 2010, 183, .	0.4	0
96	Self-reported symptoms of faecal incontinence among long-term gynaecological cancer survivors and population-based controls. European Journal of Cancer, 2010, 46, 606-615.	2.8	60