

Kimon Stamatelopoulos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/691243/publications.pdf>

Version: 2024-02-01

178
papers

5,809
citations

76326

40
h-index

95266

68
g-index

179
all docs

179
docs citations

179
times ranked

8446
citing authors

#	ARTICLE	IF	CITATIONS
1	Utilization and tolerance of beta-blockers among patients with AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2022, 29, 31-37.	3.0	2
2	Consumption of Fruits, Vegetables and Bladder Cancer Risk: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. <i>Nutrition and Cancer</i> , 2022, 74, 2003-2016.	2.0	4
3	Clinical frailty, and not features of acute infection, is associated with late mortality in COVID-19: a retrospective cohort study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1502-1513.	7.3	15
4	The utility of splenic imaging parameters in cardiac magnetic resonance for the diagnosis of immunoglobulin light-chain amyloidosis. <i>Insights Into Imaging</i> , 2022, 13, 55.	3.4	7
5	Soluble lectin-like oxidized low-density lipoprotein receptor-1 predicts premature death in acute coronary syndromes. <i>European Heart Journal</i> , 2022, 43, 1849-1860.	2.2	28
6	Off-Target Effects of Antidepressants on Vascular Function and Structure. <i>Biomedicines</i> , 2022, 10, 56.	3.2	2
7	Carotid ultrasonography improves residual risk stratification in guidelines-defined high cardiovascular risk patients. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1773-1784.	1.8	8
8	Determining patterns of vascular function and structure in wild-type transthyretin cardiac amyloidosis. A comparative study. <i>International Journal of Cardiology</i> , 2022, 363, 102-110.	1.7	1
9	RNA therapies for cardiovascular disease. , 2022, , 413-425.		0
10	Sirtuin 5 promotes arterial thrombosis by blunting the fibrinolytic system. <i>Cardiovascular Research</i> , 2021, 117, 2275-2288.	3.8	13
11	Right drug, wrong dosage: insights from the PAVE-AF antithrombotic study in older patients with atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, 51, 81-88.	2.1	6
12	Clinical value of amyloid-beta1-40 as a marker of thrombo-inflammation in antiphospholipid syndrome. <i>Rheumatology</i> , 2021, 60, 1669-1675.	1.9	5
13	Circulating Amyloid Beta 1-40 Is Associated with Increased Rate of Progression of Atherosclerosis in Menopause: A Prospective Cohort Study. <i>Thrombosis and Haemostasis</i> , 2021, 121, 650-658.	3.4	5
14	Insights to SARS-CoV-2 life cycle, pathophysiology, and rationalized treatments that target COVID-19 clinical complications. <i>Journal of Biomedical Science</i> , 2021, 28, 9.	7.0	167
15	Adoption of the SAME-TT2R2 score in older patients with atrial fibrillation. <i>Hellenic Journal of Cardiology</i> , 2021, 62, 386-388.	1.0	0
16	Carfilzomib-induced endothelial dysfunction, recovery of proteasome activity, and prediction of cardiovascular complications: a prospective study. <i>Leukemia</i> , 2021, 35, 1418-1427.	7.2	15
17	Serum prolactin levels interact with menstrual fluctuations of arterial stiffness. <i>Hellenic Journal of Cardiology</i> , 2021, 63, 89-89.	1.0	1
18	Additive contribution of microRNA-34a/b/c to human arterial ageing and atherosclerosis. <i>Atherosclerosis</i> , 2021, 327, 49-58.	0.8	25

#	ARTICLE	IF	CITATIONS
19	Epidemiology and organ specific sequelae of post-acute COVID19: A narrative review. Journal of Infection, 2021, 83, 1-16.	3.3	127
20	Wenckebach cycle length: A novel predictor for AV block in AVNRT patients treated with ablation. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1497-1503.	1.2	4
21	Prognostic value of admission high-sensitivity troponin in patients with ST-elevation myocardial infarction. Heart, 2021, 107, 1881-1888.	2.9	7
22	Adenosine-to-inosine Alu RNA editing controls the stability of the pro-inflammatory long noncoding RNA NEAT1 in atherosclerotic cardiovascular disease. Journal of Molecular and Cellular Cardiology, 2021, 160, 111-120.	1.9	40
23	Daratumumab May Attenuate Cardiac Dysfunction Related to Carfilzomib in Patients with Relapsed/Refractory Multiple Myeloma: A Prospective Study. Cancers, 2021, 13, 5057.	3.7	6
24	Estimated pulse wave velocity improves risk stratification for all-cause mortality in patients with COVID-19. Scientific Reports, 2021, 11, 20239.	3.3	22
25	Adenosine-to-inosine RNA editing contributes to type I interferon responses in systemic sclerosis. Journal of Autoimmunity, 2021, 125, 102755.	6.5	14
26	Increased adenosine-to-inosine RNA editing in rheumatoid arthritis. Journal of Autoimmunity, 2020, 106, 102329.	6.5	51
27	Cathepsin B expression is associated with arterial stiffening and atherosclerotic vascular disease. European Journal of Preventive Cardiology, 2020, 27, 2288-2291.	1.8	10
28	Retinol-binding protein 4 is associated with arterial stiffness in early postmenopausal women. Menopause, 2020, 27, 906-912.	2.0	2
29	Cardiac arrest and drug-related cardiac toxicity in the Covid-19 era. Epidemiology, pathophysiology and management. Food and Chemical Toxicology, 2020, 145, 111742.	3.6	5
30	Physical activity is associated with lower arterial stiffness in normal-weight postmenopausal women. Journal of Clinical Hypertension, 2020, 22, 1682-1690.	2.0	16
31	Involvement of cardiovascular system as the critical point in coronavirus disease 2019 (COVID-19) prognosis and recovery. Hellenic Journal of Cardiology, 2020, 61, 381-395.	1.0	43
32	Anti-Müllerian Hormone Concentrations Are Inversely Associated With Subclinical Atherosclerosis in Premenopausal Women. Angiology, 2020, 71, 552-558.	1.8	13
33	Breastfeeding is associated with lower subclinical atherosclerosis in postmenopausal women. Gynecological Endocrinology, 2020, 36, 796-799.	1.7	3
34	Î2-Amyloid and mitochondrial-derived peptide-c are additive predictors of adverse outcome to high-on-treatment platelet reactivity in type 2 diabetics with revascularized coronary artery disease. Journal of Thrombosis and Thrombolysis, 2020, 49, 365-376.	2.1	11
35	The Alzheimer's Disease Amyloid-Beta Hypothesis in Cardiovascular Aging and Disease. Journal of the American College of Cardiology, 2020, 75, 952-967.	2.8	94
36	Association of macronutrient consumption with arterial aging in adults without clinically overt cardiovascular disease: a 5-year prospective cohort study. European Journal of Nutrition, 2019, 58, 2305-2314.	3.9	0

#	ARTICLE	IF	CITATIONS
37	Reactive Vasodilation Predicts Mortality in Primary Systemic Light-Chain Amyloidosis. <i>Circulation Research</i> , 2019, 125, 744-758.	4.5	22
38	Comparison of Risk Scores for the Prediction of the Overall Cardiovascular Risk in Patients with Ischemic Stroke: The Athens Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1044-15.	1.6	5
39	Primary Treatment of Light Chain (AL) Amyloidosis with Bortezomib, Lenalidomide and Dexamethasone (VRD). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, S331-S332.	0.4	0
40	Pegylated interferon and ribavirin treatment for chronic hepatitis C deteriorates subclinical markers of vascular function. <i>Hellenic Journal of Cardiology</i> , 2019, 60, 143-145.	1.0	1
41	Predictors of incident hypertension in healthy non-diabetic postmenopausal women with normal renal function. <i>Gynecological Endocrinology</i> , 2019, 35, 1063-1066.	1.7	4
42	The effect of treatment response on endothelial function and arterial stiffness in depression. A prospective study. <i>Journal of Affective Disorders</i> , 2019, 252, 190-200.	4.1	15
43	OP0297...ABERRANT ADENOSINE TO INOSINE RNA EDITING IN ACTIVE RHEUMATOID ARTHRITIS. , 2019, , .		0
44	114...Peripheral blood mononuclear cell expression of the stabilizing RNA-binding protein HUR is associated with incidence and extent of human atherosclerotic cardiovascular disease. , 2019, , .		0
45	152...Circulating serum extracellular matrix degradation enzyme Cathepsin S predicts mortality and improves risk stratification over the grace score in patients with non-ST elevation acute coronary syndromes. , 2019, , .		0
46	Primary treatment of light-chain amyloidosis with bortezomib, lenalidomide, and dexamethasone. <i>Blood Advances</i> , 2019, 3, 3002-3009.	5.2	37
47	Age-dependent association of pulse wave velocity with coronary artery disease and myocardial aging in high-risk patients. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 201-209.	1.5	7
48	Chios mastic improves blood pressure haemodynamics in patients with arterial hypertension: Implications for regulation of proteostatic pathways. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 328-331.	1.8	6
49	Abdominal Fat Tissue Echogenicity: A Marker of Morbid Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 301-311.	3.6	5
50	Platelet-derived chemokines in inflammation and atherosclerosis. <i>Cytokine</i> , 2019, 122, 154157.	3.2	149
51	Clinical Impact of an Early Response and of Early Initiation of Salvage Therapy in Patients with Systemic Light Chain (AL) Amyloidosis. <i>Blood</i> , 2019, 134, 1894-1894.	1.4	1
52	Dietary patterns, Mediterranean diet and obesity in postmenopausal women. <i>Maturitas</i> , 2018, 110, 79-85.	2.4	23
53	Vascular ageing: Underlying mechanisms and clinical implications. <i>Experimental Gerontology</i> , 2018, 109, 16-30.	2.8	80
54	The metabolic syndrome is associated with carotid atherosclerosis and arterial stiffness in asymptomatic, nondiabetic postmenopausal women. <i>Gynecological Endocrinology</i> , 2018, 34, 78-82.	1.7	18

#	ARTICLE	IF	CITATIONS
55	The TyG Index as a Marker of Subclinical Atherosclerosis and Arterial Stiffness in Lean and Overweight Postmenopausal Women. <i>Heart Lung and Circulation</i> , 2018, 27, 716-724.	0.4	85
56	Longer procoagulant phospholipid-dependent clotting time, lower endogenous thrombin potential and higher tissue factor pathway inhibitor concentrations are associated with increased VTE occurrence in patients with newly diagnosed multiple myeloma: results of the prospective ROADMAP-MM-CAT study. <i>Blood Cancer Journal</i> , 2018, 8, 102.	6.2	23
57	Free Androgen Index as a Biomarker of Increased Cardiovascular Risk in Postmenopausal Women. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1986.	2.8	6
58	Prospective Assessment of Clinical Risk Factors and Biomarkers of Hypercoagulability for the Identification of Newly Diagnosed Chemotherapy Naïve Patients with Multiple Myeloma at Risk for Cancer-Associated Thrombosis. The Observational ROADMAP-CAT-MM Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, S235-S236.	0.4	0
59	Subclinical atherosclerosis and vascular stiffness in premenopausal women: association with NOS3 and CYBA polymorphisms. <i>Heart and Vessels</i> , 2018, 33, 1434-1444.	1.2	6
60	Amyloid- β (1-40) and Mortality in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Annals of Internal Medicine</i> , 2018, 168, 855.	3.9	29
61	A Spontaneous Pregnancy in a Patient with Turner Syndrome with 45,X/47,XXX Mosaicism: A Case Report and Review of the Literature. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2018, 31, 651-654.	0.7	14
62	RNA Therapeutics in Cardiovascular Precision Medicine. <i>Frontiers in Physiology</i> , 2018, 9, 953.	2.8	63
63	Amyloid-Beta (1-40) Peptide and Subclinical Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1060-1061.	2.8	20
64	Carfilzomib Induces Acute Endothelial Dysfunction Which Correlates with the Occurrence of Cardiovascular Events. <i>Blood</i> , 2018, 132, 3247-3247.	1.4	0
65	Primary Treatment of Light Chain (AL) Amyloidosis with Bortezomib, Lenalidomide and Dexamethasone (VRD). <i>Blood</i> , 2018, 132, 3248-3248.	1.4	0
66	The effect of hypohydration on endothelial function in young healthy adults. <i>European Journal of Nutrition</i> , 2017, 56, 1211-1217.	3.9	33
67	Free androgen index as a determinant of arterial stiffness in menopause: a mediation analysis. <i>Menopause</i> , 2017, 24, 635-644.	2.0	16
68	Prolactin as a predictor of endothelial dysfunction and arterial stiffness progression in menopause. <i>Journal of Human Hypertension</i> , 2017, 31, 520-524.	2.2	16
69	The effect of Lp(a) on cardiovascular function in greek pediatric population 6-16 years old. Preliminary findings in children with or without familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017, 263, e207-e208.	0.8	0
70	Eating frequency predicts changes in regional body fat distribution in healthy adults. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2017, 110, 729-734.	0.5	2
71	Differential associations of systolic and diastolic time rate of blood pressure variation with carotid atherosclerosis and plaque echogenicity. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1070-1077.	2.0	8
72	Association of Ambulatory Blood Pressure Monitoring parameters with the Framingham Stroke Risk Profile. <i>Journal of the Neurological Sciences</i> , 2017, 380, 106-111.	0.6	4

#	ARTICLE	IF	CITATIONS
73	El amiloide beta (1-40) circulante predice eventos en pacientes con insuficiencia cardiaca. Revista Espanola De Cardiologia, 2017, 70, 905-906.	1.2	1
74	Circulating Amyloid-Beta (1-40) Predicts Clinical Outcomes in Patients With Heart Failure. Revista Espanola De Cardiologia (English Ed), 2017, 70, 905-906.	0.6	2
75	Cardiac and renal complications of carfilzomib in patients with multiple myeloma. Blood Advances, 2017, 1, 449-454.	5.2	89
76	Predictors of colorectal cancer screening awareness among people working in a hospital environment. Annals of Gastroenterology, 2017, 30, 315-321.	0.6	3
77	Evidence of a Redox-Dependent Regulation of Immune Responses to Exercise-Induced Inflammation. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-19.	4.0	22
78	Eating frequency predicts new onset hypertension and the rate of progression of blood pressure, arterial stiffness, and wave reflections. Journal of Hypertension, 2016, 34, 429-437.	0.5	7
79	Free androgen index as a predictor of blood pressure progression and accelerated vascular aging in menopause. Atherosclerosis, 2016, 247, 177-183.	0.8	34
80	Clinical and prognostic significance of serum levels of von Willebrand factor and ADAMTS-13 antigens in AL amyloidosis. Blood, 2016, 128, 405-409.	1.4	37
81	Adenosine-to-inosine RNA editing controls cathepsin S expression in atherosclerosis by enabling HuR-mediated post-transcriptional regulation. Nature Medicine, 2016, 22, 1140-1150.	30.7	222
82	Whiteâ€œCoat Isolated Systolic Hypertension Is a Risk Factor for Carotid Atherosclerosis. Journal of Clinical Hypertension, 2016, 18, 1095-1102.	2.0	12
83	Repeatability of Different Segmental Pulse Wave Velocity Measurements. American Journal of Hypertension, 2016, 29, 889-889.	2.0	2
84	Cardiac and Renal Complications of Carfilzomib Therapy in Patients with Multiple Myeloma. Blood, 2016, 128, 4491-4491.	1.4	2
85	Circulating levels of TNF-like cytokine 1A correlate with reflected waves and atherosclerosis extent and may predict cardiac death in patients with stable coronary artery disease. Cytokine, 2015, 72, 102-104.	3.2	6
86	Indices of adiposity and thyroid hormones in euthyroid postmenopausal women. European Journal of Endocrinology, 2015, 173, 237-245.	3.7	21
87	Amyloid-Beta (1-40) and the Risk of Death From Cardiovascular Causes in Patients With Coronary Heart Disease. Journal of the American College of Cardiology, 2015, 65, 904-916.	2.8	91
88	Variations in glomerular filtration rate are associated with subclinical atherosclerosis in healthy postmenopausal women. Menopause, 2015, 22, 317-324.	2.0	4
89	Impact of masking effect on subclinical carotid atherosclerosis in normotensives and untreated masked hypertensive and hypertensive patients. Blood Pressure Monitoring, 2015, 20, 64-68.	0.8	2
90	Association of Isolated Systolic, Isolated Diastolic, and Systolicâ€œDiastolic Masked Hypertension With Carotid Artery Intimaâ€œMedia Thickness. Journal of Clinical Hypertension, 2015, 17, 22-26.	2.0	10

#	ARTICLE	IF	CITATIONS
91	Meal patterns in healthy adults: Inverse association of eating frequency with subclinical atherosclerosis indexes. <i>Clinical Nutrition</i> , 2015, 34, 302-308.	5.0	13
92	Prospective Evaluation of Blood Pressure Monitoring and Baroreceptor Reflex Sensitivity (BRS) in Patients with AL Amyloidosis: Prognostic and Pathophysiologic Implications. <i>Blood</i> , 2015, 126, 3054-3054.	1.4	0
93	Newly Diagnosed Multiple Myeloma Is Associated with Enhanced TF Pathway Activation, Thrombin Generation and Increased Concentration of Procoagulant Microparticles. <i>Blood</i> , 2015, 126, 1074-1074.	1.4	0
94	Increased Myeloperoxidase Plasma Levels in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 39, 557-564.	2.6	55
95	The effect of hormone therapy on biochemical and ultrasound parameters associated with atherosclerosis in 46,XY DSD individuals with female phenotype. <i>Gynecological Endocrinology</i> , 2014, 30, 721-725.	1.7	4
96	Effects of Recombinant Human Thyrotropin Administration on 24-Hour Arterial Pressure in Female Undergoing Evaluation for Differentiated Thyroid Cancer. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	1.5	4
97	Short-term beat-to-beat but not ambulatory blood pressure variability is correlated to carotid intima-media thickness. <i>Blood Pressure Monitoring</i> , 2014, 19, 288-293.	0.8	12
98	Small medullary thyroid carcinoma: post-operative calcitonin rather than tumour size predicts disease persistence and progression. <i>European Journal of Endocrinology</i> , 2014, 171, 117-126.	3.7	28
99	Hemodynamic Markers and Subclinical Atherosclerosis in Postmenopausal Women With Primary Hyperparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2704-2711.	3.6	21
100	Hemodynamic, Functional and Structural Markers of Vascular Involvement in Primary Systemic Light Chain (AL) Amyloidosis. <i>Blood</i> , 2014, 124, 2029-2029.	1.4	0
101	Circulating levels of TNF-like cytokine 1A correlate with the progression of atheromatous lesions in patients with rheumatoid arthritis. <i>Clinical Immunology</i> , 2013, 147, 144-150.	3.2	28
102	A study of ER α PvuII polymorphism in female patients with acute stroke: no associations with disease severity and early outcome. <i>Gynecological Endocrinology</i> , 2013, 29, 784-787.	1.7	0
103	P.2.b.045 Treatment of major depression reduces arterial stiffness. <i>European Neuropsychopharmacology</i> , 2013, 23, S345-S346.	0.7	0
104	Subclinical atherosclerosis in menopausal women with low to medium calculated cardiovascular risk. <i>International Journal of Cardiology</i> , 2013, 164, 70-76.	1.7	33
105	Platelet microRNAs: From platelet biology to possible disease biomarkers and therapeutic targets. <i>Platelets</i> , 2013, 24, 579-589.	2.3	28
106	Circulating platelet-progenitor cell coaggregate formation is increased in patients with acute coronary syndromes and augments recruitment of CD34+ cells in the ischaemic microcirculation. <i>European Heart Journal</i> , 2013, 34, 2548-2556.	2.2	27
107	Osteoprotegerin, Soluble Receptor Activator of Nuclear Factor- κ B Ligand, and Subclinical Atherosclerosis in Children and Adolescents with Type 1 Diabetes Mellitus. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-8.	1.5	16
108	Arterial stiffness is increased in asymptomatic nondiabetic postmenopausal women with a polycystic ovary syndrome phenotype. <i>Journal of Hypertension</i> , 2013, 31, 1998-2004.	0.5	38

#	ARTICLE	IF	CITATIONS
109	Sesame oil consumption exerts a beneficial effect on endothelial function in hypertensive men. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 202-208.	1.8	24
110	Baroreceptor reflex sensitivity is associated with arterial stiffness in a population of normotensive and hypertensive patients. <i>Blood Pressure Monitoring</i> , 2012, 17, 155-159.	0.8	32
111	High normal thyroid-stimulating hormone is associated with arterial stiffness in healthy postmenopausal women. <i>Journal of Hypertension</i> , 2012, 30, 592-599.	0.5	27
112	Recently postmenopausal women have the same prevalence of subclinical carotid atherosclerosis as age and traditional risk factor matched men. <i>Atherosclerosis</i> , 2012, 221, 508-513.	0.8	25
113	Can premenstrual syndrome affect arterial stiffness or blood pressure?. <i>Atherosclerosis</i> , 2012, 224, 170-176.	0.8	25
114	Predictors of new atherosclerotic carotid plaque development in patients with rheumatoid arthritis: a longitudinal study. <i>Arthritis Research and Therapy</i> , 2012, 14, R44.	3.5	30
115	Acute and Long-Term Hemodynamic Effects of Sesame Oil Consumption in Hypertensive Men. <i>Journal of Clinical Hypertension</i> , 2012, 14, 630-636.	2.0	14
116	Severity and outcome of acute stroke in women: relation to adrenal sex steroid levels. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 84-91.	3.4	11
117	Circulating androgen levels are associated with subclinical atherosclerosis and arterial stiffness in healthy recently menopausal women. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 193-201.	3.4	78
118	Impact of prehypertension on carotid artery intima-media thickening: Actual or masked?. <i>Atherosclerosis</i> , 2011, 214, 215-219.	0.8	17
119	Association of the SHBG gene promoter polymorphism with early markers of atherosclerosis in apparently healthy women. <i>Atherosclerosis</i> , 2011, 219, 205-210.	0.8	12
120	A pilot study of endothelial dysfunction and aortic stiffness after interleukin-6 receptor inhibition in rheumatoid arthritis. <i>Atherosclerosis</i> , 2011, 219, 734-736.	0.8	125
121	Plasma levels of stromal cell-derived factor-1 in patients with coronary artery disease: Effect of clinical presentation and cardiovascular risk factors. <i>Atherosclerosis</i> , 2011, 219, 913-916.	0.8	34
122	Severity of coronary artery disease in postmenopausal women. <i>Menopause</i> , 2011, 18, 1225-1231.	2.0	11
123	Time rate of blood pressure variation: a new factor associated with coronary atherosclerosis. <i>Journal of Hypertension</i> , 2011, 29, 1109-1114.	0.5	32
124	Pilot Study of Circulating Prolactin Levels and Endothelial Function in Men With Hypertension. <i>American Journal of Hypertension</i> , 2011, 24, 569-573.	2.0	21
125	Endogenous estrogen levels are associated with endothelial function in males independently of lipid levels. <i>Endocrine</i> , 2010, 37, 329-335.	2.3	19
126	Reversal of increased arterial stiffness in severely depressed women after 6-week antidepressant treatment. <i>Journal of Affective Disorders</i> , 2010, 122, 164-166.	4.1	36

#	ARTICLE	IF	CITATIONS
127	Homa-IR: A Marker of Vascular Dysfunction in Nondiabetic Hemodialysis Patients?. <i>Blood Purification</i> , 2010, 29, 327-328.	1.8	1
128	Subclinical peripheral arterial disease in rheumatoid arthritis. <i>Atherosclerosis</i> , 2010, 212, 305-309.	0.8	39
129	Arterial Stiffness but Not Intima-Media Thickness Is Increased in Euthyroid Patients with Hashimoto's Thyroiditis: The Effect of Menopausal Status. <i>Thyroid</i> , 2009, 19, 857-862.	4.5	31
130	Arterial Wave Reflections During the Menstrual Cycle of Healthy Women. <i>Hypertension</i> , 2009, 54, 1021-1027.	2.7	33
131	Prolactin and Preclinical Atherosclerosis in Menopausal Women With Cardiovascular Risk Factors. <i>Hypertension</i> , 2009, 54, 98-105.	2.7	95
132	Impact of Prehypertension on Common Carotid Artery Intima-Media Thickness and Left Ventricular Mass. <i>Stroke</i> , 2009, 40, 1515-1518.	2.0	64
133	Diurnal variation of endothelial function and arterial stiffness in hypertension. <i>Journal of Human Hypertension</i> , 2009, 23, 597-604.	2.2	42
134	Atherosclerosis in Rheumatoid Arthritis Versus Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1702-1708.	2.4	166
135	Free thyroxine is an independent predictor of subcutaneous fat in euthyroid individuals. <i>European Journal of Endocrinology</i> , 2009, 161, 459-465.	3.7	80
136	Differential associations of renal function with coronary and peripheral atherosclerosis. <i>International Journal of Cardiology</i> , 2009, 135, 162-164.	1.7	14
137	Noninvasive methods for assessing early markers of atherosclerosis: the role of body composition and nutrition. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009, 12, 467-473.	2.5	14
138	Non-Invasive Methods and Techniques for Central Blood Pressure Estimation: Procedures, Validation, Reproducibility and Limitations. <i>Current Pharmaceutical Design</i> , 2009, 15, 245-253.	1.9	90
139	Association of thyroid function with arterial pressure in normotensive and hypertensive euthyroid individuals: A cross-sectional study. <i>Thyroid Research</i> , 2008, 1, 3.	1.5	25
140	Circulating levels of TNF-like cytokine 1A (TL1A) and its decoy receptor 3 (DcR3) in rheumatoid arthritis. <i>Clinical Immunology</i> , 2008, 129, 249-255.	3.2	97
141	Additive prognostic value of interleukin-6 at peak phase of dobutamine stress echocardiography in patients with coronary artery disease. A 6-year follow-up study. <i>American Heart Journal</i> , 2008, 156, 269-276.	2.7	9
142	Inflammatory and non-invasive vascular markers: The multimarker approach for risk stratification in coronary artery disease. <i>Atherosclerosis</i> , 2008, 199, 3-11.	0.8	126
143	Correlations of Sialic Acid with Markers of Inflammation, Atherosclerosis and Cardiovascular Events in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 261-266.	1.8	14
144	Treatment with granulocyte colony stimulating factor is associated with improvement in endothelial function. <i>Growth Factors</i> , 2008, 26, 117-124.	1.7	18

#	ARTICLE	IF	CITATIONS
145	Incremental value of arterial wave reflections in the determination of left ventricular diastolic dysfunction in untreated patients with essential hypertension. <i>Journal of Human Hypertension</i> , 2008, 22, 687-698.	2.2	42
146	The importance of the (TAAAA)n alleles at the SHBG gene promoter for the severity of coronary artery disease in postmenopausal women. <i>Menopause</i> , 2008, 15, 461-468.	2.0	14
147	CYP A-204C polymorphism is associated with subclinical atherosclerosis in postmenopausal women. <i>Menopause</i> , 2008, 15, 1163-1168.	2.0	9
148	Acute effects of renin-angiotensin system blockade on arterial function in hypertensive patients. <i>Journal of Human Hypertension</i> , 2007, 21, 654-663.	2.2	30
149	Pressure-Wave Reflections, Local Aortic Stiffness, and Corticosteroid Use in Adamantiades-Behçet's Disease. <i>American Journal of Hypertension</i> , 2007, 20, 816-817.	2.0	1
150	The relative impact of different measures of adiposity on markers of early atherosclerosis. <i>International Journal of Cardiology</i> , 2007, 119, 139-146.	1.7	20
151	Acute smoke-induced endothelial dysfunction is more prolonged in smokers than in non-smokers. <i>International Journal of Cardiology</i> , 2007, 120, 404-406.	1.7	25
152	Atherosclerotic risk factors and carotid stiffness in elderly asymptomatic HD patients. <i>International Urology and Nephrology</i> , 2007, 38, 801-809.	1.4	16
153	Arterial Wave Reflections Are Associated With Left Ventricular Diastolic Dysfunction in Adamantiades-Behçet's Disease. <i>Journal of Cardiac Failure</i> , 2006, 12, 458-463.	1.7	14
154	Pressure Wave Reflections, Central Blood Pressure, and Aortic Stiffness in Patients With Adamantiades-Behçet's Disease A Cross-Sectional Case-Control Study Underlining the Role of Chronic Corticosteroid Treatment. <i>American Journal of Hypertension</i> , 2006, 19, 660-666.	2.0	16
155	Transmission of calibration errors (input) by generalized transfer functions to the aortic pressures (output) at different hemodynamic states. <i>International Journal of Cardiology</i> , 2006, 110, 46-52.	1.7	55
156	The combined effect of augmentation index and carotid intima-media thickness on cardiovascular risk in young and middle-aged men without cardiovascular disease. <i>Journal of Human Hypertension</i> , 2006, 20, 273-279.	2.2	30
157	Common Carotid Artery Intima-Media Thickness and the Risk of Stroke Recurrence. <i>Stroke</i> , 2006, 37, 1913-1916.	2.0	94
158	Inflammatory Markers in Coronary Artery Disease: Pathophysiological Mechanisms, Prognostic and Therapeutic Implications. <i>Current Cardiology Reviews</i> , 2006, 2, 173-184.	1.5	1
159	Arterial wave reflection is associated with severity of extracoronary atherosclerosis in patients with coronary artery disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 236-242.	2.8	28
160	Intima-media Thickness Score from Carotid and Femoral Arteries Predicts the Extent of Coronary Artery Disease. <i>International Journal of Cardiovascular Imaging</i> , 2005, 21, 495-501.	1.5	53
161	Myocardial Ischemia Induces Interleukin-6 and Tissue Factor Production in Patients With Coronary Artery Disease. <i>Circulation</i> , 2005, 112, 3272-3279.	1.6	74
162	Acute effects of caffeine on blood pressure and wave reflections in healthy subjects: should we consider monitoring central blood pressure?. <i>International Journal of Cardiology</i> , 2005, 98, 425-430.	1.7	109

#	ARTICLE	IF	CITATIONS
163	Red Wine Acutely Induces Favorable Effects on Wave Reflections and Central Pressures in Coronary Artery Disease Patients. <i>American Journal of Hypertension</i> , 2005, 18, 1161-1167.	2.0	64
164	Endothelial dysfunction and type of cigarette smoked: the impact of "light" versus regular cigarette smoking. <i>Vascular Medicine</i> , 2004, 9, 103-105.	1.5	18
165	Aortic elastic properties and left ventricular diastolic function in patients with Adamantiades-Behcet's disease. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1075-1081.	2.8	85
166	Red wine's antioxidants counteract acute endothelial dysfunction caused by cigarette smoking in healthy nonsmokers. <i>American Heart Journal</i> , 2004, 147, 274.	2.7	66
167	Cardiac hypertrophy in hypertension: relation to 24-h blood pressure profile and arterial stiffness. <i>International Journal of Cardiology</i> , 2004, 97, 29-33.	1.7	52
168	Tamoxifen improves endothelial function and reduces carotid intima-media thickness in postmenopausal women. <i>American Heart Journal</i> , 2004, 147, 1093-1099.	2.7	63
169	Oral L-arginine improves endothelial dysfunction in patients with essential hypertension. <i>International Journal of Cardiology</i> , 2002, 86, 317-323.	1.7	112
170	Comparison of low-density lipoprotein cholesterol lowering by pravastatin to <100 mg/dl versus >100 mg/dl on brachial artery vasoreactivity in patients with severe hypercholesterolemia and previous atherosclerotic events or diabetes mellitus. <i>American Journal of Cardiology</i> , 2002, 89, 857-860.	1.6	11
171	Atherosclerotic changes of extracoronary arteries are associated with the extent of coronary atherosclerosis. <i>American Journal of Cardiology</i> , 2000, 85, 949-952.	1.6	173
172	Ankle-brachial index as a predictor of the extent of coronary atherosclerosis and cardiovascular events in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 2000, 86, 615-618.	1.6	195
173	Hemochromatosis associated with endothelial dysfunction: evidence for the role of iron stores in early atherogenesis. <i>Vascular Medicine</i> , 1999, 4, 147-148.	1.5	24
174	Effects of Acute Cigarette Smoking on Endothelium-Dependent Arterial Dilatation in Normal Subjects. <i>American Journal of Cardiology</i> , 1998, 81, 1225-1228.	1.6	99
175	Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon. <i>American Heart Journal</i> , 1998, 136, 905-912.	2.7	73
176	Impaired Endothelium-Dependent Vasodilatation in Women With Previous Gestational Diabetes. <i>Diabetes Care</i> , 1998, 21, 2111-2115.	8.6	170
177	Effect of Acute Cigarette Smoking on Endothelium-Dependent Brachial Artery Dilatation in Healthy Individuals. <i>American Journal of Cardiology</i> , 1997, 79, 529-531.	1.6	97
178	Endothelial Function in Postmenopausal Women: The Possible Role of Heat Shock Protein 60 and Serum Androgens. <i>Frontiers in Molecular Medicine</i> , 0, 2, .	1.9	1