

Silke Haerteis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6912509/publications.pdf>

Version: 2024-02-01

30
papers

703
citations

759233

12
h-index

552781

26
g-index

30
all docs

30
docs citations

30
times ranked

732
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasmin in Nephrotic Urine Activates the Epithelial Sodium Channel. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 299-310.	6.1	236
2	The β -Subunit of the Epithelial Sodium Channel (ENaC) Enhances Channel Activity and Alters Proteolytic ENaC Activation. <i>Journal of Biological Chemistry</i> , 2009, 284, 29024-29040.	3.4	67
3	Proteolytic activation of the epithelial sodium channel (ENaC) by the cysteine protease cathepsin-S. <i>Pflügers Archiv European Journal of Physiology</i> , 2012, 464, 353-365.	2.8	54
4	Plasmin and chymotrypsin have distinct preferences for channel activating cleavage sites in the β subunit of the human epithelial sodium channel. <i>Journal of General Physiology</i> , 2012, 140, 375-389.	1.9	41
5	Urokinase-type plasminogen activator (uPA) is not essential for epithelial sodium channel (ENaC)-mediated sodium retention in experimental nephrotic syndrome. <i>Acta Physiologica</i> , 2019, 227, e13286.	3.8	36
6	Proteolytic Activation of the Human Epithelial Sodium Channel by Trypsin IV and Trypsin I Involves Distinct Cleavage Sites. <i>Journal of Biological Chemistry</i> , 2014, 289, 19067-19078.	3.4	31
7	Pharmacological and electrophysiological characterization of the human bile acid-sensitive ion channel (hBASIC). <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 253-263.	2.8	23
8	Activation of the Human Epithelial Sodium Channel (ENaC) by Bile Acids Involves the Degenerin Site. <i>Journal of Biological Chemistry</i> , 2016, 291, 19835-19847.	3.4	23
9	Cancer-associated cells release citrate to support tumour metastatic progression. <i>Life Science Alliance</i> , 2021, 4, e202000903.	2.8	21
10	Experimental Models of SARS-CoV-2 Infection: Possible Platforms to Study COVID-19 Pathogenesis and Potential Treatments. <i>Annual Review of Pharmacology and Toxicology</i> , 2022, 62, 25-53.	9.4	20
11	Laser speckle contrast analysis (LASCA) technology for the semiquantitative measurement of angiogenesis in in-ovo-tumor-model. <i>Microvascular Research</i> , 2021, 133, 104072.	2.5	19
12	Proteolytic activation of the epithelial sodium channel (ENaC) by factor VII activating protease (FSAP) and its relevance for sodium retention in nephrotic mice. <i>Pflügers Archiv European Journal of Physiology</i> , 2022, 474, 217-229.	2.8	17
13	Extended analysis of intratumoral heterogeneity of primary osteosarcoma tissue using 3D-in-vivo-tumor-model. <i>Clinical Hemorheology and Microcirculation</i> , 2020, 76, 133-141.	1.7	14
14	Bile acids potentiate proton-activated currents in <i>Xenopus laevis</i> oocytes expressing human acid-sensing ion channel (ASIC1a). <i>Physiological Reports</i> , 2017, 5, e13132.	1.7	11
15	Ion channels in sarcoma: pathophysiology and treatment options. <i>Pflügers Archiv European Journal of Physiology</i> , 2019, 471, 1163-1171.	2.8	10
16	Bile acids inhibit human purinergic receptor P2X4 in a heterologous expression system. <i>Journal of General Physiology</i> , 2019, 151, 820-833.	1.9	9
17	3D monitoring of tumor volume in an in vivo model. <i>Clinical Hemorheology and Microcirculation</i> , 2020, 76, 123-131.	1.7	9
18	Enhanced Resorption of Liposomal Packed Vitamin C Monitored by Ultrasound. <i>Journal of Clinical Medicine</i> , 2020, 9, 1616.	2.4	9

#	ARTICLE	IF	CITATIONS
19	Intranasal application of stem cells and their derivatives as a new hope in the treatment of cerebral hypoxia/ischemia: a review. <i>Reviews in the Neurosciences</i> , 2022, 33, 583-606.	2.9	9
20	The degenerin region of the human bile acid-sensitive ion channel (BASIC) is involved in channel inhibition by calcium and activation by bile acids. <i>Pflügers Archiv European Journal of Physiology</i> , 2018, 470, 1087-1102.	2.8	8
21	Subcellular localization of the chemotherapeutic agent doxorubicin in renal epithelial cells and in tumor cells using correlative light and electron microscopy. <i>Clinical Hemorheology and Microcirculation</i> , 2019, 73, 157-167.	1.7	6
22	Assessment of breast cancer primary tumor material in a 3D in vivo model. <i>Clinical Hemorheology and Microcirculation</i> , 2021, 79, 1-10.	1.7	6
23	Demonstration of Proteolytic Activation of the Epithelial Sodium Channel (ENaC) by Combining Current Measurements with Detection of Cleavage Fragments. <i>Journal of Visualized Experiments</i> , 2014, , .	0.3	4
24	pH sensing in skin tumors: Methods to study the involvement of GPCRs, acid-sensing ion channels and transient receptor potential vanilloid channels. <i>Experimental Dermatology</i> , 2020, 29, 1055-1061.	2.9	4
25	The Role of Citrate Homeostasis in Merkel Cell Carcinoma Pathogenesis. <i>Cancers</i> , 2022, 14, 3425.	3.7	4
26	Rebuttal to editorial: Sodium retention by uPA in nephrotic syndrome?. <i>Acta Physiologica</i> , 2020, 228, e13427.	3.8	3
27	Histological and SEM Assessment of Blood Stasis in Kidney Blood Vessels after Repeated Intra-Arterial Application of Radiographic Contrast Media. <i>Life</i> , 2020, 10, 167.	2.4	3
28	A polycystin-2 protein with modified channel properties leads to an increased diameter of renal tubules and to renal cysts. <i>Journal of Cell Science</i> , 2021, 134, .	2.0	2
29	Indocyanine Green for Leakage Control in Isolated Limb Perfusion. <i>Journal of Personalized Medicine</i> , 2021, 11, 1152.	2.5	2
30	The 3D in vivo chorioallantoic membrane model and its role in breast cancer research. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, , 1.	2.5	2