

H Craig Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6912630/publications.pdf>

Version: 2024-02-01

31
papers

2,046
citations

394421

19
h-index

477307

29
g-index

31
all docs

31
docs citations

31
times ranked

2448
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk assessment of the environmental impact of Norwegian Atlantic salmon farming. ICES Journal of Marine Science, 2015, 72, 997-1021.	2.5	299
2	The B cell system of human mucosae and exocrine glands. Immunological Reviews, 1999, 171, 45-87.	6.0	268
3	Monocyte-like and mature macrophages produce CXCL13 (B cell-attracting chemokine 1) in inflammatory lesions with lymphoid neogenesis. Blood, 2004, 104, 3021-3027.	1.4	219
4	Functional Association between the Human Myeloid Immunoglobulin A Fc Receptor (CD89) and FcR β Chain. Journal of Biological Chemistry, 1995, 270, 29781-29787.	3.4	181
5	Human Immunoglobulin A Receptor (Fc ϵ RI, CD89) Function in Transgenic Mice Requires Both FcR β Chain and CR3 (CD11b/CD18). Blood, 1999, 93, 4387-4394.	1.4	126
6	Activity of Human IgG and IgA Subclasses in Immune Defense Against <i>Neisseria meningitidis</i> Serogroup B. Journal of Immunology, 2001, 166, 6250-6256.	0.8	125
7	Effects of alkylphenols on the reproductive system of Atlantic cod (<i>Gadus morhua</i>). Aquatic Toxicology, 2007, 81, 207-218.	4.0	84
8	From B to A the mucosal way. Nature Immunology, 2001, 2, 1093-1094.	14.5	78
9	Oral and systemic administration of β -glucan protects against lipopolysaccharide-induced shock and organ injury in rats. Clinical and Experimental Immunology, 2007, 148, 168-177.	2.6	78
10	Immunoglobulin A cell distribution in the human small intestine: phenotypic and functional characteristics. Immunology, 2000, 101, 354-363.	4.4	67
11	Immunoglobulin-binding Sites of Human Fc γ RI (CD89) and Bovine Fc γ 2R Are Located in their Membrane-distal Extracellular Domains. Journal of Experimental Medicine, 1999, 189, 1715-1722.	8.5	62
12	Development of Atlantic cod (<i>Gadus morhua</i>) exposed to produced water during early life stages: Effects on embryos, larvae, and juvenile fish. Marine Environmental Research, 2010, 70, 383-394.	2.5	62
13	M cell pockets of human Peyer's patches are specialized extensions of germinal centers. European Journal of Immunology, 2001, 31, 107-117.	2.9	60
14	Expression and Modulation of the Human Immunoglobulin A Fc Receptor (CD89) and the FcR gamma Chain on Myeloid Cells in Blood and Tissue. Scandinavian Journal of Immunology, 2003, 57, 506-516.	2.7	52
15	Ontogeny of lymphoid organs and development of IgM-bearing cells in Atlantic halibut (<i>Hippoglossus</i>) Tj ETQq1 1 0,784314 rgBT /Overl	3.6	42
16	Alternatively spliced forms of the human myeloid Fc γ receptor (CD89) in neutrophils. Immunogenetics, 1996, 43, 246-247.	2.4	39
17	The frequency of spontaneous triploidy in farmed Atlantic salmon produced in Norway during the period 2007-2014. BMC Genetics, 2015, 16, 37.	2.7	35
18	Low-dose exposure to alkylphenols adversely affects the sexual development of Atlantic cod (<i>Gadus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf female cod. Aquatic Toxicology, 2011, 105, 136-150.	4.0	33

#	ARTICLE	IF	CITATIONS
19	Cloning and characterization of an immunoglobulin A Fc receptor from cattle. <i>Immunology</i> , 2004, 111, 204-211.	4.4	25
20	Regulation of switching and production of IgA in human B cells in donors with duplicated $\hat{I}\pm 1$ genes. <i>European Journal of Immunology</i> , 2001, 31, 3622-3630.	2.9	19
21	Cloning and characterization of equine CD89 and identification of the CD89 gene in chimpanzees and rhesus macaques. <i>Immunology</i> , 2005, 115, 74-84.	4.4	18
22	Alternatively spliced forms of the human myeloid Fc $\hat{I}\pm$ receptor (CD89) in neutrophils. <i>Immunogenetics</i> , 1996, 43, 246-247.	2.4	15
23	Performance of triploid Atlantic cod (<i>Gadus morhua</i> L.) in commercial aquaculture. <i>Aquaculture</i> , 2016, 464, 699-709.	3.5	14
24	Human Immunoglobulin A Receptor (Fc $\hat{I}\pm$ RI, CD89) Function in Transgenic Mice Requires Both FcR \hat{I}^3 Chain and CR3 (CD11b/CD18). <i>Blood</i> , 1999, 93, 4387-4394.	1.4	14
25	Characterization of the human myeloid IgA Fc receptor I (CD89) gene in a cosmid clone. <i>Immunogenetics</i> , 1999, 49, 586-589.	2.4	8
26	Identification of Residues within the Extracellular Domain 1 of Bovine Fc \hat{I}^3 2R Essential for Binding Bovine IgG2. <i>Journal of Biological Chemistry</i> , 2001, 276, 47794-47800.	3.4	8
27	IgA Fc receptors in cattle and horses. <i>Veterinary Immunology and Immunopathology</i> , 2005, 108, 139-143.	1.2	7
28	Characterization of the Ligand Binding Site of the Bovine IgA Fc Receptor (bFc $\hat{I}\pm$ R). <i>Journal of Biological Chemistry</i> , 2004, 279, 54018-54022.	3.4	5
29	Cloning and sequencing of a cDNA encoding the bovine FcR \hat{I}^3 chain. <i>Veterinary Immunology and Immunopathology</i> , 2001, 82, 101-106.	1.2	2
30	Fc Receptors for IgA. , 2007, , 90-110.		1
31	Characteristics of Mucosal B Cells with Emphasis on the Human Secretory Immune System. , 2004, , 223-246.		0