

# Rajesh Agarwal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6919544/publications.pdf>

Version: 2024-02-01

253  
papers

20,620  
citations

10986

71  
h-index

12597

132  
g-index

254  
all docs

254  
docs citations

254  
times ranked

25483  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Stage-specific differential expression of zinc transporter SLC30A and SLC39A family proteins during prostate tumorigenesis. <i>Molecular Carcinogenesis</i> , 2022, 61, 454-471.  | 2.7 | 3         |
| 2  | Effect of dexamethasone treatment at variable therapeutic windows in reversing nitrogen mustard-induced corneal injuries in rabbit ocular in vivo model. <i>Toxicology and Applied Pharmacology</i> , 2022, 437, 115904.    | 2.8 | 12        |
| 3  | Chemopreventive efficacy of silibinin against basal cell carcinoma growth and progression in UVB-irradiated Ptch+/+ mice. <i>Carcinogenesis</i> , 2022, , .   | 2.8 | 2         |
| 4  | Characterization of stage-specific tumor progression in <i>TMPRSS2-ERG</i> (fusion)-driven and non-fusion-driven prostate cancer in GEM models. <i>Molecular Carcinogenesis</i> , 2022, 61, 717-734.                        | 2.7 | 4         |
| 5  | Deciphering the role of microRNAs in mustard gas-induced toxicity. <i>Annals of the New York Academy of Sciences</i> , 2021, 1491, 25-41.   | 3.8 | 1         |
| 6  | Dietary Rice Bran-Modified Human Gut Microbial Consortia Confers Protection against Colon Carcinogenesis Following Fecal Transfaunation. <i>Biomedicines</i> , 2021, 9, 144.  | 3.2 | 21        |
| 7  | Solid-phase synthesis of curcumin mimics and their anticancer activity against human pancreatic, prostate, and colorectal cancer cell lines. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 42, 116249.                  | 3.0 | 5         |
| 8  | Transcriptome and metabolome changes induced by bitter melon ( <i>Momordica charantia</i> )- intake in a high-fat diet induced obesity model. <i>Journal of Traditional and Complementary Medicine</i> , 2021, 12, 287-301. | 2.7 | 5         |
| 9  | Pathophysiology and inflammatory biomarkers of sulfur mustard-induced corneal injury in rabbits. <i>PLoS ONE</i> , 2021, 16, e0258503.  | 2.5 | 16        |
| 10 | Comparative Pre-clinical Efficacy of Chinese and Indian Cultivars of Bitter Melon ( <i>Momordica</i> ) Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 3  | 2.0 | 4         |
| 11 | Antiangiogenic therapy with Nintedanib affects hypoxia, angiogenesis and apoptosis in the ventral prostate of TRAMP animals. <i>Cell and Tissue Research</i> , 2020, 379, 407-420.  | 2.9 | 4         |
| 12 | Toxic consequences and oxidative protein carbonylation from chloropicrin exposure in human corneal epithelial cells. <i>Toxicology Letters</i> , 2020, 322, 1-11.   | 0.8 | 17        |
| 13 | Bitter melon juice intake with gemcitabine intervention circumvents resistance to gemcitabine in pancreatic patient-derived xenograft tumors. <i>Molecular Carcinogenesis</i> , 2020, 59, 1227-1240.                        | 2.7 | 6         |
| 14 | Targeting Fat Oxidation in Mouse Prostate Cancer Decreases Tumor Growth and Stimulates Anti-Cancer Immunity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9660.   | 4.1 | 8         |
| 15 | Bucillamine Inhibits UVB-Induced MAPK Activation and Apoptosis in Human HaCaT Keratinocytes and SKH-1 Hairless Mouse Skin. <i>Photochemistry and Photobiology</i> , 2020, 96, 870-876.                                      | 2.5 | 7         |
| 16 | Silibinin and non-melanoma skin cancers. <i>Journal of Traditional and Complementary Medicine</i> , 2020, 10, 236-244.  | 2.7 | 19        |
| 17 | Exosomes secreted by prostate cancer cells under hypoxia promote matrix metalloproteinases activity at pre-metastatic niches. <i>Molecular Carcinogenesis</i> , 2020, 59, 323-332.  | 2.7 | 47        |
| 18 | Anti-cancer Effects of Silibinin: The Current Status in Cancer Chemoprevention. , 2020, , 161-208.  |     | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Acute corneal injury in rabbits following nitrogen mustard ocular exposure. <i>Experimental and Molecular Pathology</i> , 2019, 110, 104275.   | 2.1 | 26        |
| 20 | Bitter melon juice-intake modulates glucose metabolism and lactate efflux in tumors in its efficacy against pancreatic cancer. <i>Carcinogenesis</i> , 2019, 40, 1164-1176.  | 2.8 | 12        |
| 21 | Quantitative NMR-Based Metabolomics on Tissue Biomarkers and Its Translation into In Vivo Magnetic Resonance Spectroscopy. <i>Methods in Molecular Biology</i> , 2019, 1978, 369-387.  | 0.9 | 8         |
| 22 | Differential effect of grape seed extract and its active constituent procyanidin B2 3,3,3'-tri-O-gallate against prostate cancer stem cells. <i>Molecular Carcinogenesis</i> , 2019, 58, 1105-1117.  | 2.7 | 18        |
| 23 | Silibinin inhibits ultraviolet B radiation-induced mast cells recruitment and bone morphogenetic protein 2 expression in the skin at early stages in Ptch(+/-) mouse model of basal cell carcinoma. <i>Molecular Carcinogenesis</i> , 2019, 58, 1260-1271. | 2.7 | 6         |
| 24 | Exosome proteomic analyses identify inflammatory phenotype and novel biomarkers in African American prostate cancer patients. <i>Cancer Medicine</i> , 2019, 8, 1110-1123.   | 2.8 | 69        |
| 25 | <i>Abrus</i> agglutinin stimulates BMP2-dependent differentiation through autophagic degradation of $\beta$ -catenin in colon cancer stem cells. <i>Molecular Carcinogenesis</i> , 2018, 57, 664-677.  | 2.7 | 33        |
| 26 | Silibinin phosphodiester glyco-conjugates: Synthesis, redox behaviour and biological investigations. <i>Bioorganic Chemistry</i> , 2018, 77, 349-359.  | 4.1 | 17        |
| 27 | Micro-RNA-186-5p inhibition attenuates proliferation, anchorage independent growth and invasion in metastatic prostate cancer cells. <i>BMC Cancer</i> , 2018, 18, 421.  | 2.6 | 47        |
| 28 | Bitter melon juice exerts its efficacy against pancreatic cancer via targeting both bulk and cancer stem cells. <i>Molecular Carcinogenesis</i> , 2018, 57, 1166-1180.   | 2.7 | 11        |
| 29 | Procyanidin B2 3,3,3'-tri-O-gallate induces oxidative stress-mediated cell death in prostate cancer cells via inhibiting MAP kinase phosphatase activity and activating ERK1/2 and AMPK. <i>Molecular Carcinogenesis</i> , 2018, 57, 57-69.                | 2.7 | 22        |
| 30 | Efficacy of anti-inflammatory, antibiotic and pleiotropic agents in reversing nitrogen mustard-induced injury in ex vivo cultured rabbit cornea. <i>Toxicology Letters</i> , 2018, 293, 127-132.   | 0.8 | 16        |
| 31 | Phosgene oxime: Injury and associated mechanisms compared to vesicating agents sulfur mustard and lewisite. <i>Toxicology Letters</i> , 2018, 293, 112-119.  | 0.8 | 22        |
| 32 | Nintedanib inhibits growth of human prostate carcinoma cells by modulating both cell cycle and angiogenesis regulators. <i>Scientific Reports</i> , 2018, 8, 9540.   | 3.3 | 10        |
| 33 | Nutraceuticals in prostate cancer therapeutic strategies and their neo-adjuvant use in diverse populations. <i>Npj Precision Oncology</i> , 2018, 2, 15.   | 5.4 | 15        |
| 34 | A novel approach to target hypoxic cancer cells via combining $\beta$ -oxidation inhibitor etomoxir with radiation. <i>Hypoxia (Auckland, N Z)</i> , 2018, Volume 6, 23-33.  | 1.9 | 33        |
| 35 | Mechanisms and Drug Targets for Pancreatic Cancer Chemoprevention. <i>Current Medicinal Chemistry</i> , 2018, 25, 2545-2565.   | 2.4 | 6         |
| 36 | <i>Abrus</i> Agglutinin, a type II ribosome inactivating protein inhibits Akt/PH domain to induce endoplasmic reticulum stress mediated autophagy-dependent cell death. <i>Molecular Carcinogenesis</i> , 2017, 56, 389-401.                               | 2.7 | 28        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Fisetin inhibits cellular proliferation and induces mitochondria-dependent apoptosis in human gastric cancer cells. <i>Molecular Carcinogenesis</i> , 2017, 56, 499-514.  | 2.7 | 62        |
| 38 | ATG14 facilitated lipophagy in cancer cells induce ER stress mediated mitoptosis through a ROS dependent pathway. <i>Free Radical Biology and Medicine</i> , 2017, 104, 199-213.  | 2.9 | 60        |
| 39 | Silibinin Treatment Inhibits the Growth of Hedgehog Inhibitor-Resistant Basal Cell Carcinoma Cells via Targeting EGFR-MAPK-Akt and Hedgehog Signaling. <i>Photochemistry and Photobiology</i> , 2017, 93, 999-1007.                         | 2.5 | 22        |
| 40 | Cutaneous exposure to vesicant phosgene oxime: Acute effects on the skin and systemic toxicity. <i>Toxicology and Applied Pharmacology</i> , 2017, 317, 25-32.  | 2.8 | 18        |
| 41 | <i>Abrus</i> agglutinin promotes irreparable DNA damage by triggering ROS generation followed by ATM-p73 mediated apoptosis in oral squamous cell carcinoma. <i>Molecular Carcinogenesis</i> , 2017, 56, 2400-2413.                         | 2.7 | 28        |
| 42 | Histopathological and Molecular Changes in the Rabbit Cornea From Arsenical Vesicant Lewisite Exposure. <i>Toxicological Sciences</i> , 2017, 160, 420-428.   | 3.1 | 20        |
| 43 | Nintedanib antiangiogenic inhibitor effectiveness in delaying adenocarcinoma progression in Transgenic Adenocarcinoma of the Mouse Prostate (TRAMP). <i>Journal of Biomedical Science</i> , 2017, 24, 31.                                   | 7.0 | 26        |
| 44 | Role of p53 in silibinin-mediated inhibition of ultraviolet B radiation-induced DNA damage, inflammation and skin carcinogenesis. <i>Carcinogenesis</i> , 2017, 38, 40-50.  | 2.8 | 36        |
| 45 | Silibinin inhibits hypoxia-induced HIF-1-mediated signaling, angiogenesis and lipogenesis in prostate cancer cells: In vitro evidence and in vivo functional imaging and metabolomics. <i>Molecular Carcinogenesis</i> , 2017, 56, 833-848. | 2.7 | 49        |
| 46 | Acacetin enhances the therapeutic efficacy of doxorubicin in non-small-cell lung carcinoma cells. <i>PLoS ONE</i> , 2017, 12, e0182870.   | 2.5 | 55        |
| 47 | Silibinin and colorectal cancer chemoprevention: a comprehensive review on mechanisms and efficacy. <i>Journal of Biomedical Research</i> , 2016, 30, 452.  | 1.6 | 27        |
| 48 | Mustard vesicating agent-induced toxicity in the skin tissue and silibinin as a potential countermeasure. <i>Annals of the New York Academy of Sciences</i> , 2016, 1374, 184-192.  | 3.8 | 29        |
| 49 | Corneal toxicity induced by vesicating agents and effective treatment options. <i>Annals of the New York Academy of Sciences</i> , 2016, 1374, 193-201.   | 3.8 | 34        |
| 50 | A novel alkaloid, evodiamine causes nuclear localization of cytochrome-c and induces apoptosis independent of p53 in human lung cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2016, 477, 1065-1071.            | 2.1 | 49        |
| 51 | Nitrogen Mustard-Induced Corneal Injury Involves DNA Damage and Pathways Related to Inflammation, Epithelial-Stromal Separation, and Neovascularization. <i>Cornea</i> , 2016, 35, 257-266.   | 1.7 | 41        |
| 52 | Talarolutins A-D: Meroterpenoids from an endophytic fungal isolate of <i>Talaromyces minioluteus</i> . <i>Phytochemistry</i> , 2016, 126, 4-10.   | 2.9 | 17        |
| 53 | Beneficial effects of the naturally occurring flavonoid silibinin on the prostate cancer microenvironment: role of monocyte chemotactic protein-1 and immune cell recruitment. <i>Carcinogenesis</i> , 2016, 37, 589-599.                   | 2.8 | 36        |
| 54 | Promise of bitter melon ( <i>Momordica charantia</i> ) bioactives in cancer prevention and therapy. <i>Seminars in Cancer Biology</i> , 2016, 40-41, 116-129.   | 9.6 | 63        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Implications of cancer stem cells in developing therapeutic resistance in oral cancer. <i>Oral Oncology</i> , 2016, 62, 122-135.   | 1.5 | 57        |
| 56 | Graviola inhibits hypoxia-induced NADPH oxidase activity in prostate cancer cells reducing their proliferation and clonogenicity. <i>Scientific Reports</i> , 2016, 6, 23135.  | 3.3 | 42        |
| 57 | Pannorin B, a new naphthopyrone from an endophytic fungal isolate of <i>Penicillium</i> sp. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 164-167.  | 1.9 | 12        |
| 58 | Silibinin and its 2,3-dehydro derivative inhibit basal cell carcinoma growth via suppression of mitogenic signaling and transcription factors activation. <i>Molecular Carcinogenesis</i> , 2016, 55, 3-14.  | 2.7 | 28        |
| 59 | Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.  | 9.1 | 4,701     |
| 60 | Clinical progression of ocular injury following arsenical vesicant lewisite exposure. <i>Cutaneous and Ocular Toxicology</i> , 2016, 35, 319-328.  | 1.3 | 28        |
| 61 | Inulanolide A as a new dual inhibitor of NFAT1-MDM2 pathway for breast cancer therapy. <i>Oncotarget</i> , 2016, 7, 32566-32578.   | 1.8 | 27        |
| 62 | Identification of lineariifolianoid A as a novel dual NFAT1 and MDM2 inhibitor for human cancer therapy. <i>Journal of Biomedical Research</i> , 2016, 30, 322-33.   | 1.6 | 23        |
| 63 | Chemopreventive opportunities to control basal cell carcinoma: Current perspectives. <i>Molecular Carcinogenesis</i> , 2015, 54, 688-697.  | 2.7 | 6         |
| 64 | Asiatic acid induces endoplasmic reticulum stress and apoptotic death in glioblastoma multiforme cells both in vitro and in vivo. <i>Molecular Carcinogenesis</i> , 2015, 54, 1417-1429.   | 2.7 | 33        |
| 65 | Procyanidin B2 3,3&#243;-di-O-gallate Inhibits Endothelial Cells Growth and Motility by Targeting VEGFR2 and Integrin Signaling Pathways. <i>Current Cancer Drug Targets</i> , 2015, 15, 14-26.  | 1.6 | 18        |
| 66 | Silibinin enhances the repair of ultraviolet B-induced DNA damage by activating p53-dependent nucleotide excision repair mechanism in human dermal fibroblasts. <i>Oncotarget</i> , 2015, 6, 39594-39606.  | 1.8 | 23        |
| 67 | Chemopreventive and Anticancer Efficacy of Silibinin Against Colorectal Cancer. , 2015, , 339-350.   |     | 1         |
| 68 | Bitter melon juice targets molecular mechanisms underlying gemcitabine resistance in pancreatic cancer cells. <i>International Journal of Oncology</i> , 2015, 46, 1849-1857.  | 3.3 | 22        |
| 69 | Grape seed extract targets mitochondrial electron transport chain complex III and induces oxidative and metabolic stress leading to cytoprotective autophagy and apoptotic death in human head and neck cancer cells. <i>Molecular Carcinogenesis</i> , 2015, 54, 1734-1747. | 2.7 | 17        |
| 70 | Silibinin prevents prostate cancer cell-mediated differentiation of na <sup>+</sup> ve fibroblasts into cancer-associated fibroblast phenotype by targeting TGF $\beta$ 2. <i>Molecular Carcinogenesis</i> , 2015, 54, 730-741.  | 2.7 | 32        |
| 71 | Nitrogen mustard exposure of murine skin induces DNA damage, oxidative stress and activation of MAPK/Akt-AP1 pathway leading to induction of inflammatory and proteolytic mediators. <i>Toxicology Letters</i> , 2015, 235, 161-171.   | 0.8 | 58        |
| 72 | Flavanone silibinin treatment attenuates nitrogen mustard-induced toxic effects in mouse skin. <i>Toxicology and Applied Pharmacology</i> , 2015, 285, 71-78.  | 2.8 | 26        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Inhibition of Lipid Oxidation Increases Glucose Metabolism and Enhances 2-Deoxy-2-[18F]Fluoro-d-Glucose Uptake in Prostate Cancer Mouse Xenografts. <i>Molecular Imaging and Biology</i> , 2015, 17, 529-538.  | 2.6  | 54        |
| 74 | Phylogenetic and chemical diversity of fungal endophytes isolated from <i>Silybum marianum</i> (L) Gaertn. (milk thistle). <i>Mycology</i> , 2015, 6, 8-27.  | 4.4  | 29        |
| 75 | An Overview of Ultraviolet B Radiation-Induced Skin Cancer Chemoprevention by Silibinin. <i>Current Pharmacology Reports</i> , 2015, 1, 206-215.   | 3.0  | 49        |
| 76 | Silibinin Preferentially Radiosensitizes Prostate Cancer by Inhibiting DNA Repair Signaling. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2722-2734.   | 4.1  | 33        |
| 77 | Grape seed extract and resveratrol prevent 4-nitroquinoline oxide induced oral tumorigenesis in mice by modulating AMPK activation and associated biological responses. <i>Molecular Carcinogenesis</i> , 2015, 54, 291-300.                                     | 2.7  | 31        |
| 78 | Topical nitrogen mustard exposure causes systemic toxic effects in mice. <i>Experimental and Toxicologic Pathology</i> , 2015, 67, 161-170.  | 2.1  | 22        |
| 79 | Exosomes secreted under hypoxia enhance invasiveness and stemness of prostate cancer cells by targeting adherens junction molecules. <i>Molecular Carcinogenesis</i> , 2015, 54, 554-565.  | 2.7  | 324       |
| 80 | Hypoxia induces triglycerides accumulation in prostate cancer cells and extracellular vesicles supporting growth and invasiveness following reoxygenation. <i>Oncotarget</i> , 2015, 6, 22836-22856.   | 1.8  | 85        |
| 81 | Cutaneous Injury-Related Structural Changes and Their Progression following Topical Nitrogen Mustard Exposure in Hairless and Haired Mice. <i>PLoS ONE</i> , 2014, 9, e85402.  | 2.5  | 19        |
| 82 | Activation of DNA damage repair pathways in response to nitrogen mustard-induced DNA damage and toxicity in skin keratinocytes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2014, 763-764, 53-63.                           | 1.0  | 31        |
| 83 | SNAIL1 is critical for the aggressiveness of prostate cancer cells with low E-cadherin. <i>Molecular Cancer</i> , 2014, 13, 37.  | 19.2 | 75        |
| 84 | Characterization of azoxymethane-induced colon tumor metastasis to lung in a mouse model relevant to human sporadic colorectal cancer and evaluation of grape seed extract efficacy. <i>Experimental and Toxicologic Pathology</i> , 2014, 66, 235-242.          | 2.1  | 17        |
| 85 | Histopathological and immunohistochemical evaluation of nitrogen mustard-induced cutaneous effects in SKH-1 hairless and C57BL/6 mice. <i>Experimental and Toxicologic Pathology</i> , 2014, 66, 129-138.  | 2.1  | 32        |
| 86 | Catalytic antioxidant AEOL 10150 treatment ameliorates sulfur mustard analog 2-chloroethyl ethyl sulfide-associated cutaneous toxic effects. <i>Free Radical Biology and Medicine</i> , 2014, 72, 285-295.   | 2.9  | 36        |
| 87 | Procyanidin B2 3,3'-di-O-gallate, a Biologically Active Constituent of Grape Seed Extract, Induces Apoptosis in Human Prostate Cancer Cells Via Targeting NF- $\kappa$ B, Stat3, and AP1 Transcription Factors. <i>Nutrition and Cancer</i> , 2014, 66, 736-746. | 2.0  | 30        |
| 88 | The strategies to control prostate cancer by chemoprevention approaches. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2014, 760, 1-15.   | 1.0  | 30        |
| 89 | Myeloperoxidase deficiency attenuates nitrogen mustard-induced skin injuries. <i>Toxicology</i> , 2014, 320, 25-33.  | 4.2  | 18        |
| 90 | Silibinin inhibits fibronectin induced motility, invasiveness and survival in human prostate carcinoma PC3 cells via targeting integrin signaling. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2014, 768, 35-46.            | 1.0  | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Silibinin inhibits ultraviolet B radiation-induced DNA-damage and apoptosis by enhancing interleukin-12 expression in JB6 cells and SKH-1 hairless mouse skin. <i>Molecular Carcinogenesis</i> , 2014, 53, 471-479.                                 | 2.7 | 16        |
| 92  | Silibinin inhibits prostate cancer cells' and RANKL-induced osteoclastogenesis by targeting NFATc1, NF- $\kappa$ B, and AP-1 activation in RAW264.7 cells. <i>Molecular Carcinogenesis</i> , 2014, 53, 169-180.                                     | 2.7 | 48        |
| 93  | Methods to Analyze Chemopreventive Effect of Silibinin on Prostate Cancer Biomarkers Protein Expression. <i>Methods in Pharmacology and Toxicology</i> , 2014, , 85-105.  | 0.2 | 2         |
| 94  | Silibinin strongly inhibits the growth kinetics of colon cancer stem cell-enriched spheroids by modulating interleukin 4/6-mediated survival signals. <i>Oncotarget</i> , 2014, 5, 4972-4989.   | 1.8 | 59        |
| 95  | Functional modification of adipocytes by grape seed extract impairs their pro-tumorigenic signaling on colon cancer stem cells and the daughter cancer cells. <i>Oncotarget</i> , 2014, 5, 10151-10169.   | 1.8 | 9         |
| 96  | Silibinin inhibits aberrant lipid metabolism, proliferation and emergence of androgen-independence in prostate cancer cells via primarily targeting the sterol response element binding protein 1. <i>Oncotarget</i> , 2014, 5, 10017-10033.        | 1.8 | 53        |
| 97  | Target Identification of Grape Seed Extract in Colorectal Cancer Using Drug Affinity Responsive Target Stability (DARTS) Technique: Role of Endoplasmic Reticulum Stress Response Proteins. <i>Current Cancer Drug Targets</i> , 2014, 14, 323-336. | 1.6 | 26        |
| 98  | Effect of silibinin in human colorectal cancer cells: Targeting the activation of NF- $\kappa$ B signaling. <i>Molecular Carcinogenesis</i> , 2013, 52, 195-206.  | 2.7 | 69        |
| 99  | Inositol Hexaphosphate Inhibits Tumor Growth, Vascularity, and Metabolism in TRAMP Mice: A Multiparametric Magnetic Resonance Study. <i>Cancer Prevention Research</i> , 2013, 6, 40-50.  | 1.5 | 38        |
| 100 | Role of oxidative stress in cytotoxicity of grape seed extract in human bladder cancer cells. <i>Food and Chemical Toxicology</i> , 2013, 61, 187-195.  | 3.6 | 24        |
| 101 | Differential effects of grape seed extract against human colorectal cancer cell lines: The intricate role of death receptors and mitochondria. <i>Cancer Letters</i> , 2013, 334, 69-78.  | 7.2 | 33        |
| 102 | Absence of a p53 allele delays nitrogen mustard-induced early apoptosis and inflammation of murine skin. <i>Toxicology</i> , 2013, 311, 184-190.  | 4.2 | 11        |
| 103 | In vitro and in vivo anticancer efficacy of silibinin against human pancreatic cancer BxPC-3 and PANC-1 cells. <i>Cancer Letters</i> , 2013, 334, 109-117.  | 7.2 | 47        |
| 104 | Molecular Mechanisms of Silibinin-Mediated Cancer Chemoprevention with Major Emphasis on Prostate Cancer. <i>AAPS Journal</i> , 2013, 15, 707-716.  | 4.4 | 71        |
| 105 | Differential Effect of Grape Seed Extract against Human Non-small-Cell Lung Cancer Cells: The Role of Reactive Oxygen Species and Apoptosis Induction. <i>Nutrition and Cancer</i> , 2013, 65, 44-53.   | 2.0 | 23        |
| 106 | Chemopreventive and Anti-Cancer Efficacy of Silibinin Against Growth and Progression of Lung Cancer. <i>Nutrition and Cancer</i> , 2013, 65, 3-11.  | 2.0 | 61        |
| 107 | Promise and potential of silibinin in colorectal cancer management: what patterns can be seen?. <i>Future Oncology</i> , 2013, 9, 759-761.  | 2.4 | 7         |
| 108 | Deletion of <i>p21/Cdkn1a</i> confers protective effect against prostate tumorigenesis in transgenic adenocarcinoma of the mouse prostate model. <i>Cell Cycle</i> , 2013, 12, 1598-1604.   | 2.6 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Grape Seed Extract Efficacy against Azoxymethane-Induced Colon Tumorigenesis in A/J Mice: Interlinking miRNA with Cytokine Signaling and Inflammation. <i>Cancer Prevention Research</i> , 2013, 6, 625-633.  | 1.5 | 37        |
| 110 | Identifying Molecular Targets of Lifestyle Modifications in Colon Cancer Prevention. <i>Frontiers in Oncology</i> , 2013, 3, 119.   | 2.8 | 55        |
| 111 | Energy deprivation by silibinin in colorectal cancer cells. <i>Autophagy</i> , 2013, 9, 697-713.  | 9.1 | 80        |
| 112 | Silibinin Synergizes with Histone Deacetylase and DNA Methyltransferase Inhibitors in Upregulating E-cadherin Expression Together with Inhibition of Migration and Invasion of Human Non-small Cell Lung Cancer Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 345, 206-214. | 2.5 | 75        |
| 113 | Bitter melon juice activates cellular energy sensor AMP-activated protein kinase causing apoptotic death of human pancreatic carcinoma cells. <i>Carcinogenesis</i> , 2013, 34, 1585-1592.  | 2.8 | 54        |
| 114 | Clinically-Relevant Cutaneous Lesions by Nitrogen Mustard: Useful Biomarkers of Vesicants Skin Injury in SKH-1 Hairless and C57BL/6 Mice. <i>PLoS ONE</i> , 2013, 8, e67557.  | 2.5 | 20        |
| 115 | Anti-Cancer Efficacy of Silybin Derivatives - A Structure-Activity Relationship. <i>PLoS ONE</i> , 2013, 8, e60074.   | 2.5 | 55        |
| 116 | Targeting Tumor Microenvironment with Silibinin: Promise and Potential for a Translational Cancer Chemopreventive Strategy. <i>Current Cancer Drug Targets</i> , 2013, 13, 486-499.   | 1.6 | 56        |
| 117 | Metformin suppresses growth of human head and neck squamous cell carcinoma via global inhibition of protein translation. <i>Cell Cycle</i> , 2012, 11, 1374-1382.   | 2.6 | 82        |
| 118 | Poly[3-(3, 4-dihydroxyphenyl) glyceric acid] from Comfrey exerts anti-cancer efficacy against human prostate cancer via targeting androgen receptor, cell cycle arrest and apoptosis. <i>Carcinogenesis</i> , 2012, 33, 1572-1580.  | 2.8 | 10        |
| 119 | Epigenetic modifications and p21-cyclin B1 nexus in anticancer effect of histone deacetylase inhibitors in combination with silibinin on non-small cell lung cancer cells. <i>Epigenetics</i> , 2012, 7, 1161-1172.   | 2.7 | 49        |
| 120 | Silibinin prevents ultraviolet B radiation-induced epidermal damages in JB6 cells and mouse skin in a p53-GADD45-dependent manner. <i>Carcinogenesis</i> , 2012, 33, 629-636.   | 2.8 | 39        |
| 121 | Silibinin, dexamethasone, and doxycycline as potential therapeutic agents for treating vesicant-inflicted ocular injuries. <i>Toxicology and Applied Pharmacology</i> , 2012, 264, 23-31.   | 2.8 | 45        |
| 122 | Angiopreventive Efficacy of Pure Flavonolignans from Milk Thistle Extract against Prostate Cancer: Targeting VEGF-VEGFR Signaling. <i>PLoS ONE</i> , 2012, 7, e34630.   | 2.5 | 49        |
| 123 | Silibinin modulates TNF $\alpha$ and IFN $\gamma$ mediated signaling to regulate COX2 and iNOS expression in tumorigenic mouse lung epithelial LM2 cells. <i>Molecular Carcinogenesis</i> , 2012, 51, 832-842.  | 2.7 | 58        |
| 124 | Generation of reactive oxygen species by grape seed extract causes irreparable DNA damage leading to G2/M arrest and apoptosis selectively in head and neck squamous cell carcinoma cells. <i>Carcinogenesis</i> , 2012, 33, 848-858.   | 2.8 | 50        |
| 125 | Silibinin Is a Potent Sensitizer of UVA Radiation-induced Oxidative Stress and Apoptosis in Human Keratinocyte HaCaT Cells. <i>Photochemistry and Photobiology</i> , 2012, 88, 1135-1140.   | 2.5 | 37        |
| 126 | Glucuronidation and Methylation of Procyanidin Dimers B2 and 3,3'-Di-O-Galloyl-B2 and Corresponding Monomers Epicatechin and 3-O-Galloyl-Epicatechin in Mouse Liver. <i>Pharmaceutical Research</i> , 2012, 29, 856-865.  | 3.5 | 13        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Silibinin Attenuates Sulfur Mustard Analog-Induced Skin Injury by Targeting Multiple Pathways Connecting Oxidative Stress and Inflammation. <i>PLoS ONE</i> , 2012, 7, e46149.   | 2.5 | 61        |
| 128 | Sulfur mustard analog, 2-chloroethyl ethyl sulfide-induced skin injury involves DNA damage and induction of inflammatory mediators, in part via oxidative stress, in SKH-1 hairless mouse skin. <i>Toxicology Letters</i> , 2011, 205, 293-301.        | 0.8 | 48        |
| 129 | Asiatic Acid Inhibits Pro-Angiogenic Effects of VEGF and Human Gliomas in Endothelial Cell Culture Models. <i>PLoS ONE</i> , 2011, 6, e22745.  | 2.5 | 59        |
| 130 | Mechanisms of sulfur mustard analog 2-chloroethyl ethyl sulfide-induced DNA damage in skin epidermal cells and fibroblasts. <i>Free Radical Biology and Medicine</i> , 2011, 51, 2272-2280.  | 2.9 | 51        |
| 131 | 2-Chloroethyl ethyl sulfide causes microvesication and inflammation-related histopathological changes in male hairless mouse skin. <i>Toxicology</i> , 2011, 282, 129-138.   | 4.2 | 39        |
| 132 | Silibinin Prevents Lung Tumorigenesis in Wild-Type but not in iNOS <sup>-/-</sup> Mice: Potential of Real-Time Micro-CT in Lung Cancer Chemoprevention Studies. <i>Clinical Cancer Research</i> , 2011, 17, 753-761.                                   | 7.0 | 52        |
| 133 | Role of E-cadherin in Antimigratory and Antiinvasive Efficacy of Silibinin in Prostate Cancer Cells. <i>Cancer Prevention Research</i> , 2011, 4, 1222-1232.   | 1.5 | 70        |
| 134 | Efficacy of Glutathione in Ameliorating Sulfur Mustard Analog-Induced Toxicity in Cultured Skin Epidermal Cells and in SKH-1 Mouse Skin In Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 336, 450-459.                    | 2.5 | 55        |
| 135 | Antimetastatic efficacy of silibinin: molecular mechanisms and therapeutic potential against cancer. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 447-463.   | 5.9 | 212       |
| 136 | Influence of Gallate Esterification on the Activity of Procyanidin B2 in Androgen-Dependent Human Prostate Carcinoma LNCaP Cells. <i>Pharmaceutical Research</i> , 2010, 27, 619-627.  | 3.5 | 22        |
| 137 | Silibinin Exerts Sustained Growth Suppressive Effect against Human Colon Carcinoma SW480 Xenograft by Targeting Multiple Signaling Molecules. <i>Pharmaceutical Research</i> , 2010, 27, 2085-2097.  | 3.5 | 46        |
| 138 | Inositol hexaphosphate downregulates both constitutive and ligand-induced mitogenic and cell survival signaling, and causes caspase-mediated apoptotic death of human prostate carcinoma PC-3 cells. <i>Molecular Carcinogenesis</i> , 2010, 49, 1-12. | 2.7 | 27        |
| 139 | Silibinin inhibits human nonsmall cell lung cancer cell growth through cell cycle arrest by modulating expression and function of key cell cycle regulators. <i>Molecular Carcinogenesis</i> , 2010, 49, 247-258.                                      | 2.7 | 81        |
| 140 | Dietary feeding of grape seed extract prevents azoxymethane-induced colonic aberrant crypt foci formation in fischer 344 rats. <i>Molecular Carcinogenesis</i> , 2010, 49, 641-652.  | 2.7 | 62        |
| 141 | A study of high-dose oral silybin-phytosome followed by prostatectomy in patients with localized prostate cancer. <i>Prostate</i> , 2010, 70, 848-855.   | 2.3 | 141       |
| 142 | Inhibitory Effect of Silibinin against Azoxymethane-Induced Colon Tumorigenesis in A/J Mice. <i>Clinical Cancer Research</i> , 2010, 16, 4595-4606.  | 7.0 | 56        |
| 143 | Chemoprevention of Intestinal Tumorigenesis in APC <sup>min/+</sup> Mice by Silibinin. <i>Cancer Research</i> , 2010, 70, 2368-2378.   | 0.9 | 84        |
| 144 | Silibinin Suppresses Growth of Human Colorectal Carcinoma SW480 Cells in Culture and Xenograft through Down-regulation of $\beta$ -Catenin-Dependent Signaling. <i>Neoplasia</i> , 2010, 12, 415-424.  | 5.3 | 98        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Biological and Molecular Mechanisms of Sulfur Mustard Analogue-Induced Toxicity in JB6 and HaCaT Cells: Possible Role of Ataxia Telangiectasia-Mutated/Ataxia Telangiectasia-Rad3-Related Cell Cycle Checkpoint Pathway. <i>Chemical Research in Toxicology</i> , 2010, 23, 1034-1044. | 3.3 | 61        |
| 146 | Abstract 5650: Silibinin inhibits epithelial to mesenchymal transition in prostate cancer cells: Role of E-cadherin and beyond. , 2010, , .  |     | 1         |
| 147 | Abstract 5661: Silibinin inhibits advanced human prostate carcinoma-induced osteoclastogenesis. , 2010, , .  |     | 1         |
| 148 | Anticancer and Cancer Chemopreventive Potential of Grape Seed Extract and Other Grape-Based Products. <i>Journal of Nutrition</i> , 2009, 139, 1806S-1812S.  | 2.9 | 188       |
| 149 | Silibinin Feeding Alters the Metabolic Profile in TRAMP Prostatic Tumors: 1H-NMRSâ€‘Based Metabolomics Study. <i>Cancer Research</i> , 2009, 69, 3731-3735.  | 0.9 | 44        |
| 150 | Silibinin Suppresses Growth of Human Prostate Carcinoma PC-3 Orthotopic Xenograft via Activation of Extracellular Signal-Regulated Kinase 1/2 and Inhibition of Signal Transducers and Activators of Transcription Signaling. <i>Clinical Cancer Research</i> , 2009, 15, 613-621.     | 7.0 | 93        |
| 151 | Silibinin suppresses growth and induces apoptotic death of human colorectal carcinoma LoVo cells in culture and tumor xenograft. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 2366-2374.  | 4.1 | 81        |
| 152 | p21/Cip1 and p27/Kip1 Are Essential Molecular Targets of Inositol Hexaphosphate for Its Antitumor Efficacy against Prostate Cancer. <i>Cancer Research</i> , 2009, 69, 1166-1173.  | 0.9 | 61        |
| 153 | Inflammatory Biomarkers of Sulfur Mustard Analog 2-Chloroethyl Ethyl Sulfideâ€‘Induced Skin Injury in SKH-1 Hairless Mice. <i>Toxicological Sciences</i> , 2009, 108, 194-206.   | 3.1 | 75        |
| 154 | Growth Inhibition and Regression of Lung Tumors by Silibinin: Modulation of Angiogenesis by Macrophage-Associated Cytokines and Nuclear Factor-Î² and Signal Transducers and Activators of Transcription 3. <i>Cancer Prevention Research</i> , 2009, 2, 74-83.                        | 1.5 | 105       |
| 155 | Sulfur mustard analog induces oxidative stress and activates signaling cascades in the skin of SKH-1 hairless mice. <i>Free Radical Biology and Medicine</i> , 2009, 47, 1640-1651.  | 2.9 | 76        |
| 156 | Gallic Acid, an Active Constituent of Grape Seed Extract, Exhibits Anti-proliferative, Pro-apoptotic and Anti-tumorigenic Effects Against Prostate Carcinoma Xenograft Growth in Nude Mice. <i>Pharmaceutical Research</i> , 2009, 26, 2133-2140.                                      | 3.5 | 197       |
| 157 | Silibinin Suppresses Spontaneous Tumorigenesis in APC min/+ Mouse Model by Modulating Beta-Catenin Pathway. <i>Pharmaceutical Research</i> , 2009, 26, 2558-2567.  | 3.5 | 38        |
| 158 | Cosmeceuticals and silibinin. <i>Clinics in Dermatology</i> , 2009, 27, 479-484.   | 1.6 | 62        |
| 159 | Silibinin Impairs Constitutively Active TGFÎ±-EGFR Autocrine Loop in Advanced Human Prostate Carcinoma Cells. <i>Pharmaceutical Research</i> , 2008, 25, 2143-2150.  | 3.5 | 29        |
| 160 | Natural products and colon cancer: current status and future prospects. <i>Drug Development Research</i> , 2008, 69, 460-471.  | 2.9 | 149       |
| 161 | Identifying the differential effects of silymarin constituents on cell growth and cell cycle regulatory molecules in human prostate cancer cells. <i>International Journal of Cancer</i> , 2008, 123, 41-50.   | 5.1 | 66        |
| 162 | Iso-silibinin inhibits advanced human prostate cancer growth in athymic nude mice: Comparison with silymarin and silibinin. <i>International Journal of Cancer</i> , 2008, 123, 2750-2758.   | 5.1 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Photoprotective Effects of Bucillamine Against UV-induced Damage in an SKH-1 Hairless Mouse Model. Photochemistry and Photobiology, 2008, 84, 477-483.  | 2.5 | 10        |
| 164 | Multitargeted therapy of cancer by silymarin. Cancer Letters, 2008, 269, 352-362.   | 7.2 | 349       |
| 165 | Chemopreventive effects of oral gallic acid feeding on tumor growth and progression in TRAMP mice. Molecular Cancer Therapeutics, 2008, 7, 1258-1267.   | 4.1 | 105       |
| 166 | Downregulation of both p21/Cip1 and p27/Kip1 produces a more aggressive prostate cancer phenotype. Cell Cycle, 2008, 7, 1828-1835.  | 2.6 | 48        |
| 167 | Stage-Specific Inhibitory Effects and Associated Mechanisms of Silibinin on Tumor Progression and Metastasis in Transgenic Adenocarcinoma of the Mouse Prostate Model. Cancer Research, 2008, 68, 6822-6830.  | 0.9 | 96        |
| 168 | Oral Silibinin Inhibits <i>In vivo</i> Human Bladder Tumor Xenograft Growth Involving Down-Regulation of Survivin. Clinical Cancer Research, 2008, 14, 300-308.   | 7.0 | 88        |
| 169 | Silibinin Inhibits Established Prostate Tumor Growth, Progression, Invasion, and Metastasis and Suppresses Tumor Angiogenesis and Epithelial-Mesenchymal Transition in Transgenic Adenocarcinoma of the Mouse Prostate Model Mice. Clinical Cancer Research, 2008, 14, 7773-7780. | 7.0 | 146       |
| 170 | Kava, a Tonic for Relieving the Irrational Development of Natural Preventive Agents. Cancer Prevention Research, 2008, 1, 409-412.  | 1.5 | 8         |
| 171 | Inhibition of Azoxymethane-Induced Colonic Aberrant Crypt Foci Formation by Silibinin in Male Fisher 344 Rats. Cancer Prevention Research, 2008, 1, 376-384.  | 1.5 | 50        |
| 172 | Silibinin Inhibits Colorectal Cancer Growth by Inhibiting Tumor Cell Proliferation and Angiogenesis. Cancer Research, 2008, 68, 2043-2050.  | 0.9 | 147       |
| 173 | Silibinin inhibits cytokine-induced signaling cascades and down-regulates inducible nitric oxide synthase in human lung carcinoma A549 cells. Molecular Cancer Therapeutics, 2008, 7, 1817-1826.  | 4.1 | 64        |
| 174 | Dietary Feeding of Silibinin Inhibits Prostate Tumor Growth and Progression in Transgenic Adenocarcinoma of the Mouse Prostate Model. Cancer Research, 2007, 67, 11083-11091.   | 0.9 | 71        |
| 175 | Silibinin suppresses <i>in vivo</i> growth of human prostate carcinoma PC-3 tumor xenograft. Carcinogenesis, 2007, 28, 2567-2574.   | 2.8 | 68        |
| 176 | Silibinin inhibits constitutive activation of Stat3, and causes caspase activation and apoptotic death of human prostate carcinoma DU145 cells. Carcinogenesis, 2007, 28, 1463-1470.  | 2.8 | 117       |
| 177 | Chemopreventive Efficacy of Silymarin in Skin and Prostate Cancer. Integrative Cancer Therapies, 2007, 6, 130-145.  | 2.0 | 103       |
| 178 | Oral Grape Seed Extract Inhibits Prostate Tumor Growth and Progression in TRAMP Mice. Cancer Research, 2007, 67, 5976-5982.   | 0.9 | 94        |
| 179 | Chemopreventive effects of silymarin and silibinin on <i>N</i> -butyl- <i>N</i> -(4-hydroxybutyl) nitrosamine-induced urinary bladder carcinogenesis in male ICR mice. Molecular Cancer Therapeutics, 2007, 6, 3248-3255.   | 4.1 | 58        |
| 180 | Silibinin Inhibits Inflammatory and Angiogenic Attributes in Photocarcinogenesis in SKH-1 Hairless Mice. Cancer Research, 2007, 67, 3483-3491.  | 0.9 | 139       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Fractionation of high molecular weight tannins in grape seed extract and identification of procyanidin B2-3,3â€²-di-O-gallate as a major active constituent causing growth inhibition and apoptotic death of DU145 human prostate carcinoma cells. <i>Carcinogenesis</i> , 2007, 28, 1478-1484. | 2.8 | 74        |
| 182 | p21 and p27 induction by silibinin is essential for its cell cycle arrest effect in prostate carcinoma cells. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 2696-2707.  | 4.1 | 123       |
| 183 | Silibinin synergizes with mitoxantrone to inhibit cell growth and induce apoptosis in human prostate cancer cells. <i>International Journal of Cancer</i> , 2007, 120, 2028-2033.   | 5.1 | 51        |
| 184 | Combinatorial strategies for cancer eradication by silibinin and cytotoxic agents: efficacy and mechanisms. <i>Acta Pharmacologica Sinica</i> , 2007, 28, 1466-1475.  | 6.1 | 65        |
| 185 | Grape Seed Extract Inhibits <i>in vitro</i> and <i>in vivo</i> Growth of Human Colorectal Carcinoma Cells. <i>Clinical Cancer Research</i> , 2006, 12, 6194-6202.   | 7.0 | 155       |
| 186 | Fractionation of grape seed extract and identification of gallic acid as one of the major active constituents causing growth inhibition and apoptotic death of DU145 human prostate carcinoma cells. <i>Carcinogenesis</i> , 2006, 27, 1445-1453.   | 2.8 | 156       |
| 187 | A phase I and pharmacokinetic study of silybin-phytosome in prostate cancer patients. <i>Investigational New Drugs</i> , 2006, 25, 139-146.   | 2.6 | 259       |
| 188 | Prostate cancer chemoprevention by silibinin: Bench to bedside. <i>Molecular Carcinogenesis</i> , 2006, 45, 436-442.  | 2.7 | 126       |
| 189 | Grape seed extract induces anoikis and caspase-mediated apoptosis in human prostate carcinoma LNCaP cells: possible role of ataxia telangiectasia mutatedâ€™p53 activation. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 1265-1274.  | 4.1 | 68        |
| 190 | Effect of Silibinin on the Growth and Progression of Primary Lung Tumors in Mice. <i>Journal of the National Cancer Institute</i> , 2006, 98, 846-855.  | 6.3 | 150       |
| 191 | Silibinin inhibits UVB- and epidermal growth factorâ€™induced mitogenic and cell survival signaling involving activator protein-1 and nuclear factor-Î² in mouse epidermal JB6 cells. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 1145-1153.  | 4.1 | 41        |
| 192 | Silibinin activates p53-caspase 2 pathway and causes caspase-mediated cleavage of Cip1/p21 in apoptosis induction in bladder transitional-cell papilloma RT4 cells: evidence for a regulatory loop between p53 and caspase 2. <i>Carcinogenesis</i> , 2006, 27, 2269-2280.                      | 2.8 | 73        |
| 193 | Differential effect of silibinin on E2F transcription factors and associated biological events in chronically UVB-exposed skin versus tumors in SKH-1 hairless mice. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 2121-2129.   | 4.1 | 22        |
| 194 | Mechanisms of action of novel agents for prostate cancer chemoprevention. <i>Endocrine-Related Cancer</i> , 2006, 13, 751-778.  | 3.1 | 121       |
| 195 | Gallic acid causes inactivating phosphorylation of cdc25A/cdc25C-cdc2 via ATM-Chk2 activation, leading to cell cycle arrest, and induces apoptosis in human prostate carcinoma DU145 cells. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 3294-3302.  | 4.1 | 114       |
| 196 | Anticancer potential of silymarin: from bench to bed side. <i>Anticancer Research</i> , 2006, 26, 4457-98.  | 1.1 | 210       |
| 197 | Silibinin strongly inhibits growth and survival of human endothelial cells via cell cycle arrest and downregulation of survivin, Akt and NF-Î²B: implications for angioprevention and antiangiogenic therapy. <i>Oncogene</i> , 2005, 24, 1188-1202.  | 5.9 | 140       |
| 198 | Dietary Feeding of Silibinin Prevents Early Biomarkers of UVB Radiation-Induced Carcinogenesis in SKH-1 Hairless Mouse Epidermis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1344-1349.   | 2.5 | 60        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Silibinin inhibits ultraviolet B radiation-induced mitogenic and survival signaling, and associated biological responses in SKH-1 mouse skin. <i>Carcinogenesis</i> , 2005, 26, 1404-1413.   | 2.8 | 64        |
| 200 | Silibinin Efficacy against Human Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2005, 11, 8441-8448.  | 7.0 | 123       |
| 201 | Silibinin Up-regulates DNA-Protein Kinase-dependent p53 Activation to Enhance UVB-induced Apoptosis in Mouse Epithelial JB6 Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 20375-20383.  | 3.4 | 61        |
| 202 | Mechanisms and preclinical efficacy of silibinin in preventing skin cancer. <i>European Journal of Cancer</i> , 2005, 41, 1969-1979.   | 2.8 | 131       |
| 203 | Milk Thistle and Prostate Cancer: Differential Effects of Pure Flavonolignans from <i>Silybum marianum</i> on Antiproliferative End Points in Human Prostate Carcinoma Cells. <i>Cancer Research</i> , 2005, 65, 4448-4457.  | 0.9 | 194       |
| 204 | Prostate Cancer Prevention by Silibinin. <i>Current Cancer Drug Targets</i> , 2004, 4, 1-11.   | 1.6 | 119       |
| 205 | Silibinin Protects against Photocarcinogenesis via Modulation of Cell Cycle Regulators, Mitogen-Activated Protein Kinases, and Akt Signaling. <i>Cancer Research</i> , 2004, 64, 6349-6356.  | 0.9 | 137       |
| 206 | Oral Silibinin Inhibits Lung Tumor Growth in Athymic Nude Mice and Forms a Novel Chemocombination with Doxorubicin Targeting Nuclear Factor $\kappa$ B-Mediated Inducible Chemoresistance. <i>Clinical Cancer Research</i> , 2004, 10, 8641-8647.                    | 7.0 | 116       |
| 207 | Silibinin prevents ultraviolet radiation-caused skin damages in SKH-1 hairless mice via a decrease in thymine dimer positive cells and an up-regulation of p53-p21/Cip1 in epidermis. <i>Carcinogenesis</i> , 2004, 25, 1459-1465.                                   | 2.8 | 85        |
| 208 | Silibinin causes cell cycle arrest and apoptosis in human bladder transitional cell carcinoma cells by regulating CDKI-CDK-cyclin cascade, and caspase 3 and PARP cleavages. <i>Carcinogenesis</i> , 2004, 25, 1711-1720.  | 2.8 | 118       |
| 209 | Synergistic Anti-Cancer Effects of Grape Seed Extract and Conventional Cytotoxic Agent Doxorubicin Against Human Breast Carcinoma Cells. <i>Breast Cancer Research and Treatment</i> , 2004, 85, 1-12.   | 2.5 | 123       |
| 210 | Grape seed extract inhibits advanced human prostate tumor growth and angiogenesis and upregulates insulin-like growth factor binding protein-3. <i>International Journal of Cancer</i> , 2004, 108, 733-740.   | 5.1 | 172       |
| 211 | Silibinin modulates UVB-induced apoptosis via mitochondrial proteins, caspases activation, and mitogen-activated protein kinase signaling in human epidermoid carcinoma A431 cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 183-189. | 2.1 | 42        |
| 212 | Synergistic anti-cancer effects of silibinin with conventional cytotoxic agents doxorubicin, cisplatin and carboplatin against human breast carcinoma MCF-7 and MDA-MB468 cells. <i>Oncology Reports</i> , 2004, 11, 493-9.  | 2.6 | 85        |
| 213 | Silibinin sensitizes human prostate carcinoma DU145 cells to cisplatin- and carboplatin-induced growth inhibition and apoptotic death. <i>International Journal of Cancer</i> , 2003, 106, 699-705.  | 5.1 | 74        |
| 214 | Grape seed extract inhibits EGF-induced and constitutively active mitogenic signaling but activates JNK in human prostate carcinoma DU145 cells: possible role in antiproliferation and apoptosis. <i>Oncogene</i> , 2003, 22, 1302-1316.                            | 5.9 | 135       |
| 215 | Silibinin upregulates the expression of cyclin-dependent kinase inhibitors and causes cell cycle arrest and apoptosis in human colon carcinoma HT-29 cells. <i>Oncogene</i> , 2003, 22, 8271-8282.   | 5.9 | 216       |
| 216 | Silibinin down-regulates survivin protein and mRNA expression and causes caspases activation and apoptosis in human bladder transitional-cell papilloma RT4 cells. <i>Biochemical and Biophysical Research Communications</i> , 2003, 312, 1178-1184.                | 2.1 | 57        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Dual efficacy of silibinin in protecting or enhancing ultraviolet B radiation-caused apoptosis in HaCaT human immortalized keratinocytes. <i>Carcinogenesis</i> , 2003, 25, 99-106.  | 2.8 | 61        |
| 218 | Epidermal Growth Factor Receptor Mediates Silibinin-Induced Cytotoxicity in a Rat Glioma Cell Line. <i>Cancer Biology and Therapy</i> , 2003, 2, 526-531.  | 3.4 | 28        |
| 219 | Inhibition of NF-kappaB pathway in grape seed extract-induced apoptotic death of human prostate carcinoma DU145 cells. <i>International Journal of Oncology</i> , 2003, 23, 721-7.   | 3.3 | 10        |
| 220 | Silibinin induces growth inhibition and apoptotic cell death in human lung carcinoma cells. <i>Anticancer Research</i> , 2003, 23, 2649-55.  | 1.1 | 81        |
| 221 | Suppression of advanced human prostate tumor growth in athymic mice by silibinin feeding is associated with reduced cell proliferation, increased apoptosis, and inhibition of angiogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 933-9.                       | 2.5 | 46        |
| 222 | The Cancer Preventive Flavonoid Silibinin Causes Hypophosphorylation of Rb/p107 and Rb2/p130 Via Modulation of Cell Cycle Regulators in Human Prostate Carcinoma DU145 Cells. <i>Cell Cycle</i> , 2002, 1, 122-127.  | 2.6 | 72        |
| 223 | Silymarin inhibits growth and causes regression of established skin tumors in SENCAR mice via modulation of mitogen-activated protein kinases and induction of apoptosis. <i>Carcinogenesis</i> , 2002, 23, 499-510.   | 2.8 | 129       |
| 224 | Grape seed extract induces apoptotic death of human prostate carcinoma DU145 cells via caspases activation accompanied by dissipation of mitochondrial membrane potential and cytochrome c release. <i>Carcinogenesis</i> , 2002, 23, 1869-1876.   | 2.8 | 142       |
| 225 | Antiproliferative and apoptotic effects of silibinin in rat prostate cancer cells. <i>Prostate</i> , 2002, 53, 211-217.  | 2.3 | 75        |
| 226 | Dietary feeding of silibinin inhibits advance human prostate carcinoma growth in athymic nude mice and increases plasma insulin-like growth factor-binding protein-3 levels. <i>Cancer Research</i> , 2002, 62, 3063-9.  | 0.9 | 144       |
| 227 | Silibinin strongly synergizes human prostate carcinoma DU145 cells to doxorubicin-induced growth inhibition, G2-M arrest, and apoptosis. <i>Clinical Cancer Research</i> , 2002, 8, 3512-9.  | 7.0 | 192       |
| 228 | The cancer preventive flavonoid silibinin causes hypophosphorylation of Rb/p107 and Rb2/p130 via modulation of cell cycle regulators in human prostate carcinoma DU145 cells. <i>Cell Cycle</i> , 2002, 1, 137-42.   | 2.6 | 15        |
| 229 | Inhibition of retinoblastoma protein (Rb) phosphorylation at serine sites and an increase in Rb-E2F complex formation by silibinin in androgen-dependent human prostate carcinoma LNCaP cells: role in prostate cancer prevention. <i>Molecular Cancer Therapeutics</i> , 2002, 1, 525-32. | 4.1 | 41        |
| 230 | Differential Responses of Skin Cancer-Chemopreventive Agents Silibinin, Quercetin, and Epigallocatechin 3-Gallate on Mitogenic Signaling and Cell Cycle Regulators in Human Epidermoid Carcinoma A431 Cells. <i>Nutrition and Cancer</i> , 2001, 39, 292-299.                              | 2.0 | 69        |
| 231 | Inhibitory effect of silibinin on ligand binding to erbB1 and associated mitogenic signaling, growth, and DNA synthesis in advanced human prostate carcinoma cells. <i>Molecular Carcinogenesis</i> , 2001, 30, 224-236.   | 2.7 | 53        |
| 232 | Detrimental effect of cancer preventive phytochemicals silymarin, genistein and epigallocatechin 3-gallate on epigenetic events in human prostate carcinoma DU145 cells. <i>Prostate</i> , 2001, 46, 98-107.   | 2.3 | 89        |
| 233 | Anticarcinogenic Effect of a Polyphenolic Fraction Isolated From Grape Seeds in Human Prostate Carcinoma DU145 Cells: Modulation of Mitogenic Signaling and Cell-Cycle Regulators and Induction of G1 Arrest and Apoptosis. <i>Molecular Carcinogenesis</i> , 2000, 28, 129-138.           | 2.7 | 109       |
| 234 | Cell signaling and regulators of cell cycle as molecular targets for prostate cancer prevention by dietary agents. <i>Biochemical Pharmacology</i> , 2000, 60, 1051-1059.  | 4.4 | 252       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Impairment of erbB1 receptor and fluid-phase endocytosis and associated mitogenic signaling by inositol hexaphosphate in human prostate carcinoma DU145 cells. <i>Carcinogenesis</i> , 2000, 21, 2225-2235.  | 2.8 | 60        |
| 236 | Tissue distribution of silibinin, the major active constituent of silymarin, in mice and its association with enhancement of phase II enzymes: implications in cancer chemoprevention. <i>Carcinogenesis</i> , 1999, 20, 2101-2108.  | 2.8 | 148       |
| 237 | Significant inhibition by the flavonoid antioxidant silymarin against 12-O-tetradecanoylphorbol 13-acetate-caused modulation of antioxidant and inflammatory enzymes, and cyclooxygenase 2 and interleukin-1 $\beta$ expression in SENCAR mouse epidermis: Implications in the prevention of stage I tumor promotion. <i>Molecular Carcinogenesis</i> , 1999, 26, 321-333. | 2.7 | 98        |
| 238 | Inhibition of human carcinoma cell growth and DNA synthesis by silibinin, an active constituent of milk thistle: comparison with silymarin. <i>Cancer Letters</i> , 1999, 147, 77-84.  | 7.2 | 149       |
| 239 | Anti-tumor-promoting activity of a polyphenolic fraction isolated from grape seeds in the mouse skin two-stage initiation-promotion protocol and identification of procyanidin B5-3-gallate as the most effective antioxidant constituent. <i>Carcinogenesis</i> , 1999, 20, 1737-1745.  | 2.8 | 302       |
| 240 | Significant inhibition by the flavonoid antioxidant silymarin against 12-O-tetradecanoylphorbol 13-acetate-caused modulation of antioxidant and inflammatory enzymes, and cyclooxygenase 2 and interleukin-1 $\beta$ expression in SENCAR mouse epidermis: Implications in the prevention of stage I tumor promotion. <i>Molecular Carcinogenesis</i> , 1999, 26, 321-333. | 2.7 | 5         |
| 241 | Protective Effects of Silymarin Against Photocarcinogenesis in a Mouse Skin Model. <i>Journal of the National Cancer Institute</i> , 1997, 89, 556-565.  | 6.3 | 336       |
| 242 | Chemoprevention of Photocarcinogenesis. <i>Photochemistry and Photobiology</i> , 1996, 63, 440-444.  | 2.5 | 22        |
| 243 | Apoptosis is an Early Event During Phthalocyanine Photodynamic Therapy-Induced Ablation of Chemically Induced Squamous Papillomas in Mouse Skin. <i>Photochemistry and Photobiology</i> , 1996, 63, 547-552.   | 2.5 | 56        |
| 244 | Mutations in ras oncogenes: Rare events in ultraviolet B radiation-induced mouse skin tumorigenesis. , 1996, 15, 96-103.   |     | 12        |
| 245 | Protection against malignant conversion in SENCAR mouse skin by all-trans retinoic acid: Inhibition of the p21-processing enzyme farnesyltransferase and Ha-ras p21 membrane localization. , 1996, 17, 13-22.  |     | 5         |
| 246 | PROTECTION AGAINST ULTRAVIOLET B RADIATION-INDUCED LOCAL and SYSTEMIC SUPPRESSION OF CONTACT HYPERSENSITIVITY and EDEMA RESPONSES IN C3H/HeN MICE BY GREEN TEA POLYPHENOLS. <i>Photochemistry and Photobiology</i> , 1995, 62, 855-861.  | 2.5 | 153       |
| 247 | ras gene activation and aberrant expression of keratin K13 in ultraviolet B radiation-induced epidermal neoplasias of mouse skin. <i>Molecular Carcinogenesis</i> , 1993, 8, 13-19.  | 2.7 | 12        |
| 248 | Ras protein p21 processing enzyme farnesyltransferase in chemical carcinogen-induced murine skin tumors. <i>Molecular Carcinogenesis</i> , 1993, 8, 290-298.   | 2.7 | 13        |
| 249 | PROTECTION AGAINST ULTRAVIOLET B RADIATION-INDUCED EFFECTS IN THE SKIN OF SKH-1 HAIRLESS MICE BY A POLYPHENOLIC FRACTION ISOLATED FROM GREEN TEA. <i>Photochemistry and Photobiology</i> , 1993, 58, 695-700.  | 2.5 | 138       |
| 250 | PHOTODYNAMIC EFFECTS OF NEW SILICON PHTHALOCYANINES: <i>In vitro</i> STUDIES UTILIZING RAT HEPATIC MICROSOMES AND HUMAN ERYTHROCYTE GHOSTS AS MODEL MEMBRANE SOURCES. <i>Photochemistry and Photobiology</i> , 1993, 58, 204-210.  | 2.5 | 47        |
| 251 | (-)-Epigallocatechin-3-gallate from <i>Camellia sinensis</i> leaves from Himalayan region of Sikkim: Inhibitory effects against biochemical events and tumor initiation in SENCAR mouse skin. <i>Nutrition and Cancer</i> , 1992, 18, 73-83.   | 2.0 | 87        |
| 252 | PHOTODYNAMIC THERAPY OF CHEMICALLY- AND ULTRAVIOLET B RADIATION-INDUCED MURINE SKIN PAPILOMAS BY CHLOROALUMINUM PHTHALOCYANINE TETRASULFONATE. <i>Photochemistry and Photobiology</i> , 1992, 56, 43-50.   | 2.5 | 32        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Inhibition of mouse skin tumor-initiating activity of DMBA by chronic oral feeding of glycyrrhizin in drinking water. Nutrition and Cancer, 1991, 15, 187-193. | 2.0 | 56        |