

# Michael Boutros

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6921418/publications.pdf>

Version: 2024-02-01

228  
papers

23,575  
citations

15001

68  
h-index

10399

144  
g-index

259  
all docs

259  
docs citations

259  
times ranked

37802  
citing authors

#	ARTICLE	IF	CITATIONS
1	Wnt signaling in cancer. <i>Oncogene</i> , 2017, 36, 1461-1473.	2.6	1,975
2	REST: A mammalian silencer protein that restricts sodium channel gene expression to neurons. <i>Cell</i> , 1995, 80, 949-957.	13.5	1,034
3	A global genetic interaction network maps a wiring diagram of cellular function. <i>Science</i> , 2016, 353, .	6.0	979
4	The Promise and Perils of Wnt Signaling Through beta -Catenin. <i>Science</i> , 2002, 296, 1644-1646.	6.0	937
5	Active Wnt proteins are secreted on exosomes. <i>Nature Cell Biology</i> , 2012, 14, 1036-1045.	4.6	809
6	Dishevelled Activates JNK and Discriminates between JNK Pathways in Planar Polarity and wingless Signaling. <i>Cell</i> , 1998, 94, 109-118.	13.5	730
7	E-CRISP: fast CRISPR target site identification. <i>Nature Methods</i> , 2014, 11, 122-123.	9.0	719
8	Genome-Wide RNAi Analysis of Growth and Viability in Drosophila Cells. <i>Science</i> , 2004, 303, 832-835.	6.0	675
9	EImage" an R package for image processing with applications to cellular phenotypes. <i>Bioinformatics</i> , 2010, 26, 979-981.	1.8	616
10	Requirement of Prorenin Receptor and Vacuolar H <sup>+</sup> -ATPase" Mediated Acidification for Wnt Signaling. <i>Science</i> , 2010, 327, 459-463.	6.0	514
11	Secretion of Wnt Ligands Requires Evi, a Conserved Transmembrane Protein. <i>Cell</i> , 2006, 125, 523-533.	13.5	505
12	LGR4 and LGR5 are R"espondin receptors mediating Wnt/Î2"catenin and Wnt/PCP signalling. <i>EMBO Reports</i> , 2011, 12, 1055-1061.	2.0	497
13	Sequential Activation of Signaling Pathways during Innate Immune Responses in Drosophila. <i>Developmental Cell</i> , 2002, 3, 711-722.	3.1	441
14	Minimizing the risk of reporting false positives in large-scale RNAi screens. <i>Nature Methods</i> , 2006, 3, 777-779.	9.0	417
15	The art and design of genetic screens: RNA interference. <i>Nature Reviews Genetics</i> , 2008, 9, 554-566.	7.7	413
16	Signaling Role of Hemocytes in Drosophila JAK/STAT-Dependent Response to Septic Injury. <i>Developmental Cell</i> , 2003, 5, 441-450.	3.1	403
17	Preferred analysis methods for Affymetrix GeneChips revealed by a wholly defined control dataset. <i>Genome Biology</i> , 2005, 6, R16.	13.9	318
18	Microscopy-Based High-Content Screening. <i>Cell</i> , 2015, 163, 1314-1325.	13.5	312

#	ARTICLE	IF	CITATIONS
19	Identification of JAK/STAT signalling components by genome-wide RNA interference. <i>Nature</i> , 2005, 436, 871-875.	13.7	275
20	Analysis of cell-based RNAi screens. <i>Genome Biology</i> , 2006, 7, R66.	13.9	271
21	Dishevelled: at the crossroads of divergent intracellular signaling pathways. <i>Mechanisms of Development</i> , 1999, 83, 27-37.	1.7	255
22	Target-specific requirements for enhancers of decapping in miRNA-mediated gene silencing. <i>Genes and Development</i> , 2007, 21, 2558-2570.	2.7	247
23	Cell Cycle Control of Wnt Receptor Activation. <i>Developmental Cell</i> , 2009, 17, 788-799.	3.1	238
24	Neutral sphingomyelinases control extracellular vesicles budding from the plasma membrane. <i>Journal of Extracellular Vesicles</i> , 2017, 6, 1378056.	5.5	237
25	Akirins are highly conserved nuclear proteins required for NF- $\kappa$ B-dependent gene expression in drosophila and mice. <i>Nature Immunology</i> , 2008, 9, 97-104.	7.0	223
26	Wnt secretion is required to maintain high levels of Wnt activity in colon cancer cells. <i>Nature Communications</i> , 2013, 4, 2610.	5.8	213
27	CRISPR/Cas9 for cancer research and therapy. <i>Seminars in Cancer Biology</i> , 2019, 55, 106-119.	4.3	206
28	Control of Proinflammatory Gene Programs by Regulated Trimethylation and Demethylation of Histone H4K20. <i>Molecular Cell</i> , 2012, 48, 28-38.	4.5	193
29	Mapping of signaling networks through synthetic genetic interaction analysis by RNAi. <i>Nature Methods</i> , 2011, 8, 341-346.	9.0	173
30	Smed-Evi/Wntless is required for $\beta$ -catenin-dependent and-independent processes during planarian regeneration. <i>Development (Cambridge)</i> , 2009, 136, 905-910.	1.2	164
31	Electrochemical cues regulate assembly of the Frizzled/Dishevelled complex at the plasma membrane during planar epithelial polarization. <i>Nature Cell Biology</i> , 2009, 11, 286-294.	4.6	160
32	Proteins Required for Centrosome Clustering in Cancer Cells. <i>Science Translational Medicine</i> , 2010, 2, 33ra38.	5.8	152
33	A novel inflammatory pathway mediating rapid hepcidin-independent hypoferremia. <i>Blood</i> , 2015, 125, 2265-2275.	0.6	144
34	Clustering phenotype populations by genome-wide RNAi and multiparametric imaging. <i>Molecular Systems Biology</i> , 2010, 6, 370.	3.2	141
35	A Combined Ex Vivo and In Vivo RNAi Screen for Notch Regulators in Drosophila Reveals an Extensive Notch Interaction Network. <i>Developmental Cell</i> , 2010, 18, 862-876.	3.1	139
36	E-RNAi: a web application for the multi-species design of RNAi reagents—2010 update. <i>Nucleic Acids Research</i> , 2010, 38, W332-W339.	6.5	136

#	ARTICLE	IF	CITATIONS
37	GenomeRNAi: a database for cell-based and in vivo RNAi phenotypes, 2013 update. <i>Nucleic Acids Research</i> , 2013, 41, D1021-D1026.	6.5	135
38	Endothelial RSPO3 Controls Vascular Stability and Pruning through Non-canonical WNT/Ca <sup>2+</sup> /NFAT Signaling. <i>Developmental Cell</i> , 2016, 36, 79-93.	3.1	133
39	SARS-CoV-2 infection induces a pro-inflammatory cytokine response through cGAS-STING and NF- $\kappa$ B. <i>Communications Biology</i> , 2022, 5, 45.	2.0	133
40	Pooled In Vitro and In Vivo CRISPR-Cas9 Screening Identifies Tumor Suppressors in Human Colon Organoids. <i>Cell Stem Cell</i> , 2020, 26, 782-792.e7.	5.2	131
41	Machine learning and image-based profiling in drug discovery. <i>Current Opinion in Systems Biology</i> , 2018, 10, 43-52.	1.3	128
42	MEK inhibitors activate Wnt signalling and induce stem cell plasticity in colorectal cancer. <i>Nature Communications</i> , 2019, 10, 2197.	5.8	126
43	An RNA interference screen identifies Inhibitor of Apoptosis Protein 2 as a regulator of innate immune signalling in <i>Drosophila</i> . <i>EMBO Reports</i> , 2005, 6, 979-984.	2.0	123
44	Mapping genetic interactions in human cancer cells with RNAi and multiparametric phenotyping. <i>Nature Methods</i> , 2013, 10, 427-431.	9.0	122
45	Signaling Specificity by Frizzled Receptors in <i>Drosophila</i> . <i>Science</i> , 2000, 288, 1825-1828.	6.0	116
46	Wnt/Frizzled Signaling Requires dPRR, the <i>Drosophila</i> Homolog of the Prorenin Receptor. <i>Current Biology</i> , 2010, 20, 1263-1268.	1.8	115
47	A large-scale resource for tissue-specific CRISPR mutagenesis in <i>Drosophila</i> . <i>ELife</i> , 2020, 9, .	2.8	115
48	An integrated gene annotation and transcriptional profiling approach towards the full gene content of the <i>Drosophila</i> genome. <i>Genome Biology</i> , 2003, 5, R3.	13.9	113
49	SMAD7 controls iron metabolism as a potent inhibitor of hepcidin expression. <i>Blood</i> , 2010, 115, 2657-2665.	0.6	112
50	Endothelial cell-derived non-canonical Wnt ligands control vascular pruning in angiogenesis. <i>Development (Cambridge)</i> , 2014, 141, 1757-1766.	1.2	111
51	The Role of Mitotic Cell-Substrate Adhesion Re-modeling in Animal Cell Division. <i>Developmental Cell</i> , 2018, 45, 132-145.e3.	3.1	111
52	The Long Noncoding RNA Cancer Susceptibility 9 and RNA Binding Protein Heterogeneous Nuclear Ribonucleoprotein L Form a Complex and Coregulate Genes Linked to AKT Signaling. <i>Hepatology</i> , 2018, 68, 1817-1832.	3.6	110
53	The head-regeneration transcriptome of the planarian <i>Schmidtea mediterranea</i> . <i>Genome Biology</i> , 2011, 12, R76.	13.9	109
54	<i>Drosophila</i> Ras/MAPK signalling regulates innate immune responses in immune and intestinal stem cells. <i>EMBO Journal</i> , 2011, 30, 1123-1136.	3.5	109

#	ARTICLE	IF	CITATIONS
55	Identification of SUMO-Dependent Chromatin-Associated Transcriptional Repression Components by a Genome-wide RNAi Screen. <i>Molecular Cell</i> , 2008, 29, 742-754.	4.5	100
56	ERK7 is a negative regulator of protein secretion in response to amino-acid starvation by modulating Sec16 membrane association. <i>EMBO Journal</i> , 2011, 30, 3684-3700.	3.5	100
57	The <i>Drosophila</i> STE20-like kinase Misshapen is required downstream of the Frizzled receptor in planar polarity signaling. <i>EMBO Journal</i> , 1999, 18, 4669-4678.	3.5	98
58	Proteomic and functional analysis of the mitotic <i>Drosophila</i> centrosome. <i>EMBO Journal</i> , 2010, 29, 3344-3357.	3.5	97
59	Regulation of Wnt protein secretion and its role in gradient formation. <i>EMBO Reports</i> , 2008, 9, 977-982.	2.0	94
60	Mapping of Wnt-Frizzled interactions by multiplex CRISPR targeting of receptor gene families. <i>FASEB Journal</i> , 2017, 31, 4832-4844.	0.2	92
61	Ageing, metabolism and the intestine. <i>EMBO Reports</i> , 2020, 21, e50047.	2.0	92
62	Genomic mapping of binding regions for the Ecdysone receptor protein complex. <i>Genome Research</i> , 2009, 19, 1006-1013.	2.4	90
63	RNA Interference (RNAi) Screening in <i>Drosophila</i> . <i>Genetics</i> , 2018, 208, 853-874.	1.2	90
64	REPTOR and REPTOR-BP Regulate Organismal Metabolism and Transcription Downstream of TORC1. <i>Developmental Cell</i> , 2015, 33, 272-284.	3.1	86
65	FlyRNAi: the <i>Drosophila</i> RNAi screening center database. <i>Nucleic Acids Research</i> , 2006, 34, D489-D494.	6.5	85
66	The lncRNA VELUCT strongly regulates viability of lung cancer cells despite its extremely low abundance. <i>Nucleic Acids Research</i> , 2017, 45, 5458-5469.	6.5	84
67	p24 proteins are required for secretion of Wnt ligands. <i>EMBO Reports</i> , 2011, 12, 1265-1272.	2.0	81
68	The Wnt secretion protein Evi/Gpr177 promotes glioma tumourigenesis. <i>EMBO Molecular Medicine</i> , 2012, 4, 38-51.	3.3	81
69	E-RNAi: a web application to design optimized RNAi constructs. <i>Nucleic Acids Research</i> , 2005, 33, W582-W588.	6.5	79
70	A chemical-genetic interaction map of small molecules using high-throughput imaging in cancer cells. <i>Molecular Systems Biology</i> , 2015, 11, 846.	3.2	79
71	A map of directional genetic interactions in a metazoan cell. <i>ELife</i> , 2015, 4, .	2.8	78
72	The Sin3a repressor complex is a master regulator of STAT transcriptional activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12058-12063.	3.3	74

#	ARTICLE	IF	CITATIONS
73	Angiocrine Wnt signaling controls liver growth and metabolic maturation in mice. <i>Hepatology</i> , 2018, 68, 707-722.	3.6	73
74	The microtubule affinity regulating kinase MARK4 promotes axoneme extension during early ciliogenesis. <i>Journal of Cell Biology</i> , 2013, 200, 505-522.	2.3	71
75	Design and evaluation of genome-wide libraries for RNA interference screens. <i>Genome Biology</i> , 2010, 11, R61.	13.9	69
76	CRISPR library designer (CLD): software for multispecies design of single guide RNA libraries. <i>Genome Biology</i> , 2016, 17, 55.	3.8	68
77	High-Throughput RNA Interference Screens in <i>Drosophila</i> Tissue Culture Cells. <i>Methods in Enzymology</i> , 2005, 392, 55-73.	0.4	67
78	Cytokine Dieldel and a viral homologue suppress the IMD pathway in <i>Drosophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 698-703.	3.3	67
79	RAB8B Is Required for Activity and Caveolar Endocytosis of LRP6. <i>Cell Reports</i> , 2013, 4, 1224-1234.	2.9	65
80	Dpp/Gbb signaling is required for normal intestinal regeneration during infection. <i>Developmental Biology</i> , 2015, 399, 189-203.	0.9	65
81	GenomeCRISPR - a database for high-throughput CRISPR/Cas9 screens. <i>Nucleic Acids Research</i> , 2017, 45, D679-D686.	6.5	65
82	Toward an integrated map of genetic interactions in cancer cells. <i>Molecular Systems Biology</i> , 2018, 14, e7656.	3.2	64
83	Gut Microbiota-Derived Propionate Regulates the Expression of Reg3 Mucosal Lectins and Ameliorates Experimental Colitis in Mice. <i>Journal of Crohn's and Colitis</i> , 2020, 14, 1462-1472.	0.6	63
84	Unbiased RNAi screen for hepcidin regulators links hepcidin suppression to proliferative Ras/RAF and nutrient-dependent mTOR signaling. <i>Blood</i> , 2014, 123, 1574-1585.	0.6	62
85	E-TALEN: a web tool to design TALENs for genome engineering. <i>Nucleic Acids Research</i> , 2013, 41, e190-e190.	6.5	60
86	web cellHTS2: A web-application for the analysis of high-throughput screening data. <i>BMC Bioinformatics</i> , 2010, 11, 185.	1.2	58
87	Database-augmented Mass Spectrometry Analysis of Exosomes Identifies Claudin 3 as a Putative Prostate Cancer Biomarker. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 998-1008.	2.5	58
88	Gene expression atlas of a developing tissue by single cell expression correlation analysis. <i>Nature Methods</i> , 2019, 16, 750-756.	9.0	58
89	A spatial vascular transcriptomic, proteomic, and phosphoproteomic atlas unveils an angiocrine Tie2-Wnt signaling axis in the liver. <i>Developmental Cell</i> , 2021, 56, 1677-1693.e10.	3.1	58
90	The cardiac microenvironment uses non-canonical WNT signaling to activate monocytes after myocardial infarction. <i>EMBO Molecular Medicine</i> , 2017, 9, 1279-1293.	3.3	55

#	ARTICLE	IF	CITATIONS
91	caRools: an R package for exploratory data analysis and documentation of pooled CRISPR/Cas9 screens. <i>Bioinformatics</i> , 2016, 32, 632-634.	1.8	54
92	A PP4 Holoenzyme Balances Physiological and Oncogenic Nuclear Factor-Kappa B Signaling in T Lymphocytes. <i>Immunity</i> , 2012, 37, 697-708.	6.6	53
93	Robust RNAi enhancement via human Argonaute-2 overexpression from plasmids, viral vectors and cell lines. <i>Nucleic Acids Research</i> , 2013, 41, e199-e199.	6.5	53
94	Ataxin-10 is part of a cachexokine cocktail triggering cardiac metabolic dysfunction in cancer cachexia. <i>Molecular Metabolism</i> , 2016, 5, 67-78.	3.0	51
95	The long non-coding RNA LINC00152 is essential for cell cycle progression through mitosis in HeLa cells. <i>Scientific Reports</i> , 2017, 7, 2265.	1.6	51
96	Robust Wnt signaling is maintained by a Wg protein gradient and Fz2 receptor activity in the developing <i>Drosophila</i> wing. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	51
97	Loss of epidermal Evi/Wls results in a phenotype resembling psoriasiform dermatitis. <i>Journal of Experimental Medicine</i> , 2013, 210, 1761-1777.	4.2	50
98	An RNAi screen identifies USP2 as a factor required for TNF $\alpha$ -induced NF $\kappa$ B signaling. <i>International Journal of Cancer</i> , 2011, 129, 607-618.	2.3	49
99	Secretion and extracellular space travel of Wnt proteins. <i>Current Opinion in Genetics and Development</i> , 2013, 23, 385-390.	1.5	48
100	Wnt Signaling. <i>Current Topics in Developmental Biology</i> , 2011, 97, 21-53.	1.0	47
101	JNK-dependent intestinal barrier failure disrupts host-microbe homeostasis during tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9401-9412.	3.3	47
102	ATF3 acts as a rheostat to control JNK signalling during intestinal regeneration. <i>Nature Communications</i> , 2017, 8, 14289.	5.8	46
103	miR-10a-5p and miR-29b-3p as Extracellular Vesicle-Associated Prostate Cancer Detection Markers. <i>Cancers</i> , 2020, 12, 43.	1.7	46
104	HCF-1 Amino- and Carboxy-Terminal Subunit Association through Two Separate Sets of Interaction Modules: Involvement of Fibronectin Type 3 Repeats. <i>Molecular and Cellular Biology</i> , 2000, 20, 6721-6730.	1.1	45
105	High-throughput RNAi screening to dissect cellular pathways: A how-to guide. <i>Biotechnology Journal</i> , 2010, 5, 368-376.	1.8	45
106	$\beta$ -catenin-independent regulation of Wnt target genes by RoR2 and ATF2/ATF4 in colon cancer cells. <i>Scientific Reports</i> , 2018, 8, 3178.	1.6	45
107	Genome-wide RNAi as a route to gene function in <i>Drosophila</i> . <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2004, 3, 168-176.	3.8	44
108	GenomeRNAi: a database for cell-based RNAi phenotypes. <i>Nucleic Acids Research</i> , 2007, 35, D492-D497.	6.5	44

#	ARTICLE	IF	CITATIONS
109	Towards a compendium of essential genes – From model organisms to synthetic lethality in cancer cells. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2016, 51, 74-85.	2.3	42
110	ERAD-dependent control of the Wnt secretory factor Evi. <i>EMBO Journal</i> , 2018, 37, .	3.5	42
111	Multiplexed conditional genome editing with Cas12a in <i>Drosophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 22890-22899.	3.3	42
112	Gene knockdown studies revealed CCDC50 as a candidate gene in mantle cell lymphoma and chronic lymphocytic leukemia. <i>Leukemia</i> , 2009, 23, 2018-2026.	3.3	40
113	A Large-Scale RNAi Screen Identifies <i>Deaf1</i> as a Regulator of Innate Immune Responses in <i>Drosophila</i> . <i>Journal of Innate Immunity</i> , 2010, 2, 181-194.	1.8	39
114	A high-throughput RNAi screen for detection of immune-checkpoint molecules that mediate tumor resistance to cytotoxic T lymphocytes. <i>EMBO Molecular Medicine</i> , 2015, 7, 450-463.	3.3	39
115	Systematic characterization of pan-cancer mutation clusters. <i>Molecular Systems Biology</i> , 2018, 14, e7974.	3.2	39
116	A Novel Multiplex Cell Viability Assay for High-Throughput RNAi Screening. <i>PLoS ONE</i> , 2011, 6, e28338.	1.1	39
117	Cellular phenotyping by RNAi. <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2006, 5, 52-56.	3.8	38
118	GenomeRNAi: a database for cell-based RNAi phenotypes. 2009 update. <i>Nucleic Acids Research</i> , 2010, 38, D448-D452.	6.5	37
119	Transmembrane Protein 198 Promotes LRP6 Phosphorylation and Wnt Signaling Activation. <i>Molecular and Cellular Biology</i> , 2011, 31, 2577-2590.	1.1	37
120	Landscape of protein-protein interactions in <i>Drosophila</i> immune deficiency signaling during bacterial challenge. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10717-10722.	3.3	37
121	A synthetic lethal screen identifies FAT1 as an antagonist of caspase-8 in extrinsic apoptosis. <i>EMBO Journal</i> , 2014, 33, n/a-n/a.	3.5	37
122	A Genome-Wide RNA Interference Screen Identifies Caspase 4 as a Factor Required for Tumor Necrosis Factor Alpha Signaling. <i>Molecular and Cellular Biology</i> , 2012, 32, 3372-3381.	1.1	36
123	Wnk kinases are positive regulators of canonical Wnt/ $\beta$ -catenin signalling. <i>EMBO Reports</i> , 2013, 14, 718-725.	2.0	35
124	A Genome-Wide RNA Interference Screen Identifies a Differential Role of the Mediator CDK8 Module Subunits for GATA/ RUNX-Activated Transcription in <i>Drosophila</i> . <i>Molecular and Cellular Biology</i> , 2010, 30, 2837-2848.	1.1	34
125	Identification of ER Proteins Involved in the Functional Organisation of the Early Secretory Pathway in <i>Drosophila</i> Cells by a Targeted RNAi Screen. <i>PLoS ONE</i> , 2011, 6, e17173.	1.1	34
126	Stem Cell Intrinsic Hexosamine Metabolism Regulates Intestinal Adaptation to Nutrient Content. <i>Developmental Cell</i> , 2018, 47, 112-121.e3.	3.1	34



#	ARTICLE	IF	CITATIONS
127	gscreeend: modelling asymmetric count ratios in CRISPR screens to decrease experiment size and improve phenotype detection. <i>Genome Biology</i> , 2020, 21, 53.	3.8	34
128	Amplicon Sequencing of Colorectal Cancer: Variant Calling in Frozen and Formalin-Fixed Samples. <i>PLoS ONE</i> , 2015, 10, e0127146.	1.1	34
129	Cdk12 Is A Gene-Selective RNA Polymerase II Kinase That Regulates a Subset of the Transcriptome, Including Nrf2 Target Genes. <i>Scientific Reports</i> , 2016, 6, 21455.	1.6	33
130	Widespread Rewiring of Genetic Networks upon Cancer Signaling Pathway Activation. <i>Cell Systems</i> , 2018, 6, 52-64.e4.	2.9	33
131	Immune cell recruitment in teratomas is impaired by increased Wnt secretion. <i>Stem Cell Research</i> , 2016, 17, 607-615.	0.3	32
132	Extracellular vesicles and oncogenic signaling. <i>Molecular Oncology</i> , 2021, 15, 3-26.	2.1	30
133	Identification of Human Proteins That Modify Misfolding and Proteotoxicity of Pathogenic Ataxin-1. <i>PLoS Genetics</i> , 2012, 8, e1002897.	1.5	29
134	The State of Systems Genetics in 2017. <i>Cell Systems</i> , 2017, 4, 7-15.	2.9	29
135	Identification of JAK/STAT pathway regulatorsâ€™ Insights from RNAi screens. <i>Seminars in Cell and Developmental Biology</i> , 2008, 19, 360-369.	2.3	26
136	eIF4A inactivates TORC1 in response to amino acid starvation. <i>EMBO Journal</i> , 2016, 35, 1058-1076.	3.5	26
137	eGFP-tagged Wnt-3a enables functional analysis of Wnt trafficking and signaling and kinetic assessment of Wnt binding to full-length Frizzled. <i>Journal of Biological Chemistry</i> , 2020, 295, 8759-8774.	1.6	26
138	Keap1-Independent Regulation of Nrf2 Activity by Protein Acetylation and a BET Bromodomain Protein. <i>PLoS Genetics</i> , 2016, 12, e1006072.	1.5	26
139	Trafficking, Acidification, and Growth Factor Signaling. <i>Science Signaling</i> , 2010, 3, pe26.	1.6	25
140	Molecular dissection of Wnt3a-Frizzled8 interaction reveals essential and modulatory determinants of Wnt signaling activity. <i>BMC Biology</i> , 2014, 12, 44.	1.7	24
141	Pharmacological Inhibition of Centrosome Clustering by Slingshot-Mediated Cofilin Activation and Actin Cortex Destabilization. <i>Cancer Research</i> , 2016, 76, 6690-6700.	0.4	24
142	Genome-scale CRISPR screening at high sensitivity with an empirically designed sgRNA library. <i>BMC Biology</i> , 2020, 18, 174.	1.7	24
143	Loss of PAFAH1B2 Reduces Amyloid- $\beta$ Generation by Promoting the Degradation of Amyloid Precursor Protein C-Terminal Fragments. <i>Journal of Neuroscience</i> , 2012, 32, 18204-18214.	1.7	23
144	A genetic interaction map of cell cycle regulators. <i>Molecular Biology of the Cell</i> , 2016, 27, 1397-1407.	0.9	22

#	ARTICLE	IF	CITATIONS
145	A kinome-wide RNAi screen identifies ALK as a target to sensitize neuroblastoma cells for HDAC8-inhibitor treatment. <i>Cell Death and Differentiation</i> , 2018, 25, 2053-2070.	5.0	22
146	The drug-induced phenotypic landscape of colorectal cancer organoids. <i>Nature Communications</i> , 2022, 13, .	5.8	22
147	Managing the genome: microRNAs in <i>Drosophila</i> . <i>Differentiation</i> , 2004, 72, 74-80.	1.0	21
148	Autocrine Wnt regulates the survival and genomic stability of embryonic stem cells. <i>Science Signaling</i> , 2017, 10, .	1.6	21
149	Evolutionary conserved NSL complex/BRD4 axis controls transcription activation via histone acetylation. <i>Nature Communications</i> , 2020, 11, 2243.	5.8	21
150	Time-resolved mapping of genetic interactions to model rewiring of signaling pathways. <i>ELife</i> , 2018, 7, .	2.8	21
151	Systematic functional analysis of rab GTPases reveals limits of neuronal robustness to environmental challenges in flies. <i>ELife</i> , 2021, 10, .	2.8	20
152	Microenvironmental innate immune signaling and cell mechanical responses promote tumor growth. <i>Developmental Cell</i> , 2021, 56, 1884-1899.e5.	3.1	20
153	Thymic Epithelial Cells Are a Nonredundant Source of Wnt Ligands for Thymus Development. <i>Journal of Immunology</i> , 2015, 195, 5261-5271.	0.4	19
154	CAMK1D Triggers Immune Resistance of Human Tumor Cells Refractory to Anti-PD-L1 Treatment. <i>Cancer Immunology Research</i> , 2020, 8, 1163-1179.	1.6	17
155	Hyd ubiquitinates the NF- $\kappa$ B co-factor Akirin to operate an effective immune response in <i>Drosophila</i> . <i>PLoS Pathogens</i> , 2020, 16, e1008458.	2.1	17
156	RNAi Screening in Cultured <i>Drosophila</i> Cells. <i>Methods in Molecular Biology</i> , 2008, 420, 139-153.	0.4	17
157	Measuring genetic interactions in human cells by RNAi and imaging. <i>Nature Protocols</i> , 2014, 9, 2341-2353.	5.5	16
158	Context-dependent genetic interactions in cancer. <i>Current Opinion in Genetics and Development</i> , 2019, 54, 73-82.	1.5	16
159	Screens, maps & networks: from genome sequences to personalized medicine. <i>Current Opinion in Genetics and Development</i> , 2012, 22, 36-44.	1.5	15
160	A novel phenotypic dissimilarity method for image-based high-throughput screens. <i>BMC Bioinformatics</i> , 2013, 14, 336.	1.2	15
161	Splicing stimulates siRNA formation at <i>Drosophila</i> DNA double-strand breaks. <i>PLoS Genetics</i> , 2017, 13, e1006861.	1.5	15
162	PPAR $\beta$ induces PD-L1 expression in MSS+ colorectal cancer cells. <i>Oncolmmunology</i> , 2021, 10, 1906500.	2.1	15

#	ARTICLE	IF	CITATIONS
163	Extracting quantitative genetic interaction phenotypes from matrix combinatorial RNAi. BMC Bioinformatics, 2011, 12, 342.	1.2	14
164	Oxygenation and adenosine deaminase support growth and proliferation of <i>ex vivo</i> cultured <i>Drosophila</i> wing imaginal discs. Development (Cambridge), 2017, 144, 2529-2538.	1.2	14
165	Wnt10b-GSK3 $\beta$ -dependent Wnt/STOP signaling prevents aneuploidy in human somatic cells. Life Science Alliance, 2021, 4, e202000855.	1.3	14
166	A Protocol for a High-Throughput Multiplex Cell Viability Assay. Methods in Molecular Biology, 2016, 1470, 75-84.	0.4	13
167	Sticking Around: Short-Range Activity of Wnt Ligands. Developmental Cell, 2016, 36, 485-486.	3.1	13
168	Exocyst-mediated apical Wg secretion activates signaling in the <i>Drosophila</i> wing epithelium. PLoS Genetics, 2019, 15, e1008351.	1.5	13
169	EVI/WLS function is regulated by ubiquitylation and is linked to ER-associated degradation by ERLIN2. Journal of Cell Science, 2021, 134, .	1.2	13
170	Innate immunity: regulation of caspases by IAP-dependent ubiquitylation. EMBO Journal, 2012, 31, 2750-2752.	3.5	12
171	Systematic approaches to dissect biological processes in stem cells by image-based screening. Biotechnology Journal, 2012, 7, 768-778.	1.8	12
172	Decoding the Regulatory Logic of the <i>Drosophila</i> Male Stem Cell System. Cell Reports, 2018, 24, 3072-3086.	2.9	12
173	Clinical relevance of gene expression in localized and metastatic prostate cancer exemplified by FABP5. World Journal of Urology, 2020, 38, 637-645.	1.2	12
174	The Role of Organelles in Intestinal Function, Physiology, and Disease. Trends in Cell Biology, 2021, 31, 485-499.	3.6	12
175	Multi-omics integration identifies a selective vulnerability of colorectal cancer subtypes to <i>YM155</i> . International Journal of Cancer, 2021, 148, 1948-1963.	2.3	11
176	Phenotype databases for genetic screens in human cells. Journal of Biotechnology, 2017, 261, 63-69.	1.9	10
177	Lox2 is dispensable for dermal development, homeostasis and tumour stroma formation. PLoS ONE, 2018, 13, e0199679.	1.1	10
178	<i>Drosophila</i> Wnt/Fz Pathways. Science Signaling, 2005, 2005, cm5-cm5.	1.6	9
179	On target: A public repository for large-scale RNAi experiments. Nature Cell Biology, 2012, 14, 115-115.	4.6	9
180	Functional Analysis of the <i>Drosophila</i> Embryonic Germ Cell Transcriptome by RNA Interference. PLoS ONE, 2014, 9, e98579.	1.1	9

#	ARTICLE	IF	CITATIONS
181	Clinical and Histopathologic Features of Colorectal Adenocarcinoma in Crohn's Disease. <i>Journal of Clinical Gastroenterology</i> , 2018, 52, 635-640.	1.1	9
182	Biochemical Methods to Analyze Wnt Protein Secretion. <i>Methods in Molecular Biology</i> , 2016, 1481, 17-28.	0.4	8
183	Methods for High-Throughput RNAi Screening in <i>Drosophila</i> Cells. <i>Methods in Molecular Biology</i> , 2016, 1478, 95-116.	0.4	8
184	An RNAi Screen Reveals an Essential Role for HIPK4 in Human Skin Epithelial Differentiation from iPSCs. <i>Stem Cell Reports</i> , 2017, 9, 1234-1245.	2.3	8
185	Detection of mutational patterns in cell-free DNA of colorectal cancer by custom amplicon sequencing. <i>Molecular Oncology</i> , 2019, 13, 1669-1683.	2.1	8
186	Salt-inducible kinase 3 protects tumor cells from cytotoxic T-cell attack by promoting TNF-induced NF- $\kappa$ B activation. , 2022, 10, e004258.		8
187	Cell Perturbation Screens for Target Identification by RNAi. <i>Methods in Molecular Biology</i> , 2012, 910, 1-13.	0.4	7
188	Bacterial recognition by PGRP-SA and downstream signalling by Toll/DIF sustain commensal gut bacteria in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2022, 18, e1009992.	1.5	7
189	<i>Drosophila</i> genome takes flight. <i>Nature Cell Biology</i> , 2000, 2, E53-E54.	4.6	6
190	HTSvis: a web app for exploratory data analysis and visualization of arrayed high-throughput screens. <i>Bioinformatics</i> , 2017, 33, 2960-2962.	1.8	5
191	Refining Pathways: A Model Comparison Approach. <i>PLoS ONE</i> , 2016, 11, e0155999.	1.1	5
192	Design of RNAi Reagents for Invertebrate Model Organisms and Human Disease Vectors. <i>Methods in Molecular Biology</i> , 2013, 942, 315-346.	0.4	4
193	Functional fingerprinting of human mesenchymal stem cells using high-throughput RNAi screening. <i>Genome Medicine</i> , 2015, 7, 46.	3.6	4
194	Systematic epistatic mapping of cellular processes. <i>Cell Division</i> , 2017, 12, 2.	1.1	4
195	Conditional CRISPR-Cas Genome Editing in <i>Drosophila</i> to Generate Intestinal Tumors. <i>Cells</i> , 2021, 10, 3156.	1.8	4
196	WEADE: A workflow for enrichment analysis and data exploration. <i>PLoS ONE</i> , 2018, 13, e0204016.	1.1	3
197	Cancer-Associated Mutations in Normal Colorectal Mucosa Adjacent to Sporadic Neoplasia. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00212.	1.3	3
198	Allele-specific endogenous tagging and quantitative analysis of $\beta$ -catenin in colorectal cancer cells. <i>ELife</i> , 2022, 11, .	2.8	3

#	ARTICLE	IF	CITATIONS
199	Celebrating 100 years of Drosophila research. EMBO Reports, 2010, 11, 724-726.	2.0	2
200	Wnk kinases are positive regulators of canonical Wnt/ $\beta$ -catenin signalling. EMBO Reports, 2013, 14, 845-845.	2.0	2
201	An introduction to systems genetics. , 0, , 1-11.		2
202	Large-Scale RNAi Screens to Dissect TNF and NF- $\kappa$ B Signaling Pathways. Advances in Experimental Medicine and Biology, 2011, 691, 131-139.	0.8	2
203	Polymorphisms in CTNNB1 in relation to colorectal cancer with evolutionary implications. International Journal of Molecular Epidemiology and Genetics, 2011, 2, 36-50.	0.4	2
204	Targeting euchromatic histone lysine methyltransferases sensitizes colorectal cancer to histone deacetylase inhibitors. International Journal of Cancer, 0, , .	2.3	2
205	CS16-4. STAT3 transcriptional activity is controlled by regulated acetylation. Cytokine, 2011, 56, 105.	1.4	1
206	Editorial overview: Functionalizing cancer genomes in the era of big data. Current Opinion in Genetics and Development, 2019, 54, iii-vi.	1.5	1
207	Tools for integrative genomics: Genome-wide RNAi and expression profiling in Drosophila. , 2005, , 433-446.		0
208	Design of RNAi reagents for invertebrate model organisms and human disease vectors. Nature Precedings, 2011, , .	0.1	0
209	Genetic and Genomic Dissection of Apoptosis Signaling. , 2012, , 181-197.		0
210	Mapping genetic interactions across many phenotypes in metazoan cells. , 0, , 36-50.		0
211	Joining the dots: network analysis of gene perturbation data. , 0, , 83-107.		0
212	Inferring genetic architecture from systems genetics studies. , 0, , 139-160.		0
213	Computational paradigms for analyzing genetic interaction networks. , 0, , 12-35.		0
214	High-content screening in infectious diseases: new drugs against bugs. , 0, , 108-138.		0
215	E-RNAi: a web application to design optimized RNAi constructs.. , 0, 2005, .		0
216	Wnt secretion requires Evi, a conserved transmembrane protein. , 0, 2007, .		0

#	ARTICLE	IF	CITATIONS
217	Loss of epidermal Evi/Wls results in a phenotype resembling psoriasiform dermatitis. Journal of Cell Biology, 2013, 202, 202401A67.	2.3	0
218	Endothelial cell-derived non-canonical Wnt ligands control vascular pruning in angiogenesis. Journal of Cell Science, 2014, 127, e1-e1.	1.2	0
219	Abstract A070: Genetic knockdown screens across tumor types unravel a diverse tumor immune-modulatory landscape. , 2016, , .		0
220	Abstract 2339: RNAi discovery platform to identify novel genes that prevent immune surveillance in pancreatic ductal adenocarcinoma (PDAC). , 2016, , .		0
221	Abstract 5766: High-content microscopy-based screening of colorectal organoids. , 2017, , .		0
222	Abstract A10: CRISPR-AnalyzeR (caR): Web-based, interactive and exploratory analysis and documentation of pooled CRISPR/Cas9 screens. , 2017, , .		0
223	Abstract B16: Epistatic mapping of signaling and chromatin regulators. , 2017, , .		0
224	Abstract B06: HTSvis: An user-friendly application for analysis of arrayed high-throughput experiments by interactive data representations. , 2017, , .		0
225	Abstract IA12: Widespread rewiring of genetic interaction networks upon cancer pathway activation. , 2017, , .		0
226	Abstract A23: Multi-parametric genetic interactions map dynamic genetic network rewiring upon anti-proliferative treatment. , 2017, , .		0
227	Decoding the Regulatory Logic of the <i>Drosophila</i> Male Stem Cell System. SSRN Electronic Journal, 0, , .	0.4	0
228	Cloud-Based Design of Short Guide RNA (sgRNA) Libraries for CRISPR Experiments. Methods in Molecular Biology, 2021, 2162, 3-22.	0.4	0