Margaret E Macy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/692179/publications.pdf

Version: 2024-02-01

623734 526287 33 794 14 27 citations g-index h-index papers 39 39 39 1640 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Pembrolizumab in paediatric patients with advanced melanoma or a PD-L1-positive, advanced, relapsed, or refractory solid tumour or lymphoma (KEYNOTE-051): interim analysis of an open-label, single-arm, phase 1–2 trial. Lancet Oncology, The, 2020, 21, 121-133.	10.7	204
2	Bevacizumab as Therapy for Radiation Necrosis in Four Children With Pontine Gliomas. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1148-1154.	0.8	76
3	A phase 1 study of the CXCR4 antagonist plerixafor in combination with highâ€dose cytarabine and etoposide in children with relapsed or refractory acute leukemias or myelodysplastic syndrome: A Pediatric Oncology Experimental Therapeutics Investigators' Consortium study (POE 10â€03). Pediatric Blood and Cancer. 2017. 64. e26414.	1.5	57
4	Phase II Trial of Alisertib in Combination with Irinotecan and Temozolomide for Patients with Relapsed or Refractory Neuroblastoma. Clinical Cancer Research, 2018, 24, 6142-6149.	7.0	55
5	Phase 1/1B trial to assess the activity of entrectinib in children and adolescents with recurrent or refractory solid tumors including central nervous system (CNS) tumors Journal of Clinical Oncology, 2019, 37, 10009-10009.	1.6	49
6	Clinical and molecular characteristics of congenital glioblastoma. Neuro-Oncology, 2012, 14, 931-941.	1.2	45
7	Entrectinib in children and young adults with solid or primary CNS tumors harboring <i>NTRK</i> , <i>ROS1</i> , or <i>ALK</i> aberrations (STARTRK-NG). Neuro-Oncology, 2022, 24, 1776-1789.	1.2	37
8	Entrectinib and other ALK/TRK inhibitors for the treatment of neuroblastoma. Drug Design, Development and Therapy, 2018, Volume 12, 3549-3561.	4.3	35
9	Phase I study of vorinostat in combination with isotretinoin in patients with refractory/recurrent neuroblastoma: A new approaches to Neuroblastoma Therapy (NANT) trial. Pediatric Blood and Cancer, 2018, 65, e27023.	1.5	31
10	Opportunities and Challenges in Drug Development for Pediatric Cancers. Cancer Discovery, 2021, 11, 545-559.	9.4	25
11	Phase I study of tazemetostat, an enhancer of zeste homolog-2 inhibitor, in pediatric pts with relapsed/refractory integrase interactor 1-negative tumors Journal of Clinical Oncology, 2020, 38, 10525-10525.	1.6	24
12	Experience with ponatinib in paediatric patients with leukaemia. British Journal of Haematology, 2020, 189, 363-368.	2.5	21
13	A pediatric trial of radiation/cetuximab followed by irinotecan/cetuximab in newly diagnosed diffuse pontine gliomas and highâ€grade astrocytomas: A Pediatric Oncology Experimental Therapeutics Investigators' Consortium study. Pediatric Blood and Cancer, 2017, 64, e26621.	1.5	17
14	Molecular profiling identifies targeted therapy opportunities in pediatric solid cancer. Nature Medicine, 2022, 28, 1581-1589.	30.7	16
15	Updated entrectinib data in children and adolescents with recurrent or refractory solid tumors, including primary CNS tumors Journal of Clinical Oncology, 2020, 38, 107-107.	1.6	15
16	Bevacizumab in the treatment of radiation injury for children with central nervous system tumors. Child's Nervous System, 2019, 35, 2043-2046.	1.1	11
17	Phase 1/2 KEYNOTE-051 study of pembrolizumab (pembro) in pediatric patients (pts) with advanced melanoma or a PD-L1 ⁺ advanced, relapsed, or refractory solid tumor or lymphoma Journal of Clinical Oncology, 2017, 35, 10525-10525.	1.6	11
18	Avelumab in paediatric patients with refractory or relapsed solid tumours: dose-escalation results from an open-label, single-arm, phase 1/2 trial. Cancer Immunology, Immunotherapy, 2022, 71, 2485-2495.	4.2	11

#	Article	IF	CITATIONS
19	KEYNOTE-051: An update on the phase 2 results of pembrolizumab (pembro) in pediatric patients (pts) with advanced melanoma or a PD-L1–positive advanced, relapsed or refractory solid tumor or lymphoma Journal of Clinical Oncology, 2018, 36, 10525-10525.	1.6	10
20	Phase 1 study of entrectinib (RXDX-101), a TRK, ROS1, and ALK inhibitor, in children, adolescents, and young adults with recurrent or refractory solid tumors Journal of Clinical Oncology, 2018, 36, 10536-10536.	1.6	10
21	A multiâ€eenter phase Ib study of oxaliplatin (NSC#266046) in combination with fluorouracil and leucovorin in pediatric patients with advanced solid tumors. Pediatric Blood and Cancer, 2013, 60, 230-236.	1.5	9
22	Germline Sequencing Improves Tumor-Only Sequencing Interpretation in a Precision Genomic Study of Patients With Pediatric Solid Tumor. JCO Precision Oncology, 2021, 5, 1840-1852.	3.0	8
23	A phase 1/2 doseâ€finding, safety, and activity study of cabazitaxel in pediatric patients with refractory solid tumors including tumors of the central nervous system. Pediatric Blood and Cancer, 2018, 65, e27217.	1.5	6
24	Venetoclax Alone or in Combination with Chemotherapy: Responses in Pediatric Patients with Relapsed/Refractory Acute Myeloid Leukemia with Heterogeneous Genomic Profiles. Blood, 2020, 136, 30-31.	1.4	4
25	Clinical impact of molecular tumor profiling in pediatric, adolescent, and young adult patients with extra-cranial solid malignancies: An interim report from the GAIN/iCat2 study Journal of Clinical Oncology, 2021, 39, 10005-10005.	1.6	2
26	Phase I study of ¹³¹ I-MIBG with dinutuximab for patients with relapsed or refractory neuroblastoma: A report from the new approaches to neuroblastoma therapy (NANT) consortium Journal of Clinical Oncology, 2022, 40, 10038-10038.	1.6	2
27	Phase 1 study of olaratumab as monotherapy and in combination with doxorubicin, vincristine/irinotecan, or high-dose ifosfamide in pediatric patients with relapsed or refractory solid tumors: Part A results Journal of Clinical Oncology, 2018, 36, 10541-10541.	1.6	1
28	A case of autoimmune hemolytic anemia with anti-D specificity in a 1-year-old child. Immunohematology, 2013, 29, 15-118.	0.2	1
29	Progression-free survival and patterns of response in patients with high-risk neuroblastoma (HR-NB) treated with irinotecan/temozolomide/dinutuximab/granulocyte-macrophage colony-stimulating factor (I/T/DIN/GM-CSFS) chemoimmunotherapy Journal of Clinical Oncology, 2022, 40, 10025-10025.	1.6	1
30	EAPH-14. MOLECULAR BIOLOGY AND PHASE I STUDY OF GM-CSF AND INTRATHECAL TRASTUZUMAB IN CHILDREN WITH RECURRENT POSTERIOR FOSSA EPENDYMOMA. Neuro-Oncology, 2018, 20, i68-i68.	1.2	0
31	EPCT-18. PHASE O/I STUDY OF GM-CSF AND INTRATHECAL TRASTUZUMAB IN CHILDREN WITH RECURRENT POSTERIOR FOSSA EPENDYMOMA. Neuro-Oncology, 2020, 22, iii307-iii307.	1.2	0
32	EPEN-11. Phase O/I Study of GM-CSF and Intrathecal Trastuzumab In Children With Recurrent Posterior Fossa Ependymoma. Neuro-Oncology, 2022, 24, i40-i40.	1.2	0
33	Phase $1/2$ study of elraglusib (9-ING-41), a small molecule selective glycogen synthase kinase-3 beta (GSK-3 \hat{I}^2) inhibitor, alone or with irinotecan, temozolomide/irinotecan or cyclophosphamide/topotecan in pediatric patients with refractory malignancies: Interim results Journal of Clinical Oncology, 2022. 40. e22015-e22015.	1.6	O