

Karol Adam Kaminski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6924509/publications.pdf>

Version: 2024-02-01

169
papers

21,999
citations

201674

27
h-index

10445

139
g-index

177
all docs

177
docs citations

177
times ranked

33610
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Treatment goal attainment for secondary prevention in coronary patients with or without diabetes mellitus – Polish multicenter study POLASPIRE. Archives of Medical Science, 2023, 19, 305-312. | 0.9 | 5 |
| 2 | Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376. | 4.1 | 33 |
| 3 | Novel associations between inflammation-related proteins and adiposity: A targeted proteomics approach across four population-based studies. Translational Research, 2022, 242, 93-104. | 5.0 | 13 |
| 4 | Dietary Total Antioxidant Capacity Is Inversely Associated with Prediabetes and Insulin Resistance in Bialystok PLUS Population. Antioxidants, 2022, 11, 283. | 5.1 | 9 |
| 5 | Effectiveness of Lifestyle Modification vs. Therapeutic, Preventative Strategies for Reducing Cardiovascular Risk in Primary Prevention – A Cohort Study. Journal of Clinical Medicine, 2022, 11, 688. | 2.4 | 5 |
| 6 | Why Do These Microbes Like Me and How Could There Be a Link with Cardiovascular Risk Factors?. Journal of Clinical Medicine, 2022, 11, 599. | 2.4 | 0 |
| 7 | Estimation of recurrent atherosclerotic cardiovascular event risk in patients with established cardiovascular disease: the updated SMART2 algorithm. European Heart Journal, 2022, 43, 1715-1727. | 2.2 | 40 |
| 8 | Oral Health – Related Quality of Life and Missing Teeth in an Adult Population: A Cross-Sectional Study from Poland. International Journal of Environmental Research and Public Health, 2022, 19, 1626. | 2.6 | 8 |
| 9 | Voice changes in reproductive disorders, thyroid disorders and diabetes: a review. Endocrine Connections, 2022, 11, . | 1.9 | 5 |
| 10 | IGFBP7 Concentration May Reflect Subclinical Myocardial Damage and Kidney Function in Patients with Stable Ischemic Heart Disease. Biomolecules, 2022, 12, 274. | 4.0 | 2 |
| 11 | Factors Associated with Tooth Loss in General Population of Bialystok, Poland. International Journal of Environmental Research and Public Health, 2022, 19, 2369. | 2.6 | 10 |
| 12 | Analysis of Clinical Course and Vaccination Influence on Serological Response in COVID-19 Convalescents. Microbiology Spectrum, 2022, , e0248521. | 3.0 | 0 |
| 13 | Body Composition and Serum Concentration of Thyroid Hormones in Euthyroid Men and Women from General Population. Journal of Clinical Medicine, 2022, 11, 2118. | 2.4 | 2 |
| 14 | The relationships between FLAIS, a novel insulin sensitivity index, and cardiovascular risk factors in a population-based study. Cardiovascular Diabetology, 2022, 21, 55. | 6.8 | 0 |
| 15 | ECG in the clinical and prognostic evaluation of patients with pulmonary arterial hypertension: an underestimated value. Therapeutic Advances in Respiratory Disease, 2022, 16, 175346662210878. | 2.6 | 6 |
| 16 | Platelet sTWEAK and plasma IL-6 are associated with 18F-fluorodeoxyglucose uptake in right ventricles of patients with pulmonary arterial hypertension: A pilot study. Advances in Clinical and Experimental Medicine, 2022, 31, 991-998. | 1.4 | 4 |
| 17 | Insulin-Like Growth Factor-Binding Protein 7 (IGFBP-7) – New Diagnostic and Prognostic Marker in Symptomatic Peripheral Arterial Disease? – Pilot Study. Biomolecules, 2022, 12, 712. | 4.0 | 1 |
| 18 | COVID-19 pandemic influence on self-reported health status and well-being in society. Scientific Reports, 2022, 12, . | 3.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Recollection of Physician Information about Risk Factor and Lifestyle Changes in Chronic Coronary Syndrome Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6416. | 2.6 | 1 |
| 20 | Trained Immunity as a Trigger for Atherosclerotic Cardiovascular Disease—A Literature Review. <i>Journal of Clinical Medicine</i> , 2022, 11, 3369. | 2.4 | 4 |
| 21 | Impact of the COVID-19 Pandemic on Pulmonary Hypertension Patients: Insights from the BNP-PL National Database. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8423. | 2.6 | 5 |
| 22 | Prognostic role of PET/MRI hybrid imaging in patients with pulmonary arterial hypertension. <i>Heart</i> , 2021, 107, 54-60. | 2.9 | 12 |
| 23 | Prognostic value of late gadolinium enhancement mass index in patients with pulmonary arterial hypertension. <i>Advances in Medical Sciences</i> , 2021, 66, 28-34. | 2.1 | 7 |
| 24 | Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). <i>Therapeutic Advances in Chronic Disease</i> , 2021, 12, 204062232110029. | 2.5 | 21 |
| 25 | Smoking cessation in patients with established coronary artery disease: data from the POLASPIRE survey. <i>Kardiologia Polska</i> , 2021, 79, 418-425. | 0.6 | 3 |
| 26 | A Similar Lifetime CV Risk and a Similar Cardiometabolic Profile in the Moderate and High Cardiovascular Risk Populations: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1584. | 2.4 | 14 |
| 27 | Effects of cardiac rehabilitation on risk factor management and quality of life in patients with ischemic heart disease: A multicenter cross-sectional study. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 617-625. | 0.4 | 2 |
| 28 | Multimodal assessment of right ventricle overload-metabolic and clinical consequences in pulmonary arterial hypertension. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 49. | 3.3 | 11 |
| 29 | Undiagnosed Diabetes and Prediabetes in Patients with Chronic Coronary Syndromes—An Alarming Public Health Issue. <i>Journal of Clinical Medicine</i> , 2021, 10, 1981. | 2.4 | 1 |
| 30 | Management of Dyslipidemia in Women and Men with Coronary Heart Disease: Results from POLASPIRE Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2594. | 2.4 | 4 |
| 31 | Echocardiographic Assessment of Right Ventricular—Arterial Coupling in Predicting Prognosis of Pulmonary Arterial Hypertension Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 2995. | 2.4 | 14 |
| 32 | Effectiveness and safety of a simple home-based rehabilitation program in pulmonary arterial hypertension: an interventional pilot study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 79. | 1.7 | 8 |
| 33 | Serum Chemerin Concentration Is Associated with Proinflammatory Status in Chronic Coronary Syndrome. <i>Biomolecules</i> , 2021, 11, 1149. | 4.0 | 7 |
| 34 | COVID-19 Vaccine Hesitancy in Poland—Multifactorial Impact Trajectories. <i>Vaccines</i> , 2021, 9, 876. | 4.4 | 47 |
| 35 | Gut Microbiome in Chronic Coronary Syndrome Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 5074. | 2.4 | 13 |
| 36 | Subjective well-being in non-obese individuals depends strongly on body composition. <i>Scientific Reports</i> , 2021, 11, 21797. | 3.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Which Microbes Like My Diet and What Does It Mean for My Heart?. <i>Nutrients</i> , 2021, 13, 4146. | 4.1 | 3 |
| 38 | Monocyte Subsets in Patients with Chronic Heart Failure Treated with Cardiac Resynchronization Therapy. <i>Cells</i> , 2021, 10, 3482. | 4.1 | 3 |
| 39 | Independent Impact of Gynoid Fat Distribution and Free Testosterone on Circulating Levels of N-Terminal Pro-Brain Natriuretic Peptide (NT-proBNP) in Humans. <i>Journal of Clinical Medicine</i> , 2020, 9, 74. | 2.4 | 12 |
| 40 | Machine-learning facilitates selection of a novel diagnostic panel of metabolites for the detection of heart failure. <i>Scientific Reports</i> , 2020, 10, 130. | 3.3 | 9 |
| 41 | Chemokines profile in patients with chronic heart failure treated with cardiac resynchronization therapy. <i>Advances in Medical Sciences</i> , 2020, 65, 102-110. | 2.1 | 4 |
| 42 | The effect of interleukin 6 deficiency on myocardial signal transduction pathways activation induced by bacterial lipopolysaccharide in young and old mice. <i>Advances in Medical Sciences</i> , 2020, 65, 386-393. | 2.1 | 1 |
| 43 | Impact of Pulse Wave Velocity and Parameters Reflecting Android Type Fat Distribution on Left Ventricular Diastolic Dysfunction in Patients with Chronic Coronary Syndromes. <i>Journal of Clinical Medicine</i> , 2020, 9, 3924. | 2.4 | 5 |
| 44 | Effects of neurohormonal antagonists on blood pressure in patients with heart failure with reduced ejection fraction (HFrEF): a systematic review protocol. <i>Systematic Reviews</i> , 2020, 9, 194. | 5.3 | 0 |
| 45 | Expectations of family nurses among residents of a midsize eastern European city: A population-based cohort study in Poland. <i>Health and Social Care in the Community</i> , 2020, , . | 1.6 | 0 |
| 46 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021. | 2.8 | 4,468 |
| 47 | ECG Indices Poorly Predict Left Ventricular Hypertrophy and Are Applicable Only in Individuals with Low Cardiovascular Risk. <i>Journal of Clinical Medicine</i> , 2020, 9, 1364. | 2.4 | 5 |
| 48 | Galectin-3 as the Prognostic Factor of Adverse Cardiovascular Events in Long-Term Follow up in Patients after Myocardial Infarction—A Pilot Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1640. | 2.4 | 6 |
| 49 | Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). <i>Journal of Clinical Medicine</i> , 2020, 9, 173. | 2.4 | 38 |
| 50 | Association between rs2107595 HDAC9 gene polymorphism and advanced carotid atherosclerosis in the Slovenian cohort. <i>Lipids in Health and Disease</i> , 2020, 19, 71. | 3.0 | 6 |
| 51 | The prevalence of cardiovascular risk factors and cardiovascular disease among primary care patients in Poland: results from the LIPIDOGRAM2015 study. <i>Atherosclerosis Supplements</i> , 2020, 42, e15-e24. | 1.2 | 18 |
| 52 | Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. <i>Cardiology Journal</i> , 2020, 27, 533-540. | 1.2 | 18 |
| 53 | Altered microRNA dynamics in acute coronary syndrome. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 287-293. | 0.2 | 5 |
| 54 | Association of Empirical Dietary Atherogenic Indices with All-Cause and Cause-Specific Mortality in a Multi-Ethnic Adult Population of the United States. <i>Nutrients</i> , 2019, 11, 2323. | 4.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. <i>Atherosclerosis</i> , 2019, 285, 135-146. | 0.8 | 227 |
| 56 | Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002470. | 3.6 | 17 |
| 57 | Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002471. | 3.6 | 22 |
| 58 | Insulin-like growth factor-binding protein 7 (IGFBP 7) as a new biomarker in coronary heart disease. <i>Advances in Medical Sciences</i> , 2019, 64, 195-201. | 2.1 | 14 |
| 59 | P4686 Multimodal assessment of right ventricular-arterial coupling allows better prognostication in pulmonary arterial hypertension patients. <i>European Heart Journal</i> , 2019, 40, . | 2.2 | 0 |
| 60 | The role of interleukin-6 in intracellular signal transduction after chronic β_2 -adrenergic stimulation in mouse myocardium. <i>Archives of Medical Science</i> , 2019, 15, 1565-1575. | 0.9 | 11 |
| 61 | Fluid therapy in non-septic, refractory acute decompensated heart failure patients – The cautious role of central venous pressure. <i>Advances in Medical Sciences</i> , 2019, 64, 37-43. | 2.1 | 2 |
| 62 | The relationships among monocyte subsets, miRNAs and inflammatory cytokines in patients with acute myocardial infarction. <i>Pharmacological Reports</i> , 2019, 71, 73-81. | 3.3 | 16 |
| 63 | Increased platelet content of SDF-1alpha is associated with worse prognosis in patients with pulmonary arterial hypertension. <i>Platelets</i> , 2019, 30, 445-451. | 2.3 | 8 |
| 64 | Interleukin 6 Knockout Inhibits Aging-Related Accumulation of p53 in the Mouse Myocardium. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 176-182. | 3.6 | 8 |
| 65 | Database of Pulmonary Hypertension in the Polish Population (BNP-PL): design of the registry. <i>Kardiologia Polska</i> , 2019, 77, 972-974. | 0.6 | 18 |
| 66 | Insulin-like growth factor-binding protein 7 (IGFBP7): Novel, independent marker of cardiometabolic diseases?. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2019, 73, 735-740. | 0.1 | 3 |
| 67 | Sarcopenia and myokines profile as risk factors in cardiovascular diseases?. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2019, 73, 550-562. | 0.1 | 0 |
| 68 | LC-MS-based serum fingerprinting reveals significant dysregulation of phospholipids in chronic heart failure. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 154, 354-363. | 2.8 | 26 |
| 69 | The significance of diminished sTWEAK and P-selectin content in platelets of patients with pulmonary arterial hypertension. <i>Cytokine</i> , 2018, 107, 52-58. | 3.2 | 8 |
| 70 | Perioperative thrombocytopenia predicts poor outcome in patients undergoing transcatheter aortic valve implantation. <i>Advances in Medical Sciences</i> , 2018, 63, 179-184. | 2.1 | 9 |
| 71 | P1630 Myocardial late gadolinium enhancement mass and FDG uptake assessments using a hybrid PET/MRI system in patients with pulmonary arterial hypertension. <i>European Heart Journal</i> , 2018, 39, . | 2.2 | 0 |
| 72 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1736-1788. | 13.7 | 4,989 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1789-1858. | 13.7 | 8,569 |
| 74 | Persistently elevated plasma heart-type fatty acid binding protein concentration is related with poor outcome in acute decompensated heart failure patients. <i>Clinica Chimica Acta</i> , 2018, 487, 48-53. | 1.1 | 11 |
| 75 | Machine learning facilitates selecting a group of metabolites non-inferior to BNP for the diagnosis of chronic heart failure. <i>European Heart Journal</i> , 2018, 39, . | 2.2 | 0 |
| 76 | IL-6 plasma concentration is associated with right ventricular myocardial 18-F glucose uptake, but not functional RV parameters obtained by MRI in patients with pulmonary arterial hypertension. <i>European Heart Journal</i> , 2018, 39, . | 2.2 | 0 |
| 77 | Very Small Embryonic-Like Stem Cells, Endothelial Progenitor Cells, and Different Monocyte Subsets Are Effectively Mobilized in Acute Lymphoblastic Leukemia Patients after G-CSF Treatment. <i>Stem Cells International</i> , 2018, 2018, 1-8. | 2.5 | 9 |
| 78 | The role of platelets in the development and progression of pulmonary arterial hypertension. <i>Advances in Medical Sciences</i> , 2018, 63, 312-316. | 2.1 | 22 |
| 79 | Interleukin-6 deficiency modifies the effect of high fat diet on myocardial expression of fatty acid transporters and myocardial lipids. <i>Journal of Physiology and Pharmacology</i> , 2018, 69, . | 1.1 | 3 |
| 80 | Decreased thromboembolic stroke but not atherosclerosis or vascular remodelling in mice with ROCK2-deficient platelets. <i>Cardiovascular Research</i> , 2017, 113, 1307-1317. | 3.8 | 22 |
| 81 | The causes of thrombocytopenia after transcatheter aortic valve implantation. <i>Thrombosis Research</i> , 2017, 156, 39-44. | 1.7 | 20 |
| 82 | Thrombocytopenia associated with TAVI – The summary of possible causes. <i>Advances in Medical Sciences</i> , 2017, 62, 378-382. | 2.1 | 20 |
| 83 | The quest for equilibrium: exploring the thin red line between bleeding and ischaemic risks in the management of acute coronary syndromes in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1967-1976. | 0.7 | 14 |
| 84 | Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, . | 5.1 | 28 |
| 85 | Interleukin-6 Affects Aging-Related Changes of the PPAR α -PGC-1 α Axis in the Myocardium. <i>Journal of Interferon and Cytokine Research</i> , 2017, 37, 513-521. | 1.2 | 9 |
| 86 | The strengths and weaknesses of non-invasive parameters obtained by echocardiography and cardiopulmonary exercise testing in comparison with the hemodynamic assessment by the right heart catheterization in patients with pulmonary hypertension. <i>Advances in Medical Sciences</i> , 2017, 62, 39-44. | 2.1 | 9 |
| 87 | Interleukin-6 signaling in patients with chronic heart failure treated with cardiac resynchronization therapy. <i>Archives of Medical Science</i> , 2017, 5, 1069-1077. | 0.9 | 16 |
| 88 | The rs2228145 polymorphism in the interleukin-6 receptor and its association with long-term prognosis after myocardial infarction in a pilot study. <i>Archives of Medical Science</i> , 2017, 1, 93-99. | 0.9 | 3 |
| 89 | Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2017, 75, 286-293. | 0.6 | 0 |
| 90 | Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2017, 75, 33-41. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Alterations of soluble TWEAK and CD163 concentrations in patients with chronic heart failure. <i>Cytokine</i> , 2016, 80, 7-12. | 3.2 | 27 |
| 92 | Interleukin 6 modulates PPAR α and PGC-1 α and is involved in high-fat diet induced cardiac lipotoxicity in mouse. <i>International Journal of Cardiology</i> , 2016, 219, 1-8. | 1.7 | 21 |
| 93 | Metabolomics – A wide-open door to personalized treatment in chronic heart failure?. <i>International Journal of Cardiology</i> , 2016, 219, 156-163. | 1.7 | 28 |
| 94 | The influence of renal function on the association of rs854560 polymorphism of paraoxonase 1 gene with long-term prognosis in patients after myocardial infarction. <i>Heart and Vessels</i> , 2016, 31, 15-22. | 1.2 | 8 |
| 95 | Activity of the kynurenine pathway and its interplay with immunity in patients with pulmonary arterial hypertension. <i>Heart</i> , 2016, 102, 230-237. | 2.9 | 28 |
| 96 | Predictive value of Galectin-3 for the occurrence of coronary artery disease and prognosis after myocardial infarction and its association with carotid IMT values in these patients: A mid-term prospective cohort study. <i>Atherosclerosis</i> , 2016, 246, 309-317. | 0.8 | 49 |
| 97 | Remodeling of the intercalated disc related to aging in the mouse heart. <i>Journal of Cardiology</i> , 2016, 68, 261-268. | 1.9 | 42 |
| 98 | The 9p21 polymorphism is linked with atrial fibrillation during acute phase of ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2016, 31, 1590-1594. | 1.2 | 3 |
| 99 | Prevalence of lipid abnormalities in Poland. The NATPOL 2011 survey. <i>Kardiologia Polska</i> , 2016, 74, 213-223. | 0.6 | 37 |
| 100 | A study to evaluate the prevalence and determinants of stress coping strategies in heart failure patients in Poland (CAPS-LOCK-HF sub-study). <i>Kardiologia Polska</i> , 2016, 74, 1327-1331. | 0.6 | 3 |
| 101 | The rs12526453 Polymorphism in an Intron of the PHACTR1 Gene and Its Association with 5-Year Mortality of Patients with Myocardial Infarction. <i>PLoS ONE</i> , 2015, 10, e0129820. | 2.5 | 15 |
| 102 | Circulating classical CD14 ⁺⁺ CD16 ⁺ monocytes predict shorter time to initial treatment in chronic lymphocytic leukemia patients: Differential effects of immune chemotherapy on monocyte-related membrane and soluble forms of CD163. <i>Oncology Reports</i> , 2015, 34, 1269-1278. | 2.6 | 16 |
| 103 | Differential involvement of IL-6 in the early and late phase of 1-methylnicotinamide (MNA) release in Concanavalin A-induced hepatitis. <i>International Immunopharmacology</i> , 2015, 28, 105-114. | 3.8 | 21 |
| 104 | The Multi-Biomarker Approach for Heart Failure in Patients with Hypertension. <i>International Journal of Molecular Sciences</i> , 2015, 16, 10715-10733. | 4.1 | 33 |
| 105 | Enhanced IL-6 trans-signaling in pulmonary arterial hypertension and its potential role in disease-related systemic damage. <i>Cytokine</i> , 2015, 76, 187-192. | 3.2 | 36 |
| 106 | Transcriptional and post-transcriptional regulation of CCN genes in failing heart. <i>Pharmacological Reports</i> , 2015, 67, 204-208. | 3.3 | 9 |
| 107 | The rs9982601 polymorphism of the region between the SLC5A3/MRPS6 and KCNE2 genes associated with a prevalence of myocardial infarction and subsequent long-term mortality. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 240-248. | 0.4 | 10 |
| 108 | Clinical significance of measuring inflammatory markers in patients with pulmonary arterial hypertension. Authors' reply. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 216-216. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | CHA2DS2-VASc and R2CHA2DS2-VASc scores have predictive value in patients with acute coronary syndromes. Polish Archives of Internal Medicine, 2015, 125, 545-552. | 0.4 | 13 |
| 110 | Clinical significance of measuring inflammatory markers in patients with pulmonary arterial hypertension. Authors' reply. , 2015, 125, 216. | | 0 |
| 111 | Polymorphism of 9p21.3 Locus Is Associated with 5-Year Survival in High-Risk Patients with Myocardial Infarction. PLoS ONE, 2014, 9, e104635. | 2.5 | 12 |
| 112 | <sc>ESC</sc> Working Group on Myocardial Function Position Paper: how to study the right ventricle in experimental models. European Journal of Heart Failure, 2014, 16, 509-518. | 7.1 | 11 |
| 113 | PPAR Gamma Expression Levels during Development of Heart Failure in Patients with Coronary Artery Disease after Coronary Artery Bypass-Grafting. PPAR Research, 2014, 2014, 1-5. | 2.4 | 6 |
| 114 | Lipid, blood pressure and kidney update 2013. International Urology and Nephrology, 2014, 46, 947-961. | 1.4 | 60 |
| 115 | Serum levels of CD163 and TWEAK in patients with pulmonary arterial hypertension. Cytokine, 2014, 66, 40-45. | 3.2 | 26 |
| 116 | Natural history and risk factors of long-term mortality in acute coronary syndrome patients with cardiogenic shock. Advances in Medical Sciences, 2014, 59, 156-160. | 2.1 | 6 |
| 117 | Running Performance at High Running Velocities Is Impaired but V̇O ₂ max and Peripheral Endothelial Function Are Preserved in IL-6 ^{-/-} Mice. PLoS ONE, 2014, 9, e88333. | 2.5 | 12 |
| 118 | Potential pathogenic role of soluble receptor activator of nuclear factor- κ B ligand and osteoprotegerin in patients with pulmonary arterial hypertension. Polish Archives of Internal Medicine, 2014, 124, 579-586. | 0.4 | 3 |
| 119 | The effects of statins on blood pressure in normotensive or hypertensive subjects â€” A meta-analysis of randomized controlled trials. International Journal of Cardiology, 2013, 168, 2816-2824. | 1.7 | 37 |
| 120 | The rs9982601 polymorphism of the intergenic region between SLC5A3/MRPS6/KCNE2 genes is associated with 5-year mortality of patients with ST-elevation myocardial infarction. European Heart Journal, 2013, 34, P1302-P1302. | 2.2 | 0 |
| 121 | Feasibility of strain and strain rate evaluation by two-dimensional speckle tracking in murine model of myocardial infarction. Journal of Cardiovascular Medicine, 2013, 14, 136-143. | 1.5 | 5 |
| 122 | Polymorphism of 9p21.3 Locus Is Associated with 5-Year Survival in High-Risk Patients with Myocardial Infarction. PLoS ONE, 2013, 8, e72333. | 2.5 | 7 |
| 123 | In silico identification of cardiovascular disease-related SNPs affecting predicted microRNA target sites. Polish Archives of Internal Medicine, 2013, 123, 355-369. | 0.4 | 6 |
| 124 | CCN1 expression in interleukin-6 deficient mouse kidney in experimental model of heart failure. Folia Histochemica Et Cytobiologica, 2013, 51, 84-91. | 1.5 | 11 |
| 125 | Cardiogenic pulmonary oedema: alarmingly poor long term prognosis. Analysis of risk factors. Kardiologia Polska, 2013, 71, 712-720. | 0.6 | 5 |
| 126 | Rho-Associated Coiled-Coil-Containing Kinase 2 Deficiency in Bone Marrow-Derived Cells Leads to Increased Cholesterol Efflux and Decreased Atherosclerosis. Circulation, 2012, 126, 2236-2247. | 1.6 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Single bout of endurance exercise increases NNMT activity in the liver and MNA concentration in plasma; the role of IL-6. <i>Pharmacological Reports</i> , 2012, 64, 369-376. | 3.3 | 20 |
| 128 | Interleukin 6 is not necessary for STAT3 phosphorylation and myocardial hypertrophy following short term beta-adrenergic stimulation. <i>Advances in Medical Sciences</i> , 2012, 57, 94-99. | 2.1 | 3 |
| 129 | The rs1801133 polymorphism of methylenetetrahydrofolate reductase gene- the association with 5-year survival in patients with ST-elevation myocardial infarction. <i>Advances in Medical Sciences</i> , 2012, 57, 106-111. | 2.1 | 6 |
| 130 | Editorial The effects of statins on blood pressure: current knowledge and future perspectives. <i>Archives of Medical Science</i> , 2012, 1, 1-3. | 0.9 | 10 |
| 131 | Atrial expression of the CCN1 and CCN2 proteins in chronic heart failure. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 99-103. | 1.5 | 5 |
| 132 | Atrial expression of the CCN1 and CCN2 proteins in chronic heart failure. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 99-103. | 1.5 | 12 |
| 133 | GRACE, TIMI, Zwolle and CADILLAC risk scores " Do they predict 5-year outcomes after ST-elevation myocardial infarction treated invasively?. <i>International Journal of Cardiology</i> , 2011, 148, 70-75. | 1.7 | 52 |
| 134 | Hypotensive effect of atorvastatin in hypertensive patients: the association among flow-mediated dilation, oxidative stress and endothelial dysfunction. <i>Archives of Medical Science</i> , 2011, 6, 955-962. | 0.9 | 14 |
| 135 | Role of interleukin-6 on RANKL-RANK/osteoprotegerin system in hypothyroid ovariectomized mice.. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 48, 549-54. | 1.5 | 3 |
| 136 | Efficacy of invasive treatment and the occurrence of cardiac rupture in acute ST-elevation myocardial infarction. <i>Kardiologia Polska</i> , 2011, 69, 795-800. | 0.6 | 6 |
| 137 | Endothelial dysfunction and sympathetic nervous system activation in young patients with essential arterial hypertension and without hypercholesterolaemia. <i>Acta Cardiologica</i> , 2010, 65, 535-540. | 0.9 | 4 |
| 138 | Influence of atorvastatin on blood pressure control in treated hypertensive, normolipemic patients " An open, pilot study. <i>Blood Pressure</i> , 2010, 19, 260-266. | 1.5 | 18 |
| 139 | Circadian variations of interleukin 6 in coronary circulations of patients with myocardial infarction. <i>Cytokine</i> , 2010, 50, 204-209. | 3.2 | 12 |
| 140 | Hypotensive effect of atorvastatin is not related to changes in inflammation and oxidative stress. <i>Pharmacological Reports</i> , 2010, 62, 883-890. | 3.3 | 11 |
| 141 | Percutaneous Coronary Interventions Affect Concentrations of Interleukin 6 and Its Soluble Receptors in Coronary Sinus Blood in Patients with Stable Angina. <i>Angiology</i> , 2009, 60, 322-328. | 1.8 | 5 |
| 142 | Relation of Body Mass Index to Five-Year Survival in Patients With ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2009, 103, 435. | 1.6 | 4 |
| 143 | CCN2 protein is an announcing marker for cardiac remodeling following STZ-induced moderate hyperglycemia in mice. <i>Pharmacological Reports</i> , 2009, 61, 496-503. | 3.3 | 18 |
| 144 | Coronary sinus concentrations of interleukin 6 and its soluble receptors are affected by reperfusion and may portend complications in patients with myocardial infarction. <i>Atherosclerosis</i> , 2009, 206, 581-587. | 0.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Effect of interleukin 6 deficiency on the expression of Bcl-2 and Bax in the murine heart. <i>Pharmacological Reports</i> , 2009, 61, 504-513. | 3.3 | 17 |
| 146 | Time for new indications for statins?. <i>Medical Science Monitor</i> , 2009, 15, MS1-5. | 1.1 | 51 |
| 147 | Carvedilol modifies antioxidant status of patients with stable angina. <i>Cellular and Molecular Biology Letters</i> , 2008, 13, 230-9. | 7.0 | 12 |
| 148 | Myocardial perfusion assessed by contrast echocardiography correlates with angiographic perfusion parameters in patients with a first acute myocardial infarction successfully treated with angioplasty. <i>Canadian Journal of Cardiology</i> , 2008, 24, 633-639. | 1.7 | 17 |
| 149 | Oxidative stress and antioxidative defense parameters early after reperfusion therapy for acute myocardial infarction. <i>Acute Cardiac Care</i> , 2008, 10, 121-126. | 0.2 | 17 |
| 150 | Lack of ST-Segment Depression Normalization After PCI is a Predictor of 5-Year Mortality in Patients With ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2007, 71, 1851-1856. | 1.6 | 8 |
| 151 | A Cathepsin D-Cleaved 16 kDa Form of Prolactin Mediates Postpartum Cardiomyopathy. <i>Cell</i> , 2007, 128, 589-600. | 28.9 | 736 |
| 152 | Impairment of recognition memory in interleukin-6 knock-out mice. <i>European Journal of Pharmacology</i> , 2007, 577, 219-220. | 3.5 | 37 |
| 153 | The association between type 2 diabetes mellitus and A1/A2 polymorphism of glycoprotein IIIa gene. <i>Acta Diabetologica</i> , 2007, 44, 30-33. | 2.5 | 6 |
| 154 | TIMI Risk Score accurately predicts risk of death in 30-day and one-year follow-up in STEMI patients treated with primary percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2007, 65, 788-95; discussion 796-7. | 0.6 | 8 |
| 155 | Interleukin-6 is not essential for bone turnover in hypothyroid mice. <i>Folia Histochemica Et Cytobiologica</i> , 2007, 45, 387-92. | 1.5 | 1 |
| 156 | The effects of moderate physical exercise on cardiac hypertrophy in interleukin 6 deficient mice. <i>Advances in Medical Sciences</i> , 2007, 52, 164-8. | 2.1 | 17 |
| 157 | Neutrophil Superoxide Anion Generation During Atorvastatin and Fluvastatin Therapy Used in Coronary Heart Disease Primary Prevention. <i>Journal of Cardiovascular Pharmacology</i> , 2006, 48, 143-147. | 1.9 | 37 |
| 158 | The Benefits of Repeated Measurements of B-type Natriuretic Peptide in Patients With First ST-Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2006, 47, 843-854. | 1.0 | 4 |
| 159 | The effect of glycoprotein IIIa A1/A2 gene polymorphism on one-year outcome in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2006, 64, 1350-5; discussion 1356. | 0.6 | 1 |
| 160 | Lack of JunD Promotes Pressure Overload-Induced Apoptosis, Hypertrophic Growth, and Angiogenesis in the Heart. <i>Circulation</i> , 2005, 112, 1470-1477. | 1.6 | 60 |
| 161 | Does gastro-esophageal reflux provoke the myocardial ischemia in patients with CAD?. <i>International Journal of Cardiology</i> , 2005, 104, 67-72. | 1.7 | 44 |
| 162 | Supraventricular tachycardia and pulmonary hypertension at the presentation of Hodgkin's disease. <i>Acta Cardiologica</i> , 2005, 60, 655-657. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Signal Transducer and Activator of Transcription 3 Is Required for Myocardial Capillary Growth, Control of Interstitial Matrix Deposition, and Heart Protection From Ischemic Injury. <i>Circulation Research</i> , 2004, 95, 187-195. | 4.5 | 345 |
| 164 | Regulation of Proangiogenic Factor CCN1 in Cardiac Muscle. <i>Circulation</i> , 2004, 109, 2227-2233. | 1.6 | 104 |
| 165 | Role of interleukin-6 for left ventricular remodeling and survival after experimental myocardial infarction. <i>FASEB Journal</i> , 2003, 17, 1-20. | 0.5 | 113 |
| 166 | Expression of CYR61, an Angiogenic Immediate Early Gene, in Arteriosclerosis and Its Regulation by Angiotensin II. <i>Circulation</i> , 2002, 106, 254-260. | 1.6 | 103 |
| 167 | Oxidative stress and neutrophil activation—the two keystones of ischemia/reperfusion injury. <i>International Journal of Cardiology</i> , 2002, 86, 41-59. | 1.7 | 288 |
| 168 | Diverse effects of prolonged physical training on learning of the delayed non-matching to sample by rats. <i>Neuroscience Research</i> , 2001, 39, 79-84. | 1.9 | 11 |
| 169 | A 39-Year-Old Woman with Ventricular Electrical Storm Treated with Emergency Cardiac Defibrillation Followed by Multidisciplinary Management. <i>American Journal of Case Reports</i> , 0, 23, . | 0.8 | 2 |