

Karin M Andersson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6929245/publications.pdf>

Version: 2024-02-01

18
papers

306
citations

1040056

9
h-index

1281871

11
g-index

20
all docs

20
docs citations

20
times ranked

707
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcriptional signature of human pro-inflammatory TH17 cells identifies reduced IL10 gene expression in multiple sclerosis. <i>Nature Communications</i> , 2017, 8, 1600.	12.8	93
2	Inflammation in the hippocampus affects IGF1 receptor signaling and contributes to neurological sequelae in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E12063-E12072.	7.1	41
3	IGF-1R signalling contributes to IL-6 production and T cell dependent inflammation in rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 2158-2170.	3.8	36
4	Smoking activates cytotoxic CD8+ T cells and causes survivin release in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2017, 78, 101-110.	6.5	33
5	Aberrant expression of USF2 in refractory rheumatoid arthritis and its regulation of proinflammatory cytokines in Th17 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 30639-30648.	7.1	25
6	Low serum IGF1 is associated with hypertension and predicts early cardiovascular events in women with rheumatoid arthritis. <i>BMC Medicine</i> , 2019, 17, 141.	5.5	20
7	Suppressed diversity of survivin splicing in active rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 175.	3.5	18
8	Survivin controls biogenesis of microRNA in smokers: A link to pathogenesis of rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 663-673.	3.8	15
9	S100A4 regulates the Src-tyrosine kinase dependent differentiation of Th17 cells in rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 2049-2059.	3.8	11
10	High Expression of STAT3 in Subcutaneous Adipose Tissue Associates with Cardiovascular Risk in Women with Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2410.	4.1	7
11	Impact of the Uncoupling Protein 1 on Cardiovascular Risk in Patients with Rheumatoid Arthritis. <i>Cells</i> , 2021, 10, 1131.	4.1	4
12	01.13â€¦Igf1R signalling contributes to T cell dependent inflammation in rheumatoid arthritis. , 2017, , .		0
13	08.29â€¦Smoking contributes to exhaustion state of cd4⁺ t cells in rheumatoid arthritis. , 2017, , .		0
14	FRI0059â€¦SOLUBLE RECEPTOR FOR ADVANCED GLYCATION END PRODUCTS (SRAGE) AND RISK FOR CARDIOVASCULAR DISEASES IN FEMALES WITH RHEUMATOID ARTHRITIS. , 2019, , .		0
15	FRI0028â€¦LOW SERUM IGF1 IS ASSOCIATED WITH AN INCREASED RISK AND HIGH PREVALENCE OF CARDIOVASCULAR EVENTS IN MIDDLE-AGED FEMALE PATIENTS WITH RA â€“ A 5-YEAR FOLLOW-UP. , 2019, , .		0
16	FRI0105â€¦EXPRESSION OF UNCOUPLING PROTEIN-1 IN SUBCUTANEOUS FAT IS INCREASED BY TOCILIZUMAB. , 2019, , .		0
17	THU0012â€¦ESTROGEN REGULATES MICRO RNA BIOPROCESSING AND PRODUCTION OF IL9 CYTOKINE WITHIN LEUKOCYTES IN RHEUMATOID ARTHRITIS. , 2019, , .		0
18	MicroRNA and interleukin 6 interplay in the adipose tissue of rheumatoid arthritis patients. <i>Clinical and Experimental Rheumatology</i> , 2022, , .	0.8	0