

Ho Sung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6930415/publications.pdf>

Version: 2024-02-01

137
papers

4,121
citations

126901

33
h-index

149686

56
g-index

145
all docs

145
docs citations

145
times ranked

5309
citing authors

#	ARTICLE	IF	CITATIONS
1	Tumor habitat analysis by magnetic resonance imaging distinguishes tumor progression from radiation necrosis in brain metastases after stereotactic radiosurgery. <i>European Radiology</i> , 2022, 32, 497-507.	4.5	13
2	Body CT and PET/CT detection of extracranial lymphoma in patients with newly diagnosed central nervous system lymphoma. <i>Neuro-Oncology</i> , 2022, 24, 482-491.	1.2	3
3	Hypovascular Cellular Tumor in Primary Central Nervous System Lymphoma is Associated with Treatment Resistance: Tumor Habitat Analysis Using Physiologic MRI. <i>American Journal of Neuroradiology</i> , 2022, 43, 40-47.	2.4	7
4	Thin-Slice Pituitary MRI with Deep Learning-based Reconstruction for Preoperative Prediction of Cavernous Sinus Invasion by Pituitary Adenoma: A Prospective Study. <i>American Journal of Neuroradiology</i> , 2022, 43, 280-285.	2.4	7
5	Research Highlight: Use of Generative Images Created with Artificial Intelligence for Brain Tumor Imaging. <i>Korean Journal of Radiology</i> , 2022, 23, 500.	3.4	5
6	Contrast enhancing pattern on pre-treatment MRI predicts response to anti-angiogenic treatment in recurrent glioblastoma: comparison of bevacizumab and temozolomide treatment. <i>Journal of Neuro-Oncology</i> , 2022, 157, 405-415.	2.9	0
7	Diffuse glioma, not otherwise specified: imaging-based risk stratification achieves histomolecular-level prognostication. <i>European Radiology</i> , 2022, 32, 7780-7788.	4.5	6
8	Thin-Slice Pituitary MRI with Deep Learning-based Reconstruction: Diagnostic Performance in a Postoperative Setting. <i>Radiology</i> , 2021, 298, 114-122.	7.3	54
9	Extensive peritumoral edema and brain-to-tumor interface MRI features enable prediction of brain invasion in meningioma: development and validation. <i>Neuro-Oncology</i> , 2021, 23, 324-333.	1.2	40
10	Spatiotemporal Heterogeneity in Multiparametric Physiologic MRI Is Associated with Patient Outcomes in IDH-Wildtype Glioblastoma. <i>Clinical Cancer Research</i> , 2021, 27, 237-245.	7.0	18
11	Immune checkpoint inhibitor therapy may increase the incidence of treatment-related necrosis after stereotactic radiosurgery for brain metastases: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 4114-4129.	4.5	22
12	Diffusion and perfusion MRI radiomics obtained from deep learning segmentation provides reproducible and comparable diagnostic model to human in post-treatment glioblastoma. <i>European Radiology</i> , 2021, 31, 3127-3137.	4.5	26
13	Diagnostic Yield of Body CT and Whole-Body FDG PET/CT for Initial Systemic Staging in Patients With Suspected Primary CNS Lymphoma: A Systematic Review and Meta-Analysis. <i>American Journal of Roentgenology</i> , 2021, 216, 1172-1182.	2.2	9
14	The Korean Society for Neuro-Oncology (KSNO) Guideline for Adult Diffuse Midline Glioma: Version 2021.1. <i>Brain Tumor Research and Treatment</i> , 2021, 9, 1.	1.0	16
15	Liver-to-Spleen Volume Ratio Automatically Measured on CT Predicts Decompensation in Patients with B Viral Compensated Cirrhosis. <i>Korean Journal of Radiology</i> , 2021, 22, 1985.	3.4	14
16	The T2-FLAIR mismatch sign as a predictor of IDH-mutant, 1p/19q-noncodeleted lower-grade gliomas: a systematic review and diagnostic meta-analysis. <i>European Radiology</i> , 2021, 31, 5289-5299.	4.5	26
17	Immune Checkpoint Inhibitor with or without Radiotherapy in Melanoma Patients with Brain Metastases: A Systematic Review and Meta-Analysis. <i>Korean Journal of Radiology</i> , 2021, 22, 584.	3.4	12
18	The Korean Society for Neuro-Oncology (KSNO) Guideline for Antiepileptic Drug Usage of Brain Tumor: Version 2021.1. <i>Brain Tumor Research and Treatment</i> , 2021, 9, 9.	1.0	2

#	ARTICLE	IF	CITATIONS
19	Neuroimaging Findings in Patients with COVID-19: A Systematic Review and Meta-Analysis. Korean Journal of Radiology, 2021, 22, 1875.	3.4	20
20	Vessel Type Determined by Vessel Architectural Imaging Improves Differentiation between Early Tumor Progression and Pseudoprogression in Glioblastoma. American Journal of Neuroradiology, 2021, 42, 663-670.	2.4	11
21	Spatiotemporal habitats from multiparametric physiologic MRI distinguish tumor progression from treatment-related change in post-treatment glioblastoma. European Radiology, 2021, 31, 6374-6383.	4.5	10
22	Differentiation of recurrent glioblastoma from radiation necrosis using diffusion radiomics with machine learning model development and external validation. Scientific Reports, 2021, 11, 2913.	3.3	23
23	Development and Validation of a Deep Learning-Based Model to Distinguish Glioblastoma from Solitary Brain Metastasis Using Conventional MR Images. American Journal of Neuroradiology, 2021, 42, 838-844.	2.4	31
24	Low conductivity on electrical properties tomography demonstrates unique tumor habitats indicating progression in glioblastoma. European Radiology, 2021, 31, 6655-6665.	4.5	7
25	The Incidence of Epstein-Barr Virus-Positive Diffuse Large B-Cell Lymphoma: A Systematic Review and Meta-Analysis. Cancers, 2021, 13, 1785.	3.7	16
26	Magnetic Resonance Imaging Parameters for Noninvasive Prediction of Epidermal Growth Factor Receptor Amplification in Isocitrate Dehydrogenase-Wild-Type Lower-Grade Gliomas: A Multicenter Study. Neurosurgery, 2021, 89, 257-265.	1.1	11
27	Generative adversarial network for glioblastoma ensures morphologic variations and improves diagnostic model for isocitrate dehydrogenase mutant type. Scientific Reports, 2021, 11, 9912.	3.3	7
28	Refinement of response assessment in neuro-oncology (RANO) using non-enhancing lesion type and contrast enhancement evolution pattern in IDH wild-type glioblastomas. BMC Cancer, 2021, 21, 654.	2.6	1
29	The Incidence and Treatment Response of Double Expression of MYC and BCL2 in Patients with Diffuse Large B-Cell Lymphoma: A Systematic Review and Meta-Analysis. Cancers, 2021, 13, 3369.	3.7	8
30	Reproducible imaging-based prediction of molecular subtype and risk stratification of gliomas across different experience levels using a structured reporting system. European Radiology, 2021, 31, 7374-7385.	4.5	14
31	Development of Brain Metastases in Patients With Non-Small Cell Lung Cancer and No Brain Metastases at Initial Staging Evaluation: Cumulative Incidence and Risk Factor Analysis. American Journal of Roentgenology, 2021, 217, 1184-1193.	2.2	13
32	Deep learning-based thin-section MRI reconstruction improves tumour detection and delineation in pre- and post-treatment pituitary adenoma. Scientific Reports, 2021, 11, 21302.	3.3	13
33	NIMG-19. SYNTHETIC ISOCITRATE DEHYDROGENASE-MUTANT GLIOBLASTOMAS FROM GENERATIVE ADVERSARIAL NETWORK PROVIDE MORPHOLOGIC VARIABILITY AND DIAGNOSTIC PERFORMANCE SIMILAR TO REAL DATA: DEVELOPMENT AND VALIDATION. Neuro-Oncology, 2021, 23, vi131-vi132.	1.2	0
34	NIMG-03. TUMOR HABITAT ANALYSIS BY MAGNETIC RESONANCE IMAGING DISTINGUISHES TUMOR PROGRESSION FROM RADIATION NECROSIS IN BRAIN METASTASES AFTER STEREOTACTIC RADIOSURGERY. Neuro-Oncology, 2021, 23, vi127-vi127.	1.2	0
35	Repeatability of amide proton transfer-weighted signals in the brain according to clinical condition and anatomical location. European Radiology, 2020, 30, 346-356.	4.5	15
36	Quality of science and reporting of radiomics in oncologic studies: room for improvement according to radiomics quality score and TRIPOD statement. European Radiology, 2020, 30, 523-536.	4.5	178

#	ARTICLE	IF	CITATIONS
37	Advanced imaging parameters improve the prediction of diffuse lower-grade gliomas subtype, IDH mutant with no 1p19q codeletion: added value to the T2/FLAIR mismatch sign. <i>European Radiology</i> , 2020, 30, 844-854.	4.5	51
38	A systematic review reporting quality of radiomics research in neuro-oncology: toward clinical utility and quality improvement using high-dimensional imaging features. <i>BMC Cancer</i> , 2020, 20, 29.	2.6	82
39	Prediction of Core Signaling Pathway by Using Diffusion- and Perfusion-based MRI Radiomics and Next-generation Sequencing in Isocitrate Dehydrogenase Wild-type Glioblastoma. <i>Radiology</i> , 2020, 294, 388-397.	7.3	43
40	Diffusion- and perfusion-weighted MRI radiomics model may predict isocitrate dehydrogenase (IDH) mutation and tumor aggressiveness in diffuse lower grade glioma. <i>European Radiology</i> , 2020, 30, 2142-2151.	4.5	93
41	Survival outcome and prognostic factors in anaplastic oligodendroglioma: a single-institution study of 95 cases. <i>Scientific Reports</i> , 2020, 10, 20162.	3.3	10
42	Cerebellar Hemangioblastoma: Diagnostic Yield of Contrast-Enhanced Abdominal CT and Whole-Spine MRI as Initial Screening Imaging. <i>American Journal of Roentgenology</i> , 2020, 215, 706-712.	2.2	3
43	Robust performance of deep learning for distinguishing glioblastoma from single brain metastasis using radiomic features: model development and validation. <i>Scientific Reports</i> , 2020, 10, 12110.	3.3	62
44	Comparison of Dynamic Contrast-Enhancement Parameters between Gadobutrol and Gadoterate Meglumine in Posttreatment Glioma: A Prospective Intraindividual Study. <i>American Journal of Neuroradiology</i> , 2020, 41, 2041-2048.	2.4	4
45	Diagnostic Yield of Staging Brain MRI in Patients with Newly Diagnosed Non-Small Cell Lung Cancer. <i>Radiology</i> , 2020, 297, 419-427.	7.3	21
46	Deep-learned time-signal intensity pattern analysis using an autoencoder captures magnetic resonance perfusion heterogeneity for brain tumor differentiation. <i>Scientific Reports</i> , 2020, 10, 21485.	3.3	11
47	Immune Checkpoint Inhibitors with or without Radiotherapy in Non-Small Cell Lung Cancer Patients with Brain Metastases: A Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2020, 10, 1098.	2.6	7
48	Comparative Value of 2-Hydroxyglutarate-to-Lipid and Lactate Ratio versus 2-Hydroxyglutarate Concentration on MR Spectroscopic Images for Predicting Isocitrate Dehydrogenase Mutation Status in Gliomas. <i>Radiology Imaging Cancer</i> , 2020, 2, e190083.	1.6	3
49	Identification of Early Response to Anti-Angiogenic Therapy in Recurrent Glioblastoma: Amide Proton Transfer-weighted and Perfusion-weighted MRI compared with Diffusion-weighted MRI. <i>Radiology</i> , 2020, 295, 397-406.	7.3	49
50	Radiomics prognostication model in glioblastoma using diffusion- and perfusion-weighted MRI. <i>Scientific Reports</i> , 2020, 10, 4250.	3.3	50
51	Pretreatment brain volumes can affect the effectiveness of deep brain stimulation in Parkinson's disease patients. <i>Scientific Reports</i> , 2020, 10, 22065.	3.3	8
52	A National Consensus Survey for Current Practice in Brain Tumor Management II: Diffuse Midline Glioma and Meningioma. <i>Brain Tumor Research and Treatment</i> , 2020, 8, 11.	1.0	2
53	A National Consensus Survey for Current Practice in Brain Tumor Management III: Brain Metastasis and Primary Central Nervous System Lymphoma. <i>Brain Tumor Research and Treatment</i> , 2020, 8, 20.	1.0	4
54	Development and Validation of a Simple Index Based on Non-Enhanced CT and Clinical Factors for Prediction of Non-Alcoholic Fatty Liver Disease. <i>Korean Journal of Radiology</i> , 2020, 21, 413.	3.4	6

#	ARTICLE	IF	CITATIONS
55	Radiomics and Deep Learning from Research to Clinical Workflow: Neuro-Oncologic Imaging. Korean Journal of Radiology, 2020, 21, 1126.	3.4	25
56	Radiological Recurrence Patterns after Bevacizumab Treatment of Recurrent High-Grade Glioma: A Systematic Review and Meta-Analysis. Korean Journal of Radiology, 2020, 21, 908.	3.4	8
57	Deep Learning Algorithm for Automated Segmentation and Volume Measurement of the Liver and Spleen Using Portal Venous Phase Computed Tomography Images. Korean Journal of Radiology, 2020, 21, 987.	3.4	40
58	Optimized Image-Based Surrogate Endpoints in Targeted Therapies for Glioblastoma: A Systematic Review and Meta-Analysis of Phase III Randomized Controlled Trials. Korean Journal of Radiology, 2020, 21, 471.	3.4	5
59	Current Applications and Future Perspectives of Brain Tumor Imaging. Journal of the Korean Society of Radiology, 2020, 81, 467.	0.2	1
60	A National Consensus Survey for Current Practice in Brain Tumor Management I: Antiepileptic Drug and Steroid Usage. Brain Tumor Research and Treatment, 2020, 8, 1.	1.0	6
61	Incorporating diffusion- and perfusion-weighted MRI into a radiomics model improves diagnostic performance for pseudoprogression in glioblastoma patients. Neuro-Oncology, 2019, 21, 404-414.	1.2	153
62	Imaging prediction of isocitrate dehydrogenase (IDH) mutation in patients with glioma: a systemic review and meta-analysis. European Radiology, 2019, 29, 745-758.	4.5	87
63	Radiomics in peritumoral non-enhancing regions: fractional anisotropy and cerebral blood volume improve prediction of local progression and overall survival in patients with glioblastoma. Neuroradiology, 2019, 61, 1261-1272.	2.2	35
64	Primary Central Nervous System Lymphoma: Diagnostic Yield of Whole-Body CT and FDG PET/CT for Initial Systemic Imaging. Radiology, 2019, 292, 440-446.	7.3	17
65	Amide proton transfer-weighted MRI can detect tissue acidosis and monitor recovery in a transient middle cerebral artery occlusion model compared with a permanent occlusion model in rats. European Radiology, 2019, 29, 4096-4104.	4.5	6
66	Perilesional and homotopic area activation during proverb comprehension after stroke. Brain and Behavior, 2019, 9, e01202.	2.2	4
67	Amide proton transfer-weighted MRI in distinguishing high- and low-grade gliomas: a systematic review and meta-analysis. Neuroradiology, 2019, 61, 525-534.	2.2	28
68	The Korean Society for Neuro-Oncology (KSNO) Guideline for Glioblastomas: Version 2018.01. Brain Tumor Research and Treatment, 2019, 7, 1.	1.0	19
69	False-Positive Measurement at 2-Hydroxyglutarate MR Spectroscopy in Isocitrate Dehydrogenase Wild-Type Glioblastoma: A Multifactorial Analysis. Radiology, 2019, 291, 752-762.	7.3	28
70	Permeability measurement using dynamic susceptibility contrast magnetic resonance imaging enhances differential diagnosis of primary central nervous system lymphoma from glioblastoma. European Radiology, 2019, 29, 5539-5548.	4.5	11
71	Radiomic features and multilayer perceptron network classifier: a robust MRI classification strategy for distinguishing glioblastoma from primary central nervous system lymphoma. Scientific Reports, 2019, 9, 5746.	3.3	73
72	Reproducibility and Generalizability in Radiomics Modeling: Possible Strategies in Radiologic and Statistical Perspectives. Korean Journal of Radiology, 2019, 20, 1124.	3.4	225

#	ARTICLE	IF	CITATIONS
73	The "Central Vein Sign" on T2*-weighted Images as a Diagnostic Tool in Multiple Sclerosis: A Systematic Review and Meta-analysis using Individual Patient Data. <i>Scientific Reports</i> , 2019, 9, 18188.	3.3	21
74	CT indices for the diagnosis of hepatic steatosis using non-enhanced CT images: development and validation of diagnostic cut-off values in a large cohort with pathological reference standard. <i>European Radiology</i> , 2019, 29, 4427-4435.	4.5	27
75	Reliability of fast magnetic resonance imaging for acute ischemic stroke patients using a 1.5-T scanner. <i>European Radiology</i> , 2019, 29, 2641-2650.	4.5	11
76	MRI as a diagnostic biomarker for differentiating primary central nervous system lymphoma from glioblastoma: A systematic review and meta-analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 560-572.	3.4	39
77	Comparison of Survival Outcomes Between Partial Resection and Biopsy for Primary Glioblastoma: A Propensity Score-Matched Study. <i>World Neurosurgery</i> , 2019, 121, e858-e866.	1.3	12
78	The Korean Society for Neuro-Oncology (KSNO) Guideline for WHO Grade II Cerebral Gliomas in Adults: Version 2019.01. <i>Brain Tumor Research and Treatment</i> , 2019, 7, 74.	1.0	7
79	A Good Practice"Compliant Clinical Trial Imaging Management System for Multicenter Clinical Trials: Development and Validation Study. <i>JMIR Medical Informatics</i> , 2019, 7, e14310.	2.6	13
80	The Korean Society for Neuro-Oncology (KSNO) Guideline for WHO Grade III Cerebral Gliomas in Adults: Version 2019.01. <i>Brain Tumor Research and Treatment</i> , 2019, 7, 63.	1.0	8
81	Amide proton transfer imaging seems to provide higher diagnostic performance in post-treatment high-grade gliomas than methionine positron emission tomography. <i>European Radiology</i> , 2018, 28, 3285-3295.	4.5	27
82	Perfusion MRI as a diagnostic biomarker for differentiating glioma from brain metastasis: a systematic review and meta-analysis. <i>European Radiology</i> , 2018, 28, 3819-3831.	4.5	38
83	Diffusion radiomics as a diagnostic model for atypical manifestation of primary central nervous system lymphoma: development and multicenter external validation. <i>Neuro-Oncology</i> , 2018, 20, 1251-1261.	1.2	103
84	Multiparametric MRI as a potential surrogate endpoint for decision-making in early treatment response following concurrent chemoradiotherapy in patients with newly diagnosed glioblastoma: a systematic review and meta-analysis. <i>European Radiology</i> , 2018, 28, 2628-2638.	4.5	33
85	Radiomics as a Quantitative Imaging Biomarker: Practical Considerations and the Current Standpoint in Neuro-oncologic Studies. <i>Nuclear Medicine and Molecular Imaging</i> , 2018, 52, 99-108.	1.0	60
86	Diffusion-Weighted Imaging and Diffusion Tensor Imaging for Differentiating High-Grade Glioma from Solitary Brain Metastasis: A Systematic Review and Meta-Analysis. <i>American Journal of Neuroradiology</i> , 2018, 39, 1208-1214.	2.4	34
87	Shear Wave Elastography as a Quantitative Biomarker of Clinically Significant Portal Hypertension: A Systematic Review and Meta-Analysis. <i>American Journal of Roentgenology</i> , 2018, 210, W185-W195.	2.2	31
88	Spontaneous and Unruptured Chronic Intracranial Artery Dissection. <i>Clinical Neuroradiology</i> , 2018, 28, 171-181.	1.9	23
89	Comparison of MRI and PET as Potential Surrogate Endpoints for Treatment Response After Stereotactic Radiosurgery in Patients With Brain Metastasis. <i>American Journal of Roentgenology</i> , 2018, 211, 1332-1341.	2.2	14
90	Development and Validation of a Deep Learning System for Staging Liver Fibrosis by Using Contrast Agent-enhanced CT Images in the Liver. <i>Radiology</i> , 2018, 289, 688-697.	7.3	153

#	ARTICLE	IF	CITATIONS
91	Joint approach of diffusion- and perfusion-weighted MRI in intra-axial mass like lesions in clinical practice simulation. PLoS ONE, 2018, 13, e0202891.	2.5	4
92	Asian Radiology Forum 2016 for Promoting Radiology Together in the Asian-Oceanian Region: Roles of the Asian-Oceanian Society of Radiology and Its Member Societies. Korean Journal of Radiology, 2018, 19, 187.	3.4	1
93	Clinically Relevant Imaging Features for MGMT Promoter Methylation in Multiple Glioblastoma Studies: A Systematic Review and Meta-Analysis. American Journal of Neuroradiology, 2018, 39, 1439-1445.	2.4	24
94	2-Hydroxyglutarate MR spectroscopy for prediction of isocitrate dehydrogenase mutant glioma: a systemic review and meta-analysis using individual patient data. Neuro-Oncology, 2018, 20, 1573-1583.	1.2	85
95	Clinical Value of Vascular Permeability Estimates Using Dynamic Susceptibility Contrast MRI: Improved Diagnostic Performance in Distinguishing Hypervascular Primary CNS Lymphoma from Glioblastoma. American Journal of Neuroradiology, 2018, 39, 1415-1422.	2.4	10
96	MRI Findings in Tumefactive Demyelinating Lesions: A Systematic Review and Meta-Analysis. American Journal of Neuroradiology, 2018, 39, 1643-1649.	2.4	51
97	Different diagnostic values of imaging parameters to predict pseudoprogression in glioblastoma subgroups stratified by MGMT promoter methylation. European Radiology, 2017, 27, 255-266.	4.5	32
98	Clinical impact of preoperative brain MR angiography and MR imaging in candidates for liver transplantation: a propensity score-matching study in a single institution. European Radiology, 2017, 27, 3532-3541.	4.5	6
99	Comparison of 3D magnetic resonance imaging and digital subtraction angiography for intracranial artery stenosis. European Radiology, 2017, 27, 4737-4746.	4.5	29
100	Intracranial Artery Steno-Occlusion: Diagnosis by Using Two-dimensional Spatially Selective Radiofrequency Excitation Pulse MR Imaging. Radiology, 2017, 284, 834-843.	7.3	6
101	Differentiation of Recurrent Glioblastoma from Delayed Radiation Necrosis by Using Voxel-based Multiparametric Analysis of MR Imaging Data. Radiology, 2017, 285, 206-213.	7.3	18
102	Prognostic relevance of gemistocytic grade II astrocytoma: gemistocytic component and MR imaging features compared to non-gemistocytic grade II astrocytoma. European Radiology, 2017, 27, 3022-3032.	4.5	11
103	Differences in dynamic and static functional connectivity between young and elderly healthy adults. Neuroradiology, 2017, 59, 781-789.	2.2	24
104	Recurrent Glioblastoma: Combination of High Cerebral Blood Flow with MGMT Promoter Methylation Is Associated with Benefit from Low-Dose Temozolomide Rechallenge at First Recurrence. Radiology, 2017, 282, 212-221.	7.3	11
105	Improved Diagnostic Accuracy of Alzheimer's Disease by Combining Regional Cortical Thickness and Default Mode Network Functional Connectivity: Validated in the Alzheimer's Disease Neuroimaging Initiative Set. Korean Journal of Radiology, 2017, 18, 983.	3.4	12
106	Perfusion of surgical cavity wall enhancement in early post-treatment MR imaging may stratify the time-to-progression in glioblastoma. PLoS ONE, 2017, 12, e0181933.	2.5	3
107	Joint approach based on clinical and imaging features to distinguish non-neoplastic from neoplastic pituitary stalk lesions. PLoS ONE, 2017, 12, e0187989.	2.5	9
108	Depiction of Acute Stroke Using 3-Tesla Clinical Amide Proton Transfer Imaging: Saturation Time Optimization Using an <i>in vivo</i> Rat Stroke Model, and a Preliminary Study in Human. Investigative Magnetic Resonance Imaging, 2017, 21, 65.	0.4	3

#	ARTICLE	IF	CITATIONS
109	Up to 52 administrations of macrocyclic ionic MR contrast agent are not associated with intracranial gadolinium deposition: Multifactorial analysis in 385 patients. PLoS ONE, 2017, 12, e0183916.	2.5	27
110	Pre-Operative Perfusion Skewness and Kurtosis Are Potential Predictors of Progression-Free Survival after Partial Resection of Newly Diagnosed Glioblastoma. Korean Journal of Radiology, 2016, 17, 117.	3.4	8
111	Emerging Techniques in Brain Tumor Imaging: What Radiologists Need to Know. Korean Journal of Radiology, 2016, 17, 598.	3.4	34
112	Quantitative Analysis Using High-Resolution 3T MRI in Acute Intracranial Artery Dissection. Journal of Neuroimaging, 2016, 26, 612-617.	2.0	18
113	Perfusion MRI as the predictive/prognostic and pharmacodynamic biomarkers in recurrent malignant glioma treated with bevacizumab: a systematic review and a time-to-event meta-analysis. Journal of Neuro-Oncology, 2016, 128, 185-194.	2.9	37
114	Comparison of High-Resolution MR Imaging and Digital Subtraction Angiography for the Characterization and Diagnosis of Intracranial Artery Disease. American Journal of Neuroradiology, 2016, 37, 2245-2250.	2.4	30
115	Alteration of long-distance functional connectivity and network topology in patients with supratentorial gliomas. Neuroradiology, 2016, 58, 311-320.	2.2	36
116	Added value of amide proton transfer imaging to conventional and perfusion MR imaging for evaluating the treatment response of newly diagnosed glioblastoma. European Radiology, 2016, 26, 4390-4403.	4.5	70
117	Diminished Quality of Life and Increased Brain Functional Connectivity in Patients with Hypothyroidism After Total Thyroidectomy. Thyroid, 2016, 26, 641-649.	4.5	27
118	Pre- and Posttreatment Glioma: Comparison of Amide Proton Transfer Imaging with MR Spectroscopy for Biomarkers of Tumor Proliferation. Radiology, 2016, 278, 514-523.	7.3	87
119	Apparent diffusion coefficient parametric response mapping MRI for follow-up of glioblastoma. European Radiology, 2016, 26, 1037-1047.	4.5	9
120	Uninterpretable Dynamic Susceptibility Contrast-Enhanced Perfusion MR Images in Patients with Post-Treatment Glioblastomas: Cross-Validation of Alternative Imaging Options. PLoS ONE, 2015, 10, e0136380.	2.5	24
121	Which is the best advanced MR imaging protocol for predicting recurrent metastatic brain tumor following gamma-knife radiosurgery: focused on perfusion method. Neuroradiology, 2015, 57, 367-376.	2.2	15
122	Three-dimensional fluid-attenuated inversion recovery sequence for visualisation of subthalamic nucleus for deep brain stimulation in Parkinson's disease. Neuroradiology, 2015, 57, 929-935.	2.2	7
123	Pseudoprogression in Patients with Glioblastoma: Assessment by Using Volume-weighted Voxel-based Multiparametric Clustering of MR Imaging Data in an Independent Test Set. Radiology, 2015, 275, 792-802.	7.3	53
124	Histogram Analysis of Amide Proton Transfer Imaging to Identify Contrast-enhancing Low-Grade Brain Tumor That Mimics High-Grade Tumor: Increased Accuracy of MR Perfusion. Radiology, 2015, 277, 151-161.	7.3	57
125	The utility of susceptibility-weighted imaging for differentiating Parkinsonism-predominant multiple system atrophy from Parkinson's disease: Correlation with 18F-fluorodeoxyglucose positron-emission tomography. Neuroscience Letters, 2015, 584, 296-301.	2.1	34
126	Neural Substrates of Motor and Non-Motor Symptoms in Parkinson's Disease: A Resting fMRI Study. PLoS ONE, 2015, 10, e0125455.	2.5	20

#	ARTICLE	IF	CITATIONS
127	Comparison of Apparent Diffusion Coefficient and Intravoxel Incoherent Motion for Differentiating among Glioblastoma, Metastasis, and Lymphoma Focusing on Diffusion-Related Parameter. PLoS ONE, 2015, 10, e0134761.	2.5	35
128	Which Combination of MR Imaging Modalities Is Best for Predicting Recurrent Glioblastoma? Study of Diagnostic Accuracy and Reproducibility. Radiology, 2014, 273, 831-843.	7.3	98
129	Recurrent Glioblastoma: Optimum Area under the Curve Method Derived from Dynamic Contrast-enhanced T1-weighted Perfusion MR Imaging. Radiology, 2013, 269, 561-568.	7.3	76
130	Pseudoprogression in patients with glioblastoma: added value of arterial spin labeling to dynamic susceptibility contrast perfusion MR imaging. Acta Radiologica, 2013, 54, 448-454.	1.1	101
131	Percent Change of Perfusion Skewness and Kurtosis: A Potential Imaging Biomarker for Early Treatment Response in Patients with Newly Diagnosed Glioblastomas. Radiology, 2012, 264, 834-843.	7.3	142
132	Multiple Cerebral Microbleeds in Hyperacute Ischemic Stroke: Impact on Prevalence and Severity of Early Hemorrhagic Transformation After Thrombolytic Treatment. American Journal of Roentgenology, 2006, 186, 1443-1449.	2.2	50
133	Progression of Middle Cerebral Artery Susceptibility Sign on T2 [*] -Weighted Images: Its Effect on Recanalization and Clinical Outcome After Thrombolysis. American Journal of Roentgenology, 2006, 187, W650-W657.	2.2	30
134	Alveolar soft-part sarcoma of the head and neck: clinical and imaging features in five cases. American Journal of Neuroradiology, 2005, 26, 1331-5.	2.4	49
135	Supratentorial Gangliocytoma Mimicking Extra-axial Tumor: A Report of Two Cases. Korean Journal of Radiology, 2001, 2, 108.	3.4	9
136	Benign and Malignant Tracheobronchial Strictures: Long Term Follow-up of Treatment with Polyurethane-Covered Retrievable Expandable Nitinol Stents strictures. Journal of the Korean Radiological Society, 2001, 44, 29.	0.0	0
137	Usefulness of CT Scan in Differentiation of T2 from T3a in Renal Cell Carcinoma. Journal of the Korean Radiological Society, 2001, 44, 721.	0.0	0