
Per Nilsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/693688/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Somatostatin-evoked Aβ catabolism in the brain: Mechanistic involvement of α-endosulfine-KATP channel pathway. Molecular Psychiatry, 2022, 27, 1816-1828.	7.9	11
2	An App knock-in rat model for Alzheimer's disease exhibiting Aβ and tau pathologies, neuronal death and cognitive impairments. Cell Research, 2022, 32, 157-175.	12.0	53
3	Recent Advances in the Modeling of Alzheimer's Disease. Frontiers in Neuroscience, 2022, 16, 807473.	2.8	55
4	Intranasal delivery of pro-resolving lipid mediators rescues memory and gamma oscillation impairment in AppNL-G-F/NL-G-F mice. Communications Biology, 2022, 5, 245.	4.4	25
5	Increased CSF-decorin predicts brain pathological changes driven by Alzheimer's Aβ amyloidosis. Acta Neuropathologica Communications, 2022, 10, .	5.2	8
6	Benzimidazoleâ€based fluorophores for the detection of amyloid fibrils with higher sensitivity than Thioflavinâ€T. Journal of Neurochemistry, 2021, 156, 1003-1019.	3.9	7
7	Age-related changes in brain phospholipids and bioactive lipids in the APP knock-in mouse model of Alzheimer's disease. Acta Neuropathologica Communications, 2021, 9, 116.	5.2	28
8	Impaired spike-gamma coupling of area CA3 fast-spiking interneurons as the earliest functional impairment in the AppNL-G-F mouse model of Alzheimer's disease. Molecular Psychiatry, 2021, 26, 5557-5567.	7.9	35
9	Decorin is an early CSF biomarker of Alzheimer's Aβ amyloidosis. Alzheimer's and Dementia, 2021, 17, .	0.8	0
10	Amyloid β-Peptide Increases Mitochondria-Endoplasmic Reticulum Contact Altering Mitochondrial Function and Autophagosome Formation in Alzheimer's Disease-Related Models. Cells, 2020, 9, 2552.	4.1	39
11	Augmentation of Bri2 molecular chaperone activity against amyloid-β reduces neurotoxicity in mouse hippocampus in vitro. Communications Biology, 2020, 3, 32.	4.4	42
12	Proteomics Time-Course Study of App Knock-In Mice Reveals Novel Presymptomatic Aβ42-Induced Pathways to Alzheimer's Disease Pathology. Journal of Alzheimer's Disease, 2020, 75, 321-335.	2.6	9
13	Blood–brain and blood–cerebrospinal fluid passage of BRICHOS domains from two molecular chaperones in mice. Journal of Biological Chemistry, 2019, 294, 2606-5220.	3.4	15
14	Modelling human pathology of traumatic brain injury in animal models. Journal of Internal Medicine, 2019, 285, 594-607.	6.0	22
15	GABARAPs dysfunction by autophagy deficiency in adolescent brain impairs GABA _A receptor trafficking and social behavior. Science Advances, 2019, 5, eaau8237.	10.3	41
16	Emerging links between cerebrovascular and neurodegenerative diseases—a special role forÂpericytes. EMBO Reports, 2019, 20, e48070.	4.5	89
17	Restoring synaptic function through multimodal therapeutics. Progress in Molecular Biology and Translational Science, 2019, 168, 257-275.	1.7	5
18	Targeting Alzheimer's disease with gene and cell therapies. Journal of Internal Medicine, 2018, 284, 2-36.	6.0	42

PER NILSSON

#	Article	IF	CITATIONS
19	<scp>APP</scp> mouse models for Alzheimer's disease preclinical studies. EMBO Journal, 2017, 36, 2473-2487.	7.8	530
20	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016, 12, 1-222.	9.1	4,701
21	Loss of neprilysin alters protein expression in the brain of Alzheimer's disease model mice. Proteomics, 2015, 15, 3349-3355.	2.2	13
22	Autophagy-Related Protein 7 Deficiency in Amyloid β (Aβ) Precursor Protein Transgenic Mice Decreases Aβ in the Multivesicular Bodies and Induces Aβ Accumulation in the Golgi. American Journal of Pathology, 2015, 185, 305-313.	3.8	70
23	Dual roles for autophagy: Degradation and secretion of Alzheimer's disease AÎ ² peptide. BioEssays, 2014, 36, 570-578.	2.5	156
24	New Mouse Model of Alzheimer's. ACS Chemical Neuroscience, 2014, 5, 499-502.	3.5	70
25	Single App knock-in mouse models of Alzheimer's disease. Nature Neuroscience, 2014, 17, 661-663.	14.8	846
26	AÎ ² Secretion and Plaque Formation Depend on Autophagy. Cell Reports, 2013, 5, 61-69.	6.4	386
27	Cell Surface Expression of the Major Amyloid-Î ² Peptide (AÎ ²)-degrading Enzyme, Neprilysin, Depends on Phosphorylation by Mitogen-activated Protein Kinase/Extracellular Signal-regulated Kinase Kinase (MEK) and Dephosphorylation by Protein Phosphatase 1a. Journal of Biological Chemistry, 2012, 287, 29362-29372.	3.4	35
28	Potent amyloidogenicity and pathogenicity of Al 2 43. Nature Neuroscience, 2011, 14, 1023-1032.	14.8	245
29	Gene therapy in Alzheimer's disease – potential for disease modification. Journal of Cellular and Molecular Medicine, 2010, 14, 741-757.	3.6	63