

# John A Hamilton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6938162/publications.pdf>

Version: 2024-02-01

224  
papers

19,022  
citations

21215

62  
h-index

15698

129  
g-index

224  
all docs

224  
docs citations

224  
times ranked

28206  
citing authors

#	ARTICLE	IF	CITATIONS
1	Type I interferon antagonism of the JMJD3-IRF4 pathway modulates macrophage activation and polarization. <i>Cell Reports</i> , 2022, 39, 110719.	2.9	13
2	The role of interleukin (IL)-23 in regulating pain in arthritis. <i>Arthritis Research and Therapy</i> , 2022, 24, 89.	1.6	1
3	Targeting GM-CSF in inflammatory and autoimmune disorders. <i>Seminars in Immunology</i> , 2021, 54, 101523.	2.7	24
4	Introduction to the Special Issue: The regulation of the immune system by colony stimulating factors (CSFs) in the steady state and pathology. <i>Seminars in Immunology</i> , 2021, 54, 101543.	2.7	1
5	GM-CSF in inflammation. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	172
6	Inhibition of purinergic P2X receptor 7 (P2X7R) decreases granulocyte-macrophage colony-stimulating factor (GM-CSF) expression in U251 glioblastoma cells. <i>Scientific Reports</i> , 2020, 10, 14844.	1.6	11
7	&lt;p&gt;GM-CSF: A Promising Target in Inflammation and Autoimmunity&lt;/p&gt;. <i>ImmunoTargets and Therapy</i> , 2020, Volume 9, 225-240.	2.7	59
8	IL-23 in arthritic and inflammatory pain development in mice. <i>Arthritis Research and Therapy</i> , 2020, 22, 123.	1.6	10
9	CCL17 in Inflammation and Pain. <i>Journal of Immunology</i> , 2020, 205, 213-222.	0.4	21
10	GM-CSF-based treatments in COVID-19: reconciling opposing therapeutic approaches. <i>Nature Reviews Immunology</i> , 2020, 20, 507-514.	10.6	174
11	Granulocyte-Macrophage Colony Stimulating Factor As an Indirect Mediator of Nociceptor Activation and Pain. <i>Journal of Neuroscience</i> , 2020, 40, 2189-2199.	1.7	22
12	Microglial polarization in posttraumatic epilepsy: Potential mechanism and treatment opportunity. <i>Epilepsia</i> , 2020, 61, 203-215.	2.6	29
13	Interleukin-17A Serves a Priming Role in Autoimmunity by Recruiting IL-1 <sup>β</sup> -Producing Myeloid Cells that Promote Pathogenic T Cells. <i>Immunity</i> , 2020, 52, 342-356.e6.	6.6	157
14	Glycolysis Is Required for LPS-Induced Activation and Adhesion of Human CD14 <sup>+</sup> CD16 <sup>+</sup> Monocytes. <i>Frontiers in Immunology</i> , 2019, 10, 2054.	2.2	45
15	Macrophage spatial heterogeneity in gastric cancer defined by multiplex immunohistochemistry. <i>Nature Communications</i> , 2019, 10, 3928.	5.8	210
16	GM-CSF-Dependent Inflammatory Pathways. <i>Frontiers in Immunology</i> , 2019, 10, 2055.	2.2	109
17	Therapeutic options for targeting inflammatory osteoarthritis pain. <i>Nature Reviews Rheumatology</i> , 2019, 15, 355-363.	3.5	227
18	GM-CSF <sup>+</sup> and IRF4-Dependent Signaling Can Regulate Myeloid Cell Numbers and the Macrophage Phenotype during Inflammation. <i>Journal of Immunology</i> , 2019, 202, 3033-3040.	0.4	28

#	ARTICLE	IF	CITATIONS
19	A Functional Immune System Is Required for the Systemic Genotoxic Effects of Localized Irradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 1184-1193.	0.4	19
20	Autocrine IFN-I inhibits isocitrate dehydrogenase in the TCA cycle of LPS-stimulated macrophages. <i>Journal of Clinical Investigation</i> , 2019, 129, 4239-4244.	3.9	45
21	Glucocorticoids promote apoptosis of proinflammatory monocytes by inhibiting ERK activity. <i>Cell Death and Disease</i> , 2018, 9, 267.	2.7	50
22	Investigational therapies targeting the granulocyte macrophage colony-stimulating factor receptor- $\beta$ in rheumatoid arthritis: focus on mavrilimumab. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2018, 10, 29-38.	1.2	25
23	Immune Cytokines and Their Receptors in Inflammatory Pain. <i>Trends in Immunology</i> , 2018, 39, 240-255.	2.9	165
24	Neutrophils, $\alpha$ -CSF and their contribution to breast cancer metastasis. <i>FEBS Journal</i> , 2018, 285, 665-679.	2.2	110
25	Cytokine-Induced Acute Inflammatory Monoarticular Arthritis. <i>Methods in Molecular Biology</i> , 2018, 1784, 215-223.	0.4	1
26	The dark side of granulocyte-colony stimulating factor: a supportive therapy with potential to promote tumour progression. <i>Clinical and Experimental Metastasis</i> , 2018, 35, 255-267.	1.7	26
27	CCL17 blockade as a therapy for osteoarthritis pain and disease. <i>Arthritis Research and Therapy</i> , 2018, 20, 62.	1.6	71
28	CSF-1 in Inflammatory and Arthritic Pain Development. <i>Journal of Immunology</i> , 2018, 201, 2042-2053.	0.4	22
29	Epigenetic and transcriptional regulation of IL4-induced CCL17 production in human monocytes and murine macrophages. <i>Journal of Biological Chemistry</i> , 2018, 293, 11415-11423.	1.6	44
30	TNF and granulocyte macrophage-colony stimulating factor interdependence mediates inflammation via CCL17. <i>JCI Insight</i> , 2018, 3, .	2.3	36
31	G-CSF Receptor Blockade Ameliorates Arthritic Pain and Disease. <i>Journal of Immunology</i> , 2017, 198, 3565-3575.	0.4	28
32	Anti-colony-stimulating factor therapies for inflammatory and autoimmune diseases. <i>Nature Reviews Drug Discovery</i> , 2017, 16, 53-70.	21.5	137
33	Metabolic Remodeling, Inflammasome Activation, and Pyroptosis in Macrophages Stimulated by <i>Porphyromonas gingivalis</i> and Its Outer Membrane Vesicles. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 351.	1.8	138
34	K/BxN Serum-Transfer Arthritis as a Model for Human Inflammatory Arthritis. <i>Frontiers in Immunology</i> , 2016, 7, 213.	2.2	107
35	Granulocyte macrophage colony-stimulating factor receptor $\beta$ expression and its targeting in antigen-induced arthritis and inflammation. <i>Arthritis Research and Therapy</i> , 2016, 18, 287.	1.6	38
36	Colony Stimulating Factors (CSFs)., 2016, , 586-596.		1

#	ARTICLE	IF	CITATIONS
37	OSCARâ€collagen signaling in monocytes plays a proinflammatory role and may contribute to the pathogenesis of rheumatoid arthritis. <i>European Journal of Immunology</i> , 2016, 46, 952-963.	1.6	19
38	Granulocyte colonyâ€stimulating factor (Gâ€CSF) plays an important role in immune complexâ€mediated arthritis. <i>European Journal of Immunology</i> , 2016, 46, 1235-1245.	1.6	21
39	IRF6 Regulates the Expression of IL-36Î³ by Human Oral Epithelial Cells in Response to <i>Porphyromonas gingivalis</i> . <i>Journal of Immunology</i> , 2016, 196, 2230-2238.	0.4	42
40	Granulocyte macrophage colony-stimulating factor induces CCL17 production via IRF4 to mediate inflammation. <i>Journal of Clinical Investigation</i> , 2016, 126, 3453-3466.	3.9	129
41	Collagen Induces Maturation of Human Monocyte-Derived Dendritic Cells by Signaling through Osteoclast-Associated Receptor. <i>Journal of Immunology</i> , 2015, 194, 3169-3179.	0.4	26
42	GM-CSF as a target in inflammatory/autoimmune disease: current evidence and future therapeutic potential. <i>Expert Review of Clinical Immunology</i> , 2015, 11, 457-465.	1.3	81
43	Specific Contributions of CSF-1 and GM-CSF to the Dynamics of the Mononuclear Phagocyte System. <i>Journal of Immunology</i> , 2015, 195, 134-144.	0.4	70
44	High numbers of circulating pigmented polymorphonuclear neutrophils as a prognostic marker for decreased birth weight during malaria in pregnancy. <i>International Journal for Parasitology</i> , 2015, 45, 107-111.	1.3	12
45	Disease-associated mutations in IRF6 and RIPK4 dysregulate their signalling functions. <i>Cellular Signalling</i> , 2015, 27, 1509-1516.	1.7	24
46	The interface between cholinergic pathways and the immune system and its relevance to arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 87.	1.6	29
47	Tibial Fracture Exacerbates Traumatic Brain Injury Outcomes and Neuroinflammation in a Novel Mouse Model of Multitrauma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1339-1347.	2.4	64
48	Neutrophils: important contributors to tumor progression and metastasis. <i>Cancer and Metastasis Reviews</i> , 2015, 34, 735-751.	2.7	185
49	<i>Porphyromonas gingivalis</i> -derived RgpA-Kgp Complex Activates the Macrophage Urokinase Plasminogen Activator System. <i>Journal of Biological Chemistry</i> , 2015, 290, 16031-16042.	1.6	21
50	GMâ€CSF and uPA are required for <i>Porphyromonas gingivalis</i> â€induced alveolar bone loss in a mouse periodontitis model. <i>Immunology and Cell Biology</i> , 2015, 93, 705-715.	1.0	19
51	TLR3 drives IRF6â€dependent ILâ€23p19 expression and p19/EBI3 heterodimer formation in keratinocytes. <i>Immunology and Cell Biology</i> , 2015, 93, 771-779.	1.0	49
52	SAA drives proinflammatory heterotypic macrophage differentiation in the lung <i>via</i> CSFâ€1Râ€dependent signaling. <i>FASEB Journal</i> , 2014, 28, 3867-3877.	0.2	42
53	Brief Report: Granulocyteâ€Macrophage Colonyâ€Stimulating Factor Drives Monosodium Urate Monohydrate Crystalâ€Induced Inflammatory Macrophage Differentiation and NLRP3 Inflammasome Upâ€Regulation in an In Vivo Mouse Model. <i>Arthritis and Rheumatology</i> , 2014, 66, 2423-2428.	2.9	25
54	Granulocyte-Macrophage Colony-Stimulating Factor Is Neuroprotective in Experimental Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2014, 31, 976-983.	1.7	63

#	ARTICLE	IF	CITATIONS
55	Interferon Regulatory Factor 6 Differentially Regulates Toll-like Receptor 2-dependent Chemokine Gene Expression in Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 19758-19768.	1.6	33
56	Receptor-interacting Protein Kinase 4 and Interferon Regulatory Factor 6 Function as a Signaling Axis to Regulate Keratinocyte Differentiation. <i>Journal of Biological Chemistry</i> , 2014, 289, 31077-31087.	1.6	51
57	Macrophage Activation and Polarization: Nomenclature and Experimental Guidelines. <i>Immunity</i> , 2014, 41, 14-20.	6.6	4,638
58	Urokinase Plasminogen Activator Is a Central Regulator of Macrophage Three-Dimensional Invasion, Matrix Degradation, and Adhesion. <i>Journal of Immunology</i> , 2014, 192, 3540-3547.	0.4	51
59	The Promotion of Breast Cancer Metastasis Caused by Inhibition of CSF-1R/CSF-1 Signaling Is Blocked by Targeting the G-CSF Receptor. <i>Cancer Immunology Research</i> , 2014, 2, 765-776.	1.6	97
60	Therapeutic potential of targeting inflammation. <i>Inflammation Research</i> , 2013, 62, 653-657.	1.6	2
61	Monocytes and macrophages in malaria: protection or pathology?. <i>Trends in Parasitology</i> , 2013, 29, 26-34.	1.5	124
62	Colony stimulating factors and myeloid cell biology in health and disease. <i>Trends in Immunology</i> , 2013, 34, 81-89.	2.9	241
63	The development of macrophages from human CD34+ haematopoietic stem cells in serum-free cultures is optimized by IL-3 and SCF. <i>Cytokine</i> , 2013, 61, 33-37.	1.4	12
64	N2 Neutrophils, Novel Players in Brain Inflammation After Stroke. <i>Stroke</i> , 2013, 44, 3498-3508.	1.0	284
65	Granulocyte-macrophage colony-stimulating factor is a key mediator in inflammatory and arthritic pain. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 265-270.	0.5	82
66	Characterization of pathogenic human monoclonal autoantibodies against GM-CSF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7832-7837.	3.3	39
67	Soluble CD163, a Product of Monocyte/Macrophage Activation, Is Inversely Associated with Haemoglobin Levels in Placental Malaria. <i>PLoS ONE</i> , 2013, 8, e64127.	1.1	11
68	Rosiglitazone-induced CD36 up-regulation resolves inflammation by PPAR $\gamma$ and 5-LO-dependent pathways. <i>Journal of Leukocyte Biology</i> , 2013, 95, 587-598.	1.5	66
69	Control of macrophage lineage populations by CSF-1 receptor and GM-CSF in homeostasis and inflammation. <i>Immunology and Cell Biology</i> , 2012, 90, 429-440.	1.0	107
70	GM-CSF is not essential for optimal fertility or for weight control. <i>Cytokine</i> , 2012, 57, 30-31.	1.4	6
71	HUVEC co-culture and haematopoietic growth factors modulate human proliferative monocyte activity. <i>Cytokine</i> , 2012, 59, 31-34.	1.4	3
72	Granulocyte-macrophage colony-stimulating factor is a key mediator in experimental osteoarthritis pain and disease development. <i>Arthritis Research and Therapy</i> , 2012, 14, R199.	1.6	96

#	ARTICLE	IF	CITATIONS
73	Tissue plasminogen activator does not alter development of acquired epilepsy. <i>Epilepsia</i> , 2012, 53, 1998-2004.	2.6	39
74	Hypoxia Enhances the Proliferative Response of Macrophages to CSF-1 and Their Pro-Survival Response to TNF. <i>PLoS ONE</i> , 2012, 7, e45853.	1.1	12
75	Defining GM-CSF <sup>+</sup> and Macrophage-CSF <sup>+</sup> Dependent Macrophage Responses by In Vitro Models. <i>Journal of Immunology</i> , 2012, 188, 5752-5765.	0.4	429
76	CSF-1 receptor signalling from endosomes mediates the sustained activation of Erk1/2 and Akt in macrophages. <i>Cellular Signalling</i> , 2012, 24, 1753-1761.	1.7	30
77	Proliferative monocyte frequency is associated with circulating monocyte prevalence. <i>Leukemia Research</i> , 2012, 36, e175-e177.	0.4	5
78	Macrophage Activation and Differentiation Signals Regulate Schlafen-4 Gene Expression: Evidence for Schlafen-4 as a Modulator of Myelopoiesis. <i>PLoS ONE</i> , 2011, 6, e15723.	1.1	67
79	Extracellular proteomes of M-CSF (CSF <sup>1</sup> ) and GM-CSF <sup>+</sup> dependent macrophages. <i>Immunology and Cell Biology</i> , 2011, 89, 283-293.	1.0	20
80	Regulation of systemic and local myeloid cell subpopulations by bone marrow cell <sup>+</sup> derived granulocyte <sup>+</sup> macrophage colony <sup>+</sup> stimulating factor in experimental inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2340-2351.	6.7	59
81	The TGF- $\beta$ superfamily cytokine, MIC-1/GDF15: A pleiotropic cytokine with roles in inflammation, cancer and metabolism. <i>Growth Factors</i> , 2011, 29, 187-195.	0.5	214
82	Colony stimulating factors and macrophage heterogeneity. <i>Inflammation and Regeneration</i> , 2011, 31, 228-236.	1.5	2
83	Neutralizing Granulocyte/Macrophage Colony <sup>+</sup> Stimulating Factor Inhibits Cigarette Smoke <sup>+</sup> induced Lung Inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 34-40.	2.5	99
84	Urokinase-type plasminogen activator and arthritis progression: contrasting roles in systemic and monoarticular arthritis models. <i>Arthritis Research and Therapy</i> , 2010, 12, R199.	1.6	19
85	Urokinase-type plasminogen activator and arthritis progression: role in systemic disease with immune complex involvement. <i>Arthritis Research and Therapy</i> , 2010, 12, R37.	1.6	31
86	Hypoxia Prolongs Monocyte/Macrophage Survival and Enhanced Glycolysis Is Associated with Their Maturation under Aerobic Conditions. <i>Journal of Immunology</i> , 2009, 182, 7974-7981.	0.4	139
87	Signaling Crosstalk during Sequential TLR4 and TLR9 Activation Amplifies the Inflammatory Response of Mouse Macrophages. <i>Journal of Immunology</i> , 2009, 183, 8110-8118.	0.4	94
88	Glucose Metabolism Is Required for Oxidized LDL <sup>+</sup> Induced Macrophage Survival. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1283-1289.	1.1	17
89	Glycolytic control of adjuvant-induced macrophage survival: role of PI3K, MEK1/2, and Bcl-2. <i>Journal of Leukocyte Biology</i> , 2009, 85, 947-956.	1.5	16
90	The generation and properties of human macrophage populations from hemopoietic stem cells. <i>Journal of Leukocyte Biology</i> , 2009, 85, 766-778.	1.5	42

#	ARTICLE	IF	CITATIONS
91	GM-CSF- and M-CSF-dependent macrophage phenotypes display differential dependence on Type I interferon signaling. <i>Journal of Leukocyte Biology</i> , 2009, 86, 411-421.	1.5	240
92	Down-regulation of IRAK-4 is a component of LPS- and CpG DNA-induced tolerance in macrophages. <i>Cellular Signalling</i> , 2009, 21, 246-252.	1.7	34
93	Regulation of IRAK-1 activation by its C-terminal domain. <i>Cellular Signalling</i> , 2009, 21, 719-726.	1.7	12
94	Phosphatidylinositol-3 kinase and phospholipase C enhance CSF-1-dependent macrophage survival by controlling glucose uptake. <i>Cellular Signalling</i> , 2009, 21, 1361-1369.	1.7	29
95	Low dose metal particles can induce monocyte/macrophage survival. <i>Journal of Orthopaedic Research</i> , 2009, 27, 1481-1486.	1.2	12
96	The dynamics of macrophage lineage populations in inflammatory and autoimmune diseases. <i>Arthritis and Rheumatism</i> , 2009, 60, 1210-1221.	6.7	188
97	The proliferative human monocyte subpopulation contains osteoclast precursors. <i>Arthritis Research and Therapy</i> , 2009, 11, R23.	1.6	40
98	Plasminogen activator/plasmin system in arthritis and inflammation: Friend or foe?. <i>Arthritis and Rheumatism</i> , 2008, 58, 645-648.	6.7	17
99	Colony-stimulating factors in inflammation and autoimmunity. <i>Nature Reviews Immunology</i> , 2008, 8, 533-544.	10.6	1,111
100	The Critical Role of the Colony-Stimulating Factor-1 Receptor in the Differentiation of Myeloblastic Leukemia Cells. <i>Molecular Cancer Research</i> , 2008, 6, 458-467.	1.5	14
101	Regulation of WAVE1 expression in macrophages at multiple levels. <i>Journal of Leukocyte Biology</i> , 2008, 84, 1483-1491.	1.5	4
102	The role of the RgpAâ€œKgp proteinaseâ€œ adhesin complexes in the adherence of <i>Porphyromonas gingivalis</i> to fibroblasts. <i>Microbiology (United Kingdom)</i> , 2008, 154, 2904-2911.	0.7	14
103	Regulation of the Endosomal SNARE Protein Syntaxin 7 by Colony-Stimulating Factor 1 in Macrophages. <i>Molecular and Cellular Biology</i> , 2008, 28, 6149-6159.	1.1	23
104	Flow Cytometric Analysis of Adherence of <i>Porphyromonas gingivalis</i> to Oral Epithelial Cells. <i>Infection and Immunity</i> , 2007, 75, 2484-2492.	1.0	33
105	Mouse neutrophilic granulocytes express mRNA encoding the macrophage colony-stimulating factor receptor (CSF-1R) as well as many other macrophage-specific transcripts and can transdifferentiate into macrophages in vitro in response to CSF-1. <i>Journal of Leukocyte Biology</i> , 2007, 82, 111-123.	1.5	155
106	Macrophage lineage phenotypes and osteoclastogenesisâ€œComplexity in the control by GM-CSF and TGF-Î². <i>Bone</i> , 2007, 40, 323-336.	1.4	78
107	Granulocyte-Macrophage Colony-Stimulating Factor (CSF) and Macrophage CSF-Dependent Macrophage Phenotypes Display Differences in Cytokine Profiles and Transcription Factor Activities: Implications for CSF Blockade in Inflammation. <i>Journal of Immunology</i> , 2007, 178, 5245-5252.	0.4	514
108	Importance of the C-Terminal Domain of Hsc70 for Binding to Hsp70 and Hop as Well as Its Response to Heat Shock. <i>Biochemistry</i> , 2007, 46, 15144-15152.	1.2	2

#	ARTICLE	IF	CITATIONS
109	M-CSF induces the stable interaction of cFms with $\alpha V \beta 3$ integrin in osteoclasts. <i>International Journal of Biochemistry and Cell Biology</i> , 2006, 38, 1518-1529.	1.2	27
110	A potential role for the Src-like adapter protein SLAP-2 in signaling by the colony stimulating factor-1 receptor. <i>FEBS Journal</i> , 2006, 273, 1791-1804.	2.2	15
111	CpG DNA enhances macrophage cell spreading by promoting the Src-family kinase-mediated phosphorylation of paxillin. <i>Cellular Signalling</i> , 2006, 18, 2252-2261.	1.7	18
112	Detection and properties of the human proliferative monocyte subpopulation. <i>Journal of Leukocyte Biology</i> , 2006, 79, 757-766.	1.5	55
113	The effect of tissue type-plasminogen activator deletion and associated fibrin(ogen) deposition on macrophage localization in peritoneal inflammation. <i>Thrombosis and Haemostasis</i> , 2006, 95, 659-667.	1.8	12
114	The effect of tissue type-plasminogen activator deletion and associated fibrin(ogen) deposition on macrophage localization in peritoneal inflammation. <i>Thrombosis and Haemostasis</i> , 2006, 95, 659-67.	1.8	8
115	cAMP inhibits CSF-1-stimulated tyrosine phosphorylation but augments CSF-1R-mediated macrophage differentiation and ERK activation. <i>FEBS Journal</i> , 2005, 272, 4141-4152.	2.2	10
116	A proteomics strategy for the enrichment of receptor-associated complexes. <i>Proteomics</i> , 2005, 5, 4754-4763.	1.3	16
117	A Central Role for the Hsp90 $\alpha$ -Cdc37 Molecular Chaperone Module in Interleukin-1 Receptor-associated-kinase-dependent Signaling by Toll-like Receptors. <i>Journal of Biological Chemistry</i> , 2005, 280, 9813-9822.	1.6	48
118	S100A8 Chemotactic Protein Is Abundantly Increased, but Only a Minor Contributor to LPS-Induced, Steroid Resistant Neutrophilic Lung Inflammation in Vivo. <i>Journal of Proteome Research</i> , 2005, 4, 136-145.	1.8	50
119	Functions of Granulocyte-Macrophage Colony-Stimulating Factor. <i>Critical Reviews in Immunology</i> , 2005, 25, 405-428.	1.0	179
120	Stimulus-Dependent Requirement for Granulocyte-Macrophage Colony-Stimulating Factor in Inflammation. <i>Journal of Immunology</i> , 2004, 173, 4643-4651.	0.4	60
121	Innate immune responses to LPS in mouse lung are suppressed and reversed by neutralization of GM-CSF via repression of TLR-4. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 286, L877-L885.	1.3	96
122	Mini Review GM-CSF Biology. <i>Growth Factors</i> , 2004, 22, 225-231.	0.5	197
123	A novel 110 kDa form of myosin XVIIIa (MysPDZ) is tyrosine-phosphorylated after colony-stimulating factor-1 receptor signalling. <i>Biochemical Journal</i> , 2004, 380, 243-253.	1.7	16
124	The interferon in TLR signaling: more than just antiviral. <i>Trends in Immunology</i> , 2003, 24, 534-539.	2.9	181
125	Peripheral blood mononuclear cell expression of toll-like receptors and relation to cytokine levels in cirrhosis. <i>Hepatology</i> , 2003, 37, 1154-1164.	3.6	147
126	The Phenotype of Inflammatory Macrophages Is Stimulus Dependent: Implications for the Nature of the Inflammatory Response. <i>Journal of Immunology</i> , 2003, 171, 4816-4823.	0.4	89



#	ARTICLE	IF	CITATIONS
127	Nondisposable materials, chronic inflammation, and adjuvant action. <i>Journal of Leukocyte Biology</i> , 2003, 73, 702-712.	1.5	54
128	Granulocyte/Macrophage-Colony-stimulating Factor (GM-CSF) Regulates Lung Innate Immunity to Lipopolysaccharide through Akt/Erk Activation of NF $\kappa$ B and AP-1 in Vivo. <i>Journal of Biological Chemistry</i> , 2002, 277, 42808-42814.	1.6	154
129	Differing Roles for Urokinase and Tissue-Type Plasminogen Activator in Collagen-Induced Arthritis. <i>American Journal of Pathology</i> , 2002, 160, 917-926.	1.9	53
130	GM-CSF in inflammation and autoimmunity. <i>Trends in Immunology</i> , 2002, 23, 403-408.	2.9	307
131	Alzheimer's disease amyloid beta and prion protein amyloidogenic peptides promote macrophage survival, DNA synthesis and enhanced proliferative response to CSF-1 (M-CSF). <i>Brain Research</i> , 2002, 940, 49-54.	1.1	17
132	Extravascular coagulation and the plasminogen activator/plasmin system in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2268-2279.	6.7	102
133	Blockade of collagen-induced arthritis post-onset by antibody to granulocyte-macrophage colony-stimulating factor (GM-CSF): requirement for GM-CSF in the effector phase of disease. <i>Arthritis Research</i> , 2001, 3, 293.	2.0	165
134	Inflammatory microcrystals induce murine macrophage survival and DNA synthesis. <i>Arthritis Research</i> , 2001, 3, 242.	2.0	26
135	Comparison of macrophage responses to oxidized low-density lipoprotein and macrophage colony-stimulating factor (M-CSF or CSF-1). <i>Biochemical Journal</i> , 2001, 354, 179.	1.7	9
136	Enhancement of macrophage survival and DNA synthesis by oxidized-low-density-lipoprotein (LDL)-derived lipids and by aggregates of lightly oxidized LDL. <i>Biochemical Journal</i> , 2001, 355, 207.	1.7	8
137	Comparison of macrophage responses to oxidized low-density lipoprotein and macrophage colony-stimulating factor (M-CSF or CSF-1). <i>Biochemical Journal</i> , 2001, 354, 179-187.	1.7	16
138	Enhancement of macrophage survival and DNA synthesis by oxidized-low-density-lipoprotein (LDL)-derived lipids and by aggregates of lightly oxidized LDL. <i>Biochemical Journal</i> , 2001, 355, 207-214.	1.7	11
139	Colony-stimulating factor-1 (CSF-1) receptor-mediated macrophage differentiation in myeloid cells: a role for tyrosine 559-dependent protein phosphatase 2A (PP2A) activity. <i>Biochemical Journal</i> , 2001, 358, 431-436.	1.7	18
140	Colony-stimulating factor-1 (CSF-1) receptor-mediated macrophage differentiation in myeloid cells: a role for tyrosine 559-dependent protein phosphatase 2A (PP2A) activity. <i>Biochemical Journal</i> , 2001, 358, 431.	1.7	13
141	Dependence of interleukin-1-induced arthritis on granulocyte-macrophage colony-stimulating factor. <i>Arthritis and Rheumatism</i> , 2001, 44, 111-119.	6.7	69
142	Copper/zinc superoxide dismutase is phosphorylated and modulated specifically by granulocyte-colony stimulating factor in myeloid cells. <i>Proteomics</i> , 2001, 1, 435-443.	1.3	26
143	Granulocyte Macrophage Colony-Stimulating Factor. <i>Journal of Experimental Medicine</i> , 2001, 194, 873-882.	4.2	390
144	Tissue-Type Plasminogen Activator Deficiency Exacerbates Arthritis. <i>Journal of Immunology</i> , 2001, 167, 1047-1052.	0.4	57

#	ARTICLE	IF	CITATIONS
145	Proteomic Analysis of Macrophage Differentiation. <i>Journal of Biological Chemistry</i> , 2001, 276, 26211-26217.	1.6	27
146	Copper/zinc superoxide dismutase is phosphorylated and modulated specifically by granulocyte-colony stimulating factor in myeloid cells. , 2001, 1, 435.		1
147	Regulation of urokinase plasminogen activator gene transcription in the RAW264 murine macrophage cell line by macrophage colony-stimulating factor (CSF-1) is dependent upon the level of cell-surface receptor. <i>Biochemical Journal</i> , 2000, 347, 313.	1.7	3
148	Regulation of urokinase plasminogen activator gene transcription in the RAW264 murine macrophage cell line by macrophage colony-stimulating factor (CSF-1) is dependent upon the level of cell-surface receptor. <i>Biochemical Journal</i> , 2000, 347, 313-320.	1.7	18
149	Particulate adjuvants can induce macrophage survival, DNA synthesis, and a synergistic proliferative response to GM-CSF and CSF-1. <i>Journal of Leukocyte Biology</i> , 2000, 67, 226-232.	1.5	55
150	Collagen-induced arthritis in C57BL/6 (H-2b) mice: new insights into an important disease model of rheumatoid arthritis. <i>European Journal of Immunology</i> , 2000, 30, 1568-1575.	1.6	203
151	Oxidized LDL Can Promote Human Monocyte Survival. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2329-2331.	1.1	14
152	ROLE OF TYPE I INTERFERONS DURING MACROPHAGE ACTIVATION BY LIPOPOLYSACCHARIDE. <i>Cytokine</i> , 2000, 12, 1639-1646.	1.4	52
153	Proliferation of a Subpopulation of Human Peripheral Blood Monocytes in the Presence of Colony Stimulating Factors may Contribute to the Inflammatory Process in Diseases such as Rheumatoid Arthritis. <i>Immunobiology</i> , 2000, 202, 18-25.	0.8	30
154	Type I Interferons Mediate the Lipopolysaccharide Induction of Macrophage Cyclin D2. <i>Journal of Interferon and Cytokine Research</i> , 2000, 20, 355-359.	0.5	11
155	Direct Comparison of the Effects of CSF-1 (M-CSF) and GM-CSF on Human Monocyte DNA Synthesis and CSF Receptor Expression. <i>Journal of Interferon and Cytokine Research</i> , 1999, 19, 417-423.	0.5	13
156	Oxidized LDL Can Induce Macrophage Survival, DNA Synthesis, and Enhanced Proliferative Response to CSF-1 and GM-CSF. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 98-105.	1.1	139
157	Roles of the Mitogen-activated Protein Kinase Family in Macrophage Responses to Colony Stimulating Factor-1 Addition and Withdrawal. <i>Journal of Biological Chemistry</i> , 1999, 274, 15127-15133.	1.6	60
158	Expression of a Y559F Mutant CSF-1 Receptor in M1 Myeloid Cells: A Role for Src Kinases in CSF-1 Receptor-Mediated Differentiation. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 1999, 1, 144-152.	1.7	33
159	Protein phosphatase 2A is expressed in response to colony-stimulating factor 1 in macrophages and is required for cell cycle progression independently of extracellular signal-regulated protein kinase activity. <i>Biochemical Journal</i> , 1999, 339, 517-524.	1.7	17
160	Protein phosphatase 2A is expressed in response to colony-stimulating factor 1 in macrophages and is required for cell cycle progression independently of extracellular signal-regulated protein kinase activity. <i>Biochemical Journal</i> , 1999, 339, 517.	1.7	5
161	Characterization of a CSF-induced proliferating subpopulation of human peripheral blood monocytes by surface marker expression and cytokine production. <i>Journal of Leukocyte Biology</i> , 1999, 66, 953-960.	1.5	34
162	Direct binding of Shc, Grb2, SHP-2 and p40 to the murine granulocyte colony-stimulating factor receptor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1448, 70-76.	1.9	29

#	ARTICLE	IF	CITATIONS
163	Effects of wortmannin and rapamycin on CSF-1-mediated responses in macrophages. <i>International Journal of Biochemistry and Cell Biology</i> , 1998, 30, 271-283.	1.2	14
164	cAMP Enhances CSF-1-Induced ERK Activity and c-fosmRNA Expression via a MEK-Dependent and Ras-Independent Mechanism in Macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1998, 244, 475-480.	1.0	21
165	Proliferation-independent Induction of Macrophage Cyclin D2, and Repression of Cyclin D1, by Lipopolysaccharide. <i>Journal of Biological Chemistry</i> , 1998, 273, 23104-23109.	1.6	19
166	Macrophage Lineage Cells in Inflammation: Characterization by Colony-Stimulating Factor-1 (CSF-1) Receptor (c-Fms), ER-MP58, and ER-MP20 (Ly-6C) Expression. <i>Blood</i> , 1998, 92, 1423-1431.	0.6	61
167	CSF-1 signal transduction. <i>Journal of Leukocyte Biology</i> , 1997, 62, 145-155.	1.5	185
168	cAMP suppresses p21ras and Raf-1 responses but not the Erk-1 response to granulocyte-colony-stimulating factor: possible Raf-1-independent activation of Erk-1. <i>Biochemical Journal</i> , 1997, 322, 79-87.	1.7	29
169	Identification of Phosphoproteins Specific to Granulocyte Colony-Stimulating Factor-Mediated Signaling Using 2D-SDS-PAGE. <i>Journal of Interferon and Cytokine Research</i> , 1997, 17, 77-86.	0.5	7
170	G1 phase arrest of human smooth muscle cells by heparin, IL-4 and cAMP is linked to repression of cyclin D1 and cdk2. <i>Atherosclerosis</i> , 1997, 133, 61-69.	0.4	55
171	CSF-1 and cell cycle control in macrophages. <i>Molecular Reproduction and Development</i> , 1997, 46, 19-23.	1.0	20
172	CSF-1 signal transduction: what is of functional significance?. <i>Trends in Immunology</i> , 1997, 18, 313-317.	7.5	30
173	Cyclic AMP Inhibits Expression of D-Type Cyclins and cdk4 and Induces p27Kip1 in G-CSF-Treated NFS-60 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1996, 224, 10-16.	1.0	25
174	Association between phosphatidylinositol-3 kinase, Cbl and other tyrosine phosphorylated proteins in colony-stimulating factor-1-stimulated macrophages. <i>Biochemical Journal</i> , 1996, 320, 69-77.	1.7	38
175	Differences in the kinetics of activation of protein kinases and extracellular signal-related protein kinase 1 in colony-stimulating factor 1-stimulated and lipopolysaccharide-stimulated macrophages. <i>Biochemical Journal</i> , 1996, 320, 1011-1016.	1.7	31
176	Extracellular Mutations of Non-obese Diabetic Mouse FcγRI Modify Surface Expression and Ligand Binding. <i>Journal of Biological Chemistry</i> , 1996, 271, 17091-17099.	1.6	13
177	Granulocyte Colony-Stimulating Factor-Stimulated Proliferation of Myeloid Cells: Mode of Cell Cycle Control by a Range of Inhibitors. <i>Journal of Interferon and Cytokine Research</i> , 1996, 16, 869-877.	0.5	6
178	Bone marrow transplantation in auto-immune disease. <i>Bailliere's Clinical Rheumatology</i> , 1995, 9, 673-687.	1.0	6
179	Cytokine modulation of plasminogen activator inhibitor-1 (PAI-1) production by human articular cartilage and chondrocytes. Down-regulation by tumor necrosis factor α and up-regulation by transforming growth factor-β and basic fibroblast growth factor. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1994, 1226, 277-285.	1.8	27
180	Haematopoietic Colony Stimulating Factors CSF-1 and GM-CSF Increase Phosphatidylinositol 3-Kinase Activity in Murine Bone Marrow-Derived Macrophages. <i>Growth Factors</i> , 1994, 10, 181-192.	0.5	18

#	ARTICLE	IF	CITATIONS
181	Expression of p47- <i>phox</i> and p67- <i>phox</i> proteins in murine bone marrow-derived macrophages: Enhancement by lipopolysaccharide and tumor necrosis factor $\alpha$ but not colony stimulating factor 1. <i>Journal of Leukocyte Biology</i> , 1994, 55, 530-535.	1.5	27
182	Production of leukemia inhibitory factor by human articular chondrocytes and cartilage in response to interleukin-1 and tumor necrosis factor $\alpha$ . <i>Arthritis and Rheumatism</i> , 1993, 36, 790-794.	6.7	39
183	Colony stimulating factors, cytokines and monocyte-macrophages-some controversies. <i>Trends in Immunology</i> , 1993, 14, 18-24.	7.5	113
184	Regulation of Plasminogen Activator Inhibitor-1 Levels in Human Monocytes. <i>Cellular Immunology</i> , 1993, 152, 7-17.	1.4	37
185	Cytokine regulation of granulocyte-macrophage colony stimulating factor and macrophage colony-stimulating factor production in human arterial smooth muscle cells. <i>Atherosclerosis</i> , 1993, 99, 241-252.	0.4	80
186	Production of macrophage colony-stimulating factor (M-CSF) by human articular cartilage and chondrocytes. Modulation by interleukin-1 and tumor necrosis factor $\alpha$ . <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1993, 1182, 57-63.	1.8	43
187	Effects of macrophage-colony stimulating factor on human monocytes: Induction of expression of urokinase-type plasminogen activator, but not of secreted prostaglandin E <sub>2</sub> , interleukin-6, interleukin-1, or tumor necrosis factor- $\alpha$ . <i>Journal of Leukocyte Biology</i> , 1993, 53, 707-714.	1.5	27
188	A Colony-Stimulating Factor Network Involving Mononuclear Phagocytes and Other Cells. , 1993, , 29-35.		4
189	Macrophages and Prostaglandins. <i>Blood Cell Biochemistry</i> , 1993, , 149-159.	0.3	1
190	Thrombin Stimulates Expression of Tissue-Type Plasminogen Activator and Plasminogen Activator Inhibitor Type 1 in Cultured Human Vascular Smooth Muscle Cells. <i>Thrombosis and Haemostasis</i> , 1993, 70, 469-474.	1.8	65
191	Cytokine Regulation of the Synthesis of Plasminogen Activator Inhibitor-2 by Human Vascular Endothelial Cells. <i>Thrombosis and Haemostasis</i> , 1993, 69, 135-140.	1.8	28
192	Regulation of pinocytosis in murine macrophages by colony-stimulating factors and other agents. <i>Journal of Leukocyte Biology</i> , 1992, 51, 350-359.	1.5	22
193	Plasminogen Activators and Their Inhibitors in Arthritic Disease. <i>Annals of the New York Academy of Sciences</i> , 1992, 667, 87-100.	1.8	28
194	The effect of interleukin-4 on the macrophage respiratory burst is species dependent. <i>Biochemical and Biophysical Research Communications</i> , 1992, 182, 727-732.	1.0	12
195	$\beta$ -Interferon counteracts interleukin-1 $\alpha$ stimulated expression of urokinase-type plasminogen activator in human endothelial cells in vitro. <i>Biochemical and Biophysical Research Communications</i> , 1992, 188, 463-469.	1.0	27
196	Independent regulation of plasminogen activator inhibitor 2 and plasminogen activator inhibitor 1 in human synovial fibroblasts. <i>Arthritis and Rheumatism</i> , 1992, 35, 1526-1534.	6.7	26
197	Biochemical events accompanying macrophage activation and the inhibition of colony-stimulating factor-1-induced macrophage proliferation by tumor necrosis factor- $\alpha$ , interferon- $\gamma$ , and lipopolysaccharide. <i>Journal of Cellular Physiology</i> , 1992, 151, 630-641.	2.0	56
198	Protein kinase C has both stimulatory and suppressive effects on macrophage superoxide production. <i>Journal of Cellular Physiology</i> , 1992, 152, 64-70.	2.0	10

#	ARTICLE	IF	CITATIONS
199	Oncostatin M stimulates urokinase-type plasminogen activator activity in human synovial fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1991, 180, 652-659.	1.0	46
200	Recombinant human interleukin-1 inhibits plasminogen activator inhibitor-1 (PAI-1) production by human articular cartilage and chondrocytes. <i>Biochemical and Biophysical Research Communications</i> , 1991, 174, 251-257.	1.0	32
201	GM-CSF and IL-3 stimulate diacylglycerol generation in murine bone marrow-derived macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1991, 179, 586-591.	1.0	12
202	Signalling through CSF receptors. <i>Trends in Immunology</i> , 1991, 12, 362-369.	7.5	51
203	Colony stimulating factor-1 stimulates diacylglycerol generation in murine bone marrow-derived macrophages, but not in resident peritoneal macrophages. <i>Journal of Cellular Physiology</i> , 1991, 147, 298-305.	2.0	25
204	Effects of tumor necrosis factor $\hat{1}\pm$ and $\hat{1}^2$ on resorption of human articular cartilage and production of plasminogen activator by human articular chondrocytes. <i>Arthritis and Rheumatism</i> , 1990, 33, 542-552.	6.7	102
205	Colony stimulating factor-1 is a negative regulator of the macrophage respiratory burst. <i>Journal of Cellular Physiology</i> , 1990, 144, 190-196.	2.0	18
206	Stimulation of human chondrocyte prostaglandin E2 production by recombinant human interleukin-1 and tumour necrosis factor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1990, 1051, 310-318.	1.9	67
207	Activation and proliferation signals in murine macrophages: Relationships among c-fos and c-myc expression, phosphoinositide hydrolysis, superoxide formation, and DNA synthesis. <i>Journal of Cellular Physiology</i> , 1989, 141, 618-626.	2.0	36
208	Modulation of urokinase-type plasminogen activator messenger rna levels in human synovial fibroblasts by interleukin-1, retinoic acid, and a glucocorticoid. <i>Arthritis and Rheumatism</i> , 1988, 31, 1046-1051.	6.7	37
209	Stimulation of the hyaluronic acid levels of human synovial fibroblasts by recombinant human tumor necrosis factor $\hat{1}\pm$ , tumor necrosis factor $\hat{1}^2$ (lymphotoxin), interleukin- $\hat{1}\pm$ , and interleukin- $\hat{1}^2$ . <i>Arthritis and Rheumatism</i> , 1988, 31, 1281-1289.	6.7	69
210	Activation and proliferation signals in murine macrophages: Stimulation of Na <sup>+</sup> , K <sup>+</sup> -ATPase activity by hemopoietic growth factors and other agents. <i>Journal of Cellular Physiology</i> , 1988, 134, 13-24.	2.0	85
211	Activation and proliferation signals in murine macrophages: Stimulation of glucose uptake by hemopoietic growth factors and other agents. <i>Journal of Cellular Physiology</i> , 1988, 134, 405-412.	2.0	89
212	Recombinant human interleukin-1 stimulates human articular cartilage to undergo resorption and human chondrocytes to produce both tissue- and urokinase-type plasminogen activator. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1988, 967, 183-194.	1.1	75
213	Interleukin- $\hat{1}^2$ and interleukin- $\hat{1}\pm$ stimulate the plasminogen activator activity and prostaglandin E2 levels of human synovial cells. <i>Arthritis and Rheumatism</i> , 1987, 30, 562-566.	6.7	100
214	CSF-1 stimulates glucose uptake in murine bone marrow-derived macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1986, 138, 445-454.	1.0	38
215	Cyclic AMP-dependent and -independent effects on tissue-type plasminogen activator activity in osteogenic sarcoma cells; evidence from phosphodiesterase inhibition and parathyroid hormone antagonists. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986, 888, 199-207.	1.9	42
216	The stimulation of human synovial fibroblast plasminogen activator activity Involvement of cyclic AMP and cyclooxygenase products. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986, 886, 195-202.	1.9	13

#	ARTICLE	IF	CITATIONS
217	Human synovial fibroblasts produce urokinase-type plasminogen activator. <i>Arthritis and Rheumatism</i> , 1986, 29, 1397-1401.	6.7	41
218	CSF-1 stimulates Na <sup>+</sup> K <sup>+</sup> -ATPase mediated 86Rb <sup>+</sup> uptake in mouse bone marrow-derived macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1985, 132, 430-437.	1.0	76
219	Differential release of plasminogen activator and latent collagenase from mononuclear cell-stimulated synovial cells. <i>Arthritis and Rheumatism</i> , 1983, 26, 15-21.	6.7	40
220	Glucocorticoids and prostaglandins inhibit the induction of macrophage DNA synthesis by macrophage growth factor and phorbol ester. <i>Journal of Cellular Physiology</i> , 1983, 115, 67-74.	2.0	29
221	Stimulation of the plasminogen activator activity of human synovial fibroblasts by retinoids. <i>Arthritis and Rheumatism</i> , 1982, 25, 432-440.	6.7	35
222	Coagulation of human plasma by asbestos fibers. <i>Environmental Research</i> , 1981, 26, 119-124.	3.7	4
223	Human synovial fibroblast plasminogen activator. modulation of enzyme activity by antiinflammatory steroids. <i>Arthritis and Rheumatism</i> , 1981, 24, 1296-1303.	6.7	44
224	Regulation of the plasminogen activator activity of macrophage tumor cell lines. <i>International Journal of Immunopharmacology</i> , 1980, 2, 353-362.	1.1	9