

Selina Kikkenborg Berg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6938178/publications.pdf>

Version: 2024-02-01

121
papers

1,702
citations

331670

21
h-index

414414

32
g-index

122
all docs

122
docs citations

122
times ranked

1625
citing authors

#	ARTICLE	IF	CITATIONS
1	Long COVID symptoms in SARS-CoV-2-positive adolescents and matched controls (LongCOVIDKidsDK): a national, cross-sectional study. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 240-248.	5.6	93
2	Cardiac rehabilitation versus usual care for patients treated with catheter ablation for atrial fibrillation: Results of the randomized CopenHeartRFA trial. <i>American Heart Journal</i> , 2016, 181, 120-129.	2.7	70
3	Exercise-based cardiac rehabilitation for adults after heart valve surgery. <i>The Cochrane Library</i> , 2016, 3, CD010876.	2.8	64
4	Exercise-based cardiac rehabilitation for adults with atrial fibrillation. <i>The Cochrane Library</i> , 2017, 2, CD011197.	2.8	60
5	Anxiety Predicts Mortality in ICD Patients: Results from the Cross-sectional National CopenHeart ICD Survey with Register Follow-up. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1641-1650.	1.2	49
6	Psychometric properties of the Danish Hospital Anxiety and Depression Scale in patients with cardiac disease: results from the DenHeart survey. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 9.	2.4	48
7	Significantly increased risk of all-cause mortality among cardiac patients feeling lonely. <i>Heart</i> , 2020, 106, 140-146.	2.9	47
8	Comprehensive cardiac rehabilitation improves outcome for patients with implantable cardioverter defibrillator. Findings from the COPE-ICD randomised clinical trial. <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 34-44.	0.9	43
9	DenHeart: Differences in physical and mental health across cardiac diagnoses at hospital discharge. <i>Journal of Psychosomatic Research</i> , 2017, 94, 1-9.	2.6	40
10	Patients' preference for exercise setting and its influence on the health benefits gained from exercise-based cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2017, 232, 33-39.	1.7	38
11	Patient-reported outcomes are independent predictors of one-year mortality and cardiac events across cardiac diagnoses: Findings from the national DenHeart survey. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 624-637.	1.8	38
12	Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. <i>Heart</i> , 2016, 102, 1995-2003.	2.9	36
13	Patient-reported outcomes at hospital discharge from Heart Centres, a national cross-sectional survey with a register-based follow-up: the DenHeart study protocol. <i>BMJ Open</i> , 2014, 4, e004709.	1.9	35
14	Patient experiences of recovery after heart valve replacement: suffering weakness, struggling to resume normality. <i>BMC Nursing</i> , 2013, 12, 23.	2.5	31
15	Availability of, referral to and participation in exercise-based cardiac rehabilitation after heart valve surgery: Results from the national CopenHeart survey. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 710-718.	1.8	30
16	Both mental and physical health predicts one year mortality and readmissions in patients with implantable cardioverter defibrillators: findings from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 96-105.	0.9	26
17	Outpatient Nursing Clinic for Congenital Heart Disease Patients. <i>Journal of Cardiovascular Nursing</i> , 2007, 22, 488-492.	1.1	25
18	COPE-ICD: A randomised clinical trial studying the effects and meaning of a comprehensive rehabilitation programme for ICD recipients -design, intervention and population. <i>BMC Cardiovascular Disorders</i> , 2011, 11, 33.	1.7	24

#	ARTICLE	IF	CITATIONS
19	Validating the HeartQoL questionnaire in patients with atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1496-1503.	1.8	24
20	Early physical training and psycho-educational intervention for patients undergoing coronary artery bypass grafting. The SheppHeart randomized 2 Å– 2 factorial clinical pilot trial. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 425-437.	0.9	24
21	Psychometric properties of HeartQoL, a core heart disease-specific health-related quality of life questionnaire, in Danish implantable cardioverter defibrillator recipients. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 142-149.	1.8	24
22	Costâ€“utility analysis of cardiac rehabilitation after conventional heart valve surgery versus usual care. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 698-707.	1.8	23
23	Effect of comprehensive cardiac rehabilitation after heart valve surgery (CopenHeartVR): study protocol for a randomised clinical trial. <i>Trials</i> , 2013, 14, 104.	1.6	22
24	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <i>The Cochrane Library</i> , 2019, 2, CD011828.	2.8	22
25	Sexual concerns and practices after ICD implantation: findings of the COPE-ICD rehabilitation trial. <i>European Journal of Cardiovascular Nursing</i> , 2013, 12, 468-474.	0.9	20
26	Women's experiences of sexual health after firstâ€“time myocardial infarction. <i>Journal of Clinical Nursing</i> , 2013, 22, 3532-3540.	3.0	20
27	Patients Perspective on Endocarditis â€” An Intermezzo in Life. <i>European Journal of Cardiovascular Nursing</i> , 2010, 9, 126-131.	0.9	19
28	The effect of integrated cardiac rehabilitation versus treatment as usual for atrial fibrillation patients treated with ablation: the randomised CopenHeart_{RFA}trial protocol. <i>BMJ Open</i> , 2013, 3, e002377.	1.9	19
29	High readmission rates and mental distress after infective endocarditis â€” Results from the national population-based CopenHeart IE survey. <i>International Journal of Cardiology</i> , 2017, 235, 133-140.	1.7	19
30	Measuring HRQoL following heart valve surgery: the HeartQoL questionnaire is a valid and reliable core heart disease instrument. <i>Quality of Life Research</i> , 2019, 28, 1245-1253.	3.1	19
31	Effect of early, individualised and intensified follow-up after open heart valve surgery on unplanned cardiac hospital readmissions and all-cause mortality. <i>International Journal of Cardiology</i> , 2019, 289, 30-36.	1.7	19
32	Phantom shocks in patients with implantable cardioverter defibrillator: results from a randomized rehabilitation trial (COPE-ICD). <i>Europace</i> , 2013, 15, 1463-1467.	1.7	18
33	Cardiac rehabilitation patients' perspectives on the recovery following heart valve surgery: a narrative analysis. <i>Journal of Advanced Nursing</i> , 2016, 72, 1097-1108.	3.3	18
34	Cognitive behavioural therapy significantly reduces anxiety in patients with implanted cardioverter defibrillator compared with usual care: Findings from the Screen-ICD randomised controlled trial. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 258-268.	1.8	18
35	Understanding the lived experiences of shortâ€“and longâ€“term consequences on daily life after outâ€“ofâ€“hospital cardiac arrest. A focus group study. <i>Journal of Advanced Nursing</i> , 2021, 77, 1442-1452.	3.3	18
36	COPE-ICD: patient experience of participation in an ICD specific rehabilitation programme. <i>European Journal of Cardiovascular Nursing</i> , 2012, 11, 207-215.	0.9	17

#	ARTICLE	IF	CITATIONS
37	Patient perspectives of participating in the cardiac CopenHeartRFA rehabilitation program for patients treated with ablation for atrial fibrillation. <i>Journal of Multidisciplinary Healthcare</i> , 2018, Volume 11, 167-174.	2.7	17
38	Mental health is a risk factor for poor outcomes in cardiac patients: Findings from the national DenHeart survey. <i>Journal of Psychosomatic Research</i> , 2018, 112, 66-72.	2.6	17
39	A stoic and altruistic orientation towards their work: a qualitative study of healthcare professionals' experiences of awaiting a COVID-19 test result. <i>BMC Health Services Research</i> , 2020, 20, 1031.	2.2	17
40	Like soldiers on the front – a qualitative study understanding the frontline healthcare professionals' experience of treating and caring for patients with COVID-19. <i>BMC Health Services Research</i> , 2021, 21, 666.	2.2	17
41	Sleep Quality and Sleepiness in Persons with Implantable Cardioverter Defibrillators: Outcome from a Clinical Randomized Longitudinal Trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 431-443.	1.2	16
42	Do patients with ICD who report anxiety symptoms on Hospital Anxiety and Depression Scale suffer from anxiety?. <i>Journal of Psychosomatic Research</i> , 2019, 121, 100-104.	2.6	16
43	High Readmission Rates and Mental Distress 1 yr After Ablation for Atrial Fibrillation or Atrial Flutter. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019, 39, 33-38.	2.1	16
44	Sexual rehabilitation for cardiac patients with erectile dysfunction: a randomised clinical trial. <i>Heart</i> , 2019, 105, 775-782.	2.9	16
45	The marked body – a qualitative study on survivors embodied experiences of a COVID-19 illness trajectory. <i>Scandinavian Journal of Caring Sciences</i> , 2022, 36, 183-191.	2.1	16
46	Insufficient Living. <i>Journal of Cardiovascular Nursing</i> , 2015, 30, E11-E19.	1.1	15
47	Sex differences in health status and rehabilitation outcomes in patients with atrial fibrillation treated with ablation: Results from the CopenHeartRFA trial. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 123-135.	0.9	15
48	Patient-reported outcomes predict high readmission rates among patients with cardiac diagnoses. Findings from the DenHeart study. <i>International Journal of Cardiology</i> , 2020, 300, 268-275.	1.7	14
49	Exercise-based cardiac rehabilitation for adults after heart valve surgery. <i>The Cochrane Library</i> , 2021, 2021, CD010876.	2.8	14
50	A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditis – the CopenHeartIEtrial protocol. <i>BMJ Open</i> , 2012, 2, e001929.	1.9	11
51	The Screen-ICD trial. Screening for anxiety and cognitive therapy intervention for patients with implanted cardioverter defibrillator (ICD): a randomised controlled trial protocol. <i>BMJ Open</i> , 2016, 6, e013186.	1.9	11
52	Self-rating level of perceived exertion for guiding exercise intensity during a 12-week cardiac rehabilitation programme and the influence of heart rate reducing medication. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 611-615.	1.3	11
53	SheppHeartCABG trial – comprehensive early rehabilitation after coronary artery bypass grafting: a protocol for a randomised clinical trial. <i>BMJ Open</i> , 2017, 7, e013038.	1.9	11
54	Am I going to die now? Experiences of hospitalisation and subsequent life after being diagnosed with aortic dissection. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 35, 929-936.	2.1	11

#	ARTICLE	IF	CITATIONS
55	Is the Cardiovascular Response Equivalent Between a Supervised Center-Based Setting and a Self-care Home-Based Setting When Rating of Perceived Exertion Is Used to Guide Aerobic Exercise Intensity During a Cardiac Rehabilitation Program?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, 381-387.	1.4	11
56	The CopenHeartSF trialâ€”comprehensive sexual rehabilitation programme for male patients with implantable cardioverter defibrillator or ischaemic heart disease and impaired sexual function: protocol of a randomised clinical trial. <i>BMJ Open</i> , 2013, 3, e003967.	1.9	10
57	Implantable cardioverter defibrillator specific rehabilitation improves health cost outcomes: Findings from the COPE-ICD randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 267-272.	1.1	10
58	Emotions and Health. <i>Journal of Cardiovascular Nursing</i> , 2015, 30, 197-204.	1.1	10
59	Clinical Effects and Implications of Cardiac Rehabilitation for Implantable Cardioverter Defibrillator Patients. <i>Journal of Cardiovascular Nursing</i> , 2015, 30, 420-427.	1.1	10
60	Patient-reported outcomes after aortic and mitral valve surgery â€” results from the DenHeart Study. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 246-254.	0.9	9
61	Feeling understood for the first time: experiences of participation in rehabilitation after out-of-hospital sudden cardiac arrest. <i>European Journal of Cardiovascular Nursing</i> , 2021, 20, 767-774.	0.9	9
62	Life after a lung transplant: a balance of joy and challenges. <i>Journal of Clinical Nursing</i> , 2017, 26, 3543-3552.	3.0	8
63	Patient perceptions of experience with cardiac rehabilitation after isolated heart valve surgery. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 45-53.	0.9	8
64	Updating EuroSCORE by including emotional, behavioural, social and functional factors to the risk assessment of patients undergoing cardiac surgery: a study protocol. <i>BMJ Open</i> , 2019, 9, e026745.	1.9	8
65	What to expect after open heart valve surgery? Changes in health-related quality of life. <i>Quality of Life Research</i> , 2020, 29, 1247-1258.	3.1	8
66	Cardiovascular Rehabilitation Increases Walking Distance in Patients With Intermittent Claudication. Results of the CIPIC Rehab Study: A Randomised Controlled Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 768-776.	1.5	8
67	Sociodemographic, Clinical and Patient-Reported Outcomes and Readmission After Heart Valve Surgery. <i>Journal of Heart Valve Disease</i> , 2018, 27, 78-86.	0.5	8
68	Perception of General Health in Adults with Congenital Heart Disease who no Longer Attend Medical Follow-Up. <i>European Journal of Cardiovascular Nursing</i> , 2008, 7, 264-268.	0.9	7
69	Effect of Cardiac Rehabilitation in Patients with ICD: Are Gender Differences Present? Results from the COPEâ€”CD Trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 18-27.	1.2	7
70	A place of understanding: Patients' lived experiences of participating in a sexual rehabilitation programme after heart disease. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 370-379.	2.1	7
71	Sense of coherence as a resource for quality of life in patients with congenital heart disease: The benefits continue into adulthood. <i>European Journal of Cardiovascular Nursing</i> , 2013, 12, 567-568.	0.9	6
72	Physical Activity in Primary Versus Secondary Prevention Indication Implantable Cardioverter Defibrillator Recipients 6â€”12 Months After Implantation â€” A Cross-Sectional Study With Register Follow Up. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 426-431.	0.9	6

#	ARTICLE	IF	CITATIONS
73	Effect of Rehabilitation on Sleep Quality After Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Nursing</i> , 2018, 33, 261-268.	1.1	6
74	Time to expand risk evaluation systems for cardiac surgery? Looking beyond physiological parameters. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 760-766.	0.9	6
75	Early follow-up after open heart valve surgery reduces healthcare costs: a propensity matched study. <i>Open Heart</i> , 2019, 6, e001122.	2.3	6
76	Acute symptoms in SARS-CoV-2 positive adolescents aged 15-18 years Results from a Danish national cross-sectional survey study. <i>Lancet Regional Health - Europe</i> , 2022, 16, 100354.	5.6	6
77	Instrument translation and initial psychometric evaluation of the Danish Body Image Quality of Life Inventory. <i>Scandinavian Journal of Caring Sciences</i> , 2016, 30, 830-844.	2.1	5
78	Employment Status and Sick Leave After First-Time Implantable Cardioverter Defibrillator Implantation. <i>Journal of Cardiovascular Nursing</i> , 2017, 32, 448-454.	1.1	5
79	Changes in Physical Performance and Their Association With Health-Related Quality of Life in a Mixed Nonischemic Cardiac Population That Participates in Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, 102-107.	2.1	5
80	The association between self-reported health status and adverse events: a comparison among coronary artery bypass grafting (CABG) versus percutaneous coronary intervention (PCI). <i>Quality of Life Research</i> , 2020, 29, 3017-3029.	3.1	5
81	Association between frailty and self-reported health following heart valve surgery. <i>IJC Heart and Vasculature</i> , 2020, 31, 100671.	1.1	5
82	Predictors of patient-reported outcomes at discharge in patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 748-756.	0.9	5
83	Testing for COVID-19 regulates behavior in the general population: A qualitative study of experiences of awaiting test result for COVID-19. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 797-803.	2.3	5
84	Prognostic value of a brief loneliness questionnaire for patients with coronary heart disease: Proposal for a prediction model. <i>Journal of Clinical Nursing</i> , 2022, 31, 1686-1696.	3.0	5
85	Data on an intervention to reduce readmissions after open heart valve surgery. <i>Data in Brief</i> , 2019, 24, 103926.	1.0	4
86	Compromised Sexual Health Among Male Patients With Implantable Cardioverter Defibrillator: A Cross-Sectional Questionnaire Study. <i>Sexual Medicine</i> , 2019, 7, 169-176.	1.6	4
87	Physical activity and serious adverse events in patients with atrial fibrillation and/or atrial flutter treated with catheter ablation. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2021, 50, 146-152.	1.6	4
88	Social and emotional factors as predictors of poor outcomes following cardiac surgery. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2022, 34, 193-200.	1.1	4
89	COVID-19: Lessons Learned About Communication Between Family Members and Healthcare Professionals A Qualitative Study on How Close Family Members of Patients Hospitalized in Intensive Care Unit With COVID-19 Experienced Communication and Collaboration With Healthcare Professionals. <i>Inquiry (United States)</i> , 2021, 58, 004695802110600.	0.9	4
90	Exploring the use of psychotropic medication in cardiac patients with and without anxiety and its association with 1-year mortality. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 612-619.	0.9	4

#	ARTICLE	IF	CITATIONS
91	Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. <i>Trials</i> , 2015, 16, 38.	1.6	3
92	Exploring the Mechanism of Effectiveness of a Psychoeducational Intervention in a Rehabilitation Program (CopenHeartRFA) for Patients Treated With Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, 336-343.	1.1	3
93	Subgroup Differences and Determinants of Patient-Reported Mental and Physical Health in Patients With Ischemic Heart Disease. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, E11-E21.	1.1	3
94	Employment status before and after open heart valve surgery: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0240210.	2.5	3
95	Educational inequality in patient-reported outcomes but not mortality among cardiac patients: Results from the national DenHeart survey with register follow-up. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 781-790.	2.3	3
96	Unreadiness for hospital discharge predicts readmission among cardiac patients: results from the national DenHeart survey. <i>European Journal of Cardiovascular Nursing</i> , 2021, 20, 667-675.	0.9	3
97	Gender differences in patient-reported outcomes in patients with acute myocardial infarction. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 772-781.	0.9	3
98	Long-term effects of cardiac rehabilitation after heart valve surgery - results from the randomised CopenHeart_{VR} trial. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 247-255.	1.2	3
99	Increased risk of mortality and readmission associated with lower SF-12 scores in cardiac patients: Results from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 330-338.	0.9	2
100	Supplementing prediction by EuroSCORE with social and patient-reported measures among patients undergoing cardiac surgery. <i>Journal of Cardiac Surgery</i> , 2021, 36, 509-521.	0.7	2
101	Patient-reported outcomes, sociodemographic and clinical factors are associated with 1-year mortality in patients with ischemic heart disease—findings from the DenHeart cohort study. <i>Quality of Life Research</i> , 2022, 31, 389-402.	3.1	2
102	One size does not fit all: A qualitative study exploring preferences and barriers towards the design of a loneliness reduction intervention in patients with coronary heart disease. <i>Nursing Open</i> , 2022, , .	2.4	2
103	Who Cares? Perception of Loneliness in Patients Treated for Coronary Heart DiseaseHvem bekymrer sig? Oplevelsen af ensomhed hos patienter med iskÅ misk hjertesygdom. <i>Global Qualitative Nursing Research</i> , 2022, 9, 233339362110736.	1.4	2
104	Intensity of primary emotions in patients after implantation of an implantable cardioverter defibrillator. <i>Journal of Nursing Education and Practice</i> , 2013, 3, .	0.2	1
105	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <i>The Cochrane Library</i> , 0, , .	2.8	1
106	Validity, reliability and responsiveness of the Body Image Quality of Life Inventory in patients treated for infective endocarditis. <i>Scandinavian Journal of Caring Sciences</i> , 2017, 31, 183-190.	2.1	1
107	Data on patient-reported outcomes and the riskÅof readmission following a cardiac diagnosis. <i>Data in Brief</i> , 2020, 28, 104859.	1.0	1
108	Patient-reported outcomes at hospital discharge among patients with arrhythmia: Results from the national DenHeart survey. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 248-259.	0.9	1

#	ARTICLE	IF	CITATIONS
109	The heart & mind trial: intervention with cognitive-behavioural therapy in patients with cardiac disease and anxiety: randomised controlled trial protocol. <i>BMJ Open</i> , 2021, 11, e057085.	1.9	1
110	Patient-reported outcome is associated with health care costs in patients with ischaemic heart disease and arrhythmia. <i>European Journal of Cardiovascular Nursing</i> , 2023, 22, 23-32.	0.9	1
111	The association between cardiac drug therapy and anxiety among cardiac patients: results from the national DenHeart survey. <i>BMC Cardiovascular Disorders</i> , 2022, 22, .	1.7	1
112	Cardiology in Denmark?the Story of Nursing. <i>Progress in Cardiovascular Nursing</i> , 2006, 21, 212-214.	0.4	0
113	The heart and mind connection. <i>International Journal of Cardiology</i> , 2020, 310, 92-93.	1.7	0
114	Are patient-reported outcomes at discharge associated with employment status after cardiac hospitalization? Results from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2021, , .	0.9	0
115	Patient-reported outcomes, clinical, and demographic variables as predictors of withdrawal from the workforce after hospitalization with heart failure: findings from the national DenHeart survey. <i>European Journal of Cardiovascular Nursing</i> , 2021, , .	0.9	0
116	Effectiveness of physical exercise to decrease sexual dysfunction in adults with cardiovascular disease: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2013, 11, 324-335.	1.7	0
117	Abstract 18240: Poor Sexual Outcome Among Male ICD Patients Who Have Received Shock and Antitachycardia Pacing Therapy. <i>Circulation</i> , 2015, 132, .	1.6	0
118	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
119	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
120	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
121	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0