Selina Kikkenborg Berg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6938178/publications.pdf

Version: 2024-02-01

121 1,702 21 32 papers citations h-index g-index

122 122 122 125

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Patient-reported outcome is associated with health care costs in patients with ischaemic heart disease and arrhythmia. European Journal of Cardiovascular Nursing, 2023, 22, 23-32.	0.9	1
2	Social and emotional factors as predictors of poor outcomes following cardiac surgery. Interactive Cardiovascular and Thoracic Surgery, 2022, 34, 193-200.	1.1	4
3	The marked body – a qualitative study on survivors embodied experiences of a COVIDâ€19 illness trajectory. Scandinavian Journal of Caring Sciences, 2022, 36, 183-191.	2.1	16
4	Patient-reported outcomes, sociodemographic and clinical factors are associated with 1-year mortality in patients with ischemic heart disease—findings from the DenHeart cohort study. Quality of Life Research, 2022, 31, 389-402.	3.1	2
5	Prognostic value of a brief loneliness questionnaire for patients with coronary heart disease: Proposal for a prediction model. Journal of Clinical Nursing, 2022, 31, 1686-1696.	3.0	5
6	Exploring the use of psychotropic medication in cardiac patients with and without anxiety and its association with 1-year mortality. European Journal of Cardiovascular Nursing, 2022, 21, 612-619.	0.9	4
7	One size does not fit all: A qualitative study exploring preferences and barriers towards the design of a loneliness reduction intervention in patients with coronary heart disease. Nursing Open, 2022, , .	2.4	2
8	Who Cares? Perception of Loneliness in Patients Treated for Coronary Heart DiseaseHvem bekymrer sig? Oplevelsen af ensomhed hos patienter med isk \tilde{A}^{\dagger}_{l} misk hjertesygdom. Global Qualitative Nursing Research, 2022, 9, 233339362110736.	1.4	2
9	Long COVID symptoms in SARS-CoV-2-positive adolescents and matched controls (LongCOVIDKidsDK): a national, cross-sectional study. The Lancet Child and Adolescent Health, 2022, 6, 240-248.	5.6	93
10	Gender differences in patient-reported outcomes in patients with acute myocardial infarction. European Journal of Cardiovascular Nursing, 2022, 21, 772-781.	0.9	3
11	Acute symptoms in SARS-CoV-2 positive adolescents aged 15–18 years – Results from a Danish national cross-sectional survey study. Lancet Regional Health - Europe, The, 2022, 16, 100354.	5.6	6
12	The association between cardiac drug therapy and anxiety among cardiac patients: results from the national DenHeart survey. BMC Cardiovascular Disorders, 2022, 22, .	1.7	1
13	Long-term effects of cardiac rehabilitation after heart valve surgery - results from the randomised CopenHeart _{VR} trial. Scandinavian Cardiovascular Journal, 2022, 56, 247-255.	1.2	3
14	Physical activity and serious adverse events in patients with atrial fibrillation and/or atrial flutter treated with catheter ablation. Heart and Lung: Journal of Acute and Critical Care, 2021, 50, 146-152.	1.6	4
15	Understanding the lived experiences of short†and longâ€term consequences on daily life after outâ€ofâ€hospital cardiac arrest. A focus group study. Journal of Advanced Nursing, 2021, 77, 1442-1452.	3.3	18
16	Supplementing prediction by EuroSCORE with social and patientâ€reported measures among patients undergoing cardiac surgery. Journal of Cardiac Surgery, 2021, 36, 509-521.	0.7	2
17	Unreadiness for hospital discharge predicts readmission among cardiac patients: results from the national DenHeart survey. European Journal of Cardiovascular Nursing, 2021, 20, 667-675.	0.9	3
18	Testing for COVID-19 regulates behavior in the general population: A qualitative study of experiences of awaiting test result for COVID-19. Scandinavian Journal of Public Health, 2021, 49, 797-803.	2.3	5

#	Article	IF	CITATIONS
19	Feeling understood for the first time: experiences of participation in rehabilitation after out-of-hospital sudden cardiac arrest. European Journal of Cardiovascular Nursing, 2021, 20, 767-774.	0.9	9
20	Exercise-based cardiac rehabilitation for adults after heart valve surgery. The Cochrane Library, 2021, 2021, CD010876.	2.8	14
21	Cardiovascular Rehabilitation Increases Walking Distance in Patients With Intermittent Claudication. Results of the CIPIC Rehab Study: A Randomised Controlled Trial. European Journal of Vascular and Endovascular Surgery, 2021, 62, 768-776.	1.5	8
22	Like soldiers on the front – a qualitative study understanding the frontline healthcare professionals' experience of treating and caring for patients with COVID-19. BMC Health Services Research, 2021, 21, 666.	2.2	17
23	Are patient-reported outcomes at discharge associated with employment status after cardiac hospitalization? Results from the national DenHeart study. European Journal of Cardiovascular Nursing, 2021, , .	0.9	0
24	Patient-reported outcomes, clinical, and demographic variables as predictors of withdrawal from the workforce after hospitalization with heart failure: findings from the national DenHeart survey. European Journal of Cardiovascular Nursing, 2021, , .	0.9	O
25	COVID-19: Lessons Learned About Communication Between Family Members and Healthcare Professionalsâ€"A Qualitative Study on How Close Family Members of Patients Hospitalized in Intensive Care Unit With COVID-19 Experienced Communication and Collaboration With Healthcare Professionals, Inquiry (United States). 2021. 58. 004695802110600.	0.9	4
26	The heart & mind trial: intervention with cognitive–behavioural therapy in patients with cardiac disease and anxiety: randomised controlled trial protocol. BMJ Open, 2021, 11, e057085.	1.9	1
27	Cognitive behavioural therapy significantly reduces anxiety in patients with implanted cardioverter defibrillator compared with usual care: Findings from the Screen-ICD randomised controlled trial. European Journal of Preventive Cardiology, 2020, 27, 258-268.	1.8	18
28	A place of understanding: Patients' lived experiences of participating in a sexual rehabilitation programme after heart disease. Scandinavian Journal of Caring Sciences, 2020, 34, 370-379.	2.1	7
29	Patient-reported outcomes predict high readmission rates among patients with cardiac diagnoses. Findings from the DenHeart study. International Journal of Cardiology, 2020, 300, 268-275.	1.7	14
30	Significantly increased risk of all-cause mortality among cardiac patients feeling lonely. Heart, 2020, 106, 140-146.	2.9	47
31	Increased risk of mortality and readmission associated with lower SF-12 scores in cardiac patients: Results from the national DenHeart study. European Journal of Cardiovascular Nursing, 2020, 19, 330-338.	0.9	2
32	Psychometric properties of the Danish Hospital Anxiety and Depression Scale in patients with cardiac disease: results from the DenHeart survey. Health and Quality of Life Outcomes, 2020, 18, 9.	2.4	48
33	What to expect after open heart valve surgery? Changes in health-related quality of life. Quality of Life Research, 2020, 29, 1247-1258.	3.1	8
34	Data on patient-reported outcomes and the riskÂof readmission following a cardiac diagnosis. Data in Brief, 2020, 28, 104859.	1.0	1
35	Changes in Physical Performance and Their Association With Health-Related Quality of Life in a Mixed Nonischemic Cardiac Population That Participates in Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2020, 40, 102-107.	2.1	5
36	Patient-reported outcomes at hospital discharge among patients with arrhythmia: Results from the national DenHeart survey. European Journal of Cardiovascular Nursing, 2020, 19, 248-259.	0.9	1

#	Article	lF	Citations
37	Am I going to die now? Experiences of hospitalisation and subsequent life after being diagnosed with aortic dissection. Scandinavian Journal of Caring Sciences, 2020, 35, 929-936.	2.1	11
38	Employment status before and after open heart valve surgery: A cohort study. PLoS ONE, 2020, 15, e0240210.	2.5	3
39	The heart and mind connection. International Journal of Cardiology, 2020, 310, 92-93.	1.7	O
40	A stoic and altruistic orientation towards their work: a qualitative study of healthcare professionals' experiences of awaiting a COVID-19 test result. BMC Health Services Research, 2020, 20, 1031.	2.2	17
41	The association between self-reported health status and adverse events: a comparison among coronary arteryÂbypass grafting (CABG) versus percutaneous coronary intervention (PCI). Quality of Life Research, 2020, 29, 3017-3029.	3.1	5
42	Association between frailty and self-reported health following heart valve surgery. IJC Heart and Vasculature, 2020, 31, 100671.	1.1	5
43	Predictors of patient-reported outcomes at discharge in patients with heart failure. European Journal of Cardiovascular Nursing, 2020, 19, 748-756.	0.9	5
44	Educational inequality in patient-reported outcomes but not mortality among cardiac patients: Results from the national DenHeart survey with register follow-up. Scandinavian Journal of Public Health, 2020, 48, 781-790.	2.3	3
45	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		O
46	Employment status before and after open heart valve surgery: A cohort study., 2020, 15, e0240210.		0
47	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		O
48	Employment status before and after open heart valve surgery: A cohort study., 2020, 15, e0240210.		0
49	Both mental and physical health predicts one year mortality and readmissions in patients with implantable cardioverter defibrillators: findings from the national DenHeart study. European Journal of Cardiovascular Nursing, 2019, 18, 96-105.	0.9	26
50	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. The Cochrane Library, 2019, 2, CD011828.	2.8	22
51	Measuring HRQoL following heart valve surgery: the HeartQoL questionnaire is a valid and reliable core heart disease instrument. Quality of Life Research, 2019, 28, 1245-1253.	3.1	19
52	Data on an intervention to reduce readmissions after open heart valve surgery. Data in Brief, 2019, 24, 103926.	1.0	4
53	Effect of early, individualised and intensified follow-up after open heart valve surgery on unplanned cardiac hospital readmissions and all-cause mortality. International Journal of Cardiology, 2019, 289, 30-36.	1.7	19
54	Do patients with ICD who report anxiety symptoms on Hospital Anxiety and Depression Scale suffer from anxiety?. Journal of Psychosomatic Research, 2019, 121, 100-104.	2.6	16

#	Article	IF	Citations
55	Compromised Sexual Health Among Male Patients With Implantable Cardioverter Defibrillator: A Cross-Sectional Questionnaire Study. Sexual Medicine, 2019, 7, 169-176.	1.6	4
56	Updating EuroSCORE by including emotional, behavioural, social and functional factors to the risk assessment of patients undergoing cardiac surgery: a study protocol. BMJ Open, 2019, 9, e026745.	1.9	8
57	Early follow-up after open heart valve surgery reduces healthcare costs: a propensity matched study. Open Heart, 2019, 6, e001122.	2.3	6
58	Exploring the Mechanism of Effectiveness of a Psychoeducational Intervention in a Rehabilitation Program (CopenHeartRFA) for Patients Treated With Ablation for Atrial Fibrillation. Journal of Cardiovascular Nursing, 2019, 34, 336-343.	1.1	3
59	High Readmission Rates and Mental Distress 1 yr After Ablation for Atrial Fibrillation or Atrial Flutter. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, 33-38.	2.1	16
60	Subgroup Differences and Determinants of Patient-Reported Mental and Physical Health in Patients With Ischemic Heart Disease. Journal of Cardiovascular Nursing, 2019, 34, E11-E21.	1.1	3
61	Sexual rehabilitation for cardiac patients with erectile dysfunction: a randomised clinical trial. Heart, 2019, 105, 775-782.	2.9	16
62	Patient-reported outcomes are independent predictors of one-year mortality and cardiac events across cardiac diagnoses: Findings from the national DenHeart survey. European Journal of Preventive Cardiology, 2019, 26, 624-637.	1.8	38
63	Effect of Rehabilitation on Sleep Quality After Ablation for Atrial Fibrillation. Journal of Cardiovascular Nursing, 2018, 33, 261-268.	1.1	6
64	Patient perceptions of experience with cardiac rehabilitation after isolated heart valve surgery. European Journal of Cardiovascular Nursing, 2018, 17, 45-53.	0.9	8
65	Psychometric properties of HeartQoL, a core heart disease-specific health-related quality of life questionnaire, in Danish implantable cardioverter defibrillator recipients. European Journal of Preventive Cardiology, 2018, 25, 142-149.	1.8	24
66	Patient-reported outcomes after aortic and mitral valve surgery – results from the DenHeart Study. European Journal of Cardiovascular Nursing, 2018, 17, 246-254.	0.9	9
67	Sex differences in health status and rehabilitation outcomes in patients with atrial fibrillation treated with ablation: Results from the CopenHeartRFA trial. European Journal of Cardiovascular Nursing, 2018, 17, 123-135.	0.9	15
68	Patient perspectives of participating in the cardiac CopenHeartRFA rehabilitation program for patients treated with ablation for atrial fibrillation. Journal of Multidisciplinary Healthcare, 2018, Volume 11, 167-174.	2.7	17
69	Mental health is a risk factor for poor outcomes in cardiac patients: Findings from the national DenHeart survey. Journal of Psychosomatic Research, 2018, 112, 66-72.	2.6	17
70	Time to expand risk evaluation systems for cardiac surgery? Looking beyond physiological parameters. European Journal of Cardiovascular Nursing, 2018, 17, 760-766.	0.9	6
71	Sociodemographic, Clinical and Patient-Reported Outcomes and Readmission After Heart Valve Surgery. Journal of Heart Valve Disease, 2018, 27, 78-86.	0.5	8
72	Validity, reliability and responsiveness of the Body Image Quality of Life Inventory in patients treated for infective endocarditis. Scandinavian Journal of Caring Sciences, 2017, 31, 183-190.	2.1	1

#	Article	IF	Citations
73	SheppHeartCABG trial—comprehensive early rehabilitation after coronary artery bypass grafting: a protocol for a randomised clinical trial. BMJ Open, 2017, 7, e013038.	1.9	11
74	Life after a lung transplant: a balance of joy and challenges. Journal of Clinical Nursing, 2017, 26, 3543-3552.	3.0	8
7 5	High readmission rates and mental distress after infective endocarditis — Results from the national population-based CopenHeart IE survey. International Journal of Cardiology, 2017, 235, 133-140.	1.7	19
76	Patients' preference for exercise setting and its influence on the health benefits gained from exercise-based cardiac rehabilitation. International Journal of Cardiology, 2017, 232, 33-39.	1.7	38
77	Exercise-based cardiac rehabilitation for adults with atrial fibrillation. The Cochrane Library, 2017, 2, CD011197.	2.8	60
78	Cost–utility analysis of cardiac rehabilitation after conventional heart valve surgery versus usual care. European Journal of Preventive Cardiology, 2017, 24, 698-707.	1.8	23
79	DenHeart: Differences in physical and mental health across cardiac diagnoses at hospital discharge. Journal of Psychosomatic Research, 2017, 94, 1-9.	2.6	40
80	Employment Status and Sick Leave After First-Time Implantable Cardioverter Defibrillator Implantation. Journal of Cardiovascular Nursing, 2017, 32, 448-454.	1.1	5
81	Is the Cardiovascular Response Equivalent Between a Supervised Center-Based Setting and a Self-care Home-Based Setting When Rating of Perceived Exertion Is Used to Guide Aerobic Exercise Intensity During a Cardiac Rehabilitation Program?. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 381-387.	1.4	11
82	Cardiac rehabilitation patients' perspectives on the recovery following heart valve surgery: a narrative analysis. Journal of Advanced Nursing, 2016, 72, 1097-1108.	3.3	18
83	Exercise-based cardiac rehabilitation for adults after heart valve surgery. The Cochrane Library, 2016, 3, CD010876.	2.8	64
84	Instrument translation and initial psychometric evaluation of the Danish Body Image Quality of Life Inventory. Scandinavian Journal of Caring Sciences, 2016, 30, 830-844.	2.1	5
85	Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. Heart, 2016, 102, 1995-2003.	2.9	36
86	The Screen-ICD trial. Screening for anxiety and cognitive therapy intervention for patients with implanted cardioverter defibrillator (ICD): a randomised controlled trial protocol. BMJ Open, 2016, 6, e013186.	1.9	11
87	Self-rating level of perceived exertion for guiding exercise intensity during a 12-week cardiac rehabilitation programme and the influence of heart rate reducing medication. Journal of Science and Medicine in Sport, 2016, 19, 611-615.	1.3	11
88	Cardiac rehabilitation versus usual care for patients treated with catheter ablation for atrial fibrillation: Results of the randomized CopenHeartRFA trial. American Heart Journal, 2016, 181, 120-129.	2.7	70
89	Validating the HeartQoL questionnaire in patients with atrial fibrillation. European Journal of Preventive Cardiology, 2016, 23, 1496-1503.	1.8	24
90	Early physical training and psycho-educational intervention for patients undergoing coronary artery bypass grafting. The SheppHeart randomized 2 \tilde{A} — 2 factorial clinical pilot trial. European Journal of Cardiovascular Nursing, 2016, 15, 425-437.	0.9	24

#	Article	IF	CITATIONS
91	Implantable cardioverter defibrillator specific rehabilitation improves health cost outcomes: Findings from the COPE-ICD randomized controlled trial. Journal of Rehabilitation Medicine, 2015, 47, 267-272.	1.1	10
92	Insufficient Living. Journal of Cardiovascular Nursing, 2015, 30, E11-E19.	1.1	15
93	Emotions and Health. Journal of Cardiovascular Nursing, 2015, 30, 197-204.	1.1	10
94	Clinical Effects and Implications of Cardiac Rehabilitation for Implantable Cardioverter Defibrillator Patients. Journal of Cardiovascular Nursing, 2015, 30, 420-427.	1.1	10
95	Availability of, referral to and participation in exercise-based cardiac rehabilitation after heart valve surgery: Results from the national CopenHeart survey. European Journal of Preventive Cardiology, 2015, 22, 710-718.	1.8	30
96	Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. Trials, 2015, 16, 38.	1.6	3
97	Physical Activity in Primary Versus Secondary Prevention Indication Implantable Cardioverter Defibrillator Recipients 6–12 Months After Implantation – A Cross-Sectional Study With Register Follow Up. Archives of Physical Medicine and Rehabilitation, 2015, 96, 426-431.	0.9	6
98	Comprehensive cardiac rehabilitation improves outcome for patients with implantable cardioverter defibrillator. Findings from the COPE-ICD randomised clinical trial. European Journal of Cardiovascular Nursing, 2015, 14, 34-44.	0.9	43
99	Effect of Cardiac Rehabilitation in Patients with ICD: Are Gender Differences Present? Results from the COPEâ€ICD Trial. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 18-27.	1.2	7
100	Abstract 18240: Poor Sexual Outcome Among Male ICD Patients Who Have Received Shock and Antitachycardia Pacing Therapy. Circulation, 2015, 132, .	1.6	0
101	Patient-reported outcomes at hospital discharge from Heart Centres, a national cross-sectional survey with a register-based follow-up: the DenHeart study protocol. BMJ Open, 2014, 4, e004709.	1.9	35
102	Anxiety Predicts Mortality in ICD Patients: Results from the Crossâ€6ectional National CopenHeart _{ICD} Survey with Register Followâ€Up. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 1641-1650.	1.2	49
103	Effect of comprehensive cardiac rehabilitation after heart valve surgery (CopenHeartVR): study protocol for a randomised clinical trial. Trials, 2013, 14, 104.	1.6	22
104	Phantom shocks in patients with implantable cardioverter defibrillator: results from a randomized rehabilitation trial (COPE-ICD). Europace, 2013, 15, 1463-1467.	1.7	18
105	Patient experiences of recovery after heart valve replacement: suffering weakness, struggling to resume normality. BMC Nursing, 2013, 12, 23.	2.5	31
106	The effect of integrated cardiac rehabilitation versus treatment as usual for atrial fibrillation patients treated with ablation: the randomised CopenHeart _{RFA} trial protocol. BMJ Open, 2013, 3, e002377.	1.9	19
107	The CopenHeartSF trialâ€"comprehensive sexual rehabilitation programme for male patients with implantable cardioverter defibrillator or ischaemic heart disease and impaired sexual function: protocol of a randomised clinical trial. BMJ Open, 2013, 3, e003967.	1.9	10
108	Sexual concerns and practices after ICD implantation: findings of the COPE-ICD rehabilitation trial. European Journal of Cardiovascular Nursing, 2013, 12, 468-474.	0.9	20

#	Article	IF	CITATIONS
109	Women's experiences of sexual health after firstâ€time myocardial infarction. Journal of Clinical Nursing, 2013, 22, 3532-3540.	3.0	20
110	Sense of coherence as a resource for quality of life in patients with congenital heart disease: The benefits continue into adulthood. European Journal of Cardiovascular Nursing, 2013, 12, 567-568.	0.9	6
111	Intensity of primary emotions in patients after implantation of an implantable cardioverter defibrillator. Journal of Nursing Education and Practice, 2013, 3, .	0.2	1
112	Effectiveness of physical exercise to decrease sexual dysfunction in adults with cardiovascular disease: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2013, 11, 324-335.	1.7	0
113	COPE-ICD: patient experience of participation in an ICD specific rehabilitation programme. European Journal of Cardiovascular Nursing, 2012, 11, 207-215.	0.9	17
114	A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditisâ€"the CopenHeartlEtrial protocol. BMJ Open, 2012, 2, e001929.	1.9	11
115	Sleep Quality and Sleepiness in Persons with Implantable Cardioverter Defibrillators: Outcome from a Clinical Randomized Longitudinal Trial. PACE - Pacing and Clinical Electrophysiology, 2012, 35, 431-443.	1.2	16
116	COPE-ICD: A randomised clinical trial studying the effects and meaning of a comprehensive rehabilitation programme for ICD recipients -design, intervention and population. BMC Cardiovascular Disorders, $2011,11,33.$	1.7	24
117	Patients Perspective on Endocarditis — An Intermezzo in Life. European Journal of Cardiovascular Nursing, 2010, 9, 126-131.	0.9	19
118	Perception of General Health in Adults with Congenital Heart Disease who no Longer Attend Medical Follow-Up. European Journal of Cardiovascular Nursing, 2008, 7, 264-268.	0.9	7
119	Outpatient Nursing Clinic for Congenital Heart Disease Patients. Journal of Cardiovascular Nursing, 2007, 22, 488-492.	1.1	25
120	Cardiology in Denmark?the Story of Nursing. Progress in Cardiovascular Nursing, 2006, 21, 212-214.	0.4	0
121	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. The Cochrane Library, 0, , .	2.8	1