Evangelos Kontopantelis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/693917/publications.pdf Version: 2024-02-01

		23567	19190
243	16,653	58	118
papers	citations	h-index	g-index
251	251	251	23341
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. Lancet Psychiatry,the, 2020, 7, 883-892.	7.4	1,921
2	Controlled Interventions to Reduce Burnout in Physicians. JAMA Internal Medicine, 2017, 177, 195.	5.1	898
3	Regression based quasi-experimental approach when randomisation is not an option: interrupted time series analysis. BMJ, The, 2015, 350, h2750-h2750.	6.0	689
4	Pay-for-Performance Programs in Family Practices in the United Kingdom. New England Journal of Medicine, 2006, 355, 375-384.	27.0	662
5	Effects of Pay for Performance on the Quality of Primary Care in England. New England Journal of Medicine, 2009, 361, 368-378.	27.0	566
6	National, regional, and worldwide epidemiology of psoriasis: systematic analysis and modelling study. BMJ, The, 2020, 369, m1590.	6.0	479
7	A comparison of heterogeneity variance estimators in simulated randomâ€effects metaâ€analyses. Research Synthesis Methods, 2019, 10, 83-98.	8.7	460
8	Long-term Glycemic Variability and Risk of Adverse Outcomes: A Systematic Review and Meta-analysis. Diabetes Care, 2015, 38, 2354-2369.	8.6	387
9	A Re-Analysis of the Cochrane Library Data: The Dangers of Unobserved Heterogeneity in Meta-Analyses. PLoS ONE, 2013, 8, e69930.	2.5	373
10	Quality of Primary Care in England with the Introduction of Pay for Performance. New England Journal of Medicine, 2007, 357, 181-190.	27.0	356
11	Prevalence, severity, and nature of preventable patient harm across medical care settings: systematic review and meta-analysis. BMJ: British Medical Journal, 2019, 366, l4185.	2.3	304
12	Selfâ€Reported Sleep Duration and Quality and Cardiovascular Disease and Mortality: A Doseâ€Response Metaâ€Analysis. Journal of the American Heart Association, 2018, 7, e008552.	3.7	260
13	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. BMJ, The, 2013, 346, f540-f540.	6.0	251
14	Nurses as substitutes for doctors in primary care. The Cochrane Library, 2019, 2019, CD001271.	2.8	243
15	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. BMJ: British Medical Journal, 2017, 359, j4351.	2.3	240
16	Perspective: NutriGrade: A Scoring System to Assess and Judge the Meta-Evidence of Randomized Controlled Trials and Cohort Studies in Nutrition Research. Advances in Nutrition, 2016, 7, 994-1004.	6.4	230
17	Effect of financial incentives on inequalities in the delivery of primary clinical care in England: analysis of clinical activity indicators for the quality and outcomes framework. Lancet, The, 2008, 372, 728-736.	13.7	208
18	Effect of financial incentives on incentivised and non-incentivised clinical activities: longitudinal analysis of data from the UK Quality and Outcomes Framework. BMJ: British Medical Journal, 2011, 342, d3590-d3590.	2.3	208

#	Article	IF	CITATIONS
19	Performance of statistical methods for meta-analysis when true study effects are non-normally distributed: A simulation study. Statistical Methods in Medical Research, 2012, 21, 409-426.	1.5	198
20	Suicide Risk in Primary Care Patients With Major Physical Diseases. Archives of General Psychiatry, 2012, 69, 256.	12.3	184
21	Incidence, prevalence and mortality of patients with psoriasis: a U.K. population-based cohort study. British Journal of Dermatology, 2017, 176, 650-658.	1.5	165
22	Combining Multiple Indicators of Clinical Quality. Medical Care, 2007, 45, 489-496.	2.4	161
23	Characteristics of Effective Collaborative Care for Treatment of Depression: A Systematic Review and Meta-Regression of 74 Randomised Controlled Trials. PLoS ONE, 2014, 9, e108114.	2.5	158
24	The comorbidity burden of type 2 diabetes mellitus: patterns, clusters and predictions from a large English primary care cohort. BMC Medicine, 2019, 17, 145.	5.5	151
25	ClinicalCodes: An Online Clinical Codes Repository to Improve the Validity and Reproducibility of Research Using Electronic Medical Records. PLoS ONE, 2014, 9, e99825.	2.5	145
26	Publication bias in metaâ€analyses from the Cochrane Database of Systematic Reviews. Statistics in Medicine, 2015, 34, 2781-2793.	1.6	139
27	Venous thromboembolism in COVID-19: A systematic review and meta-analysis. Vascular Medicine, 2021, 26, 415-425.	1.5	136
28	Patient experience of access to primary care: identification of predictors in a national patient survey. BMC Family Practice, 2010, 11, 61.	2.9	133
29	Social cognition in multiple sclerosis. Neurology, 2016, 87, 1727-1736.	1.1	133
30	Depression and anxiety predict health-related quality of life in chronic obstructive pulmonary disease: systematic review and meta-analysis. International Journal of COPD, 2014, 9, 501.	2.3	122
31	Life Expectancy and Cause-Specific Mortality in Type 2 Diabetes: A Population-Based Cohort Study Quantifying Relationships in Ethnic Subgroups. Diabetes Care, 2017, 40, 338-345.	8.6	121
32	Metaan: Random-effects Meta-analysis. The Stata Journal, 2010, 10, 395-407.	2.2	115
33	Long-term evidence for the effect of pay-for-performance in primary care on mortality in the UK: a population study. Lancet, The, 2016, 388, 268-274.	13.7	112
34	Framework and indicator testing protocol for developing and piloting quality indicators for the UK quality and outcomes framework. BMC Family Practice, 2011, 12, 85.	2.9	105
35	Outcome-sensitive multiple imputation: a simulation study. BMC Medical Research Methodology, 2017, 17, 2.	3.1	103
36	Incidence, Determinants, and Outcomes of Coronary Perforation During Percutaneous Coronary Intervention in the United Kingdom Between 2006 and 2013. Circulation: Cardiovascular Interventions, 2016, 9, .	3.9	100

#	Article	IF	CITATIONS
37	Recorded quality of primary care for patients with diabetes in England before and after the introduction of a financial incentive scheme: a longitudinal observational study. BMJ Quality and Safety, 2013, 22, 53-64.	3.7	98
38	Spatial distribution of clinical computer systems in primary care in England in 2016 and implications for primary care electronic medical record databases: a cross-sectional population study. BMJ Open, 2018, 8, e020738.	1.9	93
39	Inequalities in physical comorbidity: a longitudinal comparative cohort study of people with severe mental illness in the UK. BMJ Open, 2015, 5, e009010.	1.9	92
40	Association of Psoriasis With the Risk of Developing or Dying of Cancer. JAMA Dermatology, 2019, 155, 1390.	4.1	89
41	Impact of COVID-19 on percutaneous coronary intervention for ST-elevation myocardial infarction. Heart, 2020, 106, 1805-1811.	2.9	87
42	Now trending: Coping with non-parallel trends in difference-in-differences analysis. Statistical Methods in Medical Research, 2019, 28, 3697-3711.	1.5	85
43	Investigating the relationship between quality of primary care and premature mortality in England: a spatial whole-population study. BMJ, The, 2015, 350, h904-h904.	6.0	82
44	Cardiovascular Risk and Risk Factor Management in Type 2 Diabetes Mellitus. Circulation, 2019, 139, 2742-2753.	1.6	81
45	Excess mortality for care home residents during the first 23 weeks of the COVID-19 pandemic in England: a national cohort study. BMC Medicine, 2021, 19, 71.	5.5	81
46	Performance of statistical methods for meta-analysis when true study effects are non-normally distributed: A comparison between DerSimonian–Laird and restricted maximum likelihood. Statistical Methods in Medical Research, 2012, 21, 657-659.	1.5	80
47	The Relationship of Body Mass Index to Percutaneous Coronary Intervention Outcomes. JACC: Cardiovascular Interventions, 2017, 10, 1283-1292.	2.9	78
48	The challenge of ageing populations and patient frailty: can primary care adapt?. BMJ: British Medical Journal, 2018, 362, k3349.	2.3	78
49	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. JAMA Psychiatry, 2016, 73, 978.	11.0	76
50	Excess mortality in England and Wales during the first wave of the COVID-19 pandemic. Journal of Epidemiology and Community Health, 2021, 75, jech-2020-214764.	3.7	76
51	Withdrawing performance indicators: retrospective analysis of general practice performance under UK Quality and Outcomes Framework. BMJ, The, 2014, 348, g330-g330.	6.0	74
52	Changes in Arterial Access Site and Association With Mortality in the United Kingdom. Circulation, 2016, 133, 1655-1667.	1.6	71
53	Stroke following percutaneous coronary intervention: type-specific incidence, outcomes and determinants seen by the British Cardiovascular Intervention Society 2007–12. European Heart Journal, 2015, 36, 1618-1628.	2.2	69
54	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001–2013. BMC Psychiatry, 2016, 16, 53.	2.6	69

#	Article	IF	CITATIONS
55	Glucose, blood pressure and cholesterol levels and their relationships to clinical outcomes in type 2 diabetes: a retrospective cohort study. Diabetologia, 2015, 58, 505-518.	6.3	66
56	Impact of co-morbid burden on mortality in patients with coronary heart disease, heart failure, and cerebrovascular accident: a systematic review and meta-analysis. European Heart Journal Quality of Care & Clinical Outcomes, 2017, 3, 20-36.	4.0	64
57	Examining variations in prescribing safety in UK general practice: cross sectional study using the Clinical Practice Research Datalink. BMJ, The, 2015, 351, h5501.	6.0	63
58	Predicting mortality from change-over-time in the Charlson Comorbidity Index. Medicine (United) Tj ETQq0 0 0	rgBT /Over 1.0	lock 10 Tf 50
59	Oligoclonal bands predict multiple sclerosis in children with optic neuritis. Annals of Neurology, 2015, 77, 1076-1082.	5.3	61
60	Influenza, influenza-like symptoms and their association with cardiovascular risks: a systematic review and meta-analysis of observational studies. International Journal of Clinical Practice, 2015, 69, 928-937.	1.7	58
61	Relationship Between Anemia and Mortality Outcomes in a National Acute Coronary Syndrome Cohort: Insights From the UK Myocardial Ischemia National Audit Project Registry. Journal of the American Heart Association, 2016, 5, .	3.7	57
62	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. Lancet Psychiatry,the, 2018, 5, 905-912.	7.4	57
63	Topical antibiotics for preventing surgical site infection in wounds healing by primary intention. The Cochrane Library, 2016, 2016, CD011426.	2.8	56
64	Primary Prevention of Cardiovascular and Heart Failure Events With SGLT2 Inhibitors, GLP-1 Receptor Agonists, and Their Combination in Type 2 Diabetes. Diabetes Care, 2022, 45, 909-918.	8.6	56
65	Development and preliminary validation of a risk prediction model for chemotherapy-related nausea and vomiting. Supportive Care in Cancer, 2013, 21, 2759-2767.	2.2	55
66	Mortality risk prediction in burn injury: Comparison of logistic regression with machine learning approaches. Burns, 2015, 41, 925-934.	1.9	54
67	North-South disparities in English mortality1965–2015: longitudinal population study. Journal of Epidemiology and Community Health, 2017, 71, 928-936.	3.7	54
68	Risk Factor Control and Cardiovascular Event Risk in People With Type 2 Diabetes in Primary and Secondary Prevention Settings. Circulation, 2020, 142, 1925-1936.	1.6	54
69	Impact of Coronavirus Disease 2019 Pandemic on the Incidence and Management of Outâ€ofâ€Hospital Cardiac Arrest in Patients Presenting With Acute Myocardial Infarction in England. Journal of the American Heart Association, 2020, 9, e018379.	3.7	53
70	Age-, sex- and ethnicity-related differences in body weight, blood pressure, HbA1c and lipid levels at the diagnosis of type 2 diabetes relative to people without diabetes. Diabetologia, 2020, 63, 1542-1553.	6.3	51
71	Incidence and Trends in Hypoglycemia Hospitalization in Adults With Type 1 and Type 2 Diabetes in England, 1998–2013: A Retrospective Cohort Study. Diabetes Care, 2017, 40, 1651-1660.	8.6	49
72	Burden of 30-Day Readmissions After Percutaneous Coronary Intervention in 833,344 Patients in the United States: Predictors, Causes, and Cost. JACC: Cardiovascular Interventions, 2018, 11, 665-674.	2.9	49

#	Article	IF	CITATIONS
73	A comparison of oneâ€stage vs twoâ€stage individual patient data metaâ€analysis methods: A simulation study. Research Synthesis Methods, 2018, 9, 417-430.	8.7	49
74	Changes in Patient Experiences of Primary Care During Health Service Reforms in England Between 2003 and 2007. Annals of Family Medicine, 2010, 8, 499-506.	1.9	48
75	Effect of access site, gender, and indication on clinical outcomes after percutaneous coronary intervention: Insights from the British Cardiovascular Intervention Society (BCIS). American Heart Journal, 2015, 170, 164-172.e5.	2.7	46
76	Primary care consultation rates among people with and without severe mental illness: a UK cohort study using the Clinical Practice Research Datalink. BMJ Open, 2015, 5, e008650.	1.9	45
77	Comparison of Self-reported Measures of Hearing With an Objective Audiometric Measure in Adults in the English Longitudinal Study of Ageing. JAMA Network Open, 2020, 3, e2015009.	5.9	45
78	Percutaneous coronary intervention in patients with cancer and readmissions within 90 days for acute myocardial infarction and bleeding in the USA. European Heart Journal, 2021, 42, 1019-1034.	2.2	45
79	Place and Underlying Cause of Death During the COVID-19 Pandemic: Retrospective Cohort Study of 3.5 Million Deaths in England and Wales, 2014 to 2020. Mayo Clinic Proceedings, 2021, 96, 952-963.	3.0	45
80	Prospective evaluation of cisplatin- and carboplatin-mediated ototoxicity in paediatric and adult soft tissue and osteosarcoma patients. Oncology Letters, 2013, 5, 311-315.	1.8	44
81	Geographical epidemiology of health and overall deprivation in England, its changes and persistence from 2004 to 2015: a longitudinal spatial population study. Journal of Epidemiology and Community Health, 2018, 72, 140-147.	3.7	44
82	Health Economic Analysis of Access Site Practice in England During Changes in Practice. Circulation: Cardiovascular Quality and Outcomes, 2018, 11, e004482.	2.2	43
83	Effect of Comorbidity On Unplanned Readmissions After Percutaneous Coronary Intervention (From) Tj ETQq1	1 0.784314	l rg <mark>B</mark> T /Overld
84	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	2.8	41
85	Ospemifene for the treatment of vulvar and vaginal atrophy: A meta-analysis of randomized trials. Part II: Evaluation of tolerability and safety. Maturitas, 2019, 121, 93-100.	2.4	40
86	Baseline risk, timing of invasive strategy and guideline compliance in NSTEMI: Nationwide analysis from MINAP. International Journal of Cardiology, 2020, 301, 7-13.	1.7	40
87	Family Doctor Responses to Changes in Incentives for Influenza Immunization under the <scp>U.K.</scp> Quality and Outcomes Framework Payâ€forâ€Performance Scheme. Health Services Research, 2012, 47, 1117-1136.	2.0	39
88	Impact of the COVID-19 Pandemic on Percutaneous Coronary Intervention in England. Circulation: Cardiovascular Interventions, 2020, 13, e009654.	3.9	39
89	Clinical code set engineering for reusing EHR data for research: A review. Journal of Biomedical Informatics, 2017, 70, 1-13.	4.3	39
90	Setting performance targets in pay for performance programmes: what can we learn from QOF?. BMJ, The, 2014, 348, g1595-g1595.	6.0	38

#	Article	IF	CITATIONS
91	Adjuvant HPV Vaccination to Prevent Recurrent Cervical Dysplasia after Surgical Treatment: A Meta-Analysis. Vaccines, 2021, 9, 410.	4.4	38
92	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. BMC Family Practice, 2016, 17, 106.	2.9	36
93	MetaEasy : A Meta-Analysis Add-In for Microsoft Excel . Journal of Statistical Software, 2009, 30, .	3.7	36
94	Relationship between quality of care and choice of clinical computing system: retrospective analysis of family practice performance under the UK's quality and outcomes framework. BMJ Open, 2013, 3, e003190.	1.9	35
95	Excess deaths from COVID-19 and other causes by region, neighbourhood deprivation level and place of death during the first 30 weeks of the pandemic in England and Wales: A retrospective registry study. Lancet Regional Health - Europe, The, 2021, 7, 100144.	5.6	35
96	â€~Going the distance': an independent cohort study of engagement and dropout among the first 100 000 referrals into a large-scale diabetes prevention program. BMJ Open Diabetes Research and Care, 2020, 8, e001835.	2.8	35
97	Ospemifene for the treatment of vulvar and vaginal atrophy: A meta-analysis of randomized trials. Part I: Evaluation of efficacy. Maturitas, 2019, 121, 86-92.	2.4	34
98	Effect of primary percutaneous coronary intervention on in-hospital outcomes among active cancer patients presenting with ST-elevation myocardial infarction: a propensity score matching analysis. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 829-839.	1.0	34
99	How to identify when a performance indicator has run its course. BMJ: British Medical Journal, 2010, 340, c1717-c1717.	2.3	34
100	Increased Radial Access Is Not Associated With Worse Femoral Outcomes for Percutaneous Coronary Intervention in the United Kingdom. Circulation: Cardiovascular Interventions, 2017, 10, e004279.	3.9	33
101	Same-Day Discharge After Elective Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2019, 12, 1479-1494.	2.9	33
102	Sex Differences in Mortality Rates and Underlying Conditions for COVID-19 Deaths in England and Wales. Mayo Clinic Proceedings, 2020, 95, 2110-2124.	3.0	33
103	Incidence, Determinants, and Outcomes of Left and Right Radial Access Use in Patients Undergoing Percutaneous Coronary Intervention in the UnitedÂKingdom. JACC: Cardiovascular Interventions, 2018, 11, 1021-1033.	2.9	32
104	Health checks in primary care for adults with intellectual disabilities: how extensive should they be?. Journal of Intellectual Disability Research, 2010, 54, 479-486.	2.0	31
105	Primary Care Medication Safety Surveillance with Integrated Primary and Secondary Care Electronic Health Records: A Cross-Sectional Study. Drug Safety, 2015, 38, 671-682.	3.2	31
106	Analysing indicators of performance, satisfaction, or safety using empirical logit transformation. BMJ, The, 2016, 352, i1114.	6.0	31
107	Development and validation of a risk prediction score for severe acute pancreatitis. Journal of Translational Medicine, 2019, 17, 146.	4.4	31
108	Exempting dissenting patients from pay for performance schemes: retrospective analysis of exception reporting in the UK Quality and Outcomes Framework. BMJ, The, 2012, 344, e2405-e2405.	6.0	29

#	Article	IF	CITATIONS
109	Can analyses of electronic patient records be independently and externally validated? The effect of statins on the mortality of patients with ischaemic heart disease: a cohort study with nested case–control analysis. BMJ Open, 2014, 4, e004952.	1.9	29
110	Clinical management following self-harm in a UK-wide primary care cohort. Journal of Affective Disorders, 2016, 197, 182-188.	4.1	29
111	Trends in Mortality After Primary Cytoreductive Surgery for Ovarian Cancer: A Systematic Review and Metaregression of Randomized Clinical Trials and Observational Studies. Annals of Surgical Oncology, 2017, 24, 1688-1697.	1.5	29
112	Relationship between height at diagnosis and bone tumours in young people: a meta-analysis. Cancer Causes and Control, 2011, 22, 681-688.	1.8	28
113	Determinants and Outcomes of Stroke Following Percutaneous Coronary Intervention by Indication. Stroke, 2016, 47, 1500-1507.	2.0	28
114	Socioeconomic and lifestyle factors associated with hearing loss in older adults: a cross-sectional study of the English Longitudinal Study of Ageing (ELSA). BMJ Open, 2019, 9, e031030.	1.9	28
115	Sex, Age, and Socioeconomic Differences in Nonfatal Stroke Incidence and Subsequent Major Adverse Outcomes. Stroke, 2021, 52, 396-405.	2.0	28
116	Excess years of life lost to COVID-19 and other causes of death by sex, neighbourhood deprivation, and region in England and Wales during 2020: A registry-based study. PLoS Medicine, 2022, 19, e1003904.	8.4	28
117	Premature Death Among Primary Care Patients With a History of Self-Harm. Annals of Family Medicine, 2017, 15, 246-254.	1.9	27
118	Disparities in mortality among 25–44-year-olds in England: a longitudinal, population-based study. Lancet Public Health, The, 2018, 3, e567-e575.	10.0	27
119	Retroperitoneal Hemorrhage After Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2018, 11, e005866.	3.9	26
120	Relation of Frailty to Outcomes in Percutaneous Coronary Intervention. Cardiovascular Revascularization Medicine, 2020, 21, 811-818.	0.8	26
121	Risk of self-harm in physically ill patients in UK primary care. Journal of Psychosomatic Research, 2012, 73, 92-97.	2.6	25
122	Suicide risk linked with clinical consultation frequency, psychiatric diagnoses and psychotropic medication prescribing in a national study of primary-care patients. Psychological Medicine, 2016, 46, 3407-3417.	4.5	25
123	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. Drug Safety, 2017, 40, 679-692.	3.2	24
124	Operator volume is not associated with mortality following percutaneous coronary intervention: insights from the British Cardiovascular Intervention Society registry. European Heart Journal, 2018, 39, 1623-1634.	2.2	24
125	A Short Guide and a Forest Plot Command (Ipdforest) for One-Stage Meta-Analysis. The Stata Journal, 2013, 13, 574-587.	2.2	23
126	Outcomes From Selective Use ofÂThrombectomy in Patients Undergoing Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. JACC: Cardiovascular Interventions, 2016, 9, 126-134.	2.9	23

#	Article	IF	CITATIONS
127	Chronic morbidity, deprivation and primary medical care spending in England in 2015-16: a cross-sectional spatial analysis. BMC Medicine, 2018, 16, 19.	5.5	23
128	Predicting multiple sclerosis following isolated optic neuritis in children. European Journal of Neurology, 2013, 20, 1292-1296.	3.3	22
129	Impact of the Prevalence of Concordant and Discordant Conditions on the Quality of Diabetes Care in Family Practices in England. Annals of Family Medicine, 2015, 13, 514-522.	1.9	22
130	Simulation-Based Power Calculations for Mixed Effects Modeling: ipdpower in <i>Stata</i> . Journal of Statistical Software, 2016, 74, .	3.7	22
131	Ethnicity-dependent performance of the Global Registry of Acute Coronary Events risk score for prediction of non-ST-segment elevation myocardial infarction in-hospital mortality: nationwide cohort study. European Heart Journal, 2022, 43, 2289-2299.	2.2	22
132	Can analyses of electronic patient records be independently and externally validated? Study 2the effect of Â-adrenoceptor blocker therapy on cancer survival: a retrospective cohort study. BMJ Open, 2015, 5, e007299-e007299.	1.9	21
133	Is health research undertaken where the burden of disease is greatest? Observational study of geographical inequalities in recruitment to research in England 2013–2018. BMC Medicine, 2020, 18, 133.	5.5	21
134	The dynamic relationship between hearing loss, quality of life, socioeconomic position and depression and the impact of hearing aids: answers from the English Longitudinal Study of Ageing (ELSA). Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 353-362.	3.1	21
135	Performance of small general practices under the UK's Quality and Outcomes Framework. British Journal of General Practice, 2010, 60, e335-e344.	1.4	20
136	Associations between exemption and survival outcomes in the UK's primary care pay-for-performance programme: a retrospective cohort study. BMJ Quality and Safety, 2016, 25, 657-670.	3.7	20
137	The Association Between Socioeconomic Status, Sex, Race / Ethnicity and In-Hospital Mortality Among Patients Hospitalized for Heart Failure. Journal of Cardiac Failure, 2022, 28, 697-709.	1.7	20
138	P300 alterations in schizophrenic patients experiencing auditory hallucinations. European Neuropsychopharmacology, 2004, 14, 227-236.	0.7	19
139	What makes a successful volunteer Expert Patients Programme tutor? Factors predicting satisfaction, productivity and intention to continue tutoring of a new public health workforce in the United Kingdom. Patient Education and Counseling, 2009, 75, 128-134.	2.2	19
140	Outcomes Following Primary Percutaneous Coronary Intervention in Patients With Previous Coronary Artery Bypass Surgery. Circulation: Cardiovascular Interventions, 2016, 9, e003151.	3.9	19
141	SMASH! The Salford medication safety dashboard. BMJ Health and Care Informatics, 2018, 25, 183-193.	3.0	19
142	Outcomes Following Percutaneous Coronary Intervention in Non–ST-Segment–Elevation Myocardial Infarction Patients With Coronary Artery Bypass Grafts. Circulation: Cardiovascular Interventions, 2018, 11, e006824.	3.9	19
143	Outcomes Following Percutaneous Coronary Intervention in Saphenous VeinÂGrafts With and Without EmbolicÂProtection Devices. JACC: Cardiovascular Interventions, 2019, 12, 2286-2295.	2.9	19
144	Indirect Impact of the COVID-19 Pandemic on Activity and Outcomes of Transcatheter and Surgical Treatment of Aortic Stenosis in England. Circulation: Cardiovascular Interventions, 2021, 14, e010413.	3.9	19

#	Article	IF	CITATIONS
145	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. Psychological Medicine, 2020, 50, 293-302.	4.5	18
146	Addressing the evidence to practice gap for complex interventions in primary care: a systematic review of reviews protocol. BMJ Open, 2014, 4, e005548-e005548.	1.9	17
147	Impact of Access Site Practice on ClinicalÂOutcomes in Patients Undergoing Percutaneous Coronary Intervention Following Thrombolysis for ST-Segment Elevation Myocardial Infarction in the United Kingdom. JACC: Cardiovascular Interventions, 2017, 10, 2258-2265.	2.9	17
148	HbA 1C variability and hypoglycemia hospitalization in adults with type 1 and type 2 diabetes: A nested case-control study. Journal of Diabetes and Its Complications, 2018, 32, 203-209.	2.3	17
149	Statistical primer: checking model assumptions with regression diagnosticsâ€. Interactive Cardiovascular and Thoracic Surgery, 2019, 28, 1-8.	1.1	17
150	Ethnic disparities in care and outcomes of non-ST-segment elevation myocardial infarction: a nationwide cohort study. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 518-528.	4.0	17
151	Modelling Conditions and Health Care Processes in Electronic Health Records: An Application to Severe Mental Illness with the Clinical Practice Research Datalink. PLoS ONE, 2016, 11, e0146715.	2.5	17
152	Choice of Stent for Percutaneous Coronary Intervention of Saphenous Vein Grafts. Circulation: Cardiovascular Interventions, 2017, 10, .	3.9	16
153	Early Unplanned Readmissions After Admission to Hospital With Heart Failure. American Journal of Cardiology, 2019, 124, 736-745.	1.6	16
154	Discharge Against Medical Advice After Percutaneous Coronary Intervention inÂtheÂUnitedÂStates. JACC: Cardiovascular Interventions, 2018, 11, 1354-1364.	2.9	15
155	Impact of telephone delivered case-management on the effectiveness of collaborative care for depression and anti-depressant use: A systematic review and meta-regression. PLoS ONE, 2019, 14, e0217948.	2.5	15
156	Association Between Hospital Cardiac Catheter Laboratory Status, Use of an Invasive Strategy, and Outcomes After NSTEMI. Canadian Journal of Cardiology, 2020, 36, 868-877.	1.7	15
157	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 28.	1.6	14
158	The potential impact of Brexit and immigration policies on the GP workforce in England: a cross-sectional observational study of GP qualification region and the characteristics of the areas and population they served in September 2016. BMC Medicine, 2017, 15, 191.	5.5	14
159	Using electronic health records to quantify and stratify the severity of type 2 diabetes in primary care in England: rationale and cohort study design. BMJ Open, 2018, 8, e020926.	1.9	14
160	rEHR: An R package for manipulating and analysing Electronic Health Record data. PLoS ONE, 2017, 12, e0171784.	2.5	14
161	Comparative effectiveness of statins on non-high density lipoprotein cholesterol in people with diabetes and at risk of cardiovascular disease: systematic review and network meta-analysis. BMJ, The, 2022, 376, e067731.	6.0	14
162	Meta-analysis of randomized and quasi-randomized clinical trials of topical antibiotics after primary closure for the prevention of surgical-site infection. British Journal of Surgery, 2017, 104, 1123-1130.	0.3	13

#	Article	IF	CITATIONS
163	Longitudinal multiple imputation approaches for body mass index or other variables with very low individual-level variability: the mibmi command in Stata. BMC Research Notes, 2017, 10, 41.	1.4	13
164	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis. PLoS Medicine, 2020, 17, e1003286.	8.4	13
165	A comparison of chronic illness care quality in US and UK family medicine practices prior to pay-for-performance initiatives. Family Practice, 2009, 26, 510-516.	1.9	11
166	Relation of Length of Stay to Unplanned Readmissions for Patients Who Undergo Elective Percutaneous Coronary Intervention. American Journal of Cardiology, 2019, 123, 33-43.	1.6	11
167	Epidemiology and determinants of non-diabetic hyperglycaemia and its conversion to type 2 diabetes mellitus, 2000–2015: cohort population study using UK electronic health records. BMJ Open, 2020, 10, e040201.	1.9	11
168	Understanding the utilisation of a novel interactive electronic medication safety dashboard in general practice: a mixed methods study. BMC Medical Informatics and Decision Making, 2020, 20, 69.	3.0	11
169	UK National Survey of Gastroenterologists' attitudes and barriers toward therapeutic drug monitoring of anti-TNF therapy in inflammatory bowel disease. Frontline Gastroenterology, 2021, 12, 22-29.	1.8	11
170	Conceptual Model of Hearing Health Inequalities (HHI Model): A Critical Interpretive Synthesis. Trends in Hearing, 2021, 25, 233121652110029.	1.3	11
171	Work-related and personal predictors of COVID-19 transmission: evidence from the UK and USA. Journal of Epidemiology and Community Health, 2022, 76, 152-157.	3.7	11
172	Reply to JJ Meerpohl et al Advances in Nutrition, 2017, 8, 790-791.	6.4	10
173	Relation Between Age and Unplanned Readmissions After Percutaneous Coronary Intervention (Findings from the Nationwide Readmission Database). American Journal of Cardiology, 2018, 122, 220-228.	1.6	10
174	Incidence of nonvalvular atrial fibrillation and oral anticoagulant prescribing in England, 2009 to 2019: A cohort study. PLoS Medicine, 2022, 19, e1004003.	8.4	10
175	Regional variation and predictors of over-registration in English primary care in 2014: a spatial analysis. Journal of Epidemiology and Community Health, 2018, 72, 532-538.	3.7	9
176	Investigating heterogeneity of effects and associations using interactionÂterms. Journal of Clinical Epidemiology, 2018, 93, 79-83.	5.0	9
177	Assessing the severity of Type 2 diabetes using clinical dataâ€based measures: a systematic review. Diabetic Medicine, 2019, 36, 688-701.	2.3	9
178	Community-based testing of migrants for infectious diseases (COMBAT-ID): impact, acceptability and cost-effectiveness of identifying infectious diseases among migrants in primary care: protocol for an interrupted time-series, qualitative and health economic analysis. BMJ Open, 2019, 9, e029188.	1.9	9
179	Unplanned hospital readmissions after acute myocardial infarction: a nationwide analysis of rates, trends, predictors and causes in the United States between 2010 and 2014. Coronary Artery Disease, 2020, 31, 354-364.	0.7	9
180	The healthcare resource impact of maternal mental illness on children and adolescents: UK retrospective cohort study. British Journal of Psychiatry, 2021, 219, 515-522.	2.8	9

#	Article	IF	CITATIONS
181	Applications of simple and accessible methods for meta-analysis involving rare events: A simulation study. Statistical Methods in Medical Research, 2021, 30, 1589-1608.	1.5	9
182	Sex disparity in subsequent outcomes in survivors of coronary heart disease. Heart, 2022, 108, 37-45.	2.9	9
183	Temporal trends in relative survival following percutaneous coronary intervention. BMJ Open, 2019, 9, e024627.	1.9	8
184	Association of socioeconomic deprivation with opioid prescribing in primary care in England: a spatial analysis. Journal of Epidemiology and Community Health, 2021, 75, jech-2020-214676.	3.7	8
185	Development and validation of the Dlabetes Severity SCOre (DISSCO) in 139 626 individuals with type 2 diabetes: a retrospective cohort study. BMJ Open Diabetes Research and Care, 2020, 8, e000962.	2.8	8
186	Association of admitting physician specialty and care quality and outcomes in non-ST-segment elevation myocardial infarction (NSTEMI): insights from a national registry. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 557-567.	4.0	8
187	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis General Hospital Psychiatry, 2021, 71, 27-35.	2.4	8
188	Rates of turnover among general practitioners: a retrospective study of all English general practices between 2007 and 2019. BMJ Open, 2021, 11, e049827.	1.9	8
189	Consultation patterns and frequent attenders in UK primary care from 2000 to 2019: a retrospective cohort analysis of consultation events across 845 general practices. BMJ Open, 2021, 11, e054666.	1.9	8
190	Impaired P600 in neuroleptic naive patients with first-episode schizophrenia. NeuroReport, 2001, 12, 2801-2806.	1.2	7
191	Psychophysiological correlates of patients with delusional misidentification syndromes and psychotic major depression. Journal of Affective Disorders, 2004, 81, 147-152.	4.1	7
192	Incentivised chronic disease management and the inverse equity hypothesis: findings from a longitudinal analysis of Scottish primary care practice-level data. BMC Medicine, 2017, 15, 77.	5.5	7
193	Development of a Scoring System for the Prediction of Early Graft Failure after Peripheral Arterial Bypass Surgery. Annals of Vascular Surgery, 2017, 40, 206-215.	0.9	7
194	Influence of financial and reputational incentives on primary care performance: a longitudinal study. British Journal of General Practice, 2018, 68, e811-e818.	1.4	7
195	Regional patterns and trends of hearing loss in England: evidence from the English longitudinal study of ageing (ELSA) and implications for health policy. BMC Geriatrics, 2020, 20, 536.	2.7	7
196	Nonspecific Chest Pain and 30-Day Unplanned Readmissions in the United States (From the Nationwide) Tj ETQ	q0 0 0 rgB	T /Qverlock 1
197	Non-specific chest pain and subsequent serious cardiovascular readmissions. International Journal of Cardiology, 2019, 291, 1-7.	1.7	6

198Clinical Characteristics and Outcomes From Percutaneous Coronary Intervention of Last Remaining
Coronary Artery. Circulation: Cardiovascular Interventions, 2020, 13, e009049.3.96

#	Article	IF	CITATIONS
199	Clinical Characteristics, Management Strategies, and Outcomes of Non–STâ€Segment–Elevation Myocardial Infarction Patients With and Without Prior Coronary Artery Bypass Grafting. Journal of the American Heart Association, 2021, 10, e018823.	3.7	6
200	Family doctor responses to changes in target stringency under financial incentives. Journal of Health Economics, 2022, 85, 102651.	2.7	6
201	A survey of primary and specialised health care provision to prisons in England and Wales. Primary Health Care Research and Development, 2008, 9, .	1.2	5
202	Pay-for-Performance: Impact on Diabetes. Current Diabetes Reports, 2013, 13, 196-204.	4.2	5
203	Increasing socioeconomic gap between the young and old: temporal trends in health and overall deprivation in England by age, sex, urbanity and ethnicity, 2004–2015. Journal of Epidemiology and Community Health, 2018, 72, 636-644.	3.7	5
204	Changes in Periprocedural Bleeding Complications Following Percutaneous Coronary Intervention in The United Kingdom Between 2006 and 2013 (from the British Cardiovascular Interventional Society). American Journal of Cardiology, 2018, 122, 952-960.	1.6	5
205	Inâ€hospital gastrointestinal bleeding following percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2020, 95, 109-117.	1.7	5
206	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. BMJ Open, 2020, 10, e036046.	1.9	5
207	Locum doctor use in English general practice: analysis of routinely collected workforce data 2017–2020. British Journal of General Practice, 2022, 72, e108-e117.	1.4	5
208	Maternal heart rate during the first 48 h postpartum: a retrospective cross sectional study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 206, 41-47.	1.1	4
209	Antiplatelet drug selection in PCI to vein grafts in patients with acute coronary syndrome and adverse clinical outcomes: Insights from the British Cardiovascular Intervention Society database. Catheterization and Cardiovascular Interventions, 2018, 92, 659-665.	1.7	4
210	Readmission and processes of care across weekend and weekday hospitalisation for acute myocardial infarction, heart failure or stroke: an observational study of the National Readmission Database. BMJ Open, 2019, 9, e029667.	1.9	4
211	Adoption of same day discharge following elective left main stem percutaneous coronary intervention. International Journal of Cardiology, 2020, 321, 38-47.	1.7	4
212	Contributors to the Growth of Same Day Discharge After Elective Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2020, 13, e008458.	3.9	4
213	A Greedy Algorithm for Representative Sampling: <tt>repsample</tt> in <i>Stata</i> . Journal of Statistical Software, 2013, 55, .	3.7	4
214	Antenatal interventions for reducing weight in obese women for improving pregnancy outcome. , 2011, 2011, .		3
215	Patient outcomes vs. service workload: an analysis of outcomes in the burn service of England and Wales. BMC Health Services Research, 2015, 15, 133.	2.2	3
216	Effect of diabetes mellitus on the clinical outcome of lower limb arterial bypass surgery: A propensity score analysis. Vascular, 2017, 25, 364-371.	0.9	3

#	Article	IF	CITATIONS
217	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. British Journal of Psychiatry, 2018, 213, 600-608.	2.8	3
218	Pairwise meta-analysis of aggregate data using metaan in Stata. The Stata Journal, 2020, 20, 680-705.	2.2	3
219	Rates, predictors and the impact of cannabis misuse on inâ€hospital outcomes among patients undergoing percutaneous coronary intervention (from the National Inpatient Sample). International Journal of Clinical Practice, 2020, 74, e13477.	1.7	3
220	Concordance and timing in recording cancer events in primary care, hospital and mortality records for patients with and without psoriasis: A population-based cohort study. PLoS ONE, 2021, 16, e0254661.	2.5	3
221	Benefits and harms of Risperidone and Paliperidone for treatment of patients with schizophrenia or bipolar disorder: a meta-analysis involving individual participant data and clinical study reports. BMC Medicine, 2021, 19, 195.	5.5	3
222	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-128.	1.4	3
223	Proximal HbA1C Level and First Hypoglycemia Hospitalization in Adults With Incident Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1989-1998.	3.6	2
224	Deprivation and primary care funding in Greater Manchester after devolution: a cross-sectional analysis. British Journal of General Practice, 2019, 69, e794-e800.	1.4	2
225	Reducing risk following self-harm: the need for careful prescribing. British Journal of General Practice, 2019, 69, 224-225.	1.4	2
226	Effect of Financial Incentives on Incentivized and Nonincentivized Clinical Activities: Longitudinal Analysis of Data From the UK Quality and Outcomes Framework. Obstetrical and Gynecological Survey, 2011, 66, 677-679.	0.4	1
227	Authors' reply to Upton. BMJ, The, 2015, 351, h6730.	6.0	1
228	The impact of diabetes on the prognostic value of left ventricular function following percutaneous coronary intervention: Insights from the British Cardiovascular Intervention Society. Catheterization and Cardiovascular Interventions, 2018, 92, E393-E402.	1.7	1
229	Spatial distribution and temporal trends in social fragmentation in England, 2001â^2011: a national study. BMJ Open, 2019, 9, e025881.	1.9	1
230	Rotational atherectomy and same day discharge: Safety and growth from a national perspective. Catheterization and Cardiovascular Interventions, 2020, 98, 678-688.	1.7	1
231	Advanced cardiovascular risk prediction in the emergency department: updating a clinical prediction model – a large database study protocol. Diagnostic and Prognostic Research, 2021, 5, 16.	1.8	1
232	The Impact of Charlson Comorbidity Index on De Novo Cardiac Implantable Electronic Device Procedural Outcomes in the United States. Mayo Clinic Proceedings, 2022, 97, 88-100.	3.0	1
233	Forty years on: a new national study of hearing in England and implications for global hearing health policy. International Journal of Audiology, 2022, , 1-9.	1.7	1
234	Response to Letter to the Editor: Risk prediction models for chemotherapy-induced nausea and vomiting: almost ready for prime time?. Supportive Care in Cancer, 2014, 22, 865-866.	2.2	0

#	Article	IF	CITATIONS
235	Authors' reply to Honeyford and colleagues and Roland. BMJ, The, 2015, 350, h1681-h1681.	6.0	0
236	Self harm attempt in the older population of the UK – Author's reply. Lancet Psychiatry,the, 2019, 6, 92-93.	7.4	0
237	P6510Frailty and in-hospital outcomes in percutaneous coronary interventions. European Heart Journal, 2019, 40, .	2.2	0
238	Assessing the severity of cardiovascular disease in 213 088 patients with coronary heart disease: a retrospective cohort study. Open Heart, 2021, 8, e001498.	2.3	0
239	Title is missing!. , 2020, 17, e1003286.		0
240	Title is missing!. , 2020, 17, e1003286.		0
241	Title is missing!. , 2020, 17, e1003286.		0
242	Title is missing!. , 2020, 17, e1003286.		0
243	Title is missing!. , 2020, 17, e1003286.		0