Nicaise Ndembi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6940266/publications.pdf

Version: 2024-02-01

201674 161849 3,462 111 27 54 citations h-index g-index papers 123 123 123 4345 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Disengagement from HIV care and failure of second-line therapy in Nigeria. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, Publish Ahead of Print, . | 2.1 | 1 |
| 2 | Final HIV status outcome for HIV-exposed infants at 18 months of age in nine states and the Federal Capital Territory, Nigeria. PLoS ONE, 2022, 17, e0263921. | 2.5 | 1 |
| 3 | Dynamics of the infant gut microbiota in the first 18 months of life: the impact of maternal HIV infection and breastfeeding. Microbiome, 2022, 10, 61. | 11.1 | 11 |
| 4 | Field evaluation of HIV-1 viral load monitoring in adults and children receiving antiretroviral treatment in Nigeria by dried blood spot testing with RealTime HIV-1 on m2000. Journal of Clinical Virology, 2021, 135, 104694. | 3.1 | 6 |
| 5 | Time to Scale-up Research Collaborations to Address the Global Impact of COVID-19 – A Commentary. Health Behavior and Policy Review, 2021, 8, 277-280. | 0.4 | 18 |
| 6 | Hepatitis B virus infection among men who have sex with men and transgender women living with or at risk for HIV: a cross sectional study in Abuja and Lagos, Nigeria. BMC Infectious Diseases, 2021, 21, 654. | 2.9 | 11 |
| 7 | Deep sequencing of HIV-1 reveals extensive subtype variation and drug resistance after failure of first-line antiretroviral regimens in Nigeria. Journal of Antimicrobial Chemotherapy, 2021, , . | 3.0 | 8 |
| 8 | Evaluating the Jaccard Similarity Index as a Persistence Measure of Multiple Anal Human Papillomavirus among Nigerian Men Who Have Sex with Men. Sexually Transmitted Diseases, 2021, Publish Ahead of Print, . | 1.7 | 0 |
| 9 | Seroreactivity against Marburg or related filoviruses in West and Central Africa. Emerging Microbes and Infections, 2020, 9, 124-128. | 6.5 | 8 |
| 10 | Genetic clustering analysis for HIV infection among MSM in Nigeria: implications for intervention. Aids, 2020, 34, 227-236. | 2.2 | 5 |
| 11 | Elevated Plasma Levels of sCD14 and MCP-1 Are Associated With HIV Associated Neurocognitive Disorders Among Antiretroviral-Naive Individuals in Nigeria. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 196-202. | 2.1 | 12 |
| 12 | Association of age with healthcare needs and engagement among Nigerian men who have sex with men and transgender women: crossâ€sectional and longitudinal analyses from an observational cohort. Journal of the International AIDS Society, 2020, 23, e25599. | 3.0 | 21 |
| 13 | Retention of a cohort of men who have sex with men and transgender women at risk for and living with HIV in Abuja and Lagos, Nigeria: a longitudinal analysis. Journal of the International AIDS Society, 2020, 23, e25592. | 3.0 | 15 |
| 14 | Cohort profile: the Nigerian HIV geriatric cohort study. BMC Public Health, 2020, 20, 1797. | 2.9 | 3 |
| 15 | Oral sex practices among men who have sex with men and transgender women at risk for and living with HIV in Nigeria. PLoS ONE, 2020, 15, e0238745. | 2.5 | 6 |
| 16 | High-Risk Human Papillomavirus Persistence and Anal Microbiota Among Nigerian Men Who Have Sex With Men Living With or At Risk for HIV. JCO Global Oncology, 2020, 6, 26-27. | 1.8 | 2 |
| 17 | Predictors of first-line antiretroviral therapy failure among adults and adolescents living with HIV/AIDS in a large prevention and treatment program in Nigeria. AIDS Research and Therapy, 2020, 17, 64. | 1.7 | 5 |
| 18 | Multiple HPV infections among men who have sex with men engaged in anal cancer screening in Abuja, Nigeria. Papillomavirus Research (Amsterdam, Netherlands), 2020, 10, 100200. | 4.5 | 12 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Computational MHC-I epitope predictor identifies 95% of experimentally mapped HIV-1 clade A and D epitopes in a Ugandan cohort. BMC Infectious Diseases, 2020, 20, 172. | 2.9 | 5 |
| 20 | High prevalence of integrase mutation L74I in West African HIV-1 subtypes prior to integrase inhibitor treatment. Journal of Antimicrobial Chemotherapy, 2020, 75, 1575-1579. | 3.0 | 12 |
| 21 | Characterisation of HIV-1 Molecular Epidemiology in Nigeria: Origin, Diversity, Demography and Geographic Spread. Scientific Reports, 2020, 10, 3468. | 3.3 | 14 |
| 22 | Epidemiologic and viral predictors of antiretroviral drug resistance among persons living with HIV in a large treatment program in Nigeria. AIDS Research and Therapy, 2020, 17, 7. | 1.7 | 9 |
| 23 | Satisfaction with high-resolution anoscopy for anal cancer screening among men who have sex with men: a cross-sectional survey in Abuja, Nigeria. BMC Cancer, 2020, 20, 98. | 2.6 | 3 |
| 24 | Implementation of and Early Outcomes From Anal Cancer Screening at a Community-Engaged Health Care Facility Providing Care to Nigerian Men Who Have Sex With Men. Journal of Global Oncology, 2019, 5, 1-11. | 0.5 | 9 |
| 25 | Predictors of loss to follow-up in art experienced patients in Nigeria: a 13Âyear review (2004–2017). AIDS Research and Therapy, 2019, 16, 30. | 1.7 | 21 |
| 26 | Performance and trend for quality of service in a large HIV/AIDS treatment program in Nigeria. AIDS Research and Therapy, 2019, 16, 29. | 1.7 | 5 |
| 27 | Social barriers in accessing care by clients who returned to HIV care after transient loss to follow-up. AIDS Research and Therapy, 2019, 16, 17. | 1.7 | 12 |
| 28 | Correlates and determinants of Early Infant Diagnosis outcomes in North-Central Nigeria. AIDS Research and Therapy, 2019, 16, 27. | 1.7 | 6 |
| 29 | Serologic Prevalence of Ebola Virus in Equatorial Africa. Emerging Infectious Diseases, 2019, 25, 911-918. | 4.3 | 18 |
| 30 | Individual and Sexual Network Predictors of HIV Incidence Among Men Who Have Sex With Men in Nigeria. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 444-453. | 2.1 | 42 |
| 31 | New Subtype B Containing HIV-1 Circulating Recombinant of sub-Saharan Africa Origin in Nigerian Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 578-584. | 2.1 | 8 |
| 32 | Distinct rates and patterns of spread of the major HIV-1 subtypes in Central and East Africa. PLoS Pathogens, 2019, 15, e1007976. | 4.7 | 37 |
| 33 | Anal Microbial Patterns and Oncogenic Human Papillomavirus in a Pilot Study of Nigerian Men Who Have Sex with Men at Risk for or Living with HIV. AIDS Research and Human Retroviruses, 2019, 35, 267-275. | 1.1 | 7 |
| 34 | Hepatitis C virus surveillance and identification of human pegivirus 2 in a large Cameroonian cohort. Journal of Viral Hepatitis, 2019, 26, 30-37. | 2.0 | 14 |
| 35 | Global and regional molecular epidemiology of HIV-1, 1990–2015: a systematic review, global survey, and trend analysis. Lancet Infectious Diseases, The, 2019, 19, 143-155. | 9.1 | 255 |
| 36 | Association between HIV-1 subtype and drug resistance in Nigerian infants. Journal of Antimicrobial Chemotherapy, 2019, 74, 172-176. | 3.0 | 4 |

3

| # | Article | IF | Citations |
|----|---|--------------|-----------|
| 37 | Transmitted, Pre-treatment and Acquired Antiretroviral Drug Resistance among Men who have Sex with Men and Transgender Women Living with HIV in Nigeria. Antiviral Therapy, 2019, 24, 595-601. | 1.0 | 5 |
| 38 | Cognitive Function Among Antiretroviral Treatment–Naive Individuals Infected With Human Immunodeficiency Virus Type 1 Subtype G Versus CRF02_AG in Nigeria. Clinical Infectious Diseases, 2018, 66, 1448-1453. | 5 . 8 | 3 |
| 39 | ARCHITECT HIV Combo Ag/Ab and RealTime HIV-1 Assays Detect Diverse HIV Strains in Clinical Specimens. AIDS Research and Human Retroviruses, 2018, 34, 314-318. | 1.1 | 8 |
| 40 | Serum Albumin as a Prognostic Marker for Serious Non-AIDS Endpoints in the Strategic Timing of Antiretroviral Treatment (START) Study. Journal of Infectious Diseases, 2018, 217, 405-412. | 4.0 | 17 |
| 41 | High Prevalence of HIV Drug Resistance Among Newly Diagnosed Infants Aged <18 Months: Results From a Nationwide Surveillance in Nigeria. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, e1-e7. | 2.1 | 18 |
| 42 | Universal Target Capture of HIV Sequences From NGS Libraries. Frontiers in Microbiology, 2018, 9, 2150. | 3.5 | 21 |
| 43 | Plasma HIV RNA level is associated with neurocognitive function among HIV-1-infected patients in Nigeria. Journal of NeuroVirology, 2018, 24, 712-719. | 2.1 | 11 |
| 44 | Antiretroviral Drugs Alter the Content of Extracellular Vesicles from HIV-1-Infected Cells. Scientific Reports, 2018, 8, 7653. | 3.3 | 58 |
| 45 | Individual and Network Factors Associated With HIV Care Continuum Outcomes Among Nigerian MSM Accessing Health Care Services. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, e7-e16. | 2.1 | 20 |
| 46 | Prevalence of anti-hepatitis C antibodies and its co-infection with HIV in rural Cameroon. BMC Research Notes, 2018, 11, 459. | 1.4 | 7 |
| 47 | High prevalence of hepatitis delta virus in Cameroon. Scientific Reports, 2018, 8, 11617. | 3.3 | 21 |
| 48 | Sexual partner characteristics and incident rectalNeisseria gonorrhoeaeandChlamydia trachomatisinfections among gay men and other men who have sex with men (MSM): a prospective cohort in Abuja and Lagos, Nigeria. Sexually Transmitted Infections, 2017, 93, 348-355. | 1.9 | 14 |
| 49 | Mutational Correlates of Virological Failure in Individuals Receiving a WHO-Recommended Tenofovir-Containing First-Line Regimen: An International Collaboration. EBioMedicine, 2017, 18, 225-235. | 6.1 | 28 |
| 50 | Occult HIV-1 drug resistance to thymidine analogues following failure of first-line tenofovir combined with a cytosine analogue and nevirapine or efavirenz in sub Saharan Africa: a retrospective multi-centre cohort study. Lancet Infectious Diseases, The, 2017, 17, 296-304. | 9.1 | 58 |
| 51 | Phylodynamic analysis to inform prevention efforts in mixed HIV epidemics. Virus Evolution, 2017, 3, vex014. | 4.9 | 24 |
| 52 | HIV-1 transmission networks in high risk fishing communities on the shores of Lake Victoria in Uganda: A phylogenetic and epidemiological approach. PLoS ONE, 2017, 12, e0185818. | 2.5 | 23 |
| 53 | High levels of preâ€treatment HIV drug resistance and treatment failure in Nigerian children. Journal of the International AIDS Society, 2016, 19, 21140. | 3.0 | 32 |
| 54 | Brief Report: Geographical Variation in Prevalence of Cryptococcal Antigenemia Among HIV-Infected, Treatment-Naive Patients in Nigeria: A Multicenter Cross-Sectional Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 73, 117-121. | 2.1 | 20 |

| # | Article | IF | Citations |
|----|--|----------|--------------|
| 55 | Global epidemiology of drug resistance after failure of WHO recommended first-line regimens for adult HIV-1 infection: a multicentre retrospective cohort study. Lancet Infectious Diseases, The, 2016, 16, 565-575. | 9.1 | 217 |
| 56 | Macrophage Inflammatory Protein-1 Beta and Interferon Gamma Responses in Ugandans with HIV-1 Acute/Early Infections. AIDS Research and Human Retroviruses, 2016, 32, 237-246. | 1.1 | 7 |
| 57 | Active tracking of rejected dried blood samples in a large program in Nigeria. World Journal of Virology, 2016, 5, 73. | 2.9 | 7 |
| 58 | Doing No Harm? Adverse Events in a Nation-Wide Cohort of Patients with Multidrug-Resistant Tuberculosis in Nigeria. PLoS ONE, 2015, 10, e0120161. | 2.5 | 28 |
| 59 | Editorial (Thematic Issue: Adherence to Antiretroviral Therapy, Retention in Care and HIV Drug) Tj ETQq1 1 0.784 | 314.rgBT | /Ogerlock 10 |
| 60 | Correlates of Patient Retention in HIV Care and Treatment Programs in Nigeria. Current HIV Research, 2015, 13, 300-307. | 0.5 | 18 |
| 61 | Geographic and Temporal Trends in the Molecular Epidemiology and Genetic Mechanisms of Transmitted HIV-1 Drug Resistance: An Individual-Patient- and Sequence-Level Meta-Analysis. PLoS Medicine, 2015, 12, e1001810. | 8.4 | 188 |
| 62 | Intrapatient Evolutionary Dynamics of Human Immunodeficiency Virus Type 1 in Individuals Undergoing Alternative Treatment Strategies with Reverse Transcriptase Inhibitors. AIDS Research and Human Retroviruses, 2015, 31, 749-756. | 1.1 | 2 |
| 63 | Frequencies of Gag-restricted T-cell escape "footprints―differ across HIV-1 clades A1 and D chronically infected Ugandans irrespective of host HLA B alleles. Vaccine, 2015, 33, 1664-1672. | 3.8 | 9 |
| 64 | HIV-1 Drug Resistance Mutations: Potential Applications for Point-of-Care Genotypic Resistance Testing. PLoS ONE, 2015, 10, e0145772. | 2.5 | 72 |
| 65 | Improved Performance of COBAS AmpliPrep/COBAS TaqMan Version 2.0 Assay Over Amplicor Monitor Version 1.5 in the Quantification of HIV-1 RNA Viral Load in Abuja, Nigeria. Current HIV Research, 2015, 13, 262-267. | 0.5 | 1 |
| 66 | Adherence to Anti-Retroviral Therapy in North Central Nigeria. Current HIV Research, 2015, 13, 268-278. | 0.5 | 8 |
| 67 | Performance of Genotype MTBDRplus in the Detection of Resistance to Rifampicin and Isoniazid Among Clinical Mycobacteria Isolates in Ilorin, Nigeria. Current HIV Research, 2015, 13, 308-314. | 0.5 | 2 |
| 68 | Socio-Demographic and Adherence Factors Associated with Viral Load Suppression in HIV-Infected Adults Initiating Therapy in Northern Nigeria: A Randomized Controlled Trial of a Peer Support Intervention. Current HIV Research, 2015, 13, 279-285. | 0.5 | 21 |
| 69 | Update on HIV-1 acquired and transmitted drug resistance in Africa. AIDS Reviews, 2015, 17, 3-20. | 1.0 | 41 |
| 70 | Rates of HIV-1 superinfection and primary HIV-1 infection are similar in female sex workers in Uganda. Aids, 2014, 28, 2147-2152. | 2.2 | 20 |
| 71 | Long-Term Outcome of Second-Line Antiretroviral Therapy in Resource-Limited Settings. Journal of the International Association of Providers of AIDS Care, 2014, 13, 366-371. | 1.5 | 5 |
| 72 | Tenofovir-based regimens associated with less drug resistance in HIV-1-infected Nigerians failing first-line antiretroviral therapy. Aids, 2013, 27, 553-561. | 2.2 | 21 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Short Communication: HIV Type 1 Transmitted Drug Resistance and Evidence of Transmission Clusters Among Recently Infected Antiretroviral-Naive Individuals from Ugandan Fishing Communities of Lake Victoria. AIDS Research and Human Retroviruses, 2013, 29, 788-795. | 1.1 | 24 |
| 74 | Effect of pregnancy on immunological and virological outcomes of women on ART: a prospective cohort study in rural Uganda, 2004–2009. Tropical Medicine and International Health, 2012, 17, 343-352. | 2.3 | 12 |
| 75 | Transmitted Antiretroviral Drug Resistance Among Drug-Naive Female Sex Workers With Recent Infection in Kampala, Uganda. Clinical Infectious Diseases, 2012, 54, S339-S342. | 5.8 | 11 |
| 76 | Mucosal Transmission of Human Immunodeficiency Virus. Current HIV Research, 2012, 10, 3-8. | 0.5 | 46 |
| 77 | HIV Type 1 Subtype Distribution, Multiple Infections, Sexual Networks, and Partnership Histories in Female Sex Workers in Kampala, Uganda. AIDS Research and Human Retroviruses, 2012, 28, 357-365. | 1.1 | 27 |
| 78 | Profile of T Cell Recognition of HIV Type 1 Consensus Group M Gag and Nef Peptides in a Clade A1- and D-Infected Ugandan Population. AIDS Research and Human Retroviruses, 2012, 28, 384-392. | 1.1 | 11 |
| 79 | Global trends in antiretroviral resistance in treatment-naive individuals with HIV after rollout of antiretroviral treatment in resource-limited settings: a global collaborative study and meta-regression analysis. Lancet, The, 2012, 380, 1250-1258. | 13.7 | 324 |
| 80 | Short Communication: High Prevalence of Transmitted Antiretroviral Drug Resistance Among Newly HIV Type 1 Diagnosed Adults in Mombasa, Kenya. AIDS Research and Human Retroviruses, 2012, 28, 1033-1037. | 1.1 | 34 |
| 81 | Phylodynamics of the HIV-1 CRF02_AG clade in Cameroon. Infection, Genetics and Evolution, 2012, 12, 453-460. | 2.3 | 52 |
| 82 | Update on HIV-1 diversity in Africa: a decade in review. AIDS Reviews, 2012, 14, 83-100. | 1.0 | 91 |
| 83 | Can Oral Fluid Testing Be Used to Replace Blood-Based HIV Rapid Testing to Scale up Access to Diagnosis and Treatment in Cameroon?. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, e115-e117. | 2.1 | 4 |
| 84 | Transmitted antiretroviral drug resistance among newly HIV-1 diagnosed young individuals in Kampala. Aids, 2011, 25, 905-910. | 2.2 | 56 |
| 85 | Multiple HIV-1 infections with evidence of recombination in heterosexual partnerships in a low risk Rural Clinical Cohort in Uganda. Virology, 2011, 411, 113-131. | 2.4 | 26 |
| 86 | Confirmation of Putative HIV-1 Group P in Cameroon. Journal of Virology, 2011, 85, 1403-1407. | 3.4 | 115 |
| 87 | High Frequency of HIV-1 Dual Infections in Cameroon, West Central Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, e25-e27. | 2.1 | 3 |
| 88 | Lack of Minority K65R-Resistant Viral Populations Detected After Repeated Treatment Interruptions of Tenofovir/Zidovudine and Lamivudine in a Resource-Limited Setting. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 215-216. | 2.1 | 2 |
| 89 | Viral Rebound and Emergence of Drug Resistance in the Absence of Viral Load Testing: A Randomized Comparison between Zidovudineâ€Lamivudine plus Nevirapine and Zidovudineâ€Lamivudine plus Abacavir. Journal of Infectious Diseases, 2010, 201, 106-113. | 4.0 | 46 |
| 90 | Near Full-Length Sequence of HIV Type 1 Subtype J Strain 04CMU11421 from Cameroon. AIDS Research and Human Retroviruses, 2010, 26, 693-697. | 1.1 | 4 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | Evolution of Drug Resistance During 48 Weeks of Zidovudine/Lamivudine/Tenofovir in the Absence of Real-Time Viral Load Monitoring. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 277-283. | 2.1 | 20 |
| 92 | Four New HIV-1 Group N Isolates from Cameroon: Prevalence Continues to Be Low. AIDS Research and Human Retroviruses, 2010, 26, 109-115. | 1.1 | 47 |
| 93 | HIV Type 1 Group M Subtype G in Cameroon: Five Genome Sequences. AIDS Research and Human Retroviruses, 2009, 25, 469-473. | 1.1 | 10 |
| 94 | Rapid detection of human immunodeficiency virus type 1 group M by a reverse transcription-loop-mediated isothermal amplification assay. Journal of Virological Methods, 2009, 157, 195-199. | 2.1 | 25 |
| 95 | Rates of virological failure in patients treated in a home-based versus a facility-based HIV-care model in Jinja, southeast Uganda: a cluster-randomised equivalence trial. Lancet, The, 2009, 374, 2080-2089. | 13.7 | 217 |
| 96 | Near Full-Length Genome Characterization of an HIV Type 1 CRF25_cpx Strain from Cameroon. AIDS Research and Human Retroviruses, 2008, 24, 1309-1314. | 1.1 | 8 |
| 97 | Molecular Characterization of Human Immunodeficiency Virus Type 1 (HIV-1) and HIV-2 in Yaoundel, Cameroon: Evidence of Major Drug Resistance Mutations in Newly Diagnosed Patients Infected with Subtypes Other than Subtype B. Journal of Clinical Microbiology, 2008, 46, 177-184. | 3.9 | 50 |
| 98 | HIV Type 2 Intergroup Recombinant Identified in Cameroon. AIDS Research and Human Retroviruses, 2008, 24, 86-91. | 1.1 | 20 |
| 99 | The Prevalence of Diverse HIV-1 Strains Was Stable in Cameroonian Blood Donors From 1996 to 2004. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 49, 432-439. | 2.1 | 77 |
| 100 | Near Full-Length Genome Characterization of Three Additional HIV Type 1 CRF13_cpx Strains from Cameroon. AIDS Research and Human Retroviruses, 2007, 23, 297-302. | 1.1 | 15 |
| 101 | Monitoring antiretroviral therapy in HIV/AIDS patients in resource-limited settings: CD4 counts or total lymphocyte counts?. International Journal of Infectious Diseases, 2007, 11, 157-160. | 3.3 | 18 |
| 102 | Exposure to SIVmnd-2 in Southern Cameroon: Public Health Implications. HIV and AIDS Review, 2007, 6, 16-19. | 0.2 | 0 |
| 103 | Identification of HIV Type 1 Group N Infections in a Husband and Wife in Cameroon: Viral Genome Sequences Provide Evidence for Horizontal Transmission. AIDS Research and Human Retroviruses, 2006, 22, 83-92. | 1.1 | 34 |
| 104 | Emergence of Antiretroviral Therapy Resistance-Associated Primary Mutations Among Drug-Naive HIV-1-Infected Individuals in Rural Western Cameroon. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 43, 15-22. | 2.1 | 32 |
| 105 | A new subtype (subgenotype) Ac (A3) of hepatitis B virus and recombination between genotypes A and E in Cameroon. Journal of General Virology, 2005, 86, 2047-2056. | 2.9 | 159 |
| 106 | Active Generation and Selection for HIV Intersubtype A/D Recombinant Forms in a Coinfected Patient in Kenya. AIDS Research and Human Retroviruses, 2004, 20, 255-258. | 1.1 | 17 |
| 107 | Genetic Diversity of HIV Type 1 in Likasi, Southeast of the Democratic Republic of Congo. AIDS Research and Human Retroviruses, 2004, 20, 1352-1357. | 1.1 | 23 |
| 108 | Genetic Diversity of HIV Type 1 in Rural Eastern Cameroon. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 37, 1641-1650. | 2.1 | 38 |

7

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | HIV Type 1 Infection in Pygmy Hunter Gatherers Is from Contact with Bantu Rather Than from NonHuman Primates. AIDS Research and Human Retroviruses, 2003, 19, 435-439. | 1.1 | 16 |
| 110 | Identification ofenvCRF-10 among HIV Variants Circulating in Rural Western Kenya. AIDS Research and Human Retroviruses, 2003, 19, 161-165. | 1.1 | 19 |
| 111 | Natural Infection of Wild-Born Mandrills (Mandrillus sphinx) with Two Different Types of Simian Immunodeficiency Virus. AIDS Research and Human Retroviruses, 2001, 17, 1143-1154. | 1.1 | 38 |