Vu N Ngo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6941877/publications.pdf

Version: 2024-02-01

147801 315739 12,290 43 31 38 h-index citations g-index papers 43 43 43 14683 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Genomic and transcriptomic profiling reveals distinct molecular subsets associated with outcomes in mantle cell lymphoma. Journal of Clinical Investigation, 2022, 132, .	8.2	30
2	Developmental partitioning of SYK and ZAP70 prevents autoimmunity and cancer. Molecular Cell, 2021, 81, 2094-2111.e9.	9.7	17
3	Inhibition of MDR1 Overcomes Resistance to Brentuximab Vedotin in Hodgkin Lymphoma. Clinical Cancer Research, 2020, 26, 1034-1044.	7.0	48
4	Chemical choreography of germinal center B-cell migration. Cell Research, 2019, 29, 514-515.	12.0	0
5	Regulation of SOX11 expression through CCND1 and STAT3 in mantle cell lymphoma. Blood, 2019, 133, 306-318.	1.4	26
6	Dynamic Assembly of a Feedback Complex to Regulate Oncogenic B-Cell Receptor-Signaling. Blood, 2019, 134, 393-393.	1.4	0
7	CD25-Dependent Feedback Control of the B-Cell Receptor and Its Oncogenic Mimics in B-Cell Malignancies. Blood, 2018, 132, 776-776.	1.4	0
8	Cyclin D1 depletion induces DNA damage in mantle cell lymphoma lines. Leukemia and Lymphoma, 2017, 58, 676-688.	1.3	14
9	<i>CCND1</i> mutations increase protein stability and promote ibrutinib resistance in mantle cell lymphoma. Oncotarget, 2016, 7, 73558-73572.	1.8	61
10	In vivo modeling of diffuse large B cell lymphoma (DLBCL) with the myeloid differentiation primary response gene 88 (MYD88) L265P mutation. Translational Cancer Research, 2016, 5, S852-S854.	1.0	0
11	Macrophage immunomodulation by breast cancer-derived exosomes requires Toll-like receptor 2-mediated activation of NF-κB. Scientific Reports, 2014, 4, 5750.	3.3	270
12	Cyclin D1 Promotes Survival and Chemoresistance By Maintaining ATR and CHEK1 Signaling in TP53-Deficient Mantle Cell Lymphoma Cell Lines. Blood, 2014, 124, 5197-5197.	1.4	2
13	Role of Enhanced Microenvironmental Interleukin-1 (IL-1) Expression and Increased IL-1 Responsiveness in Persistence of Leukemia Stem Cells in TKI Treated CML Patients. Blood, 2014, 124, 4357-4357.	1.4	0
14	Control of Autophagic Cell Death by Caspase-10 in Multiple Myeloma. Cancer Cell, 2013, 23, 435-449.	16.8	195
15	Identification of Pathogenetically Relevant Genes in Lymphomagenesis by shRNA Library Screens. Methods in Molecular Biology, 2013, 971, 245-263.	0.9	1
16	TYK2–STAT1–BCL2 Pathway Dependence in T-cell Acute Lymphoblastic Leukemia. Cancer Discovery, 2013, 3, 564-577.	9.4	122
17	Loss-of-function screen in rhabdomyosarcoma identifies CRKL-YES as a critical signal for tumor growth. Oncogene, 2013, 32, 5429-5438.	5.9	39
18	Autocrine activation of the MET receptor tyrosine kinase in acute myeloid leukemia. Nature Medicine, 2012, 18, 1118-1122.	30.7	162

#	Article	IF	Citations
19	Identification of FoxM1/Bub1b Signaling Pathway as a Required Component for Growth and Survival of Rhabdomyosarcoma. Cancer Research, 2012, 72, 5889-5899.	0.9	41
20	Oncogenically active MYD88 mutations in human lymphoma. Nature, 2011, 470, 115-119.	27.8	1,292
21	Cooperative Epigenetic Modulation by Cancer Amplicon Genes. Cancer Cell, 2010, 18, 590-605.	16.8	263
22	Critical role for transcriptional repressor Snail2 in transformation by oncogenic RAS in colorectal carcinoma cells. Oncogene, 2010, 29, 4658-4670.	5.9	106
23	Chronic active B-cell-receptor signalling in diffuse large B-cell lymphoma. Nature, 2010, 463, 88-92.	27.8	1,402
24	Essential role of MALT1 protease activity in activated B cell-like diffuse large B-cell lymphoma. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19946-19951.	7.1	188
25	Casein kinase 1α governs antigen-receptor-induced NF-κB activation and human lymphoma cell survival. Nature, 2009, 458, 92-96.	27.8	136
26	Identification of FGFR4-activating mutations in human rhabdomyosarcomas that promote metastasis in xenotransplanted models. Journal of Clinical Investigation, 2009, 119, 3395-407.	8.2	237
27	IRF4 addiction in multiple myeloma. Nature, 2008, 454, 226-231.	27.8	596
28	Oncogenic <i>CARD11</i> Mutations in Human Diffuse Large B Cell Lymphoma. Science, 2008, 319, 1676-1679.	12.6	784
29	Compensatory IKKα activation of classical NF-κB signaling during IKKβ inhibition identified by an RNA interference sensitization screen. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20798-20803.	7.1	79
30	A library of gene expression signatures to illuminate normal and pathological lymphoid biology. Immunological Reviews, 2006, 210, 67-85.	6.0	189
31	A loss-of-function RNA interference screen for molecular targets in cancer. Nature, 2006, 441, 106-110.	27.8	568
32	Initiation of Cellular Organization in Lymph Nodes Is Regulated by Non-B Cell-Derived Signals and Is Not Dependent on CXC Chemokine Ligand 13. Journal of Immunology, 2004, 173, 4889-4896.	0.8	74
33	Chemokine Requirements for B Cell Entry to Lymph Nodes and Peyer's Patches. Journal of Experimental Medicine, 2002, 196, 65-75.	8.5	479
34	Traffic Patterns of B Cells and Plasma Cells. Advances in Experimental Medicine and Biology, 2002, 512, 35-41.	1.6	18
35	Membrane-Bound TNF Supports Secondary Lymphoid Organ Structure but Is Subservient to Secreted TNF in Driving Autoimmune Inflammation. Immunity, 2001, 15, 533-543.	14.3	236
36	A Coordinated Change in Chemokine Responsiveness Guides Plasma Cell Movements. Journal of Experimental Medicine, 2001, 194, 45-56.	8.5	589

#	Article	IF	CITATIONS
37	Splenic T Zone Development Is B Cell Dependent. Journal of Experimental Medicine, 2001, 194, 1649-1660.	8.5	224
38	A chemokine-driven positive feedback loop organizes lymphoid follicles. Nature, 2000, 406, 309-314.	27.8	1,103
39	Lymphotoxin $\hat{l}\pm/\hat{l}^2$ and Tumor Necrosis Factor Are Required for Stromal Cell Expression of Homing Chemokines in B and T Cell Areas of the Spleen. Journal of Experimental Medicine, 1999, 189, 403-412.	8.5	529
40	In Vivo–Activated Cd4 T Cells Upregulate Cxc Chemokine Receptor 5 and Reprogram Their Response to Lymphoid Chemokines. Journal of Experimental Medicine, 1999, 190, 1123-1134.	8.5	432
41	A B-cell-homing chemokine made in lymphoid follicles activates Burkitt's lymphoma receptor-1. Nature, 1998, 391, 799-803.	27.8	751
42	Epstein-Barr Virus–induced Molecule 1 Ligand Chemokine Is Expressed by Dendritic Cells in Lymphoid Tissues and Strongly Attracts Naive T Cells and Activated B Cells. Journal of Experimental Medicine, 1998, 188, 181-191.	8.5	430
43	Requirement for the orphan steroid receptor Nur77 in apoptosis of T-cell hybridomas. Nature, 1994, 367, 277-281.	27.8	557