

Shin-Liang Pan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/694340/publications.pdf>

Version: 2024-02-01

53
papers

1,298
citations

331642

21
h-index

361001

35
g-index

54
all docs

54
docs citations

54
times ranked

2176
citing authors

#	ARTICLE	IF	CITATIONS
1	Osteoporosis and the long-term risk of peripheral artery disease: a population-based longitudinal follow-up study in Taiwan. <i>Osteoporosis International</i> , 2022, 33, 1117-1123.	3.1	2
2	OUP accepted manuscript. <i>International Journal of Epidemiology</i> , 2022, , .	1.9	0
3	Osteoporosis and the Risk of Parkinsonâ€™s Disease: A Nationwide, Propensity Scoreâ€œMatched, Longitudinal Follow-up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e763-e771.	3.6	10
4	Osteoarthritis is associated with an increased risk of Parkinsonâ€™s disease: A populationâ€œbased, longitudinal followâ€œup study. <i>Arthritis Care and Research</i> , 2021, , .	3.4	3
5	Increased risk of acute pancreatitis in persons with spinal cord injury: a population-based, propensity score-matched longitudinal follow-up study. <i>Spinal Cord</i> , 2021, 59, 1170-1176.	1.9	1
6	Impacts of treatments on recurrence and 28-year survival of ischemic stroke patients. <i>Scientific Reports</i> , 2021, 11, 15258.	3.3	2
7	Increased risk of sensorineural hearing loss in patients with spinal cord injury: a nationwide longitudinal follow-up study. <i>Spinal Cord</i> , 2021, 59, 1200-1205.	1.9	1
8	Increased risk of carpal tunnel syndrome in people with spinal cord injury: A nationwide longitudinal follow-up study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, , .	0.9	2
9	Physical Activity and the Risk of Hemorrhagic Stroke: A Population-Based Longitudinal Follow-Up Study in Taiwan. <i>Frontiers in Medicine</i> , 2021, 8, 791772.	2.6	2
10	Quantifying Dynamic Flow of Emergency Department (ED) Patient Managements: A Multistate Model Approach. <i>Emergency Medicine International</i> , 2020, 2020, 1-9.	0.8	2
11	Increased Risk of Acute Cholecystitis in Patients With Spinal Cord Injury. <i>Spine</i> , 2018, 43, 934-939.	2.0	4
12	Spinal cord injury and Alzheimerâ€™s disease risk: a population-based, retrospective cohort study. <i>Spinal Cord</i> , 2018, 56, 151-157.	1.9	21
13	Increased risk of rheumatoid arthritis in patients with migraine: a population-based, propensity score-matched cohort study. <i>Rheumatology International</i> , 2017, 37, 273-279.	3.0	27
14	Predicting Length of Stay among Patients Discharged from the Emergency Departmentâ€œUsing an Accelerated Failure Time Model. <i>PLoS ONE</i> , 2017, 12, e0165756.	2.5	51
15	Population-Based Breast Cancer Screening With Risk-Based and Universal Mammography Screening Compared With Clinical Breast Examination. <i>JAMA Oncology</i> , 2016, 2, 915.	7.1	62
16	Migraine is related to an increased risk of Parkinsonâ€™s disease: A population-based, propensity score-matched, longitudinal follow-up study. <i>Cephalalgia</i> , 2016, 36, 1316-1323.	3.9	19
17	Effectiveness of fecal immunochemical testing in reducing colorectal cancer mortality from the <sc>O</sc>ne <sc>M</sc>illion <sc>T</sc>aiwanese <sc>S</sc>creening <sc>P</sc>rogram. <i>Cancer</i> , 2015, 121, 3221-3229.	4.1	205
18	Predicting Recovery of Voluntary Upper Extremity Movement in Subacute Stroke Patients with Severe Upper Extremity Paresis. <i>PLoS ONE</i> , 2015, 10, e0126857.	2.5	25

#	ARTICLE	IF	CITATIONS
19	Spinal Cord Injury Is Related to an Increased Risk of Multiple Sclerosis: A Population-Based, Propensity Score-Matched, Longitudinal Follow-Up Study. <i>Journal of Neurotrauma</i> , 2015, 32, 655-659.	3.4	11
20	Parkinson disease and risk of acute myocardial infarction: A population-based, propensity score-matched, longitudinal follow-up study. <i>American Heart Journal</i> , 2015, 169, 508-514.	2.7	38
21	Increased Risk of Ischemic Stroke in Young Patients with Ankylosing Spondylitis: A Population-Based Longitudinal Follow-Up Study. <i>PLoS ONE</i> , 2014, 9, e94027.	2.5	28
22	Does Non-Central Nervous System Tuberculosis Increase the Risk of Ischemic Stroke? A Population-Based Propensity Score-Matched Follow-Up Study. <i>PLoS ONE</i> , 2014, 9, e98158.	2.5	8
23	Corrigendum to "Increased risk of ischemic heart disease in young patients with migraine: A population-based, propensity score-matched, longitudinal follow-up study" [Int J Cardiol 172 (2014) 213-216]. <i>International Journal of Cardiology</i> , 2014, 175, 393.	1.7	0
24	Increased risk of ischemic heart disease in young patients with migraine: A population-based, propensity score-matched, longitudinal follow-up study. <i>International Journal of Cardiology</i> , 2014, 172, 213-216.	1.7	27
25	Responsiveness of SF-36 and Lower Extremity Functional Scale for assessing outcomes in traumatic injuries of lower extremities. <i>Injury</i> , 2014, 45, 1759-1763.	1.7	35
26	Association of Diabetes Mellitus With the Risk of Developing Adhesive Capsulitis of the Shoulder: A Longitudinal Population-Based Followup Study. <i>Arthritis Care and Research</i> , 2013, 65, 1197-1202.	3.4	70
27	Increased Risk of Hemorrhagic Stroke in Patients with Migraine: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2013, 8, e55253.	2.5	45
28	Increased Risk of Ischemic Heart Disease in Young Patients with Newly Diagnosed Ankylosing Spondylitis " A Population-Based Longitudinal Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e64155.	2.5	40
29	Parkinson's Disease Is Related to an Increased Risk of Ischemic Stroke" A Population-Based Propensity Score-Matched Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e68314.	2.5	58
30	Are higher total serum cholesterol levels associated with better long-term motor function after ischemic stroke?. <i>Nutritional Neuroscience</i> , 2012, 15, 239-243.	3.1	5
31	Increased risk of stroke after Bell's palsy: a population-based longitudinal follow-up study: Table 1. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 341-343.	1.9	11
32	Effect of Functional Status on Survival in Patients With Stroke: Is Independent Ambulation a Key Determinant?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 527-531.	0.9	18
33	Does Adhesive Capsulitis of the Shoulder Increase the Risk of Stroke? A Population-Based Propensity Score-Matched Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e49343.	2.5	9
34	Increased risk of stroke after trigeminal neuralgia " a population-based follow-up study. <i>Cephalalgia</i> , 2011, 31, 937-942.	3.9	21
35	Increased risk of trigeminal neuralgia after hypertension. <i>Neurology</i> , 2011, 77, 1605-1610.	1.1	43
36	Sublesional Spinal Vertebral Bone Mineral Density Correlates With Neurological Level and Body Mass Index in Individuals With Chronic Complete Spinal Cord Injuries. <i>Spine</i> , 2010, 35, 958-962.	2.0	5

#	ARTICLE	IF	CITATIONS
37	Time-varying Markov regression random-effect model with Bayesian estimation procedures: Application to dynamics of functional recovery in patients with stroke. <i>Mathematical Biosciences</i> , 2010, 227, 72-79.	1.9	7
38	Is Higher Serum Total Cholesterol Level Associated With Better Long-Term Functional Outcomes After Noncardioembolic Ischemic Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 913-918.	0.9	21
39	Use of Bayesian Modeling to Estimate the Sensitivity of Stereotactic Directional Vacuum-Assisted Breast Biopsy When the Gold Standard is Incomplete. <i>Academic Radiology</i> , 2009, 16, 1316-1322.	2.5	0
40	Dynamic Aspect of Functional Recovery After Stroke Using a Multistate Model. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1054-1060.	0.9	19
41	Effects of Age and Degree of Hearing Loss on the Agreement and Correlation Between Sound Field Audiometric Thresholds and Tone Burst Auditory Brainstem Response Thresholds in Infants and Young Children. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 869-875.	1.7	9
42	Predictors of long-term survival after stroke in Taiwan. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 844-849.	1.1	23
43	Myasthenia gravis with superimposed spinal cord injury: a case report. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 684-686.	1.1	4
44	Reduction of disability after stroke is a more informative predictor of long-time survival than initial disability status. <i>Disability and Rehabilitation</i> , 2007, 29, 417-423.	1.8	9
45	Asymptomatic Median Mononeuropathy Among Men With Chronic Paraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1193-1197.	0.9	5
46	Thresholds of Tone Burst Auditory Brainstem Responses for Infants and Young Children with Normal Hearing in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 847-853.	1.7	12
47	Circulating Levels of Markers of Inflammation and Endothelial Activation are Increased in Men with Chronic Spinal Cord Injury. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 919-928.	1.7	102
48	Auditory Cortical Evoked Potentials in Tinnitus Patients with Normal Audiological Presentation. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 979-985.	1.7	18
49	A Markov regression random-effects model for remission of functional disability in patients following a first stroke: A Bayesian approach. <i>Statistics in Medicine</i> , 2007, 26, 5335-5353.	1.6	22
50	Reduced Sympathetic Skin Response in the Isolated Spinal Cord of Subjects With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1201-1206.	0.9	4
51	Location and size of infarct on functional outcome of noncardioembolic ischemic stroke. <i>Disability and Rehabilitation</i> , 2006, 28, 977-983.	1.8	32
52	Sonographic evaluations in elite college baseball athletes. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005, 15, 29-35.	2.9	48
53	Intracerebral hemorrhage secondary to autonomic dysreflexia in a young person with incomplete C8 tetraplegia: A case report. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 591-593.	0.9	52