Mun Keong Kwan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6946919/publications.pdf

Version: 2024-02-01

98 papers 1,108 citations

471509 17 h-index 27 g-index

98 all docs 98 docs citations

98 times ranked 966 citing authors

#	Article	IF	Citations
1	Comparison Between Minimally Invasive Surgery and Conventional Open Surgery for Patients With Spinal Metastasis. Spine, 2017, 42, 789-797.	2.0	82
2	Accuracy and Safety of Pedicle Screw Placement in Adolescent Idiopathic Scoliosis Patients. Spine, 2017, 42, 326-335.	2.0	65
3	Perioperative Outcome in Posterior Spinal Fusion for Adolescent Idiopathic Scoliosis. Spine, 2016, 41, E694-E699.	2.0	44
4	Is neck tilt and shoulder imbalance the same phenomenon? A prospective analysis of 89 adolescent idiopathic scoliosis patients (Lenke type 1 and 2). European Spine Journal, 2016, 25, 401-408.	2.2	38
5	A radiological evaluation of the morphometry and safety of S1, S2 and S2-ilium screws in the Asian population using three dimensional computed tomography scan: an analysis of 180 pelvis. Surgical and Radiologic Anatomy, 2012, 34, 217-227.	1.2	37
6	Assessment of Intraoperative Blood Loss at Different Surgical Stages During Posterior Spinal Fusion Surgery in the Treatment of Adolescent Idiopathic Scoliosis. Spine, 2016, 41, E566-E573.	2.0	37
7	Does a dual attending surgeon strategy confer additional benefit for posterior selective thoracic fusion in Lenke 1 and 2 adolescent idiopathic scoliosis (AIS)? A prospective propensity matching score analysis. Spine Journal, 2017, 17, 224-229.	1.3	34
8	Is there an optimal upper instrumented vertebra (UIV) tilt angle to prevent post-operative shoulder imbalance and neck tilt in Lenke 1 and 2 adolescent idiopathic scoliosis (AIS) patients?. European Spine Journal, 2016, 25, 3065-3074.	2.2	31
9	Minimally Invasive Spinal Stabilization Using Fluoroscopic-Guided Percutaneous Screws as a Form of Palliative Surgery in Patients with Spinal Metastasis. Asian Spine Journal, 2016, 10, 99.	2.0	31
10	Accuracy and Safety of Fluoroscopic Guided Percutaneous Pedicle Screws in Thoracic and Lumbosacral Spine. Spine, 2015, 40, E954-E963.	2.0	29
11	U-shaped sacral fracture: an easily missed fracture with high morbidity. A report of two cases. Emergency Medicine Journal, 2009, 26, 677-678.	1.0	27
12	The accuracy and safety of fluoroscopically guided percutaneous pedicle screws in the lumbosacral junction and the lumbar spine. Bone and Joint Journal, 2015, 97-B, 1111-1117.	4.4	27
13	Feasibility and Outcome of an Accelerated Recovery Protocol in Asian Adolescent Idiopathic Scoliosis Patients. Spine, 2017, 42, E1415-E1422.	2.0	27
14	Single vs two attending senior surgeons: assessment of intra-operative blood loss at different surgical stages of posterior spinal fusion surgery in Lenke 1 and 2 adolescent idiopathic scoliosis. European Spine Journal, 2017, 26, 155-161.	2.2	27
15	Perioperative outcome and complications following single-staged Posterior Spinal Fusion (PSF) using pedicle screw instrumentation in Adolescent Idiopathic Scoliosis (AIS): a review of 1057 cases from a single centre. BMC Musculoskeletal Disorders, 2021, 22, 413.	1.9	21
16	Safety of thoracic pedicle screw application using the funnel technique in Asians: a cadaveric evaluation. European Spine Journal, 2010, 19, 78-84.	2.2	20
17	Trajectory of Postoperative Wound Pain Within the First 2 Weeks Following Posterior Spinal Fusion Surgery in Adolescent Idiopathic Scoliosis Patients. Spine, 2017, 42, 838-843.	2.0	19
18	Can Intraoperative Text Messages Reduce Parental Anxiety of Children Undergoing Posterior Spinal Fusion Surgery for Adolescent Idiopathic Scoliosis?. Spine, 2016, 41, E225-E230.	2.0	18

#	Article	IF	CITATIONS
19	Comparison between percutaneous fluoroscopic-guided and conventional open pedicle screw placement techniques for the thoracic spine. Bone and Joint Journal, 2015, 97-B, 1555-1561.	4.4	17
20	Assessing the Flexibility of the Proximal Thoracic Segments Above the "Potential Upper Instrumented Vertebra―Using the Cervical Supine Side Bending Radiographs in Lenke 1 and 2 Curves for Adolescent Idiopathic Scoliosis Patients. Spine, 2016, 41, E973-E980.	2.0	17
21	Upper Instrumented Vertebrae (UIV) Tilt Angle Is an Important Postoperative Radiological Parameter That Correlates With Postoperative Neck and Medial Shoulder Imbalance. Spine, 2018, 43, E1143-E1151.	2.0	16
22	The clinical utility of fluoroscopic versus CT guided percutaneous transpedicular core needle biopsy for spinal infections and tumours: a randomized trial. Spine Journal, 2020, 20, 1114-1124.	1.3	16
23	Pneumocranium secondary to halo vest pin penetration through an enlarged frontal sinus. European Spine Journal, 2009, 18, 269-271.	2.2	15
24	The Clinical Effectiveness of School Screening Programme for Idiopathic Scoliosis in Malaysia. Malaysian Orthopaedic Journal, 2017, 11, 41-46.	0.5	15
25	Radiological and clinical outcome of selective thoracic fusion for patients with Lenke 1C and 2C adolescent idiopathic scoliosis with a minimum follow-up of 2 years. Spine Journal, 2018, 18, 2239-2246.	1.3	14
26	Tranexamic Acid in Pediatric Scoliosis Surgery. Spine, 2021, 46, E1170-E1177.	2.0	14
27	Thoracic pedicle screw insertion in Asian cadaveric specimen: does radiological pedicle profile affect outcome?. Surgical and Radiologic Anatomy, 2011, 33, 19-25.	1.2	13
28	Usage of Chewing Gum in Posterior Spinal Fusion Surgery for Adolescent Idiopathic Scoliosis. Spine, 2017, 42, 1427-1433.	2.0	13
29	Safety of Pedicle Screws in Adolescent Idiopathic Scoliosis Surgery. Asian Spine Journal, 2017, 11, 998-1007.	2.0	13
30	Perioperative Outcome of Single Stage Posterior Spinal Fusion for Severe Adolescent Idiopathic Scoliosis (AIS) (Cobb Angle ≥90Ű). Spine, 2019, 44, E348-E356.	2.0	13
31	Isolated displaced fracture of humeral trochlea: A report of two rare cases. Injury Extra, 2007, 38, 461-465.	0.2	12
32	Accuracy of cannulated pedicle screw versus conventional pedicle screw for extra-pedicular screw placement in dysplastic pedicles without cancellous channel in adolescent idiopathic scoliosis: a computerized tomography (CT) analysis. European Spine Journal, 2017, 26, 2951-2960.	2.2	12
33	Comparison between effect of desflurane/remifentanil and propofol/remifentanil anesthesia on somatosensory evoked potential monitoring during scoliosis surgery—A randomized controlled trial. Journal of Orthopaedic Surgery, 2018, 26, 230949901878952.	1.0	12
34	Pelvic obliquity in adolescent idiopathic scoliosis planned for posterior spinal fusion: A preoperative analysis of 311 lower limb axis films. Journal of Orthopaedic Surgery, 2019, 27, 230949901985725.	1.0	12
35	Minimally invasive reduction of thoracolumbar burst fracture using monoaxial percutaneous pedicle screws: Surgical technique and report of radiological outcome. Journal of Orthopaedic Surgery, 2020, 28, 230949901988897.	1.0	11
36	Symptomatic Calcifying Pseudotumor of the Thoracic Spine That Resolved With the Indomethacin Treatment. Spine, 2012, 37, E1676-E1679.	2.0	10

#	Article	IF	CITATIONS
37	Prediction of Curve Correction Using Alternate Level Pedicle Screw Placement in Patients With Adolescent Idiopathic Scoliosis (AIS) Lenke 1 and 2 Using Supine Side Bending (SB) and Fulcrum Bending (FB) Radiograph. Spine, 2015, 40, 1605-1612.	2.0	10
38	Flexibility assessment of the unfused thoracic segments above the "potential upper instrumented vertebrae―using the supine side bending radiographs in Lenke 5 and 6 curves for adolescent idiopathic scoliosis patients. Spine Journal, 2018, 18, 53-62.	1.3	10
39	A comparison of feasibility and safety of percutaneous fluoroscopic guided thoracic pedicle screws between Europeans and Asians: is there any difference?. European Spine Journal, 2016, 25, 1745-1753.	2.2	9
40	The accuracy and safety of fluoroscopic-guided percutaneous pedicle screws in the thoracic and lumbosacral spine in the Asian population: A CT scan analysis of 1002 screws. Journal of Orthopaedic Surgery, 2017, 25, 230949901771393.	1.0	9
41	Femoral head diameter in the Malaysian population. Singapore Medical Journal, 2014, 55, 436-438.	0.6	9
42	Effect of intraoperative autologous transfusion techniques on perioperative hemoglobin level in idiopathic scoliosis patients undergoing posterior spinal fusion: A prospective randomized trial. Journal of Orthopaedic Surgery, 2017, 25, 230949901771895.	1.0	8
43	How Common Is Medial and Lateral Shoulder Discordance in Lenke 1 and 2 Curves?. Spine, 2019, 44, E480-E486.	2.0	8
44	Patients' Perception and Satisfaction on Neck and Shoulder Imbalance in Adolescent Idiopathic Scoliosis. Global Spine Journal, 2023, 13, 752-763.	2.3	8
45	Do the dynamic stress mobility radiographs predict the postoperative vertebral height restoration, kyphosis correction, and cement volume injected after vertebroplasty for osteoporotic thoracolumbar vertebral fractures with intravertebral cleft? Journal of Orthopaedic Surgery, 2018, 26. 230949901880670.	1.0	7
46	Personal protective equipment usage, recycling and disposal among spine surgeons: An Asia Pacific Spine Society survey. Journal of Orthopaedic Surgery, 2021, 29, 230949902098817.	1.0	7
47	Variations in Practice among Asia–Pacific Surgeons and Recommendations for Managing Cervical Myelopathy: The First Asia–Pacific Spine Society Collaborative Study. Asian Spine Journal, 2019, 13, 45-55.	2.0	7
48	The use of pre-operative halo traction to minimize risk for correction of severe scoliosis in a patient with Fontan circulation: a case report and review of literature. European Spine Journal, 2016, 25, 245-250.	2.2	6
49	Zonal differences in risk and pattern of pedicle screw perforations in adolescent idiopathic scoliosis (AIS): a computerized tomography (CT) review of 1986 screws. European Spine Journal, 2018, 27, 340-349.	2.2	6
50	Do Overweight Adolescent Idiopathic Scoliosis (AIS) Patients Have an Increased Perioperative Risk for Posterior Spinal Fusion (PSF) Surgery?. Spine, 2019, 44, 389-396.	2.0	6
51	Perioperative Outcome of Severe Idiopathic Scoliosis (Cobb Angle ≥ 90°). Spine, 2020, 45, 381-389.	2.0	6
52	A Positive (+ve) Postoperative Upper Instrumented Vertebra Tilt Angle (≥0°) Significantly Increases the Risk of Medial Shoulder and Neck Imbalance in Lenke 1 and 2 Adolescent Idiopathic Scoliosis Patients. Spine, 2020, 45, E694-E703.	2.0	6
53	Mid-long-term outcome and degeneration of the remaining unfused lumbar intervertebral disc in adolescent idiopathic scoliosis patients who had posterior spinal fusion surgery. European Spine Journal, 2021, 30, 1978-1987.	2.2	6
54	Cervical Supine Side-Bending versus Cervical Supine Traction Radiographs: Which Is Better in Predicting Proximal Thoracic Flexibility for Lenke 1 and 2 Adolescent Idiopathic Scoliosis?. Asian Spine Journal, 2018, 12, 669-677.	2.0	6

#	Article	IF	Citations
55	Severe Lenke 1 and 2 adolescent idiopathic scoliosis had poorer perioperative outcome, higher complication rate, longer fusion and higher operative cost compared to non-severe scoliosis. European Spine Journal, 2022, 31, 1051-1059.	2.2	6
56	The Safety and Strength of a Novel Medial, Partial Nonthreaded Pedicle Screw. Clinical Spine Surgery, 2017, 30, E297-E304.	1.3	5
57	A Silver Medal Winner at the 13th World Wu Shu JOURNAL/spne/04.03/00007632-201702150-00019/inline-graphic1/v/2021-01-24T162425Z/r/image-tiff Championship 2015 17 Months After Selective Thoracic Fusion for Adolescent Idiopathic Scoliosis. Spine. 2017. 42. E248-E252.	2.0	5
58	APSS-ASJ Best Clinical Research Award: Is There a Difference between Patients' and Parents' Perception of Physical Appearance in Adolescent Idiopathic Scoliosis?. Asian Spine Journal, 2019, 13, 216-224.	2.0	5
59	After-hours elective spine deformity corrective surgery for patients with Adolescent Idiopathic Scoliosis: Is it safe?. Journal of Orthopaedic Surgery, 2019, 27, 230949901983902.	1.0	5
60	Perioperative outcome of severe rigid idiopathic scoliosis: Single-staged posterior spinal fusion utilizing a dual attending surgeon strategy. A report of 41 patients. Journal of Orthopaedic Surgery, 2020, 28, 230949902093600.	1.0	5
61	A Comparison Between the Perioperative Outcomes of Female Adolescent Idiopathic Scoliosis (AIS) Versus Adult Idiopathic Scoliosis (AdIS) Following Posterior Spinal Fusion: A Propensity Score Matching Analysis Involving 425 Patients. Global Spine Journal, 2023, 13, 81-88.	2.3	5
62	Neurological Recovery in Two Patients with Cauda Equina Syndrome Secondary to L5 Lumbar Spine Giant Cell Tumour after Treatment with Denosumab without Surgery. Asian Spine Journal, 2016, 10, 945.	2.0	5
63	Surgical Morphometry of C1 and C2 Vertebrae: A Three-Dimensional Computed Tomography Analysis of 180 Chinese, Indian, and Malay Patients. Asian Spine Journal, 2017, 11, 181-189.	2.0	5
64	Learning Curve for a Dual Attending Surgeon Strategy in Posterior Spinal Fusion (PSF). Spine, 2021, 46, E663-E670.	2.0	5
65	The use of fluoroscopic guided percutaneous pedicle screws in the upper thoracic spine (T1 \hat{a} e"T6): Is it safe?. Journal of Orthopaedic Surgery, 2017, 25, 230949901772243.	1.0	4
66	Does the Severity of the Curve in Lenke 1 and 2 Adolescent Idiopathic Scoliosis Patients Affect the Distance and Position of the Aorta From Vertebra?. Spine, 2019, 44, 785-792.	2.0	4
67	Quantitative analysis of local bone graft harvested from the posterior elements during posterior spinal fusion in Adolescent Idiopathic Scoliosis patients. Journal of Orthopaedics, 2019, 16, 74-79.	1.3	4
68	Conformity and Changes in the Radiological Neck and Shoulder Balance Parameters Throughout 3-Year Follow-up Period. Spine, 2020, 45, E319-E328.	2.0	4
69	The Impact of COVID-19 pandemic on Spine Surgeons. Spine, 2020, 45, 1285-1292.	2.0	4
70	Superior mesenteric artery syndrome: A rare complication of scoliosis corrective surgery. Journal of Orthopaedic Surgery, 2020, 28, 230949902094501.	1.0	4
71	Ultra Long Construct Minimally Invasive Spinal Stabilization Using Percutaneous Pedicle Screws in the Treatment of Symptomatic Multicentric Spinal Metastasis. Asian Spine Journal, 2015, 9, 962.	2.0	4
72	Parents'/Patients' Perception of the Informed Consent Process and Surgeons Accountability in Corrective Surgery for Adolescent Idiopathic Scoliosis. Spine, 2020, 45, 1661-1667.	2.0	4

#	Article	IF	Citations
73	Radiological assessment of cervical lateral mass screw angulations in Asian patients. Indian Journal of Orthopaedics, 2011, 45, 504-507.	1.1	3
74	Prevalence and associations of neuropathic pain in a cohort of multi-ethnic Asian low back pain patients. Rheumatology International, 2017, 37, 633-639.	3.0	3
75	Does Menses Affect the Risk of Blood Loss in Adolescent Idiopathic Scoliosis Patients Undergoing Posterior Spinal Fusion Surgeries?. Spine, 2020, 45, 1128-1134.	2.0	3
76	Dual attending surgeon strategy learning curve in single-staged posterior spinal fusion (PSF) surgery for 415 idiopathic scoliosis (IS) cases. Spine Journal, 2021, 21, 1049-1058.	1.3	3
77	Scarf-Related Hangman's Fracture: A Case Report. European Journal of Trauma and Emergency Surgery, 2010, 36, 180-182.	1.7	2
78	Posterior Spinal Instrumented Fusion for Idiopathic Scoliosis in Patients with Multisystemic Neurodegenerative Disorder: A Report of Two Cases. Journal of Orthopaedic Surgery, 2016, 24, 273-277.	1.0	2
79	The Reliability of Intraoperative Crossbar Technique in Determining the Upper Instrumented Vertebra (UIV) Tilt Angle for Adolescent Idiopathic Scoliosis (AIS) Undergoing Posterior Spinal Fusion. Clinical Spine Surgery, 2019, 32, 256-262.	1.3	2
80	Controversies with nonoperative management for adolescent idiopathic scoliosis: Study from the APSS Scoliosis Focus Group. Journal of Orthopaedic Surgery, 2020, 28, 230949902093029.	1.0	2
81	Factors Affecting Operation Duration in Posterior Spinal Fusion (PSF) Using Dual Attending Surgeon Strategy Among Lenke 1 and 2 Adolescent Idiopathic Scoliosis (AIS) Patients. Clinical Spine Surgery, 2021, Publish Ahead of Print, .	1.3	2
82	Neuropathic Pain after Adolescent Idiopathic Scoliosis Correction Surgery. Asian Spine Journal, 2021, 15, 628-635.	2.0	2
83	Acute Brown-Séquard Syndrome following Brachial Plexus Avulsion Injury. A Report of Two Cases. Hong Kong Journal of Emergency Medicine, 2011, 18, 347-351.	0.6	1
84	Feasibility of Percutaneous Posterolateral Spinal Fusion With Recombinant Bone Morphogenetic Protein-2 (rhBMP-2). Clinical Spine Surgery, 2017, 30, E138-E147.	1.3	1
85	C1–C2 fusion with absence of C1 posterior arch and presence of C2 high-riding vertebral artery: Is it possible?. Journal of Orthopaedic Surgery, 2019, 27, 230949901984076.	1.0	1
86	Predictive factors for correction rate in severe idiopathic scoliosis (Cobb angle ≥ 90°): an analysis of 128 patients. European Spine Journal, 2021, 30, 653-660.	2.2	1
87	Feasibility of Single-Stage Posterior Passive Correction and Fusion Surgery for Congenital Scoliosis in Adolescent Patients Who Have Attained Skeletal Maturity. Asian Spine Journal, 2021, , .	2.0	1
88	Rapid progression of scoliosis curve in a mature patient with undiagnosed pituitary macroadenoma: A rare case report. Acta Orthopaedica Et Traumatologica Turcica, 2020, 54, 561-564.	0.8	1
89	An analysis of preoperative shoulder and neck balance and surgical outcome in 111 adolescent idiopathic scoliosis patients with two subtypes of Lenke 1 curves. Journal of Neurosurgery: Spine, 2020, 34, 1-8.	1.7	1
90	Validation Study of Rajasekaran's Kyphosis Classification System: Do We Clearly Understand Single- and Two-Column Deficiencies?. Asian Spine Journal, 2020, 14, 475-488.	2.0	1

#	Article	IF	CITATIONS
91	Remarkable Bone Formation following Gefitinib for Extensive Lytic Bone Metastasis: A Report of Two Cases. Journal of Orthopaedic Surgery, 2016, 24, 421-423.	1.0	0
92	Anesthetic considerations in scoliosis patient with dopa-responsive dystonia or Segawa's syndrome. Journal of Orthopaedic Surgery, 2017, 25, 230949901668474.	1.0	0
93	Letters about Published Papers. Journal of Orthopaedic Surgery, 2019, 27, 230949901986123.	1.0	0
94	Aberrant left brachiocephalic vein is a contraindication for anterior cervicothoracic approach. Journal of Orthopaedic Surgery, 2019, 27, 230949901987921.	1.0	0
95	Posterior Spinal Fusion in a Scoliotic Patient With Congenital Heart Block Treated With Pacemaker. Spine, 2019, 44, E252-E257.	2.0	O
96	Letter to the Editor Regarding "The Usage of Chewing Gum in Posterior Spinal Fusion Surgery for Adolescent Idiopathic Scoliosis: A Randomized Controlled Trial― Spine, 2021, 46, E566-E567.	2.0	0
97	Preoperative "Cervical Axis―Deviation Increases the Risk of Distal Adding-On Following Surgery in Lenke 1 and 2 Adolescent Idiopathic Scoliosis Patients. Global Spine Journal, 2021, , 219256822199864.	2.3	0
98	Percutaneous pedicle screw for unstable spine fractures in polytraumatized patients: A report of two cases. Indian Journal of Orthopaedics, 2012, 46, 710.	1.1	0