

Sanzhen Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6947651/publications.pdf>

Version: 2024-02-01

64
papers

7,192
citations

196777

29
h-index

124990

64
g-index

79
all docs

79
docs citations

79
times ranked

10592
citing authors

#	ARTICLE	IF	CITATIONS
1	A conserved hypothetical gene is required but not sufficient for Ptr ToxC production in <i>Pyrenophora tritici-repentis</i> . <i>Molecular Plant-Microbe Interactions</i> , 2022, , .	1.4	11
2	Cloning of the broadly effective wheat leaf rust resistance gene Lr42 transferred from <i>Aegilops tauschii</i> . <i>Nature Communications</i> , 2022, 13, .	5.8	29
3	Multiple origins of Indian dwarf wheat by mutations targeting the TREE domain of a GSK3-like kinase for drought tolerance, phosphate uptake, and grain quality. <i>Theoretical and Applied Genetics</i> , 2021, 134, 633-645.	1.8	12
4	Ectopic Expression of a Heterologous Glutaredoxin Enhances Drought Tolerance and Grain Yield in Field Grown Maize. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5331.	1.8	8
5	Identification of biological pathway and process regulators using sparse partial least squares and triple-gene mutual interaction. <i>Scientific Reports</i> , 2021, 11, 13174.	1.6	2
6	Chromosome-level genome assembly of a regenerable maize inbred line A188. <i>Genome Biology</i> , 2021, 22, 175.	3.8	32
7	A genome-wide genetic linkage map and reference quality genome sequence for a new race in the wheat pathogen <i>Pyrenophora tritici-repentis</i> . <i>Fungal Genetics and Biology</i> , 2021, 152, 103571.	0.9	8
8	HB-PLS: A statistical method for identifying biological process or pathway regulators by integrating Huber loss and Berhu penalty with partial least squares regression. <i>Forestry Research</i> , 2021, 1, 0-0.	0.5	1
9	Multi-Omics Analyses Reveal Systemic Insights into Maize Vivipary. <i>Plants</i> , 2021, 10, 2437.	1.6	2
10	Factorial estimating assembly base errors using k-mer abundance difference (KAD) between short reads and genome assembled sequences. <i>NAR Genomics and Bioinformatics</i> , 2020, 2, lqaa075.	1.5	8
11	Characterization, Genetic Analyses, and Identification of QTLs Conferring Metabolic Resistance to a 4-Hydroxyphenylpyruvate Dioxygenase Inhibitor in Sorghum (<i>Sorghum bicolor</i>). <i>Frontiers in Plant Science</i> , 2020, 11, 596581.	1.7	11
12	Xa1 Allelic R Genes Activate Rice Blight Resistance Suppressed by Interfering TAL Effectors. <i>Plant Communications</i> , 2020, 1, 100087.	3.6	52
13	A rare single nucleotide variant in <i>Pm5e</i> confers powdery mildew resistance in common wheat. <i>New Phytologist</i> , 2020, 228, 1011-1026.	3.5	92
14	Increased Power and Accuracy of Causal Locus Identification in Time Series Genome-wide Association in Sorghum. <i>Plant Physiology</i> , 2020, 183, 1898-1909.	2.3	39
15	Genomic Acquisitions in Emerging Populations of <i>Xanthomonas vasicola</i> pv. <i>vasculorum</i> Infecting Corn in the United States and Argentina. <i>Phytopathology</i> , 2020, 110, 1161-1173.	1.1	16
16	Early Drought-Responsive Genes Are Variable and Relevant to Drought Tolerance. <i>G3: Genes, Genomes, Genetics</i> , 2020, 10, 1657-1670.	0.8	13
17	Co-expression analysis aids in the identification of genes in the cuticular wax pathway in maize. <i>Plant Journal</i> , 2019, 97, 530-542.	2.8	34
18	Cellular Dynamics and Genomic Identity of Centromeres in Cereal Blast Fungus. <i>MBio</i> , 2019, 10, .	1.8	18

#	ARTICLE	IF	CITATIONS
19	Effector gene reshuffling involves dispensable mini-chromosomes in the wheat blast fungus. <i>PLoS Genetics</i> , 2019, 15, e1008272.	1.5	103
20	<i>Xanthomonas translucens</i> commandeers the host rate-limiting step in ABA biosynthesis for disease susceptibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 20938-20946.	3.3	58
21	Temporal Small RNA Expression Profiling under Drought Reveals a Potential Regulatory Role of Small Nucleolar RNAs in the Drought Responses of Maize. <i>Plant Genome</i> , 2019, 12, 180058.	1.6	17
22	Maize glossy6 is involved in cuticular wax deposition and drought tolerance. <i>Journal of Experimental Botany</i> , 2019, 70, 3089-3099.	2.4	62
23	Genetic mapping of a major gene in triticale conferring resistance to bacterial leaf streak. <i>Theoretical and Applied Genetics</i> , 2018, 131, 649-658.	1.8	23
24	JRmGRN: joint reconstruction of multiple gene regulatory networks with common hub genes using data from multiple tissues or conditions. <i>Bioinformatics</i> , 2018, 34, 3470-3478.	1.8	19
25	TILL-D: An <i>Aegilops tauschii</i> TILLING Resource for Wheat Improvement. <i>Frontiers in Plant Science</i> , 2018, 9, 1665.	1.7	26
26	FERONIA Receptor Kinase Contributes to Plant Immunity by Suppressing Jasmonic Acid Signaling in <i>Arabidopsis thaliana</i> . <i>Current Biology</i> , 2018, 28, 3316-3324.e6.	1.8	154
27	Intragenic Meiotic Crossovers Generate Novel Alleles with Transgressive Expression Levels. <i>Molecular Biology and Evolution</i> , 2018, 35, 2762-2772.	3.5	4
28	Analysis of Extreme Phenotype Bulk Copy Number Variation (XP-CNV) Identified the Association of rp1 with Resistance to Goss's Wilt of Maize. <i>Frontiers in Plant Science</i> , 2018, 9, 110.	1.7	23
29	Homologues of <i>CsLOB1</i> in citrus function as disease susceptibility genes in citrus canker. <i>Molecular Plant Pathology</i> , 2017, 18, 798-810.	2.0	38
30	A Dimorphic and Virulence-Enhancing Endosymbiont Bacterium Discovered in <i>Rhizoctonia solani</i> . <i>Phytobiomes Journal</i> , 2017, 1, 14-23.	1.4	24
31	Identification of Brassinosteroid Target Genes by Chromatin Immunoprecipitation Followed by High-Throughput Sequencing (ChIP-seq) and RNA-Sequencing. <i>Methods in Molecular Biology</i> , 2017, 1564, 63-79.	0.4	10
32	RD26 mediates crosstalk between drought and brassinosteroid signalling pathways. <i>Nature Communications</i> , 2017, 8, 14573.	5.8	202
33	Unbiased K-mer Analysis Reveals Changes in Copy Number of Highly Repetitive Sequences During Maize Domestication and Improvement. <i>Scientific Reports</i> , 2017, 7, 42444.	1.6	16
34	tGBS [®] genotyping-by-sequencing enables reliable genotyping of heterozygous loci. <i>Nucleic Acids Research</i> , 2017, 45, e178-e178.	6.5	115
35	A Comprehensive Analysis of Alternative Splicing in Paleopolyploid Maize. <i>Frontiers in Plant Science</i> , 2017, 8, 694.	1.7	109
36	Complete Genome Sequencing and Targeted Mutagenesis Reveal Virulence Contributions of Tal2 and Tal4b of <i>Xanthomonas translucens</i> pv. <i>undulosa</i> ICMP11055 in Bacterial Leaf Streak of Wheat. <i>Frontiers in Microbiology</i> , 2017, 8, 1488.	1.5	37

#	ARTICLE	IF	CITATIONS
37	Substantial contribution of genetic variation in the expression of transcription factors to phenotypic variation revealed by eRD-GWAS. <i>Genome Biology</i> , 2017, 18, 192.	3.8	56
38	Genes Expressed Differentially in Hessian Fly Larvae Feeding in Resistant and Susceptible Plants. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1324.	1.8	7
39	Massive Shift in Gene Expression during Transitions between Developmental Stages of the Gall Midge, <i>Mayetiola Destructor</i> . <i>PLoS ONE</i> , 2016, 11, e0155616.	1.1	8
40	Characterization of maize roothairless6 which encodes a D-type cellulose synthase and controls the switch from bulge formation to tip growth. <i>Scientific Reports</i> , 2016, 6, 34395.	1.6	31
41	Long read and single molecule DNA sequencing simplifies genome assembly and TAL effector gene analysis of <i>Xanthomonas translucens</i> . <i>BMC Genomics</i> , 2016, 17, 21.	1.2	97
42	Emergence of a New Population of <i>Rathayibacter toxicus</i> : An Ecologically Complex, Geographically Isolated Bacterium. <i>PLoS ONE</i> , 2016, 11, e0156182.	1.1	19
43	Gene targeting by the <i>TAL</i> effector PthXo2 reveals cryptic resistance gene for bacterial blight of rice. <i>Plant Journal</i> , 2015, 82, 632-643.	2.8	409
44	The maize <i>brown midrib4</i> (<i>bm4</i>) gene encodes a functional folylpolyglutamate synthase. <i>Plant Journal</i> , 2015, 81, 493-504.	2.8	42
45	Genome-wide analysis of regulation of gene expression and H3K9me2 distribution by JIL-1 kinase mediated histone H3S10 phosphorylation in <i>Drosophila</i> . <i>Nucleic Acids Research</i> , 2014, 42, 5456-5467.	6.5	21
46	The Aux/IAA gene <i>rum1</i> involved in seminal and lateral root formation controls vascular patterning in maize (<i>Zea mays</i> L.) primary roots. <i>Journal of Experimental Botany</i> , 2014, 65, 4919-4930.	2.4	69
47	The maize <i>brown midrib2</i> (<i>bm2</i>) gene encodes a methylenetetrahydrofolate reductase that contributes to lignin accumulation. <i>Plant Journal</i> , 2014, 77, 380-392.	2.8	94
48	<i>Roothairless5</i> , which functions in maize (<i>Zea mays</i> L.) root hair initiation and elongation encodes a monocot-specific <i>NADPH</i> oxidase. <i>Plant Journal</i> , 2014, 79, 729-740.	2.8	118
49	Histone Lysine Methyltransferase SDG8 Is Involved in Brassinosteroid-Regulated Gene Expression in <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2014, 7, 1303-1315.	3.9	64
50	Mendelian and Non-Mendelian Regulation of Gene Expression in Maize. <i>PLoS Genetics</i> , 2013, 9, e1003202.	1.5	84
51	The Maize <i>glossy13</i> Gene, Cloned via BSR-Seq and Seq-Walking Encodes a Putative ABC Transporter Required for the Normal Accumulation of Epicuticular Waxes. <i>PLoS ONE</i> , 2013, 8, e82333.	1.1	75
52	Digestion-Ligation-Amplification (DLA): A Simple Genome Walking Method to Amplify Unknown Sequences Flanking Mutator (Mu) Transposons and Thereby Facilitate Gene Cloning. <i>Methods in Molecular Biology</i> , 2013, 1057, 167-176.	0.4	2
53	Changes in genome content generated via segregation of non-allelic homologs. <i>Plant Journal</i> , 2012, 72, 390-399.	2.8	24
54	Gene Mapping via Bulk Segregant RNA-Seq (BSR-Seq). <i>PLoS ONE</i> , 2012, 7, e36406.	1.1	297

#	ARTICLE	IF	CITATIONS
55	B73-Mo17 Near-Isogenic Lines Demonstrate Dispersed Structural Variation in Maize \hat{A} \hat{A} . <i>Plant Physiology</i> , 2011, 156, 1679-1690.	2.3	76
56	Heritable Epigenetic Variation among Maize Inbreds. <i>PLoS Genetics</i> , 2011, 7, e1002372.	1.5	150
57	High-Throughput Genetic Mapping of Mutants via Quantitative Single Nucleotide Polymorphism Typing. <i>Genetics</i> , 2010, 184, 19-26.	1.2	66
58	DLA-Based Strategies for Cloning Insertion Mutants: Cloning the <i>gl4</i> Locus of Maize Using <i>Mu</i> Transposon Tagged Alleles. <i>Genetics</i> , 2009, 183, 1215-1225.	1.2	38
59	The B73 Maize Genome: Complexity, Diversity, and Dynamics. <i>Science</i> , 2009, 326, 1112-1115.	6.0	3,612
60	Mu Transposon Insertion Sites and Meiotic Recombination Events Co-Localize with Epigenetic Marks for Open Chromatin across the Maize Genome. <i>PLoS Genetics</i> , 2009, 5, e1000733.	1.5	196
61	Study on the Dynamic Behavior of a DNA Microarray. <i>Journal of Nanoscience and Nanotechnology</i> , 2005, 5, 1249-1255.	0.9	11
62	Analysis of the factors affecting the accuracy of detection for single base alterations by oligonucleotide microarray. <i>Experimental and Molecular Medicine</i> , 2005, 37, 71-77.	3.2	8
63	Systematic comparison of the fidelity of aRNA, mRNA and T-RNA on gene expression profiling using cDNA microarray. <i>Journal of Biotechnology</i> , 2004, 107, 19-28.	1.9	51
64	Comparison of Hybridization Behavior between Double and Single Strand of Targets and the Application of Asymmetric PCR Targets in cDNA Microarray. <i>BMB Reports</i> , 2004, 37, 439-444.	1.1	8