Iñigo Zabalgogeazcoa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6952868/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Diaporthe Fungal Endophyte From a Wild Grass Improves Growth and Salinity Tolerance of Tritordeum and Perennial Ryegrass. Frontiers in Plant Science, 2022, 13, .	3.6	7
2	Screening fungal endophytes from a wild grass for growth promotion in tritordeum, an agricultural cereal. Plant Science, 2021, 303, 110762.	3.6	10
3	Untapping the potential of plant mycobiomes for applications in agriculture. Current Opinion in Plant Biology, 2021, 60, 102034.	7.1	56
4	Disruption of Traditional Grazing and Fire Regimes Shape the Fungal Endophyte Assemblages of the Tall-Grass Brachypodium rupestre. Frontiers in Microbiology, 2021, 12, 679729.	3.5	1
5	The Role of Fungal Microbiome Components on the Adaptation to Salinity of Festuca rubra subsp. pruinosa. Frontiers in Plant Science, 2021, 12, 695717.	3.6	4
6	Cultivation and growth dynamics of endophytic fungi in a solid culture medium based on sugar beet pulp. Journal of the Science of Food and Agriculture, 2020, 100, 441-446.	3.5	8
7	Brassica oleracea var. acephala (kale) improvement by biological activity of root endophytic fungi. Scientific Reports, 2020, 10, 20224.	3.3	25
8	An ecological framework for understanding the roles of Epichloë endophytes on plant defenses against fungal diseases. Fungal Biology Reviews, 2020, 34, 115-125.	4.7	31
9	Variation and plasticity in Epichloë alkaloid content of Festuca rubra across Europe. Fungal Ecology, 2020, 47, 100942.	1.6	7
10	Local adaptation in natural European host grass populations with asymmetric symbiosis. PLoS ONE, 2019, 14, e0215510.	2.5	8
11	Sympatric Epichloë species and chemotypic profiles in natural populations of Lolium perenne. Fungal Ecology, 2019, 39, 231-241.	1.6	9
12	Physiological and population genetic analysis of <i>Botrytis</i> field isolates from vineyards in Castilla y León, Spain. Plant Pathology, 2019, 68, 523-536.	2.4	14
13	Nearâ€infrared spectroscopy allows detection and species identification of <i>Epichloë</i> endophytes in <i>Lolium perenne</i> . Journal of the Science of Food and Agriculture, 2018, 98, 5037-5044.	3.5	4
14	Production of fumonisins by endophytic strains of Tolypocladium cylindrosporum and its relation to fungal virus infection. Mycotoxin Research, 2018, 34, 49-57.	2.3	8
15	Occurrence of Alkaloids in Grass Seeds Symbiotic With Vertically-Transmitted Epichloë Fungal Endophytes and Its Relationship With Antioxidants. Frontiers in Ecology and Evolution, 2018, 6, .	2.2	22
16	Conditioned media and organic elicitors underpin the production of potent antiplasmodial metabolites by endophytic fungi from Cameroonian medicinal plants. Parasitology Research, 2018, 117, 2473-2485.	1.6	17
17	A Survey of Culturable Fungal Endophytes From Festuca rubra subsp. pruinosa, a Grass From Marine Cliffs, Reveals a Core Microbiome. Frontiers in Microbiology, 2018, 9, 3321.	3.5	40
18	Enzymatic activity of endophytic fungi from the medicinal plants Terminalia catappa, Terminalia mantaly and Cananga odorata. South African Journal of Botany, 2017, 109, 146-153	2.5	67

#	Article	IF	CITATIONS
19	Qualitative and quantitative analysis of endophyte alkaloids in perennial ryegrass using nearâ€infrared spectroscopy. Journal of the Science of Food and Agriculture, 2017, 97, 5028-5036.	3.5	10
20	Solutions to decrease a systematic error related to AAPH addition in the fluorescence-based ORAC assay. Analytical Biochemistry, 2017, 519, 27-29.	2.4	19
21	Direct and indirect effects of the fungal endophyte Epichloë uncinatum on litter decomposition of the host grass, Schedonorus pratensis. Plant Ecology, 2017, 218, 1107-1115.	1.6	16
22	Role of foliar fungal endophytes in litter decomposition among species and population origins. Fungal Ecology, 2016, 21, 50-56.	1.6	15
23	Data on litter quality of host grass plants with and without fungal endophytes. Data in Brief, 2016, 7, 1469-1472.	1.0	1
24	Epichloë endophytes affect the nutrient and fiber content of Lolium perenne regardless of plant genotype. Plant and Soil, 2016, 405, 265-277.	3.7	30
25	Biocontrol and growth enhancement potential of two endophytic Trichoderma spp. from Terminalia catappa against the causative agent of Common Bean Root Rot (Fusarium solani). Biological Control, 2016, 96, 8-20.	3.0	73
26	<i>Biscogniauxia nummularia</i> infecting beech (<i>Fagus sylvatica</i>) trees and sympatric plants of the sedge <i>Carex brevicollis</i> . Forest Pathology, 2015, 45, 346-348.	1.1	3
27	Entomopathogenic and Nematophagous Fungal Endophytes. , 2014, , 85-99.		16
28	Germination response of endophytic <i>Festuca rubra</i> seeds in the presence of arsenic. Grass and Forage Science, 2014, 69, 462-469.	2.9	20
29	Systemic fungal endophytes and ploidy level in Festuca vivipara populations in North European Islands. Plant Systematics and Evolution, 2014, 300, 1683-1691.	0.9	2
30	Non-systemic fungal endophytes in Carex brevicollis may influence the toxicity of the sedge to livestock. Spanish Journal of Agricultural Research, 2014, 12, 623.	0.6	8
31	Non-systemic fungal endophytes in Festuca rubra plants infected by Epichloë festucae in subarctic habitats. Fungal Diversity, 2013, 60, 25-32.	12.3	31
32	An Epichloë endophyte affects the competitive ability of Festuca rubra against other grassland species. Plant and Soil, 2013, 362, 201-213.	3.7	44
33	Are endophytes an important link between airborne spores and allergen exposure?. Fungal Diversity, 2013, 60, 33-42.	12.3	32
34	Mycovirus effect on the endophytic establishment of the entomopathogenic fungus Tolypocladium cylindrosporum in tomato and bean plants. BioControl, 2013, 58, 225-232.	2.0	13
35	Aphelenchoides besseyi Christie (Nematoda: Aphelenchoididae), agente causal del amachamiento del frijol común. Tropical Plant Pathology, 2013, 38, 243-252.	1.5	13
36	Fungal Endophyte (Epichloë festucae) Alters the Nutrient Content of Festuca rubra Regardless of Water Availability. PLoS ONE, 2013, 8, e84539.	2.5	59

#	Article	IF	CITATIONS
37	Antioxidants in Festuca rubra L. seeds affected by the fungal symbiont Epichloë festucae. Symbiosis, 2012, 58, 73-80.	2.3	14
38	Prevalence and Diversity of Viruses in the Entomopathogenic Fungus Beauveria bassiana. Applied and Environmental Microbiology, 2012, 78, 8523-8530.	3.1	76
39	Non-systemic fungal endophytes of grasses. Fungal Ecology, 2012, 5, 289-297.	1.6	124
40	Mycoviruses infecting the endophytic and entomopathogenic fungus Tolypocladium cylindrosporum. Virus Research, 2011, 160, 409-413.	2.2	49
41	Interaction between plant genotype and the symbiosis with Epichloë fungal endophytes in seeds of red fescue (Festuca rubra). Crop and Pasture Science, 2011, 62, 1010.	1.5	14
42	Fungal species diversity in juvenile and adult leaves of Eucalyptus globulus from plantations affected by Mycosphaerella leaf disease. Annals of Applied Biology, 2011, 158, 177-187.	2.5	33
43	Tick pathogenicity, thermal tolerance and virus infection in Tolypocladium cylindrosporum. Annals of Applied Biology, 2011, 159, 192-201.	2.5	20
44	A spectroscopy approach to the study of virus infection in the endophytic fungus Epichloë festucae. Virology Journal, 2011, 8, 286.	3.4	8
45	Endophytic mycobiota of leaves and roots of the grass Holcus lanatus. Fungal Diversity, 2010, 41, 115-123.	12.3	119
46	Relationships between the genetic distance of <i>Epichloë festucae</i> isolates and the ergovaline and peramine contents of their <i>Festuca rubra</i> hosts. Annals of Applied Biology, 2010, 156, 51-61.	2.5	20
47	Mycoviruses are common among different species of endophytic fungi of grasses. Archives of Virology, 2009, 154, 327-330.	2.1	60
48	Pathogenicity of endophytic entomopathogenic fungi to Ornithodoros erraticus and Ornithodoros moubata (Acari: Argasidae). Veterinary Parasitology, 2008, 158, 336-343.	1.8	16
49	Direct classification of related species of fungal endophytes (<i>EpichloÃf«</i> spp.) using visible and near-infrared spectroscopy and multivariate analysis. FEMS Microbiology Letters, 2008, 284, 135-141.	1.8	10
50	Effects of choke disease in the grass <i>Brachypodium phoenicoides</i> . Plant Pathology, 2008, 57, 467-472.	2.4	10
51	A totivirus infecting the mutualistic fungal endophyte Epichloë festucae. Virus Research, 2007, 124, 38-43.	2.2	48
52	Fungal alkaloids in populations of endophyte-infected Festuca rubra subsp. pruinosa. Grass and Forage Science, 2007, 62, 364-371.	2.9	8
53	The infection of Festuca rubra subsp. pruinosa by Epichloe festucae. Grass and Forage Science, 2006, 61, 71-76.	2.9	19
54	Near-infrared reflectance spectroscopy as a fast and non-destructive tool to predict foliar organic constituents of several woody species. Analytical and Bioanalytical Chemistry, 2006, 386, 1823-1833.	3.7	41

#	Article	IF	CITATIONS
55	Effects of the infection by the fungal endophyte Epichloë festucae in the growth and nutrient content of Festuca rubra. European Journal of Agronomy, 2006, 24, 374-384.	4.1	57
56	Use of near-infrared reflectance spectroscopy in predicting nitrogen, phosphorus and calcium contents in heterogeneous woody plant species. Analytical and Bioanalytical Chemistry, 2005, 382, 458-465.	3.7	95
57	Use of Near Infrared Reflectance Spectroscopy to Assess Forage Quality of a Mediterranean Shrub. Communications in Soil Science and Plant Analysis, 2004, 35, 665-678.	1.4	39
58	Ergovaline occurrence in grasses infected by fungal endophytes of semi-arid pastures in Spain. Journal of the Science of Food and Agriculture, 2003, 83, 347-353.	3.5	23
59	Fungal endophytes in grasses from semi-arid permanent grasslands of western Spain. Grass and Forage Science, 2003, 58, 94-97.	2.9	22
60	First Report of Choke Disease Caused by Epichloë baconii in the Grass Agrostis castellana. Plant Disease, 2003, 87, 314-314.	1.4	2
61	Genetic structure of natural populations of the grass endophyte Epichloe festucae in semiarid grasslands. Molecular Ecology, 2002, 11, 355-364.	3.9	41
62	Identification of the Fungal Endophyte Epichloe festucae in the Fine Fescue Festuca ampla. Plant Disease, 2002, 86, 1272-1272.	1.4	2
63	Ergovaline levels in cultivars of Festuca arundinacea. Animal Feed Science and Technology, 2001, 93, 169-176.	2.2	10
64	The infection of Festuca rubra by the fungal endophyte Epichloë festucae in Mediterranean permanent grasslands. Grass and Forage Science, 1999, 54, 91-95.	2.9	50
65	Influence of fungal endophyte infection on nutrient element content of tall fescue. Journal of Plant Nutrition, 1999, 22, 163-176.	1.9	14
66	Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands. Animal Feed Science and Technology, 1999, 77, 91-98.	2.2	19
67	Double-stranded RNA and virus-like particles in the grass endophyte Epichloë festucae. Mycological Research, 1998, 102, 914-918.	2.5	23
68	Unencapsidated double-stranded RNA associated with membrane vesicles in isolates of Alternaria solani. Mycological Research, 1997, 101, 604-608.	2.5	8
69	A Bipartite Geminivirus Infecting Tomatoes in Cuba. Plant Disease, 1997, 81, 1215-1215.	1.4	7
70	First Report of Grapevine Virus A in Spain. Plant Disease, 1997, 81, 830-830.	1.4	6
71	Pedigree analysis of the transmission of a double-stranded RNA in barley cultivars. Plant Science, 1993, 91, 45-53.	3.6	21
72	Double-stranded ribonucleic acid in â€~Barsoy' barley. Plant Science, 1992, 83, 187-194.	3.6	35