

Martin Bland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6953224/publications.pdf>

Version: 2024-02-01

101
papers

66,583
citations

57758

44
h-index

38395

95
g-index

104
all docs

104
docs citations

104
times ranked

72222
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting and validating the Autism Diagnostic Observation Schedule Version 2 for use with deaf children and young people. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 553-568.	2.7	10
2	Efficacy of Corticosteroid Therapy for HTLV-1-Associated Myelopathy: A Randomized Controlled Trial (HAMLET-P). <i>Viruses</i> , 2022, 14, 136.	3.3	15
3	A systematic review and meta-analysis of beta-blockers and renin-angiotensin system inhibitors for preventing left ventricular dysfunction due to anthracyclines or trastuzumab in patients with breast cancer. <i>European Heart Journal</i> , 2022, 43, 2562-2569.	2.2	39
4	Doug Altman: Driving critical appraisal and improvements in the quality of methodological and medical research. <i>Biometrical Journal</i> , 2021, 63, 226-246.	1.0	6
5	Safety and immunogenicity of ChAd63-KH vaccine in post-kala-azar dermal leishmaniasis patients in Sudan. <i>Molecular Therapy</i> , 2021, 29, 2366-2377.	8.2	29
6	Performance status and trial site-level factors are associated with missing data in palliative care trials: An individual participant-level data analysis of 10 phase 3 trials. <i>Palliative Medicine</i> , 2021, 35, 1998-2007.	3.1	1
7	Anxiety and Depression Prevalence in Children, Adolescents, and Young Adults With Life-Limiting Conditions—Reply. <i>JAMA Pediatrics</i> , 2020, 174, 208.	6.2	1
8	Childhood obesity intervention studies: A narrative review and guide for investigators, authors, editors, reviewers, journalists, and readers to guard against exaggerated effectiveness claims. <i>Obesity Reviews</i> , 2019, 20, 1523-1541.	6.5	25
9	Prevalence and Incidence of Anxiety and Depression Among Children, Adolescents, and Young Adults With Life-Limiting Conditions. <i>JAMA Pediatrics</i> , 2019, 173, 835.	6.2	101
10	Rejoinder to the letter to the editor. <i>Journal of Biopharmaceutical Statistics</i> , 2019, 29, 576-576.	0.8	0
11	Airflow relieves chronic breathlessness in people with advanced disease: An exploratory systematic review and meta-analyses. <i>Palliative Medicine</i> , 2019, 33, 618-633.	3.1	31
12	Targeted teaching. <i>Significance</i> , 2019, 16, 42-43.	0.4	0
13	Pharmacoepidemiologic Evaluation of Birth Defects from Health-Related Postings in Social Media During Pregnancy. <i>Drug Safety</i> , 2019, 42, 389-400.	3.2	39
14	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019, 23, 1-88.	2.8	15
15	One evidence base; three stories: do opioids relieve chronic breathlessness?. <i>Thorax</i> , 2018, 73, 88-90.	5.6	98
16	Exposure to nature gardens has time-dependent associations with mood improvements for people with mid- and late-stage dementia: Innovative practice. <i>Dementia</i> , 2018, 17, 627-634.	2.0	37
17	Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018, 73, 880-883.	5.6	15
18	DELTA ² guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 363, k3750.	2.3	90

#	ARTICLE	IF	CITATIONS
19	DELTA2 guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>Trials</i> , 2018, 19, 606.	1.6	50
20	Choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial – the development of the DELTA2 guidance. <i>Trials</i> , 2018, 19, 542.	1.6	7
21	AVURT: aspirin versus placebo for the treatment of venous leg ulcers – a Phase II pilot randomised controlled trial. <i>Health Technology Assessment</i> , 2018, 22, 1-138.	2.8	3
22	A cluster randomised controlled trial and evaluation and cost-effectiveness analysis of the Roots of Empathy schools-based programme for improving social and emotional well-being outcomes among 8- to 9-year-olds in Northern Ireland. <i>Public Health Research</i> , 2018, 6, 1-108.	1.3	14
23	Do People Favour Policies that Protect Future Generations? Evidence from a British Survey of Adults. <i>Journal of Social Policy</i> , 2017, 46, 423-445.	1.1	23
24	Assessing Agreement between Methods of Measurement. <i>Clinical Chemistry</i> , 2017, 63, 1653-1654.	3.2	40
25	Quality of missing data reporting and handling in palliative care trials demonstrates that further development of the CONSORT statement is required: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2017, 88, 81-91.	5.0	35
26	Choosing the target difference (≈effect size™) for a randomised controlled trial - DELTA2 guidance protocol. <i>Trials</i> , 2017, 18, 271.	1.6	10
27	Effectiveness and Cost-effectiveness of Opportunistic Screening and Stepped-care Interventions for Older Alcohol Users in Primary Care. <i>Alcohol and Alcoholism</i> , 2017, 52, 655-664.	1.6	15
28	An economic evaluation of Alexander Technique lessons or acupuncture sessions for patients with chronic neck pain: A randomized trial (ATLAS). <i>PLoS ONE</i> , 2017, 12, e0178918.	2.5	13
29	Acupuncture for chronic pain and depression in primary care: a programme of research. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-316.	1.0	27
30	Recombinant polymorphic membrane protein D in combination with a novel, second-generation lipid adjuvant protects against intra-vaginal Chlamydia trachomatis infection in mice. <i>Vaccine</i> , 2016, 34, 4123-4131.	3.8	25
31	Acupuncture as an intervention to reduce alcohol dependency: a systematic review and meta-analysis. <i>Chinese Medicine</i> , 2016, 11, 49.	4.0	10
32	Missing data in randomized controlled trials testing palliative interventions pose a significant risk of bias and loss of power: A systematic review and meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2016, 74, 57-65.	5.0	33
33	The effectiveness of payment for performance in health care: A meta-analysis and exploration of variation in outcomes. <i>Health Policy</i> , 2016, 120, 1141-1150.	3.0	66
34	The importance of the unit of analysis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 1299-1300.	1.0	10
35	Sodium channel-inhibiting drugs and cancer survival: protocol for a cohort study using the CPRD primary care database. <i>BMJ Open</i> , 2016, 6, e011661.	1.9	13
36	Reply to KL Stanhope and PJ Havel. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 589.	4.7	0

#	ARTICLE	IF	CITATIONS
37	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-192.	2.8	41
38	The identification and treatment of women with hyperglycaemia in pregnancy: an analysis of individual participant data, systematic reviews, meta-analyses and an economic evaluation. <i>Health Technology Assessment</i> , 2016, 20, 1-348.	2.8	71
39	Sodium channel-inhibiting drugs and survival of breast, colon and prostate cancer: a population-based study. <i>Scientific Reports</i> , 2015, 5, 16758.	3.3	30
40	Aspirin for Venous Ulcers: Randomised Trial (AVURT): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 513.	1.6	5
41	Timed walk as primary outcome measure of treatment response in clinical trials for HTLV-1-associated myelopathy: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2015, 1, 35.	1.2	5
42	Therapeutic Value of Voltage-Gated Sodium Channel Inhibitors in Breast, Colorectal, and Prostate Cancer: A Systematic Review. <i>Frontiers in Pharmacology</i> , 2015, 6, 273.	3.5	49
43	Statistics Notes: Bootstrap resampling methods. <i>BMJ, The</i> , 2015, 350, h2622-h2622.	6.0	109
44	Validation of the VEINES-QOL quality of life instrument in venous leg ulcers: repeatability and validity study embedded in a randomised clinical trial. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 85.	1.7	47
45	Best (but oft forgotten) practices: testing for treatment effects in randomized trials by separate analyses of changes from baseline in each group is a misleading approach. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 991-994.	4.7	116
46	The Effectiveness of Alcohol Screening and Brief Intervention in Emergency Departments: A Multicentre Pragmatic Cluster Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e99463.	2.5	89
47	MABGEL 1: First Phase 1 Trial of the Anti-HIV-1 Monoclonal Antibodies 2F5, 4E10 and 2G12 as a Vaginal Microbicide. <i>PLoS ONE</i> , 2014, 9, e116153.	2.5	26
48	Measuring improvement in dyspnoea: should absolute or relative values be used?. <i>European Respiratory Journal</i> , 2014, 44, 1700-1703.	6.7	13
49	Exposure to sodium channel-inhibiting drugs and cancer survival: protocol for a cohort study using the QResearch primary care database: Table A1. <i>BMJ Open</i> , 2014, 4, e006604.	1.9	19
50	Alcohol Screening and Brief Interventions for Offenders in the Probation Setting (SIPS Trial): a Pragmatic Multicentre Cluster Randomized Controlled Trial. <i>Alcohol and Alcoholism</i> , 2014, 49, 540-548.	1.6	48
51	Uncertainty beyond sampling error. <i>BMJ, The</i> , 2014, 349, g7065-g7065.	6.0	15
52	Uncertainty and sampling error. <i>BMJ, The</i> , 2014, 349, g7064-g7064.	6.0	21
53	Clinical and cost-effectiveness of compression hosiery versus compression bandages in treatment of venous leg ulcers (Venous leg Ulcer Study IV, VenUS IV): a randomised controlled trial. <i>Lancet, The</i> , 2014, 383, 871-879.	13.7	172
54	Health freaks on trial: Duct tape, bull semen and the call of television. <i>Significance</i> , 2014, 11, 32-35.	0.4	0

#	ARTICLE	IF	CITATIONS
55	The Relationship Between Two Performance Scales: New York Heart Association Classification and Karnofsky Performance Status Scale. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 652-658.	1.2	43
56	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). <i>PLoS ONE</i> , 2014, 9, e104225.	2.5	38
57	Cost-Effectiveness Analysis of Acupuncture, Counselling and Usual Care in Treating Patients with Depression: The Results of the ACUDep Trial. <i>PLoS ONE</i> , 2014, 9, e113726.	2.5	13
58	VenUS IV (Venous leg Ulcer Study IV) " compression hosiery compared with compression bandaging in the treatment of venous leg ulcers: a randomised controlled trial, mixed-treatment comparison and decision-analytic model. <i>Health Technology Assessment</i> , 2014, 18, 1-294.	2.8	65
59	Error in Formula by Salbach et al. <i>Journal of Continuing Education in the Health Professions</i> , 2013, 33, 282.	1.3	0
60	Do Baseline P-Values Follow a Uniform Distribution in Randomised Trials?. <i>PLoS ONE</i> , 2013, 8, e76010.	2.5	38
61	Agreed Statistics. <i>Anesthesiology</i> , 2012, 116, 182-185.	2.5	229
62	Comparisons within randomised groups can be very misleading. <i>BMJ: British Medical Journal</i> , 2011, 342, d561-d561.	2.3	35
63	Comparisons against baseline within randomised groups are often used and can be highly misleading. <i>Trials</i> , 2011, 12, 264.	1.6	159
64	Comments on "Multivariate meta-analysis: Potential and promise" by Jackson et al., <i>Statistics in Medicine</i> , 2011, 30, 2502-2503.	1.6	5
65	Correlation in restricted ranges of data. <i>BMJ: British Medical Journal</i> , 2011, 342, d556-d556.	2.3	143
66	The analysis of cluster-randomised trials in education. <i>Effective Education</i> , 2010, 2, 165-180.	0.3	0
67	A distinctly bimodal distribution pattern in the RR interval histogram predicts early recurrence of atrial fibrillation after electrical cardioversion. <i>International Journal of Cardiology</i> , 2010, 145, 244-245.	1.7	2
68	Analysis of continuous data from small samples. <i>BMJ: British Medical Journal</i> , 2009, 338, a3166-a3166.	2.3	57
69	The tyranny of power: is there a better way to calculate sample size?. <i>BMJ: British Medical Journal</i> , 2009, 339, b3985-b3985.	2.3	87
70	Agreement Between Methods of Measurement with Multiple Observations Per Individual. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 571-582.	0.8	1,476
71	Cluster randomised trials in the medical literature: two bibliometric surveys. <i>BMC Medical Research Methodology</i> , 2004, 4, 21.	3.1	141
72	Teaching statistics to medical students using problem-based learning: the Australian experience. <i>BMC Medical Education</i> , 2004, 4, 31.	2.4	49

#	ARTICLE	IF	CITATIONS
73	The logrank test. BMJ: British Medical Journal, 2004, 328, 1073.	2.3	652
74	Statistics Notes: Validating scales and indexes. BMJ: British Medical Journal, 2002, 324, 606-607.	2.3	167
75	Interpreting statistics with confidence. The Obstetrician and Gynaecologist, 2002, 4, 176-180.	0.4	24
76	Unequal cluster sizes for trials in English and Welsh general practice: implications for sample size calculations. Statistics in Medicine, 2001, 20, 377-390.	1.6	116
77	Statistics Notes: The odds ratio. BMJ: British Medical Journal, 2000, 320, 1468-1468.	2.3	1,017
78	Lack of Association of ACE/Angiotensinogen Genotype with Renal Function in Autosomal Dominant Polycystic Kidney Disease. Genetic Testing and Molecular Biomarkers, 2000, 4, 299-303.	1.7	13
79	Sugar printing rheumatic diseases: A potential method for disease differentiation using immunoglobulin G oligosaccharides. Arthritis and Rheumatism, 1999, 42, 1682-1690.	6.7	74
80	Measuring agreement in method comparison studies. Statistical Methods in Medical Research, 1999, 8, 135-160.	1.5	7,294
81	Statistics notes: Bayesians and frequentists. BMJ: British Medical Journal, 1998, 317, 1151-1160.	2.3	107
82	Statistics Notes: Survival probabilities (the Kaplan-Meier method). BMJ: British Medical Journal, 1998, 317, 1572-1580.	2.3	643
83	Weighted comparison of means. BMJ: British Medical Journal, 1998, 316, 129-129.	2.3	188
84	Statistics notes: Cronbach's alpha. BMJ: British Medical Journal, 1997, 314, 572-572.	2.3	3,576
85	Statistics notes: Transformations, means, and confidence intervals. BMJ: British Medical Journal, 1996, 312, 1079-1079.	2.3	352
86	Statistics Notes: Logarithms. BMJ: British Medical Journal, 1996, 312, 700-700.	2.3	63
87	Statistics Notes: Transforming data. BMJ: British Medical Journal, 1996, 312, 770-770.	2.3	240
88	Statistics Notes: The use of transformation when comparing two means. BMJ: British Medical Journal, 1996, 312, 1153-1153.	2.3	228
89	Statistics Notes: Measurement error proportional to the mean. BMJ: British Medical Journal, 1996, 313, 106-106.	2.3	453
90	Air pollution and daily mortality in London: 1987-92. BMJ: British Medical Journal, 1996, 312, 665-669.	2.3	238

#	ARTICLE	IF	CITATIONS
91	Statistics notes: Measurement error. BMJ: British Medical Journal, 1996, 312, 1654-1654.	2.3	503
92	Statistics Notes: Measurement error and correlation coefficients. BMJ: British Medical Journal, 1996, 313, 41-42.	2.3	518
93	Statistics Notes: Measurement error. BMJ: British Medical Journal, 1996, 313, 744-744.	2.3	975
94	Statistics notes: Calculating correlation coefficients with repeated observations: Part 1--correlation within subjects. BMJ: British Medical Journal, 1995, 310, 446-446.	2.3	899
95	Statistics notes: Calculating correlation coefficients with repeated observations: Part 2--correlation between subjects. BMJ: British Medical Journal, 1995, 310, 633-633.	2.3	628
96	Statistics notes: Multiple significance tests: the Bonferroni method. BMJ: British Medical Journal, 1995, 310, 170-170.	2.3	2,989
97	Preterm delivery: effects of socioeconomic factors, psychological stress, smoking, alcohol, and caffeine. BMJ: British Medical Journal, 1995, 311, 531-535.	2.3	278
98	Symptoms and health problems in pregnancy: their association with social factors, smoking, alcohol, caffeine and attitude to pregnancy. Paediatric and Perinatal Epidemiology, 1994, 8, 145-155.	1.7	21
99	A study of the provision of health checks and health-promotion clinics in 18 general practices. Journal of Clinical Nursing, 1993, 2, 273-277.	3.0	6
100	STATISTICAL METHODS FOR ASSESSING AGREEMENT BETWEEN TWO METHODS OF CLINICAL MEASUREMENT. Lancet, The, 1986, 327, 307-310.	13.7	39,917
101	The logrank test. , 0, .		1