Margarite D Matossian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6953969/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Multifunctional profiling of triple-negative breast cancer patient-derived tumoroids for disease modeling. SLAS Discovery, 2022, 27, 191-200.	2.7	7
2	Concurrent Presentations of Hereditary Spherocytosis and Craniosynostosis Syndromes in Siblings: A Case Series. Clinical Pediatrics, 2021, 60, 151-153.	0.8	1
3	Molecular Mechanisms of Epithelial to Mesenchymal Transition Regulated by ERK5 Signaling. Biomolecules, 2021, 11, 183.	4.0	13
4	Abstract PS16-11: Potential therapeutic effects of HDACi FK228 on TNBC using various models. , 2021, , .		0
5	Quantifying Breast Cancer-Driven Fiber Alignment and Collagen Deposition in Primary Human Breast Tissue. Frontiers in Bioengineering and Biotechnology, 2021, 9, 618448.	4.1	7
6	Application of a small molecule inhibitor screen approach to identify CXCR4 downstream signaling pathways that promote a mesenchymal and fulvestrant‑resistant phenotype in breast cancer cells. Oncology Letters, 2021, 21, 380.	1.8	1
7	Dual inhibition of MEK1/2 and MEK5 suppresses the EMT/migration axis in tripleâ€negative breast cancer through FRAâ€1 regulation. Journal of Cellular Biochemistry, 2021, 122, 835-850.	2.6	5
8	Constitutive activation of MEK5 promotes a mesenchymal and migratory cell phenotype in triple negative breast cancer. Oncoscience, 2021, 8, 61-71.	2.2	2
9	Evaluation of liver kinase B1 downstream signaling expression in various breast cancers and relapse free survival after systemic chemotherapy treatment. Oncotarget, 2021, 12, 1110-1115.	1.8	4
10	Diverse and converging roles of ERK1/2 and ERK5 pathways on mesenchymal to epithelial transition in breast cancer. Translational Oncology, 2021, 14, 101046.	3.7	4
11	NEK5 activity regulates the mesenchymal and migratory phenotype in breast cancer cells. Breast Cancer Research and Treatment, 2021, 189, 49-61.	2.5	10
12	ZEB2 regulates endocrine therapy sensitivity and metastasis in luminal a breast cancer cells through a non-canonical mechanism. Breast Cancer Research and Treatment, 2021, 189, 25-37.	2.5	4
13	Targeting Never-In-Mitosis-A Related Kinase 5 in Cancer: A Review. Current Medicinal Chemistry, 2021, 28, 6096-6109.	2.4	5
14	Evaluation of deacetylase inhibition in metaplastic breast carcinoma using multiple derivations of preclinical models of a new patient-derived tumor. PLoS ONE, 2020, 15, e0226464.	2.5	13
15	ERK5 Is Required for Tumor Growth and Maintenance Through Regulation of the Extracellular Matrix in Triple Negative Breast Cancer. Frontiers in Oncology, 2020, 10, 1164.	2.8	13
16	A novel screening approach comparing kinase activity of small molecule inhibitors with similar molecular structures and distinct biologic effects in triple-negative breast cancer to identify targetable signaling pathways. Anti-Cancer Drugs, 2020, 31, 759-775.	1.4	0
17	Patient-Derived Xenografts as an Innovative Surrogate Tumor Model for the Investigation of Health Disparities in Triple Negative Breast Cancer. Women S Health Reports, 2020, 1, 383-392.	0.8	4
18	Leptin produced by obesity-altered adipose stem cells promotes metastasis but not tumorigenesis of triple-negative breast cancer in orthotopic xenograft and patient-derived xenograft models. Breast Cancer Research, 2019, 21, 67.	5.0	45

#	Article	IF	CITATIONS
19	Pharmacological, Mechanistic, and Pharmacokinetic Assessment of Novel Melatonin-Tamoxifen Drug Conjugates as Breast Cancer Drugs. Molecular Pharmacology, 2019, 96, 272-296.	2.3	30
20	Obesity-Altered Adipose Stem Cells Promote ER+ Breast Cancer Metastasis through Estrogen Independent Pathways. International Journal of Molecular Sciences, 2019, 20, 1419.	4.1	29
21	Drug resistance profiling of a new triple negative breast cancer patient-derived xenograft model. BMC Cancer, 2019, 19, 205.	2.6	19
22	A novel patient-derived xenograft model for claudin-low triple-negative breast cancer. Breast Cancer Research and Treatment, 2018, 169, 381-390.	2.5	19
23	Notch Signaling Regulates Mitochondrial Metabolism and NF-κB Activity in Triple-Negative Breast Cancer Cells via IKKα-Dependent Non-canonical Pathways. Frontiers in Oncology, 2018, 8, 575.	2.8	64
24	Panobinostat suppresses the mesenchymal phenotype in a novel claudin-low triple negative patient-derived breast cancer model. Oncoscience, 2018, 5, 99-108.	2.2	15
25	ZB716, a steroidal selective estrogen receptor degrader (SERD), is orally efficacious in blocking tumor growth in mouse xenograft models. Oncotarget, 2018, 9, 6924-6937.	1.8	27
26	Dual Src Kinase/Pretubulin Inhibitor KX-01, Sensitizes ERα-negative Breast Cancers to Tamoxifen through ERα Reexpression. Molecular Cancer Research, 2017, 15, 1491-1502.	3.4	12
27	Novel application of the published kinase inhibitor set to identify therapeutic targets and pathways in triple negative breast cancer subtypes. PLoS ONE, 2017, 12, e0177802.	2.5	6