
## Weng Hong Chung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6954767/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Comparison Between the Perioperative Outcomes of Female Adolescent Idiopathic Scoliosis (AIS) Versus Adult Idiopathic Scoliosis (AdIS) Following Posterior Spinal Fusion: A Propensity Score Matching Analysis Involving 425 Patients. Global Spine Journal, 2023, 13, 81-88.	2.3	5
2	Patients' Perception and Satisfaction on Neck and Shoulder Imbalance in Adolescent Idiopathic Scoliosis. Global Spine Journal, 2023, 13, 752-763.	2.3	8
3	Severe Lenke 1 and 2 adolescent idiopathic scoliosis had poorer perioperative outcome, higher complication rate, longer fusion and higher operative cost compared to non-severe scoliosis. European Spine Journal, 2022, 31, 1051-1059.	2.2	6
4	Predictive factors for correction rate in severe idiopathic scoliosis (Cobb angle ≥ 90°): an analysis of 128 patients. European Spine Journal, 2021, 30, 653-660.	2.2	1
5	Dual attending surgeon strategy learning curve in single-staged posterior spinal fusion (PSF) surgery for 415 idiopathic scoliosis (IS) cases. Spine Journal, 2021, 21, 1049-1058.	1.3	3
6	Preoperative "Cervical Axis―Deviation Increases the Risk of Distal Adding-On Following Surgery in Lenke 1 and 2 Adolescent Idiopathic Scoliosis Patients. Global Spine Journal, 2021, , 219256822199864.	2.3	0
7	Perioperative outcome and complications following single-staged Posterior Spinal Fusion (PSF) using pedicle screw instrumentation in Adolescent Idiopathic Scoliosis (AIS): a review of 1057 cases from a single centre. BMC Musculoskeletal Disorders, 2021, 22, 413.	1.9	21
8	Feasibility of Single-Stage Posterior Passive Correction and Fusion Surgery for Congenital Scoliosis in Adolescent Patients Who Have Attained Skeletal Maturity. Asian Spine Journal, 2021, , .	2.0	1
9	Factors Affecting Operation Duration in Posterior Spinal Fusion (PSF) Using Dual Attending Surgeon Strategy Among Lenke 1 and 2 Adolescent Idiopathic Scoliosis (AIS) Patients. Clinical Spine Surgery, 2021, Publish Ahead of Print, .	1.3	2
10	Mid-long-term outcome and degeneration of the remaining unfused lumbar intervertebral disc in adolescent idiopathic scoliosis patients who had posterior spinal fusion surgery. European Spine Journal, 2021, 30, 1978-1987.	2.2	6
11	Learning Curve for a Dual Attending Surgeon Strategy in Posterior Spinal Fusion (PSF). Spine, 2021, 46, E663-E670.	2.0	5
12	Perioperative Outcome of Severe Idiopathic Scoliosis (Cobb Angle ≥ 90°). Spine, 2020, 45, 381-389.	2.0	6
13	Conformity and Changes in the Radiological Neck and Shoulder Balance Parameters Throughout 3-Year Follow-up Period. Spine, 2020, 45, E319-E328.	2.0	4
14	Minimally invasive reduction of thoracolumbar burst fracture using monoaxial percutaneous pedicle screws: Surgical technique and report of radiological outcome. Journal of Orthopaedic Surgery, 2020, 28, 230949901988897.	1.0	11
15	Does Menses Affect the Risk of Blood Loss in Adolescent Idiopathic Scoliosis Patients Undergoing Posterior Spinal Fusion Surgeries?. Spine, 2020, 45, 1128-1134.	2.0	3
16	Perioperative outcome of severe rigid idiopathic scoliosis: Single-staged posterior spinal fusion utilizing a dual attending surgeon strategy. A report of 41 patients. Journal of Orthopaedic Surgery, 2020, 28, 230949902093600.	1.0	5
17	Superior mesenteric artery syndrome: A rare complication of scoliosis corrective surgery. Journal of Orthopaedic Surgery, 2020, 28, 230949902094501.	1.0	4
18	A Positive (+ve) Postoperative Upper Instrumented Vertebra Tilt Angle (≥0°) Significantly Increases the Risk of Medial Shoulder and Neck Imbalance in Lenke 1 and 2 Adolescent Idiopathic Scoliosis Patients. Spine, 2020, 45, E694-E703.	2.0	6

Weng Hong Chung

#	Article	IF	CITATIONS
19	Rapid progression of scoliosis curve in a mature patient with undiagnosed pituitary macroadenoma: A rare case report. Acta Orthopaedica Et Traumatologica Turcica, 2020, 54, 561-564.	0.8	1
20	Minimally Invasive versus Conventional Open Surgery for Fixation of Spinal Fracture in Ankylosed Spine. Malaysian Orthopaedic Journal, 2020, 14, 22-31.	0.5	9
21	Parents'/Patients' Perception of the Informed Consent Process and Surgeons Accountability in Corrective Surgery for Adolescent Idiopathic Scoliosis. Spine, 2020, 45, 1661-1667.	2.0	4
22	Delayed Post-operative Spinal Epidural Haematoma after Posterior Spinal Surgery: Report of Two Cases. Malaysian Orthopaedic Journal, 2020, 14, 170-173.	0.5	2
23	Aberrant left brachiocephalic vein is a contraindication for anterior cervicothoracic approach. Journal of Orthopaedic Surgery, 2019, 27, 230949901987921.	1.0	0
24	Does the Severity of the Curve in Lenke 1 and 2 Adolescent Idiopathic Scoliosis Patients Affect the Distance and Position of the Aorta From Vertebra?. Spine, 2019, 44, 785-792.	2.0	4
25	Posterior Spinal Fusion in a Scoliotic Patient With Congenital Heart Block Treated With Pacemaker. Spine, 2019, 44, E252-E257.	2.0	0
26	How Common Is Medial and Lateral Shoulder Discordance in Lenke 1 and 2 Curves?. Spine, 2019, 44, E480-E486.	2.0	8
27	INTRAOSSEOUS LESION OF PHALANX: TWO SIMILAR CASES BUT NOT THE SAME. Journal of the University of Malaya Medical Centre, 2019, 22, 1-3.	0.0	0