## Jonathan Mant

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6955830/publications.pdf

Version: 2024-02-01

224 papers

11,663 citations

43 h-index

61857

101 g-index

228 all docs 228 docs citations

times ranked

228

14505 citing authors

#	Article	IF	Citations
1	The development of a self-management intervention for stroke survivors – My Life After Stroke (MLAS). Disability and Rehabilitation, 2023, 45, 226-234.	0.9	4
2	What dietary interventions have been tested in heart failure with preserved ejection fraction? A systematic scoping review. European Journal of Cardiovascular Nursing, 2023, 22, 126-140.	0.4	3
3	Frailty and cerebrovascular disease: Concepts and clinical implications for stroke medicine. International Journal of Stroke, 2022, 17, 251-259.	2.9	28
4	Feasibility of the cardiac output response to stress test in suspected heart failure patients. Family Practice, 2022, , .	0.8	1
5	Association of major blood lipids with postâ€stroke dementia: A communityâ€based cohort study. European Journal of Neurology, 2022, 29, 968-979.	1.7	2
6	Factors influencing follow-up care post-TIA and minor stroke: a qualitative study using the theoretical domains framework. BMC Health Services Research, 2022, 22, 235.	0.9	0
7	Cost-Effectiveness of Antihypertensive Deprescribing in Primary Care: a Markov Modelling Study Using Data From the OPTiMISE Trial. Hypertension, 2022, 79, 1122-1131.	1.3	5
8	Why do people take part in atrial fibrillation screening? Qualitative interview study in English primary care. BMJ Open, 2022, 12, e051703.	0.8	5
9	Wearable Photoplethysmography for Cardiovascular Monitoring. Proceedings of the IEEE, 2022, 110, 355-381.	16.4	48
10	Statin use is associated with lower risk of dementia in stroke patients: a community-based cohort study with inverse probability weighted marginal structural model analysis. European Journal of Epidemiology, 2022, 37, 615-627.	2.5	6
11	Structured follow-up pathway to support people after transient ischaemic attack and minor stroke (SUPPORT TIA): protocol for a feasibility study and process evaluation. BMJ Open, 2022, 12, e060280.	0.8	1
12	Blood Pressure Changes Following Antihypertensive Medication Reduction, by Drug Class and Dose Chosen for Withdrawal: Exploratory Analysis of Data From the OPTiMISE Trial. Frontiers in Pharmacology, 2021, 12, 619088.	1.6	8
13	Stroke risk following traumatic brain injury: Systematic review and meta-analysis. International Journal of Stroke, 2021, 16, 370-384.	2.9	16
14	Delivering screening programmes in primary care: protocol for a scoping and systematic mixed studies review. BMJ Open, 2021, 11, e046331.	0.8	1
15	The feasibility of theÂPAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. Scientific Reports, 2021, 11, 8897.	1.6	1
16	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. Journal of Hypertension, 2021, 39, 1742-1767.	0.3	82
17	What underlies the difference between self-reported health and disability after stroke? A qualitative study in the UK. BMC Neurology, 2021, 21, 315.	0.8	3
18	B-IN01-07 AN ARTIFICIAL INTELLIGENCE-BASED MODEL FOR PREDICTION OF ATRIAL FIBRILLATION FROM SINGLE-LEAD SINUS RHYTHM ECGS ENABLING SCREENING. Heart Rhythm, 2021, 18, S466.	0.3	0

#	Article	IF	Citations
19	Long-term conditions among sexual minority adults in England: evidence from a cross-sectional analysis of responses to the English GP Patient Survey. BJGP Open, 2021, 5, BJGPO.2021.0067.	0.9	8
20	Anticoagulation trends in adults aged 65 years and over with atrial fibrillation: a cohort study. Open Heart, 2021, 8, e001737.	0.9	15
21	Polypills with or without aspirin for primary prevention of cardiovascular disease. Lancet, The, 2021, 398, 1106-1107.	6.3	2
22	Statistical reanalysis of vascular event outcomes in primary and secondary vascular prevention trials. BMC Medical Research Methodology, 2021, 21, 218.	1.4	4
23	Impact of changes to national guidelines on hypertension-related workload: an interrupted time series analysis in English primary care. British Journal of General Practice, 2021, 71, e296-e302.	0.7	1
24	GPs' mindlines on deprescribing antihypertensives in older patients with multimorbidity: a qualitative study in English general practice. British Journal of General Practice, 2021, 71, e498-e507.	0.7	4
25	Association of blood lipids, atherosclerosis and statin use with dementia and cognitive impairment after stroke: A systematic review and meta-analysis. Ageing Research Reviews, 2020, 57, 100962.	5.0	41
26	Infographic. Developing home-based cardiac rehabilitation for people post-transient ischaemic attack (TIA) and ischaemic stroke. British Journal of Sports Medicine, 2020, 54, 487-488.	3.1	0
27	Impact of Changes to National Hypertension Guidelines on Hypertension Management and Outcomes in the United Kingdom. Hypertension, 2020, 75, 356-364.	1.3	10
28	Generalizability of Blood Pressure Lowering Trials to Older Patients: Crossâ€Sectional Analysis. Journal of the American Geriatrics Society, 2020, 68, 2508-2515.	1.3	38
29	Improving Primary Care After Stroke (IPCAS) randomised controlled trial: protocol for a multidimensional process evaluation. BMJ Open, 2020, 10, e036879.	0.8	2
30	Usability and Acceptability of a Novel Secondary Prevention Initiative Targeting Physical Activity for Individuals after a Transient Ischaemic Attack or "Minor―Stroke: A Qualitative Study. International Journal of Environmental Research and Public Health, 2020, 17, 8788.	1.2	4
31	Deprescribing Antihypertensive Medication in Elderly Adults—Reply. JAMA - Journal of the American Medical Association, 2020, 324, 1682.	3.8	3
32	Association of Prior Atherosclerotic Cardiovascular Disease with Dementia After Stroke: A Retrospective Cohort Study. Journal of Alzheimer's Disease, 2020, 77, 1157-1167.	1.2	6
33	Accuracy of blood-pressure monitors owned by patients with hypertension (ACCU-RATE study): a cross-sectional, observational study in central England. British Journal of General Practice, 2020, 70, e548-e554.	0.7	26
34	How primary care can help survivors of transient ischaemic attack and stroke return to work: focus groups with stakeholders from a UK community. British Journal of General Practice, 2020, 70, e294-e302.	0.7	5
35	When is referral from primary care to specialist services appropriate for survivors of stroke? A modified RAND-appropriateness consensus study. BMC Family Practice, 2020, 21, 66.	2.9	3
36	Characteristics, service use and mortality of clusters of multimorbid patients in England: a population-based study. BMC Medicine, 2020, 18, 78.	2.3	51

#	Article	IF	CITATIONS
37	Effect of Antihypertensive Medication Reduction vs Usual Care on Short-term Blood Pressure Control in Patients With Hypertension Aged 80 Years and Older. JAMA - Journal of the American Medical Association, 2020, 323, 2039.	3.8	99
38	Temporal trends in incidence of atrial fibrillation in primary care records: a population-based cohort study. BMJ Open, 2020, 10, e042518.	0.8	7
39	Home Blood Pressure Monitoring for Treatment Titration. Updates in Hypertension and Cardiovascular Protection, 2020, , 63-72.	0.1	0
40	"lt's Difficult, There's No Formula― Qualitative Study of Stroke Related Communication Between Primary and Secondary Healthcare Professionals. International Journal of Integrated Care, 2020, 20, 11.	0.1	8
41	Screening for Atrial Fibrillation: Improving Efficiency of Manual Review of Handheld Electrocardiograms. Engineering Proceedings, 2020, 2, 78.	0.4	0
42	Acquiring Wearable Photoplethysmography Data in Daily Life: The PPG Diary Pilot Study. Engineering Proceedings, 2020, 2, 80.	0.4	5
43	Acquiring Wearable Photoplethysmography Data in Daily Life: The PPG Diary Pilot Study. , 2020, 2, 80.		9
44	Screening for Atrial Fibrillation: Improving Efficiency of Manual Review of Handheld Electrocardiograms. Engineering Proceedings, 2020, 2, 78.	0.4	1
45	Longer-term efficiency and safety of increasing the frequency of whole blood donation (INTERVAL): extension study of a randomised trial of 20†757 blood donors. Lancet Haematology,the, 2019, 6, e510-e520.	2.2	17
46	<p>Statin use and high-dose statin use after ischemic stroke in the UK: a retrospective cohort study</p> . Clinical Epidemiology, 2019, Volume 11, 495-508.	1.5	13
47	Does characterising patterns of multimorbidity in stroke matter for developing collaborative care approaches in primary care?. Primary Health Care Research and Development, 2019, 20, e110.	0.5	3
48	Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. PLoS Medicine, 2019, 16, e1002903.	3.9	90
49	Schedules for Self-monitoring Blood Pressure: A Systematic Review. American Journal of Hypertension, 2019, 32, 350-364.	1.0	19
50	The role of the GP in managing suspected transient ischaemic attack: a qualitative study. BMC Family Practice, 2019, 20, 67.	2.9	1
51	Cost-Effectiveness of Telemonitoring and Self-Monitoring of Blood Pressure for Antihypertensive Titration in Primary Care (TASMINH4). Hypertension, 2019, 73, 1231-1239.	1.3	73
52	Opportunities and challenges of a novel cardiac output response to stress (CORS) test to enhance diagnosis of heart failure in primary care: qualitative study. BMJ Open, 2019, 9, e028122.	0.8	3
53	Older People Might Be at Most Serious Risk in Antihypertensive Treatmentâ€"Reply. JAMA Internal Medicine, 2019, 179, 590.	2.6	0
54	How is poststroke fatigue understood by stroke survivors and carers? A thematic analysis of an online discussion forum BMJ Open, 2019, 9, e028958.	0.8	13

#	Article	IF	CITATIONS
55	Conceptualising post-stroke fatigue: a cross-sectional survey of UK-based physiotherapists and occupational therapists. BMJ Open, 2019, 9, e033066.	0.8	17
56	Rehabilitation of patients after transient ischaemic attack or minor stroke: pilot feasibility randomised trial of a home-based prevention programme. British Journal of General Practice, 2019, 69, e706-e714.	0.7	14
57	Improving Primary Care After Stroke (IPCAS) trial: protocol of a randomised controlled trial to evaluate a novel model of care for stroke survivors living in the community. BMJ Open, 2019, 9, e030285.	0.8	10
58	TIA and minor stroke: a qualitative study of long-term impact and experiences of follow-up care. BMC Family Practice, 2019, 20, 176.	2.9	34
59	Using a checklist to facilitate management of long-term care needs after stroke: insights from focus groups and a feasibility study. BMC Family Practice, 2019, 20, 2.	2.9	20
60	Functional and emotional outcomes after transient ischemic attack: A 12-month prospective controlled cohort study. International Journal of Stroke, 2019, 14, 522-529.	2.9	12
61	Patient-reported outcomes for subarachnoid hemorrhage. Neurology, 2019, 92, 259-261.	1.5	0
62	Optimising Management of Patients with Heart Failure with Preserved Ejection Fraction in Primary Care (OPTIMISE-HFpEF): rationale and protocol for a multi-method study. BJGP Open, 2019, 3, bjgpopen19X101675.	0.9	9
63	Efficacy of self-monitored blood pressure, with or without telemonitoring, for titration of antihypertensive medication (TASMINH4): an unmasked randomised controlled trial. Lancet, The, 2018, 391, 949-959.	6.3	289
64	Rivaroxaban plus aspirin, compared with aspirin alone, reduced cardiovascular events in patients with stable peripheral or carotid artery disease, but increased the risk of major bleeding. BMJ Evidence-Based Medicine, 2018, 23, 191-192.	1.7	1
65	New US blood-pressure guidelines — who asked the patients?. Nature Reviews Cardiology, 2018, 15, 137-138.	6.1	4
66	Online stroke forum as source of data for qualitative research: insights from a comparison with patients $\hat{a} \in \mathbb{N}$ interviews. BMJ Open, 2018, 8, e020133.	0.8	35
67	Evaluating practical support stroke survivors get with medicines and unmet needs in primary care: a survey. BMJ Open, 2018, 8, e019874.	0.8	11
68	Predicting Out-of-Office Blood Pressure in the Clinic for the Diagnosis of Hypertension in Primary Care. Hypertension, 2018, 71, 250-261.	1.3	14
69	Advanced heart failure: setting the research agenda. British Journal of Cardiac Nursing, 2018, 13, 243-243.	0.0	0
70	OPtimising Treatment for MIld Systolic hypertension in the Elderly (OPTiMISE): protocol for a randomised controlled non-inferiority trial. BMJ Open, 2018, 8, e022930.	0.8	12
71	Reasons why people do not attend NHS Health Checks: a systematic review and qualitative synthesis. British Journal of General Practice, 2018, 68, e28-e35.	0.7	52
72	Benefits and Harms of Antihypertensive Treatment in Low-Risk Patients With Mild Hypertension. JAMA Internal Medicine, 2018, 178, 1626.	2.6	64

#	Article	IF	CITATIONS
73	Association of guideline and policy changes with incidence of lifestyle advice and treatment for uncomplicated mild hypertension in primary care: a longitudinal cohort study in the Clinical Practice Research Datalink. BMJ Open, 2018, 8, e021827.	0.8	9
74	A novel cardiac output response to stress test developed to improve diagnosis and monitoring of heart failure in primary care. ESC Heart Failure, 2018, 5, 703-712.	1.4	11
75	Prospective external validation of the Predicting Out-of-OFfice Blood Pressure (PROOF-BP) strategy for triaging ambulatory monitoring in the diagnosis and management of hypertension: observational cohort study. BMJ: British Medical Journal, 2018, 361, k2478.	2.4	12
76	Do patients actually do what we ask. Journal of Hypertension, 2018, 36, 1753-1761.	0.3	13
77	What are the implications for practice that arise from studies of medication taking? A systematic review of qualitative research. PLoS ONE, 2018, 13, e0195076.	1.1	7
78	Delivery and impact of the NHS Health Check in the first 8 years: a systematic review. British Journal of General Practice, 2018, 68, e449-e459.	0.7	37
79	Stroke survivors' and informal caregivers' experiences of primary care and community healthcare services – A systematic review and meta-ethnography. PLoS ONE, 2018, 13, e0192533.	1.1	160
80	Training in positivity for stroke? A qualitative study of acceptability of use of Positive Mental Training (PosMT) as a tool to assist stroke survivors with post-stroke psychological problems and in coping with rehabilitation. NeuroRehabilitation, 2017, 40, 259-270.	0.5	16
81	Measurement of blood pressure for the diagnosis and management of hypertension in different ethnic groups: one size fits all. BMC Cardiovascular Disorders, 2017, 17, 55.	0.7	14
82	How do stroke survivors and their carers use practitioners' advice on secondary prevention medications? Qualitative study of an online forum. Family Practice, 2017, 34, 612-620.	0.8	17
83	Interarm Difference in Systolic Blood Pressure in Different Ethnic Groups and Relationship to the "White Coat Effectâ€. A Cross-Sectional Study. American Journal of Hypertension, 2017, 30, 884-891.	1.0	11
84	MICE or NICE? An economic evaluation of clinical decision rules in the diagnosis of heart failure in primary care. International Journal of Cardiology, 2017, 241, 255-261.	0.8	11
85	Efficiency and safety of varying the frequency of whole blood donation (INTERVAL): a randomised trial of 45â€`000 donors. Lancet, The, 2017, 390, 2360-2371.	<b>6.</b> 3	222
86	Association Between More Intensive vs Less Intensive Blood Pressure Lowering and Risk of Mortality in Chronic Kidney Disease Stages 3 to 5. JAMA Internal Medicine, 2017, 177, 1498.	2.6	158
87	Barriers and facilitators to adherence to secondary stroke prevention medications after stroke: analysis of survivors and caregivers views from an online stroke forum. BMJ Open, 2017, 7, e016814.	0.8	39
88	Predictive values of referrals for transient ischaemic attack from first-contact health care: a systematic review. British Journal of General Practice, 2017, 67, e871-e880.	0.7	6
89	When has service provision for transient ischaemic attack improved enough? A discrete event simulation economic modelling study. BMJ Open, 2017, 7, e018189.	0.8	0
90	Cost-Effectiveness Analysis of Natriuretic Peptide Testing and Specialist Management in Patients with Suspected Acute Heart Failure. Value in Health, 2017, 20, 1025-1033.	0.1	8

#	Article	IF	Citations
91	Should we screen for atrial fibrillation?. British Journal of General Practice, 2017, 67, 296-297.	0.7	7
92	Telemonitoring and/or self-monitoring of blood pressure in hypertension (TASMINH4): protocol for a randomised controlled trial. BMC Cardiovascular Disorders, 2017, 17, 58.	0.7	18
93	Screening for atrial fibrillation: a European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación CardÃaca y ElectrofisiologÃa (SOLAECE). Europace, 2017, 19, 1589-1623.	0.7	208
94	Patient experience of NHS health checks: a systematic review and qualitative synthesis. BMJ Open, 2017, 7, e017169.	0.8	28
95	Views of commissioners, managers and healthcare professionals on the NHS Health Check programme: a systematic review. BMJ Open, 2017, 7, e018606.	0.8	14
96	Intensive versus Guideline Blood Pressure and Lipid Lowering in Patients with Previous Stroke: Main Results from the Pilot †Prevention of Decline in Cognition after Stroke Trial' (PODCAST) Randomised Controlled Trial. PLoS ONE, 2017, 12, e0164608.	1.1	60
97	Cost-effectiveness analysis of use of a polypill versus usual care or best practice for primary prevention in people at high risk of cardiovascular disease. PLoS ONE, 2017, 12, e0182625.	1.1	19
98	Stroke Prevention Rehabilitation Intervention Trial of Exercise (SPRITE) - a randomised feasibility study. BMC Cardiovascular Disorders, 2017, 17, 290.	0.7	23
99	Self-monitoring of blood pressure in hypertension: A systematic review and individual patient data meta-analysis. PLoS Medicine, 2017, 14, e1002389.	3.9	401
100	Relationship of Self-Rated Health to Stroke Incidence and Mortality in Older Individuals with and without a History of Stroke: A Longitudinal Study of the MRC Cognitive Function and Ageing (CFAS) Population. PLoS ONE, 2016, 11, e0150178.	1.1	12
101	Patients' and clinicians' views on the optimum schedules for self-monitoring of blood pressure: a qualitative focus group and interview study. British Journal of General Practice, 2016, 66, e819-e830.	0.7	28
102	Barriers to medication adherence for the secondary prevention of stroke: a qualitative interview study in primary care. British Journal of General Practice, 2016, 66, e568-e576.	0.7	36
103	Accuracy of monitors used for blood pressure checks in English retail pharmacies: a cross-sectional observational study. British Journal of General Practice, 2016, 66, e309-e314.	0.7	9
104	Self-monitoring blood pressure in patients with hypertension: an internet-based survey of UK GPs. British Journal of General Practice, 2016, 66, e831-e837.	0.7	32
105	Primary care interventions and current service innovations in modifying long-term outcomes after stroke: a protocol for a scoping review. BMJ Open, 2016, 6, e012840.	0.8	3
106	Impact of socioeconomic deprivation on screening for cardiovascular disease risk in a primary prevention population: a cross-sectional study. BMJ Open, 2016, 6, e009984.	0.8	31
107	Barriers and facilitators to staying in work after stroke: insight from an online forum. BMJ Open, 2016, 6, e009974.	0.8	60
108	Influence of ethnicity on acceptability of method of blood pressure monitoring: a cross-sectional study in primary care. British Journal of General Practice, 2016, 66, e577-e586.	0.7	29

#	Article	IF	CITATIONS
109	Stroke survivors and their families receive information and support on an individual basis from an online forum: descriptive analysis of a population of 2348 patients and qualitative study of a sample of participants. BMJ Open, 2016, 6, e010501.	0.8	64
110	Stroke survivors', caregivers' and GPs' attitudes towards a polypill for the secondary prevention of stroke: a qualitative interview study. BMJ Open, 2016, 6, e010458.	0.8	12
111	Cost-effectiveness analysis of different systolic blood pressure targets for people with a history of stroke or transient ischaemic attack: Economic analysis of the PAST-BP study. European Journal of Preventive Cardiology, 2016, 23, 1590-1598.	0.8	8
112	Assessment of cardiovascular risk in primary care. BMJ, The, 2016, 353, i3022.	3.0	0
113	Predicting Out-of-Office Blood Pressure in the Clinic (PROOF-BP). Hypertension, 2016, 67, 941-950.	1.3	39
114	Different systolic blood pressure targets for people with history of stroke or transient ischaemic attack: PAST-BP (Prevention After Stroke—Blood Pressure) randomised controlled trial. BMJ, The, 2016, 352, i708.	3.0	52
115	Cost-effectiveness of self-management of blood pressure in hypertensive patients over 70 years with suboptimal control and established cardiovascular disease or additional cardiovascular risk diseases (TASMIN-SR). European Journal of Preventive Cardiology, 2016, 23, 902-912.	0.8	32
116	Effects of intensive blood pressure lowering on cardiovascular and renal outcomes: updated systematic review and meta-analysis. Lancet, The, 2016, 387, 435-443.	6.3	792
117	An Occupational Therapy intervention for residents with stroke-related disabilities in UK Care Homes (OTCH): cluster randomised controlled trial with economic evaluation. Health Technology Assessment, 2016, 20, 1-138.	1.3	11
118	The Stroke Prevention Programme: a programme of research to inform optimal stroke prevention in primary care. Programme Grants for Applied Research, 2016, 4, 1-290.	0.4	2
119	Individual patient data meta-analysis of self-monitoring of blood pressure (BP-SMART): a protocol: TableÂ1. BMJ Open, 2015, 5, e008532.	0.8	10
120	Baseline characteristics, analysis plan and report on feasibility for the Prevention Of Decline in Cognition After Stroke Trial (PODCAST). Trials, 2015, 16, 509.	0.7	5
121	The associations of "fatness,―"fitness,―and physical activity with allâ€cause mortality in older adults: A systematic review. Obesity, 2015, 23, 1944-1956.	1.5	30
122	An occupational therapy intervention for residents with stroke related disabilities in UK care homes (OTCH): cluster randomised controlled trial. BMJ, The, 2015, 350, h468-h468.	3.0	47
123	Patients' views about taking a polypill to manage cardiovascular risk: a qualitative study in primary care. British Journal of General Practice, 2015, 65, e447-e453.	0.7	14
124	Adherence to medication in stroke survivors dependent on caregivers. British Journal of General Practice, 2015, 65, e789-e791.	0.7	9
125	Initiation and follow-up of treatment for high blood pressure. BMJ, The, 2015, 350, h167-h167.	3.0	O
126	Decisions and Delays Within Stroke Patients' Route to the Hospital: A Qualitative Study. Annals of Emergency Medicine, 2015, 65, 279-287.e3.	0.3	30

#	Article	IF	CITATIONS
127	The diagnostic accuracy of the natriuretic peptides in heart failure: systematic review and diagnostic meta-analysis in the acute care setting. BMJ, The, 2015, 350, h910-h910.	3.0	289
128	Self-Screening and Non-Physician Screening for Hypertension in Communities: A Systematic Review. American Journal of Hypertension, 2015, 28, 1316-1324.	1.0	52
129	Ethnicity and Differences Between Clinic and Ambulatory Blood Pressure Measurements. American Journal of Hypertension, 2015, 28, 729-738.	1.0	21
130	The association between prehospital care and in-hospital treatment decisions in acute stroke: a cohort study. Emergency Medicine Journal, 2015, 32, 93-99.	0.4	43
131	Relationship of Self-Rated Health with Fatal and Non-Fatal Outcomes in Cardiovascular Disease: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e103509.	1.1	118
132	Telemonitoring and self-management in the control of hypertension (TASMINH2): a cost-effectiveness analysis. European Journal of Preventive Cardiology, 2014, 21, 1517-1530.	0.8	81
133	Self-monitoring in hypertension: a web-based survey of primary care physicians. Journal of Human Hypertension, 2014, 28, 123-127.	1.0	38
134	Prevalence and costs of treating uncomplicated stage 1 hypertension in primary care: a cross-sectional analysis. British Journal of General Practice, 2014, 64, e641-e648.	0.7	10
135	Medication Taking in Coronary Artery Disease: A Systematic Review and Qualitative Synthesis. Annals of Family Medicine, 2014, 12, 224-232.	0.9	37
136	Point-of-Care Cluster Randomized Trial in Stroke Secondary Prevention Using Electronic Health Records. Stroke, 2014, 45, 2066-2071.	1.0	27
137	Effect of Self-monitoring and Medication Self-titration on Systolic Blood Pressure in Hypertensive Patients at High Risk of Cardiovascular Disease. JAMA - Journal of the American Medical Association, 2014, 312, 799.	3.8	324
138	Response to Letter Regarding Article, "Warfarin Versus Aspirin for Prevention of Cognitive Decline in Atrial Fibrillation: Randomized Controlled Trial (Birmingham Atrial Fibrillation Treatment of the Aged) Tj ETQq0 0 (	Ong <b>B</b> T/Ov	enlock 10 Tf 5
139	Predicting out-of-office blood pressure level using repeated measurements in the clinic. Journal of Hypertension, 2014, 32, 2171-2178.	0.3	29
140	Warfarin Versus Aspirin for Prevention of Cognitive Decline in Atrial Fibrillation. Stroke, 2014, 45, 1381-1386.	1.0	60
141	Diagnosing and managing acute heart failure in adults: summary of NICE guidance. BMJ, The, 2014, 349, g5695-g5695.	3.0	25
142	Cost-Effectiveness of Optimizing Acute Stroke Care Services for Thrombolysis. Stroke, 2014, 45, 553-562.	1.0	32
143	The drugs do work: blood pressure improvement in England. Lancet, The, 2014, 383, 1868-1869.	6.3	2
144	Missed opportunities in prevention of cardiovascular disease in primary care: a cross-sectional study. British Journal of General Practice, 2014, 64, e38-e46.	0.7	28

#	Article	IF	CITATIONS
145	Making sense of patients' internet forums: a systematic method using discourse analysis. British Journal of General Practice, 2014, 64, e178-e180.	0.7	27
146	Authors' reply to Dalzell and Cannon and Satchithananda and colleagues. BMJ, The, 2014, 349, g6703-g6703.	3.0	0
147	RApid Primary care Initiation of Drug treatment for Transient Ischaemic Attack (RAPIDâ^'TIA): study protocol for a pilot randomised controlled trial. Trials, 2013, 14, 194.	0.7	6
148	Targets and self-management for the control of blood pressure in stroke and at risk groups (TASMIN-SR): protocol for a randomised controlled trial. BMC Cardiovascular Disorders, 2013, 13, 21.	0.7	16
149	What determines the self-rated health of older individuals with stroke compared to other older individuals? A cross-sectional analysis of the Medical Research Council Cognitive Function and Aging Study. BMC Geriatrics, 2013, 13, 85.	1.1	19
150	A systematic evaluation of stroke surveillance studies in low- and middle-income countries. Neurology, 2013, 80, 677-684.	1.5	33
151	Potential impact of new oral anticoagulants on the management of atrial fibrillationâ€related stroke in primary care. International Journal of Clinical Practice, 2013, 67, 647-655.	0.8	4
152	Prevention of Decline in Cognition after Stroke Trial (PODCAST): a study protocol for a factorial randomised controlled trial of intensive versus guideline lowering of blood pressure and lipids. Trials, 2013, 14, 401.	0.7	16
153	Would primary healthcare professionals prescribe a polypill to manage cardiovascular risk? A qualitative interview study: TableÂ1. BMJ Open, 2013, 3, e002498.	0.8	25
154	Transient neurological symptoms in the older population: report of a prospective cohort studyâ€"the Medical Research Council Cognitive Function and Ageing Study (CFAS). BMJ Open, 2013, 3, e003195.	0.8	9
155	Thromboprophylaxis of elderly patients with AF in the UK: an analysis using the General Practice Research Database (GPRD) 2000-2009. Heart, 2013, 99, 127-132.	1.2	72
156	Cost-effectiveness analysis of serial measurement of circulating natriuretic peptide concentration in chronic heart failure. Heart, 2013, 99, 267-271.	1.2	15
157	Trials to Improve Blood Pressure Through Adherence to Antihypertensives in Stroke/TIA: Systematic Review and Metaâ€Analysis. Journal of the American Heart Association, 2013, 2, e000251.	1.6	23
158	Something for the Weekend?. JAMA Neurology, 2013, 70, 130.	4.5	1
159	Adherence to cardiovascular therapy: a meta-analysis of prevalence and clinical consequences. European Heart Journal, 2013, 34, 2940-2948.	1.0	679
160	Self-monitoring for improving control of blood pressure in patients with hypertension. The Cochrane Library, 2013, , .	1.5	2
161	Patient self-monitoring of blood pressure and self-titration of medication in primary care: the TASMINH2 trial qualitative study of health professionals' experiences. British Journal of General Practice, 2013, 63, e378-e385.	0.7	37
162	Accuracy of ambulatory blood pressure monitors. Journal of Hypertension, 2013, 31, 239-250.	0.3	41

#	Article	IF	Citations
163	Development and initial validation of a simple clinical decision tool to predict the presence of heart failure in primary care: the MICE (Male, Infarction, Crepitations, Edema, MICE) rule. European Journal of Heart Failure, 2012, 14, 1000-1008.	2.9	25
164	Protocol for an observation and implementation study investigating optimisation of the management of stroke and transient ischaemic attack (TIA). BMJ Open, 2012, 2, e001430.	0.8	8
165	Varying uses of the ABCD2 scoring system in primary and secondary care: a qualitative study. BMJ Open, 2012, 2, e001501.	0.8	6
166	Blood pressure in different ethnic groups (BP-Eth): a mixed methods study. BMJ Open, 2012, 2, e001598.	0.8	14
167	Do differences in blood pressure between arms matter?. Lancet, The, 2012, 379, 872-873.	6.3	12
168	A cross-sectional study of quality of life in an elderly population (75 years and over) with atrial fibrillation: secondary analysis of data from the Birmingham Atrial Fibrillation Treatment of the Aged study. Europace, 2012, 14, 1420-1427.	0.7	24
169	The REFER (REFer for EchocaRdiogram) protocol: a prospective validation of a clinical decision rule, NT-proBNP, or their combination, in the diagnosis of heart failure in primary care. Rationale and design. BMC Cardiovascular Disorders, 2012, 12, 97.	0.7	14
170	A cluster randomised controlled trial of an occupational therapy intervention for residents with stroke living in UK care homes (OTCH): study protocol. BMC Neurology, 2012, 12, 52.	0.8	14
171	The role of dipeptidyl peptidase-4 inhibitors. BMJ: British Medical Journal, 2012, 344, e1213-e1213.	2.4	4
172	Patients' experiences of self-monitoring blood pressure and self-titration of medication: the TASMINH2 trial qualitative study. British Journal of General Practice, 2012, 62, e135-e142.	0.7	78
173	NICE Guideline for Management of Chronic Heart Failure in Adults. Annals of Internal Medicine, 2012, 156, 70.	2.0	0
174	Republished technology and guidelines: The diagnosis and management of chronic heart failure: review following the publication of the NICE guidelines. Postgraduate Medical Journal, 2011, 87, 841-846.	0.9	2
175	The diagnosis and management of chronic heart failure: review following the publication of the NICE guidelines. Heart, 2011, 97, 411-416.	1.2	35
176	Cost-effectiveness of options for the diagnosis of high blood pressure in primary care: a modelling study. Lancet, The, 2011, 378, 1219-1230.	6.3	296
177	Management of Chronic Heart Failure in Adults: Synopsis of the National Institute for Health and Clinical Excellence Guideline. Annals of Internal Medicine, 2011, 155, 252.	2.0	49
178	Measurement of blood pressure in primary care. BMJ: British Medical Journal, 2011, 342, d382-d382.	2.4	5
179	Cost Effectiveness of Warfarin Versus Aspirin in Patients Older Than 75 Years With Atrial Fibrillation. Stroke, 2011, 42, 1717-1721.	1.0	24
180	Protocol for Past BP: a randomised controlled trial of different blood pressure targets for people with a history of stroke of transient ischaemic attack (TIA) in primary care. BMC Cardiovascular Disorders, 2010, 10, 37.	0.7	13

#	Article	IF	CITATIONS
181	Impact of study design on recruitment of patients to a primary care trial: an observational time series analysis of the Birmingham Atrial Fibrillation Treatment of the Aged (BAFTA) Study. Family Practice, 2010, 27, 691-697.	0.8	12
182	Primary care research and clinical practice: cardiovascular disease. Postgraduate Medical Journal, 2010, 86, 696-703.	0.9	6
183	Telemonitoring and self-management in the control of hypertension (TASMINH2): a randomised controlled trial. Lancet, The, 2010, 376, 163-172.	6.3	481
184	Telemonitoring—or better follow-up? – Authors' reply. Lancet, The, 2010, 376, 1737-1738.	6.3	0
185	Does self-monitoring reduce blood pressure? Meta-analysis with meta-regression of randomized controlled trials. Annals of Medicine, 2010, 42, 371-386.	1.5	205
186	Stroke Prevention in Atrial Fibrillation. Drugs and Aging, 2010, 27, 859-870.	1.3	8
187	Diagnosis and management of adults with chronic heart failure: summary of updated NICE guidance. BMJ: British Medical Journal, 2010, 341, c4130-c4130.	2.4	38
188	Effect of Age on Stroke Prevention Therapy in Patients With Atrial Fibrillation. Stroke, 2009, 40, 1410-1416.	1.0	306
189	Statins in heart failure: Retrospective cohort study using routine primary care data. Annals of Medicine, 2009, 41, 490-496.	1.5	5
190	A randomized trial of the addition of homeâ€based exercise to specialist heart failure nurse care: the Birmingham Rehabilitation Uptake Maximisation study for patients with Congestive Heart Failure (BRUMâ€CHF) study. European Journal of Heart Failure, 2009, 11, 205-213.	2.9	93
191	Protocol for a randomised controlled trial of telemonitoring and self-management in the control of hypertension: Telemonitoring and self-management in hypertension. [ISRCTN17585681]. BMC Cardiovascular Disorders, 2009, 9, 6.	0.7	24
192	Blood Pressure–Lowering Treatment Should Be Offered to All Patients Regardless of Blood Pressure. Journal of Clinical Hypertension, 2009, 11, 698-701.	1.0	0
193	A before and after study of the impact of Specialist Workers for Older People. Journal of Evaluation in Clinical Practice, 2009, 15, 335-340.	0.9	6
194	Management of blood pressure in primary care. BMJ: British Medical Journal, 2009, 338, b940-b940.	2.4	15
195	A survey of tuberculosis clinic provision in England and Wales. Public Health, 2008, 122, 602-612.	1.4	5
196	Management of type 2 diabetes: summary of updated NICE guidance. BMJ: British Medical Journal, 2008, 336, 1306-1308.	2.4	94
197	Short-term effects on mobility, activities of daily living and health-related quality of life of a Conductive Education programme for adults with multiple sclerosis, Parkinson's disease and stroke. Clinical Rehabilitation, 2008, 22, 329-337.	1.0	13
198	Pro: 'Warfarin should be the drug of choice for thromboprophylaxis in elderly patients with atrial fibrillation'. Thrombosis and Haemostasis, 2008, 100, 14-15.	1.8	21

#	Article	IF	CITATIONS
199	Blood pressure self monitoring: questions and answers from a national conference. BMJ: British Medical Journal, 2008, 337, a2732-a2732.	2.4	31
200	Accuracy of diagnosing atrial fibrillation on electrocardiogram by primary care practitioners and interpretative diagnostic software: analysis of data from screening for atrial fibrillation in the elderly (SAFE) trial. BMJ: British Medical Journal, 2007, 335, 380.	2.4	134
201	An analysis of factors that predict patient consent to take part in a randomized controlled trial. Family Practice, 2007, 24, 388-394.	0.8	13
202	A cross-sectional study of hypertension in an elderly population (75Âyears and over) with atrial fibrillation: Secondary analysis of data from the Birmingham Atrial Fibrillation in the Aged (BAFTA) randomised controlled trial. International Journal of Cardiology, 2007, 117, 152-156.	0.8	11
203	Warfarin versus aspirin for stroke prevention in an elderly community population with atrial fibrillation (the Birmingham Atrial Fibrillation Treatment of the Aged Study, BAFTA): a randomised controlled trial. Lancet, The, 2007, 370, 493-503.	6.3	1,466
204	Warfarin versus aspirin for stroke prevention (BAFTA) $\hat{a} \in$ "Authors' reply. Lancet, The, 2007, 370, 1606-1607.	6.3	3
205	Clinicians didn't reliably distinguish between different causes of cardiac death using case histories. Journal of Clinical Epidemiology, 2006, 59, 862-867.	2.4	42
206	Applicability to primary care of national clinical guidelines on blood pressure lowering for people with stroke: cross sectional study. BMJ: British Medical Journal, 2006, 332, 635-637.	2.4	42
207	Does it matter whether patients take their antihypertensive medication as prescribed? The complex relationship between adherence and blood pressure control. Journal of Human Hypertension, 2006, 20, 551-553.	1.0	29
208	Process of care and mortality of stroke patients with and without a do not resuscitate order in the West Midlands, UK. International Journal for Quality in Health Care, 2006, 18, 102-106.	0.9	20
209	Comparing processes of stroke care in high- and low-mortality hospitals in the West Midlands, UK. International Journal for Quality in Health Care, 2005, 17, 31-36.	0.9	21
210	A randomised controlled trial and cost effectiveness study of systematic screening (targeted and) Tj ETQq0 0 0 r 65s: (SAFE) [ISRCTN19633732]. BMC Cardiovascular Disorders, 2004, 4, 12.	gBT /Over 0.7	ock 10 Tf 50 18
211	Does changing from mercury to electronic blood pressure measurement influence recorded blood pressure? An observational study. British Journal of General Practice, 2003, 53, 953-6.	0.7	30
212	Inter-rater reliability of the Frenchay Activities Index in patients with stroke and their carers. Clinical Rehabilitation, 2000, 14, 433-440.	1.0	67
213	Family support for stroke: a randomised controlled trial. Lancet, The, 2000, 356, 808-813.	6.3	219
214	RESEARCH LETTER: Uptake of research findings into clinical practice: a controlled study of the impact of a brief external intervention on the use of corticosteroids in preterm delivery. Journal of Evaluation in Clinical Practice, 1999, 5, 73-79.	0.9	5
215	Oral contraception and other factors in relation to back disorders in women: findings in a large cohort study. Contraception, 1999, 60, 331-335.	0.8	15
216	Risk of myocardial infarction, angina and stroke in users of oral contraceptives: an updated analysis of a cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 890-896.	1.1	68

#	Article	IF	CITATIONS
217	Oral contraception and other factors in relation to hospital referral for fracture. Contraception, 1998, 57, 231-235.	0.8	72
218	The impact of an information pack on patients with stroke and their carers: a randomized controlled trial. Clinical Rehabilitation, 1998, 12, 465-476.	1.0	113
219	Comparison of postal version of the Frenchay Activities Index with interviewer-administered version for use in people with stroke. Clinical Rehabilitation, 1997, 11, 131-138.	1.0	38
220	Using the evidence: putting the research into practice. British Journal of Midwifery, 1997, 5, 396-399.	0.1	1
221	Combined oral contraceptives and liver disease. Contraception, 1997, 55, 145-151.	0.8	43
222	Epidemiology of genital prolapse: observations from the Oxford Family Planning Association study. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 579-585.	1.1	617
223	Adjusted-dose warfarin for atrial fibrillation reduced stroke risk better than low-dose warfarin plus aspirin. ACP Journal Club, 1997, 126, 1.	0.1	0
224	Assessing quality of care: what are the implications of the potential lack of sensitivity of outcome measures to differences in quality?. Journal of Evaluation in Clinical Practice, 1996, 2, 243-248.	0.9	12