## Adrian H Heald

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6958840/publications.pdf

Version: 2024-02-01

163 papers 3,880 citations

30 h-index 56 g-index

172 all docs

 $\begin{array}{c} 172 \\ \text{docs citations} \end{array}$ 

172 times ranked

5392 citing authors

#	Article	IF	CITATIONS
1	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	3.7	815
2	Close relation of fasting insulin-like growth factor binding protein-1 (IGFBP-1) with glucose tolerance and cardiovascular risk in two populations. Diabetologia, 2001, 44, 333-339.	2.9	172
3	Long-term negative impact on quality of life in patients with successfully treated Cushing's disease. Clinical Endocrinology, 2004, 61, 458-465.	1.2	161
4	Into the looking glass: Post-viral syndrome post COVID-19. Medical Hypotheses, 2020, 144, 110055.	0.8	161
5	Insulin-like Growth Factor Binding Protein-2 (IGFBP-2) is a Marker for the Metabolic Syndrome. Experimental and Clinical Endocrinology and Diabetes, 2006, 114, 371-376.	0.6	109
6	British Society for Sexual Medicine Guidelines on the Management of Erectile Dysfunction in Men—2017. Journal of Sexual Medicine, 2018, 15, 430-457.	0.3	91
7	Diabetes Prevalence Survey of Pakistan (DPS-PAK): prevalence of type 2 diabetes mellitus and prediabetes using HbA1c: a population-based survey from Pakistan. BMJ Open, 2019, 9, e025300.	0.8	89
8	Estimating life years lost to diabetes: outcomes from analysis of National Diabetes Audit and Office of National Statistics data. Cardiovascular Endocrinology and Metabolism, 2020, 9, 183-185.	0.5	88
9	Low Circulating IGF-II Concentrations Predict Weight Gain and Obesity in Humans. Diabetes, 2003, 52, 1403-1408.	0.3	86
10	Low Circulating Levels of Insulin-Like Growth Factor Binding Protein-1 (IGFBP-1) Are Closely Associated With the Presence of Macrovascular Disease and Hypertension in Type 2 Diabetes. Diabetes, 2002, 51, 2629-2636.	0.3	76
11	Serum testosterone, testosterone replacement therapy and all-cause mortality in men with type 2 diabetes: retrospective consideration of the impact of PDE5 inhibitors and statins. International Journal of Clinical Practice, 2016, 70, 244-253.	0.8	76
12	Phosphodiesterase type-5 inhibitor use in type 2 diabetes is associated with a reduction in all-cause mortality. Heart, 2016, 102, 1750-1756.	1.2	74
13	Foot ulceration and its association with mortality in diabetes mellitus: a metaâ€analysis. Diabetic Medicine, 2020, 37, 211-218.	1.2	<b>7</b> 3
14	Lifestyle factors and the metabolic syndrome in Schizophrenia: a cross-sectional study. Annals of General Psychiatry, 2017, 16, 12.	1.2	71
15	Epidemiology of the Insulin-like Growth Factor System in Three Ethnic Groups. American Journal of Epidemiology, 2001, 154, 504-513.	1.6	67
16	"Stay at Home, Protect the National Health Service, Save Lives― A cost benefit analysis of the lockdown in the United Kingdom. International Journal of Clinical Practice, 2021, 75, e13674.	0.8	65
17	C-reactive protein and the insulin-like growth factor (IGF)-system in relation to risk of cardiovascular disease in different ethnic groups. Atherosclerosis, 2003, 170, 79-86.	0.4	63
18	LIVING WITH COVID-19: BALANCING COSTS AGAINST BENEFITS IN THE FACE OF THE VIRUS. National Institute Economic Review, 2020, 253, R60-R76.	0.4	63

#	Article	IF	Citations
19	Reduced Testing Frequency for Glycated Hemoglobin, HbA1c, Is Associated With Deteriorating Diabetes Control. Diabetes Care, 2014, 37, 2731-2737.	4.3	57
20	Significant ethnic variation in total and free testosterone concentration. Clinical Endocrinology, 2003, 58, 262-266.	1.2	56
21	Physical health in schizophrenia: a challenge for antipsychotic therapy. European Psychiatry, 2010, 25, S6-S11.	0.1	53
22	Serum testosterone levels in male hypogonadism: Why and when to check-A review. International Journal of Clinical Practice, 2017, 71, e12995.	0.8	47
23	Most commercial insulin assays fail to detect recombinant insulin analogues. Annals of Clinical Biochemistry, 2006, 43, 306-308.	0.8	44
24	Sex differences in plasma clozapine and norclozapine concentrations in clinical practice and in relation to body mass index and plasma glucose concentrations: a retrospective survey. Annals of General Psychiatry, 2015, 14, 39.	1.2	43
25	The influence of dietary intake on the insulin-like growth factor (IGF) system across three ethnic groups: a population-based study. Public Health Nutrition, 2003, 6, 175-180.	1.1	40
26	Low Sex Hormone Binding Globulin is a Potential Marker for the Metabolic Syndrome in Different Ethnic Groups. Experimental and Clinical Endocrinology and Diabetes, 2005, 113, 522-528.	0.6	40
27	Dietary intake and the insulin-like growth factor system: effects of migration in two related populations in India and Britain with markedly different dietary intake. Public Health Nutrition, 2005, 8, 620-627.	1.1	34
28	Management of physical health in patients with schizophrenia: practical recommendations. European Psychiatry, 2010, 25, S41-S45.	0.1	34
29	Social deprivation modifies the association between incident foot ulceration and mortality in type 1 and type 2 diabetes: a longitudinal study of a primary-care cohort. Diabetologia, 2018, 61, 959-967.	2.9	34
30	Cost of hospital treatment of type $1$ diabetes (T1DM) and type $2$ diabetes (T2DM) compared to the non-diabetes population: a detailed economic evaluation. BMJ Open, 2020, 10, e033231.	0.8	33
31	Personal protective equipment (PPE) and infection among healthcare workers – What is the evidence?. International Journal of Clinical Practice, 2020, 74, e13617.	0.8	32
32	Effects of hormone replacement therapy on insulin-like growth factor (IGF)-I, IGF-II and IGF binding protein (IGFBP)-1 to IGFBP-4: Implications for cardiovascular risk. Gynecological Endocrinology, 2005, 20, 176-182.	0.7	30
33	Improving type 2 diabetes mellitus glycaemic outcomes is possible without spending more on medication: Lessons from the UK National Diabetes Audit. Diabetes, Obesity and Metabolism, 2018, 20, 185-194.	2,2	30
34	A phased approach to unlocking during the COVIDâ€19 pandemicâ€"Lessons from trend analysis. International Journal of Clinical Practice, 2020, 74, e13528.	0.8	30
35	Polymorphisms in IGF-Binding Protein 1 Are Associated With Impaired Renal Function in Type 2 Diabetes. Diabetes, 2005, 54, 3547-3553.	0.3	28
36	Route to improving Type 1 diabetes mellitus glycaemic outcomes: realâ€world evidence taken from the National Diabetes Audit. Diabetic Medicine, 2018, 35, 63-71.	1.2	27

3

#	Article	IF	Citations
37	Screening for hypogonadism in diabetes 2008/9: Results from the Cheshire Primary Care cohort. Primary Care Diabetes, 2012, 6, 143-148.	0.9	24
38	Low Insulin-like Growth Factor-II Levels Predict Weight Gain in Normal Weight Subjects with Type 2 Diabetes. American Journal of Medicine, 2006, 119, 167.e9-167.e15.	0.6	23
39	Prescribing in schizophrenia and psychosis: Increasing polypharmacy over time. Human Psychopharmacology, 2017, 32, e2579.	0.7	22
40	Early-life stress effects on BDNF DNA methylation in first-episode psychosis and in rats reared in isolation. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 108, 110188.	2.5	22
41	How fast should social restrictions be eased in England as COVIDâ€19 vaccinations are rolled out?. International Journal of Clinical Practice, 2021, 75, e14191.	0.8	19
42	Assessment of the effect of the COVID-19 pandemic on UK HbA1c testing: implications for diabetes management and diagnosis. Journal of Clinical Pathology, 2023, 76, 177-184.	1.0	19
43	The frequency of testing for glycated haemoglobin, HbA <sub>1c</sub> , is linked to the probability of achieving target levels in patients with suboptimally controlled diabetes mellitus. Clinical Chemistry and Laboratory Medicine, 2018, 57, 296-304.	1.4	17
44	Data Independent Acquisition Mass Spectrometry Can Identify Circulating Proteins That Predict Future Weight Loss with a Diet and Exercise Programme. Journal of Clinical Medicine, 2019, 8, 141.	1.0	17
45	Comparing cost of intravenous infusion and subcutaneous biologics in COVIDâ€19 pandemic care pathways for rheumatoid arthritis and inflammatory bowel disease: A brief UK stakeholder survey. International Journal of Clinical Practice, 2021, 75, e14341.	0.8	16
46	The change in glycaemic control immediately after COVIDâ€19 vaccination in people with type 1 diabetes. Diabetic Medicine, 2022, 39, e14774.	1.2	16
47	Mortality in People with TypeÂ2 Diabetes Following SARS-CoV-2 Infection: A Population Level Analysis of Potential Risk Factors. Diabetes Therapy, 2022, 13, 1037-1051.	1.2	16
48	An audit of the measurement and reporting of male testosterone levels in UK clinical biochemistry laboratories. International Journal of Clinical Practice, 2020, 74, e13607.	0.8	15
49	Analysis of continuous glucose tracking data in people with type 1 diabetes after COVIDâ€19 vaccination reveals unexpected link between immune and metabolic response, augmented by adjunctive oral medication. International Journal of Clinical Practice, 2021, 75, e14714.	0.8	15
50	Migration is associated with lower total, but not free testosterone levels in South Asian men. Clinical Endocrinology, 2007, 67, 651-655.	1.2	14
51	Diet, exercise and the metabolic syndrome in schizophrenia: A cross-sectional study. Schizophrenia Research, 2015, 169, 494-495.	1.1	14
52	Changes in metabolic parameters in patients with severe mental illness over a 10-year period: A retrospective cohort study. Australian and New Zealand Journal of Psychiatry, 2017, 51, 75-82.	1.3	14
53	Monitoring Thyroid Function in Patients on Levothyroxine. Assessment of Conformity to National Guidance and Variability in Practice. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 625-633.	0.6	14
54	Effect of bariatric surgery on plasma levels of oxidised phospholipids, biomarkers of oxidised LDL and lipoprotein(a). Journal of Clinical Lipidology, 2021, 15, 320-331.	0.6	13

#	Article	IF	CITATIONS
55	Modelling the impact of the mandatory use of face coverings on public transport and in retail outlets in the UK on COVIDâ€19â€related infections, hospital admissions and mortality. International Journal of Clinical Practice, 2021, 75, e13768.	0.8	13
56	Insulin-like growth factor-II and insulin-like growth factor binding protein-2 prospectively predict longitudinal elevation of HDL-cholesterol in type 2 diabetes. Annals of Clinical Biochemistry, 2014, 51, 468-475.	0.8	12
57	Male hypogonadism: 14â€year prospective outcome in 550 men with type 2 diabetes. Endocrinology, Diabetes and Metabolism, 2019, 2, e00064.	1.0	12
58	Mortality in 98 type 1 diabetes mellitus and type 2 diabetes mellitus: Foot ulcer location is an independent risk determinant. Diabetic Medicine, 2021, 38, e14568.	1.2	12
59	Impact of the UK COVIDâ€19 pandemic on HbA1c testing and its implications for diabetes diagnosis and management. International Journal of Clinical Practice, 2021, 75, e13980.	0.8	11
60	Analysis of Continuous Blood Glucose Data in People with Type 1 Diabetes (T1DM) After COVID-19 Vaccination Indicates a Possible Link Between the Immune and the Metabolic Response. Journal of Diabetes Science and Technology, 2021, 15, 1204-1205.	1.3	11
61	Androgen receptor-reduced sensitivity is associated with increased mortality and poorer glycaemia in men with type 2 diabetes mellitus: a prospective cohort study. Cardiovascular Endocrinology and Metabolism, 2021, 10, 37-44.	0.5	11
62	Developing a foot ulcer risk model: what is needed to do this in a realâ€world primary care setting?. Diabetic Medicine, 2019, 36, 1412-1416.	1.2	10
63	The Risk Factors Potentially Influencing Hospital Admission in People with Diabetes, Following SARS-CoV-2 Infection: A Population-Level Analysis. Diabetes Therapy, 2022, 13, 1007.	1.2	10
64	IGF2 Gene Polymorphisms and IGF-II Concentration are Determinants of Longitudinal Weight Trends in Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 361-367.	0.6	9
65	Socioeconomic deprivation independently predicts symptomatic painful diabetic neuropathy in type 1 diabetes. Primary Care Diabetes, 2014, 8, 65-69.	0.9	9
66	Should we be screening for thyroid dysfunction in patients with type 2 diabetes mellitus?. British Journal of General Practice, 2018, 68, 94-95.	0.7	9
67	The costs of drug prescriptions for diabetes in the NHS. Lancet, The, 2019, 393, 226-227.	6.3	9
68	Circulating microRNA changes in patients with impaired glucose regulation. Adipocyte, 2020, 9, 443-453.	1.3	9
69	Trends in costs and prescribing for liothyronine and levothyroxine in England and wales 2011–2020. Clinical Endocrinology, 2021, 94, 980-989.	1.2	9
70	Is there a role for natural desiccated thyroid in the treatment of levothyroxine unresponsive hypothyroidism? Results from a consecutive case series. International Journal of Clinical Practice, 2021, 75, e14967.	0.8	9
71	Antidepressant Prescribing in England. primary care companion for CNS disorders, The, 2020, 22, .	0.2	9
72	Marked differences in the IGF system that are associated with migration in comparable populations of Gujaratis living in Sandwell, UK, and Gujarat, India. Diabetologia, 2005, 48, 1756-1765.	2.9	8

5

#	Article	IF	CITATIONS
73	Should Free Thyroxine Go Back into the Routine Thyroid Profile?. Experimental and Clinical Endocrinology and Diabetes, 2015, 123, 594-597.	0.6	8
74	Socioeconomic Deprivation Independently Predicts Painful Diabetic Neuropathy in Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2015, 123, 423-427.	0.6	8
75	The FreeStyle Libre flash glucose monitoring system: how it has improved glycaemic control for people with type 1 diabetes in Eastern Cheshire, UK. Cardiovascular Endocrinology and Metabolism, 2020, 9, 171-176.	0.5	8
76	Links between the amount of antipsychotic medication prescribed per population at general practice level, local demographic factors and medication selection. BMC Psychiatry, 2020, 20, 528.	1.1	8
77	Type 2 diabetes prevalence in Pakistan: what is driving this? Clues from subgroup analysis of normal weight individuals in diabetes prevalence survey of Pakistan. Cardiovascular Endocrinology and Metabolism, 2020, 9, 159-164.	0.5	8
78	Socioeconomic Deprivation as Measured by the Index of Multiple Deprivation and Its Association with Low Sex Hormone Binding Globulin in Women. The Open Biochemistry Journal, 2017, 11, 1-7.	0.3	8
79	Higher levels of apomorphine and rotigotine prescribing reduce overall secondary healthcare costs in Parkinson's disease. International Journal of Clinical Practice, 2016, 70, 907-915.	0.8	7
80	Sodiumâ€glucose coâ€transporterâ€2 inhibitors, the latest residents on the block: Impact on glycaemic control at a general practice level in England. Diabetes, Obesity and Metabolism, 2018, 20, 1659-1669.	2.2	7
81	The pattern of prescribing of glucose modulating agents for type 2 diabetes in general practices in England 2016/17. International Journal of Clinical Practice, 2018, 72, e13080.	0.8	7
82	Realâ€world practice level data analysis confirms link between variability within Blood Glucose Monitoring Strip (BGMS) and glycosylated haemoglobin (HbA1c) in Type 1 Diabetes. International Journal of Clinical Practice, 2018, 72, e13252.	0.8	7
83	Lifestyle intervention in individuals with impaired glucose regulation affects Caveolin-1 expression and DNA methylation. Adipocyte, 2020, 9, 96-107.	1.3	7
84	Pregnancy related pituitary enlargement mimicking macroadenoma. British Journal of Neurosurgery, 2004, 18, 524-526.	0.4	6
85	Screening for insulin resistance in women with polycystic ovarian syndrome. Gynecological Endocrinology, 2005, 20, 84-91.	0.7	6
86	Are cholesterol levels being checked and managed appropriately in UK primary care type 2 diabetes?. International Journal of Clinical Practice, 2015, 69, 1389-1391.	0.8	6
87	Changes in biomarkers of bone turnover in an aripiprazole add-on or switching study. Schizophrenia Research, 2016, 170, 245-251.	1.1	6
88	Success Rates in a Diabetes Specialist Nurse-Led Education Programme: Re-setting the Glucostat. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 297-300.	0.6	6
89	The LEAVE vote and racial abuse towards Black and Minority Ethnic communities across the UK: the impact on mental health. Journal of the Royal Society of Medicine, 2018, 111, 158-161.	1.1	6
90	COVIDâ€19: Generate and apply local modelled transmission and morbidity effects to provide an estimate of the variation in overall relative healthcare resource impact at general practice granularity. International Journal of Clinical Practice, 2020, 74, e13533.	0.8	6

#	Article	IF	CITATIONS
91	Inadequate postpartum screening for type 2 diabetes in women with previous gestation diabetes mellitus: A retrospective audit of practice over 17Âyears. International Journal of Clinical Practice, 2021, 75, e14447.	0.8	6
92	Changes in the Proteome Profile of People Achieving Remission of Type 2 Diabetes after Bariatric Surgery. Journal of Clinical Medicine, 2021, 10, 3659.	1.0	6
93	Is a fasting testosterone level really necessary for the determination of androgen status in men?. Clinica Chimica Acta, 2021, 521, 64-69.	0.5	6
94	Relationship between the Plasma Proteome and Changes in Inflammatory Markers after Bariatric Surgery. Cells, 2021, 10, 2798.	1.8	6
95	Quantitative Adjustment for Macroprolactin is an Integral Part of Laboratory Assessment of Hyperprolactinaemia. Experimental and Clinical Endocrinology and Diabetes, 2012, 120, 376-380.	0.6	5
96	Measuring vitamin D levels: surrogates are insufficient. International Journal of Clinical Practice, 2015, 69, 131-135.	0.8	5
97	People with Type Diabetes Mellitus (T1DM) self-reported views on their own condition management reveal links to potentially improved outcomes and potential areas for service improvement. Diabetes Research and Clinical Practice, 2020, 170, 108479.	1.1	5
98	Serum lithium test requesting across three UK regions: an evaluation of adherence to monitoring guidelines. BMC Psychiatry, 2021, 21, 32.	1.1	5
99	Seasonal Variation in Antidepressant Prescribing. primary care companion for CNS disorders, The, 2021, 23, .	0.2	5
100	Age of people with type 2 diabetes and the risk of dying following SARS oVâ€⊋ infection. International Journal of Clinical Practice, 2021, 75, e14053.	0.8	5
101	Liothyronine and levothyroxine prescribing in England: A comprehensive survey and evaluation. International Journal of Clinical Practice, 2021, 75, e14228.	0.8	5
102	Social Disadvantage Is Associated With Lower Vitamin D Levels in Older People and There Is No Surrogate for Its Measurement. Gerontology and Geriatric Medicine, 2017, 3, 233372141769784.	0.8	4
103	Assessment of global long interspersed nucleotide elementâ $\in$ 1 (LINE â $\in$ 1) DNA methylation in a longitudinal cohort of type 2 diabetes mellitus (T2 DM) individuals. International Journal of Clinical Practice, 2019, 73, e13270.	0.8	4
104	Application of SWATH mass spectrometry in the identification of circulating proteins does not predict future weight gain in early psychosis. Clinical Proteomics, 2020, 17, 38.	1.1	4
105	Applying Parkes Grid Method to Evaluate Impact of Variation in Blood Glucose Monitoring (BGM) Strip Accuracy Performance in Type 1 Diabetes Highlights the Potential for Amplification of Imprecision With Less Accurate BGM Strips. Journal of Diabetes Science and Technology, 2021, 15, 76-81.	1.3	4
106	Lessons learnt from the variation across 6741 family/general practices in England in the use of treatments for hypogonadism. Clinical Endocrinology, 2021, 94, 827-836.	1,2	4
107	Recalibration of thinking about adrenocortical function assessment: how the $\hat{a}\in \mathbb{T}$ random $\hat{a}\in \mathbb{T}$ cortisol relates to the short synacthen test results. Cardiovascular Endocrinology and Metabolism, 2021, 10, 137-145.	0.5	4
108	Mortality Rate Associated with Diabetes: Outcomes From a General Practice Level Analysis in England Using the Royal College of General Practitioners (RCGP) Database Indicate Stability Over a 15 Year Period. Diabetes Therapy, 2022, 13, 505-516.	1.2	4

7

#	Article	IF	Citations
109	Can we check serum lithium levels less often without compromising patient safety?. BJPsych Open, 2022, 8, e18.	0.3	4
110	Reducing fatigue-related symptoms in Long COVID-19: a preliminary report of a lymphatic drainage intervention. Cardiovascular Endocrinology and Metabolism, 2022, 11, e0261.	0.5	4
111	The number of androgen receptor CAG repeats and mortality in men. Aging Male, 2022, 25, 167-172.	0.9	4
112	HOMA-S is Associated with Greater HbA1c Reduction with a GLP-1 Analogue in Patients with Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2012, 120, 420-423.	0.6	3
113	Clinical appropriateness of C-reactive protein requests: Reduction in unnecessary repeats. International Journal of Clinical Practice, 2017, 71, e12941.	0.8	3
114	Polycystic ovarian syndrome: Assessment of approaches to diagnosis and cardiometabolic monitoring in UK primary care. International Journal of Clinical Practice, 2018, 72, e13046.	0.8	3
115	Brexit, the Leave campaign, and mental health of ethnic minority communities. Lancet Psychiatry,the, 2018, 5, 110.	3.7	3
116	Quantifying the link between long-term condition (LTC) patient experience in primary care and their clinical outcomes as measured by the National Diabetes Audit. International Journal of Clinical Practice, 2018, 72, e13255.	0.8	3
117	Analysis of English general practice level data linking medication levels, service activity and demography to levels of glycaemic control being achieved in type 2 diabetes to improve clinical practice and patient outcomes. BMJ Open, 2019, 9, e028278.	0.8	3
118	More frequent lithium testing in UK Primary Care associates with a lower hospital admission rate for bipolar disorder—What this can tell us about GP practice engagement with this group. International Journal of Clinical Practice, 2019, 73, e13277.	0.8	3
119	Self-Reported Views on Managing Type 1 Diabetes Mellitus. Journal of Diabetes Science and Technology, 2021, 15, 198-200.	1.3	3
120	Liothyronine for hypothyroidism: a candidate for disinvestment or in need of further research? A value of information analysis. BMJ Open, 2021, 11, e051702.	0.8	3
121	The experience of blood glucose monitoring in people with type 2 diabetes mellitus (T2DM). Endocrinology, Diabetes and Metabolism, 2022, 5, e00302.	1.0	3
122	Variability in Test Interval Is Linked to Glycated Haemoglobin (HbA1c) Trajectory over Time. Journal of Diabetes Research, 2022, 2022, 1-11.	1.0	3
123	Screening for hypogonadism: real-world considerations. Trends in Urology & Men's Health, 2016, 7, 27-32.	0.2	2
124	Reduction of unnecessary N-terminal pro-brain natriuretic peptide (NT-proBNP) tests: A further lesson in demand management. International Journal of Clinical Practice, 2018, 72, e13071.	0.8	2
125	Hypogonadism is not being sufficiently recognised in 99% of general practices/family doctor surgeries. International Journal of Clinical Practice, 2020, 74, e13445.	0.8	2
126	Influences on the use of antidepressants in primary care: All England general practiceâ€level analysis of demographic, practiceâ€level and prescriber factors. Human Psychopharmacology, 2020, 35, e2741.	0.7	2

#	Article	IF	CITATIONS
127	What is the value of the 60â€minute cortisol measurement in the short synacthen test (SST)? Evidence for the defence. International Journal of Clinical Practice, 2021, 75, e14417.	0.8	2
128	Longitudinal clinical trajectory analysis of individuals before and after diagnosis of Type 2 Diabetes Mellitus (T2DM) indicates that vascular problems start early. International Journal of Clinical Practice, 2021, 75, e14695.	0.8	2
129	Quantifying the Impact of Patient-Practice Relationship Quality on the Levels of the Average Annual Antidepressant Practice Prescribing Rate in Primary Care in England. primary care companion for CNS disorders, The, 2020, 22, .	0.2	2
130	Distress and Living with Diabetes: Defining Characteristics Through an Online Survey. Diabetes Therapy, 2022, 13, 1585-1597.	1.2	2
131	Monitoring thyroid function in patients on levothyroxine: audit findings and suggested change in practice. International Journal of Clinical Practice, 2017, 71, e12877.	0.8	1
132	Role of capillary ketone testing in the diagnosis and monitoring of diabetic ketoacidosis. International Journal of Clinical Practice, 2017, 71, e13028.	0.8	1
133	Polycystic ovarian syndrome: Social situation influences outcome. International Journal of Clinical Practice, 2017, 71, e12981.	0.8	1
134	Screening for Hypogonadism in Primary Healthcare: How to do this Effectively. Experimental and Clinical Endocrinology and Diabetes, 2018, 126, 176-181.	0.6	1
135	Long-term conditions and the National Diabetes Audit. British Journal of General Practice, 2018, 68, 320.2-320.	0.7	1
136	Books: <i>Get Tough with Type 2 Diabetes </i> British Journal of General Practice, 2019, 69, 33-33.	0.7	1
137	The treatment rate of erectile dysfunction (ED) in younger men with type 2 diabetes is up to four times higher than the equivalent nonâ€diabetes population. International Journal of Clinical Practice, 2020, 74, e13538.	0.8	1
138	"Not Wars, Water pumpsâ€â€"From emotive to rational language in managing the Covidâ€19 pandemic. International Journal of Clinical Practice, 2020, 74, e13580.	0.8	1
139	Controlling antibiotic usage—A national analysis of General Practitioner/Family Doctor practices links overall antibiotic levels to demography, geography, comorbidity factors with local discretionary prescribing choices. International Journal of Clinical Practice, 2020, 74, e13515.	0.8	1
140	Investigation of polycystic ovarian syndrome: variation in practice and impact on the speed of diagnosis. Cardiovascular Endocrinology and Metabolism, 2021, 10, 120-124.	0.5	1
141	Genetically defined favourable adiposity is not associated with a clinically meaningful difference in clinical course in people with type 2 diabetes but does associate with a favourable metabolic profile. Diabetic Medicine, 2021, 38, e14531.	1.2	1
142	People with Type 2 Diabetes Mellitus (T2DM) Self-Reported Views on Their Own Condition Management Reveal a High Level of Insight into the Challenges Faced. Journal of Diabetes Science and Technology, 2021, 15, 193229682110092.	1.3	1
143	Dapagliflozin: an effective adjunctive treatment in type $1$ diabetes. Cardiovascular Endocrinology and Metabolism, 2021, $10,132\text{-}136.$	0.5	1
144	Low sex hormone binding globulin: a potential predictor of future glucose dysregulation in women. Cardiovascular Endocrinology and Metabolism, 2021, 10, 191-192.	0.5	1

#	Article	IF	CITATIONS
145	The risk factors potentially influencing risk of serious illness/death in people with diabetes, following SARS-CoV-2 infection. Cardiovascular Endocrinology and Metabolism, 2021, Publish Ahead of Print, 231-232.	0.5	1
146	Application of a city wide digital population database for outcome analysis in diabetes: SARS-CoV-2, diabetes and hospital admission rate month by month in Greater Manchester, UK. Cardiovascular Endocrinology and Metabolism, 2022, 11, e0257.	0.5	1
147	SARS-CoV-2, diabetes and mortality: month by month variation in mortality rate from June 2020 to June 2021. Cardiovascular Endocrinology and Metabolism, 2022, 11, e0258.	0.5	1
148	Macroprolactin: the Role of Serial Measurement Throughout Pregnancy. Experimental and Clinical Endocrinology & Diabetes Reports, 2016, 02, e17-e20.	0.0	0
149	40VITAMIN D DEFICIENCY: RELATION WITH INDEX OF MULTIPLE DEPRIVATION IN THE OVER 70S. Age and Ageing, 2016, 45, i10-i10.	0.7	0
150	Hypoglycaemia in the over 75s: Understanding the predisposing factors in type 2 diabetes (T2DM). International Journal of Clinical Practice, 2017, 71, e12932.	0.8	0
151	Demographic factor clustering at a GP practice level in England and its relation to glycaemic outcomes: What we can learn from this. International Journal of Clinical Practice, 2019, 73, e13303.	0.8	0
152	Patient perception of support within primary care is as important as medication and services in achieving good glycaemic control. International Journal of Clinical Practice, 2019, 73, e13356.	0.8	0
153	General practice (GP) level analysis shows that patients' own perceptions of support within primary care as reported in the GP patient survey (GPPS) are as important as medication and services in improving glycaemic control. Primary Care Diabetes, 2020, 14, 29-32.	0.9	0
154	Hair cortisol concentrations as a biomarker of parental burnout by Maria Elena Brianda, Isabelle Roskam, MoÃ <sup>-</sup> ra Mikolajczak. Psychoneuroendocrinology, 2020, 119, 104788.	1.3	0
155	Differential diagnoses of pseudolymphomatous folliculitis: considerations as regards one case. BMJ Case Reports, 2021, 14, e238291.	0.2	0
156	The links between the amount of antipsychotic medication prescribed at GP practice level, local demographic factors and medication selection. BJPsych Open, 2021, 7, S165-S166.	0.3	0
157	Person centred approaches to learning hold a potential for a mature depth of understanding and engagement as opposed to the traditional 'transmission of knowledge' approach to learning. BJPsych Open, 2021, 7, S254-S254.	0.3	0
158	Using defined daily doses to review antibiotic prescribing. The Prescriber, 2021, 32, 19-25.	0.1	0
159	Actiste diabetes management as a service innovation – impact on everyday life – Swedish patients experience assessed by validated MedTech20 questionnaire. Cardiovascular Endocrinology and Metabolism, 2022, 4, .	0.5	0
160	Methylation Status of Exon IV of the Brain-Derived Neurotrophic Factor (BDNF)-Encoding Gene in Patients with Non-Diabetic Hyperglycaemia (NDH) before and after a Lifestyle Intervention. Epigenomes, 2022, 6, 7.	0.8	0
161	Living with diabetes and its impact on mental health: results of an online survey. Cardiovascular Endocrinology and Metabolism, 2022, $11$ , e0262.	0.5	0
162	Low Sex Hormone Binding Globulin: A Potential Predictor Of Future Glucose Dysregulation In Women Journal of Ayub Medical College, Abbottabad: JAMC, 2021, 33, 704-705.	0.1	0

## Adrian H Heald

#	Article	IF	CITATIONS
163	Remote Healthcare Program in Mexico in the Context of the COVID-19 Pandemic. Healthcare Informatics Research, 2022, 28, 152-159.	1.0	0