

Adrian H Heald

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6958840/publications.pdf>

Version: 2024-02-01

163
papers

3,880
citations

159525

30
h-index

149623

56
g-index

172
all docs

172
docs citations

172
times ranked

5392
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Assessment of the effect of the COVID-19 pandemic on UK HbA1c testing: implications for diabetes management and diagnosis. <i>Journal of Clinical Pathology</i> , 2023, 76, 177-184. | 1.0 | 19 |
| 2 | Application of a city wide digital population database for outcome analysis in diabetes: SARS-CoV-2, diabetes and hospital admission rate month by month in Greater Manchester, UK. <i>Cardiovascular Endocrinology and Metabolism</i> , 2022, 11, e0257. | 0.5 | 1 |
| 3 | SARS-CoV-2, diabetes and mortality: month by month variation in mortality rate from June 2020 to June 2021. <i>Cardiovascular Endocrinology and Metabolism</i> , 2022, 11, e0258. | 0.5 | 1 |
| 4 | Actiste diabetes management as a service innovation – impact on everyday life – Swedish patients experience assessed by validated MedTech20 questionnaire. <i>Cardiovascular Endocrinology and Metabolism</i> , 2022, 4, . | 0.5 | 0 |
| 5 | Mortality Rate Associated with Diabetes: Outcomes From a General Practice Level Analysis in England Using the Royal College of General Practitioners (RCGP) Database Indicate Stability Over a 15 Year Period. <i>Diabetes Therapy</i> , 2022, 13, 505-516. | 1.2 | 4 |
| 6 | Methylation Status of Exon IV of the Brain-Derived Neurotrophic Factor (BDNF)-Encoding Gene in Patients with Non-Diabetic Hyperglycaemia (NDH) before and after a Lifestyle Intervention. <i>Epigenomes</i> , 2022, 6, 7. | 0.8 | 0 |
| 7 | The Risk Factors Potentially Influencing Hospital Admission in People with Diabetes, Following SARS-CoV-2 Infection: A Population-Level Analysis. <i>Diabetes Therapy</i> , 2022, 13, 1007. | 1.2 | 10 |
| 8 | The change in glycaemic control immediately after COVID-19 vaccination in people with type 1 diabetes. <i>Diabetic Medicine</i> , 2022, 39, e14774. | 1.2 | 16 |
| 9 | Can we check serum lithium levels less often without compromising patient safety?. <i>BJPsych Open</i> , 2022, 8, e18. | 0.3 | 4 |
| 10 | The experience of blood glucose monitoring in people with type 2 diabetes mellitus (T2DM). <i>Endocrinology, Diabetes and Metabolism</i> , 2022, 5, e00302. | 1.0 | 3 |
| 11 | Mortality in People with Type 2 Diabetes Following SARS-CoV-2 Infection: A Population Level Analysis of Potential Risk Factors. <i>Diabetes Therapy</i> , 2022, 13, 1037-1051. | 1.2 | 16 |
| 12 | Reducing fatigue-related symptoms in Long COVID-19: a preliminary report of a lymphatic drainage intervention. <i>Cardiovascular Endocrinology and Metabolism</i> , 2022, 11, e0261. | 0.5 | 4 |
| 13 | Living with diabetes and its impact on mental health: results of an online survey. <i>Cardiovascular Endocrinology and Metabolism</i> , 2022, 11, e0262. | 0.5 | 0 |
| 14 | Remote Healthcare Program in Mexico in the Context of the COVID-19 Pandemic. <i>Healthcare Informatics Research</i> , 2022, 28, 152-159. | 1.0 | 0 |
| 15 | Variability in Test Interval Is Linked to Glycated Haemoglobin (HbA1c) Trajectory over Time. <i>Journal of Diabetes Research</i> , 2022, 2022, 1-11. | 1.0 | 3 |
| 16 | The number of androgen receptor CAG repeats and mortality in men. <i>Aging Male</i> , 2022, 25, 167-172. | 0.9 | 4 |
| 17 | Distress and Living with Diabetes: Defining Characteristics Through an Online Survey. <i>Diabetes Therapy</i> , 2022, 13, 1585-1597. | 1.2 | 2 |
| 18 | Applying Parkes Grid Method to Evaluate Impact of Variation in Blood Glucose Monitoring (BGM) Strip Accuracy Performance in Type 1 Diabetes Highlights the Potential for Amplification of Imprecision With Less Accurate BGM Strips. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 76-81. | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Self-Reported Views on Managing Type 1 Diabetes Mellitus. Journal of Diabetes Science and Technology, 2021, 15, 198-200. | 1.3 | 3 |
| 20 | “Stay at Home, Protect the National Health Service, Save Lives” A cost benefit analysis of the lockdown in the United Kingdom. International Journal of Clinical Practice, 2021, 75, e13674. | 0.8 | 65 |
| 21 | Early-life stress effects on BDNF DNA methylation in first-episode psychosis and in rats reared in isolation. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 108, 110188. | 2.5 | 22 |
| 22 | Effect of bariatric surgery on plasma levels of oxidised phospholipids, biomarkers of oxidised LDL and lipoprotein(a). Journal of Clinical Lipidology, 2021, 15, 320-331. | 0.6 | 13 |
| 23 | Modelling the impact of the mandatory use of face coverings on public transport and in retail outlets in the UK on COVID-19 related infections, hospital admissions and mortality. International Journal of Clinical Practice, 2021, 75, e13768. | 0.8 | 13 |
| 24 | Serum lithium test requesting across three UK regions: an evaluation of adherence to monitoring guidelines. BMC Psychiatry, 2021, 21, 32. | 1.1 | 5 |
| 25 | Investigation of polycystic ovarian syndrome: variation in practice and impact on the speed of diagnosis. Cardiovascular Endocrinology and Metabolism, 2021, 10, 120-124. | 0.5 | 1 |
| 26 | Genetically defined favourable adiposity is not associated with a clinically meaningful difference in clinical course in people with type 2 diabetes but does associate with a favourable metabolic profile. Diabetic Medicine, 2021, 38, e14531. | 1.2 | 1 |
| 27 | Impact of the UK COVID-19 pandemic on HbA1c testing and its implications for diabetes diagnosis and management. International Journal of Clinical Practice, 2021, 75, e13980. | 0.8 | 11 |
| 28 | Lessons learnt from the variation across 6741 family/general practices in England in the use of treatments for hypogonadism. Clinical Endocrinology, 2021, 94, 827-836. | 1.2 | 4 |
| 29 | Trends in costs and prescribing for liothyronine and levothyroxine in England and wales 2011–2020. Clinical Endocrinology, 2021, 94, 980-989. | 1.2 | 9 |
| 30 | Differential diagnoses of pseudolymphomatous folliculitis: considerations as regards one case. BMJ Case Reports, 2021, 14, e238291. | 0.2 | 0 |
| 31 | Seasonal Variation in Antidepressant Prescribing. primary care companion for CNS disorders, The, 2021, 23, . | 0.2 | 5 |
| 32 | Recalibration of thinking about adrenocortical function assessment: how the “random” cortisol relates to the short synacthen test results. Cardiovascular Endocrinology and Metabolism, 2021, 10, 137-145. | 0.5 | 4 |
| 33 | How fast should social restrictions be eased in England as COVID-19 vaccinations are rolled out?. International Journal of Clinical Practice, 2021, 75, e14191. | 0.8 | 19 |
| 34 | People with Type 2 Diabetes Mellitus (T2DM) Self-Reported Views on Their Own Condition Management Reveal a High Level of Insight into the Challenges Faced. Journal of Diabetes Science and Technology, 2021, 15, 193229682110092. | 1.3 | 1 |
| 35 | The links between the amount of antipsychotic medication prescribed at GP practice level, local demographic factors and medication selection. BJPsych Open, 2021, 7, S165-S166. | 0.3 | 0 |
| 36 | Person centred approaches to learning hold a potential for a mature depth of understanding and engagement as opposed to the traditional 'transmission of knowledge' approach to learning. BJPsych Open, 2021, 7, S254-S254. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dapagliflozin: an effective adjunctive treatment in type 1 diabetes. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021, 10, 132-136. | 0.5 | 1 |
| 38 | Mortality in 98 type 1 diabetes mellitus and type 2 diabetes mellitus: Foot ulcer location is an independent risk determinant. <i>Diabetic Medicine</i> , 2021, 38, e14568. | 1.2 | 12 |
| 39 | Analysis of Continuous Blood Glucose Data in People with Type 1 Diabetes (T1DM) After COVID-19 Vaccination Indicates a Possible Link Between the Immune and the Metabolic Response. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1204-1205. | 1.3 | 11 |
| 40 | What is the value of the 60-minute cortisol measurement in the short synacthen test (SST)? Evidence for the defence. <i>International Journal of Clinical Practice</i> , 2021, 75, e14417. | 0.8 | 2 |
| 41 | Age of people with type 2 diabetes and the risk of dying following SARS-CoV-2 infection. <i>International Journal of Clinical Practice</i> , 2021, 75, e14053. | 0.8 | 5 |
| 42 | Liothyronine and levothyroxine prescribing in England: A comprehensive survey and evaluation. <i>International Journal of Clinical Practice</i> , 2021, 75, e14228. | 0.8 | 5 |
| 43 | Inadequate postpartum screening for type 2 diabetes in women with previous gestation diabetes mellitus: A retrospective audit of practice over 17 years. <i>International Journal of Clinical Practice</i> , 2021, 75, e14447. | 0.8 | 6 |
| 44 | Comparing cost of intravenous infusion and subcutaneous biologics in COVID-19 pandemic care pathways for rheumatoid arthritis and inflammatory bowel disease: A brief UK stakeholder survey. <i>International Journal of Clinical Practice</i> , 2021, 75, e14341. | 0.8 | 16 |
| 45 | Using defined daily doses to review antibiotic prescribing. <i>The Prescriber</i> , 2021, 32, 19-25. | 0.1 | 0 |
| 46 | Changes in the Proteome Profile of People Achieving Remission of Type 2 Diabetes after Bariatric Surgery. <i>Journal of Clinical Medicine</i> , 2021, 10, 3659. | 1.0 | 6 |
| 47 | Analysis of continuous glucose tracking data in people with type 1 diabetes after COVID-19 vaccination reveals unexpected link between immune and metabolic response, augmented by adjunctive oral medication. <i>International Journal of Clinical Practice</i> , 2021, 75, e14714. | 0.8 | 15 |
| 48 | Longitudinal clinical trajectory analysis of individuals before and after diagnosis of Type 2 Diabetes Mellitus (T2DM) indicates that vascular problems start early. <i>International Journal of Clinical Practice</i> , 2021, 75, e14695. | 0.8 | 2 |
| 49 | Low sex hormone binding globulin: a potential predictor of future glucose dysregulation in women. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021, 10, 191-192. | 0.5 | 1 |
| 50 | Is a fasting testosterone level really necessary for the determination of androgen status in men?. <i>Clinica Chimica Acta</i> , 2021, 521, 64-69. | 0.5 | 6 |
| 51 | Is there a role for natural desiccated thyroid in the treatment of levothyroxine unresponsive hypothyroidism? Results from a consecutive case series. <i>International Journal of Clinical Practice</i> , 2021, 75, e14967. | 0.8 | 9 |
| 52 | Relationship between the Plasma Proteome and Changes in Inflammatory Markers after Bariatric Surgery. <i>Cells</i> , 2021, 10, 2798. | 1.8 | 6 |
| 53 | Androgen receptor-reduced sensitivity is associated with increased mortality and poorer glycaemia in men with type 2 diabetes mellitus: a prospective cohort study. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021, 10, 37-44. | 0.5 | 11 |
| 54 | The risk factors potentially influencing risk of serious illness/death in people with diabetes, following SARS-CoV-2 infection. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021, Publish Ahead of Print, 231-232. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Liothyronine for hypothyroidism: a candidate for disinvestment or in need of further research? A value of information analysis. <i>BMJ Open</i> , 2021, 11, e051702. | 0.8 | 3 |
| 56 | Low Sex Hormone Binding Globulin: A Potential Predictor Of Future Glucose Dysregulation In Women.. <i>Journal of Ayub Medical College, Abbottabad: JAMC</i> , 2021, 33, 704-705. | 0.1 | 0 |
| 57 | General practice (GP) level analysis shows that patientsâ€™ own perceptions of support within primary care as reported in the GP patient survey (GPPS) are as important as medication and services in improving glycaemic control. <i>Primary Care Diabetes</i> , 2020, 14, 29-32. | 0.9 | 0 |
| 58 | Foot ulceration and its association with mortality in diabetes mellitus: a metaâ€™analysis. <i>Diabetic Medicine</i> , 2020, 37, 211-218. | 1.2 | 73 |
| 59 | Hypogonadism is not being sufficiently recognised in 99% of general practices/family doctor surgeries. <i>International Journal of Clinical Practice</i> , 2020, 74, e13445. | 0.8 | 2 |
| 60 | An audit of the measurement and reporting of male testosterone levels in UK clinical biochemistry laboratories. <i>International Journal of Clinical Practice</i> , 2020, 74, e13607. | 0.8 | 15 |
| 61 | Hair cortisol concentrations as a biomarker of parental burnout by Maria Elena Brianda, Isabelle Roskam, MoÃƒra Mikolajczak. <i>Psychoneuroendocrinology</i> , 2020, 119, 104788. | 1.3 | 0 |
| 62 | The FreeStyle Libre flash glucose monitoring system: how it has improved glycaemic control for people with type 1 diabetes in Eastern Cheshire, UK. <i>Cardiovascular Endocrinology and Metabolism</i> , 2020, 9, 171-176. | 0.5 | 8 |
| 63 | People with Type Diabetes Mellitus (T1DM) self-reported views on their own condition management reveal links to potentially improved outcomes and potential areas for service improvement. <i>Diabetes Research and Clinical Practice</i> , 2020, 170, 108479. | 1.1 | 5 |
| 64 | Circulating microRNA changes in patients with impaired glucose regulation. <i>Adipocyte</i> , 2020, 9, 443-453. | 1.3 | 9 |
| 65 | Personal protective equipment (PPE) and infection among healthcare workers â€™ What is the evidence?. <i>International Journal of Clinical Practice</i> , 2020, 74, e13617. | 0.8 | 32 |
| 66 | Cost of hospital treatment of type 1 diabetes (T1DM) and type 2 diabetes (T2DM) compared to the non-diabetes population: a detailed economic evaluation. <i>BMJ Open</i> , 2020, 10, e033231. | 0.8 | 33 |
| 67 | LIVING WITH COVID-19: BALANCING COSTS AGAINST BENEFITS IN THE FACE OF THE VIRUS. <i>National Institute Economic Review</i> , 2020, 253, R60-R76. | 0.4 | 63 |
| 68 | Application of SWATH mass spectrometry in the identification of circulating proteins does not predict future weight gain in early psychosis. <i>Clinical Proteomics</i> , 2020, 17, 38. | 1.1 | 4 |
| 69 | Links between the amount of antipsychotic medication prescribed per population at general practice level, local demographic factors and medication selection. <i>BMC Psychiatry</i> , 2020, 20, 528. | 1.1 | 8 |
| 70 | The treatment rate of erectile dysfunction (ED) in younger men with type 2 diabetes is up to four times higher than the equivalent nonâ€™diabetes population. <i>International Journal of Clinical Practice</i> , 2020, 74, e13538. | 0.8 | 1 |
| 71 | COVIDâ€™19: Generate and apply local modelled transmission and morbidity effects to provide an estimate of the variation in overall relative healthcare resource impact at general practice granularity. <i>International Journal of Clinical Practice</i> , 2020, 74, e13533. | 0.8 | 6 |
| 72 | A phased approach to unlocking during the COVIDâ€™19 pandemicâ€™ Lessons from trend analysis. <i>International Journal of Clinical Practice</i> , 2020, 74, e13528. | 0.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Influences on the use of antidepressants in primary care: All England general practice-level analysis of demographic, practice-level and prescriber factors. <i>Human Psychopharmacology</i> , 2020, 35, e2741. | 0.7 | 2 |
| 74 | “Not Wars, Water pumps” From emotive to rational language in managing the Covid-19 pandemic. <i>International Journal of Clinical Practice</i> , 2020, 74, e13580. | 0.8 | 1 |
| 75 | Into the looking glass: Post-viral syndrome post COVID-19. <i>Medical Hypotheses</i> , 2020, 144, 110055. | 0.8 | 161 |
| 76 | Lifestyle intervention in individuals with impaired glucose regulation affects Caveolin-1 expression and DNA methylation. <i>Adipocyte</i> , 2020, 9, 96-107. | 1.3 | 7 |
| 77 | Controlling antibiotic usage—A national analysis of General Practitioner/Family Doctor practices links overall antibiotic levels to demography, geography, comorbidity factors with local discretionary prescribing choices. <i>International Journal of Clinical Practice</i> , 2020, 74, e13515. | 0.8 | 1 |
| 78 | Estimating life years lost to diabetes: outcomes from analysis of National Diabetes Audit and Office of National Statistics data. <i>Cardiovascular Endocrinology and Metabolism</i> , 2020, 9, 183-185. | 0.5 | 88 |
| 79 | Type 2 diabetes prevalence in Pakistan: what is driving this? Clues from subgroup analysis of normal weight individuals in diabetes prevalence survey of Pakistan. <i>Cardiovascular Endocrinology and Metabolism</i> , 2020, 9, 159-164. | 0.5 | 8 |
| 80 | Quantifying the Impact of Patient-Practice Relationship Quality on the Levels of the Average Annual Antidepressant Practice Prescribing Rate in Primary Care in England. <i>primary care companion for CNS disorders, The</i> , 2020, 22, . | 0.2 | 2 |
| 81 | Antidepressant Prescribing in England. <i>primary care companion for CNS disorders, The</i> , 2020, 22, . | 0.2 | 9 |
| 82 | The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712. | 3.7 | 815 |
| 83 | Male hypogonadism: 14-year prospective outcome in 550 men with type 2 diabetes. <i>Endocrinology, Diabetes and Metabolism</i> , 2019, 2, e00064. | 1.0 | 12 |
| 84 | Books: <i>Get Tough with Type 2 Diabetes</i> . <i>British Journal of General Practice</i> , 2019, 69, 33-33. | 0.7 | 1 |
| 85 | The costs of drug prescriptions for diabetes in the NHS. <i>Lancet, The</i> , 2019, 393, 226-227. | 6.3 | 9 |
| 86 | Demographic factor clustering at a GP practice level in England and its relation to glycaemic outcomes: What we can learn from this. <i>International Journal of Clinical Practice</i> , 2019, 73, e13303. | 0.8 | 0 |
| 87 | Data Independent Acquisition Mass Spectrometry Can Identify Circulating Proteins That Predict Future Weight Loss with a Diet and Exercise Programme. <i>Journal of Clinical Medicine</i> , 2019, 8, 141. | 1.0 | 17 |
| 88 | Patient perception of support within primary care is as important as medication and services in achieving good glycaemic control. <i>International Journal of Clinical Practice</i> , 2019, 73, e13356. | 0.8 | 0 |
| 89 | Diabetes Prevalence Survey of Pakistan (DPS-PAK): prevalence of type 2 diabetes mellitus and prediabetes using HbA1c: a population-based survey from Pakistan. <i>BMJ Open</i> , 2019, 9, e025300. | 0.8 | 89 |
| 90 | Analysis of English general practice level data linking medication levels, service activity and demography to levels of glycaemic control being achieved in type 2 diabetes to improve clinical practice and patient outcomes. <i>BMJ Open</i> , 2019, 9, e028278. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Assessment of global long interspersed nucleotide element (LINE 1) DNA methylation in a longitudinal cohort of type 2 diabetes mellitus (T2 DM) individuals. International Journal of Clinical Practice, 2019, 73, e13270. | 0.8 | 4 |
| 92 | Developing a foot ulcer risk model: what is needed to do this in a real-world primary care setting?. Diabetic Medicine, 2019, 36, 1412-1416. | 1.2 | 10 |
| 93 | More frequent lithium testing in UK Primary Care associates with a lower hospital admission rate for bipolar disorder—What this can tell us about GP practice engagement with this group. International Journal of Clinical Practice, 2019, 73, e13277. | 0.8 | 3 |
| 94 | Sodium-glucose co-transporter 2 inhibitors, the latest residents on the block: Impact on glycaemic control at a general practice level in England. Diabetes, Obesity and Metabolism, 2018, 20, 1659-1669. | 2.2 | 7 |
| 95 | The pattern of prescribing of glucose modulating agents for type 2 diabetes in general practices in England 2016/17. International Journal of Clinical Practice, 2018, 72, e13080. | 0.8 | 7 |
| 96 | Polycystic ovarian syndrome: Assessment of approaches to diagnosis and cardiometabolic monitoring in UK primary care. International Journal of Clinical Practice, 2018, 72, e13046. | 0.8 | 3 |
| 97 | Should we be screening for thyroid dysfunction in patients with type 2 diabetes mellitus?. British Journal of General Practice, 2018, 68, 94-95. | 0.7 | 9 |
| 98 | Screening for Hypogonadism in Primary Healthcare: How to do this Effectively. Experimental and Clinical Endocrinology and Diabetes, 2018, 126, 176-181. | 0.6 | 1 |
| 99 | Social deprivation modifies the association between incident foot ulceration and mortality in type 1 and type 2 diabetes: a longitudinal study of a primary-care cohort. Diabetologia, 2018, 61, 959-967. | 2.9 | 34 |
| 100 | British Society for Sexual Medicine Guidelines on the Management of Erectile Dysfunction in Men—2017. Journal of Sexual Medicine, 2018, 15, 430-457. | 0.3 | 91 |
| 101 | Improving type 2 diabetes mellitus glycaemic outcomes is possible without spending more on medication: Lessons from the UK National Diabetes Audit. Diabetes, Obesity and Metabolism, 2018, 20, 185-194. | 2.2 | 30 |
| 102 | Route to improving Type 1 diabetes mellitus glycaemic outcomes: real-world evidence taken from the National Diabetes Audit. Diabetic Medicine, 2018, 35, 63-71. | 1.2 | 27 |
| 103 | Brexit, the Leave campaign, and mental health of ethnic minority communities. Lancet Psychiatry, the, 2018, 5, 110. | 3.7 | 3 |
| 104 | Long-term conditions and the National Diabetes Audit. British Journal of General Practice, 2018, 68, 320.2-320. | 0.7 | 1 |
| 105 | The frequency of testing for glycated haemoglobin, HbA _{1c} , is linked to the probability of achieving target levels in patients with suboptimally controlled diabetes mellitus. Clinical Chemistry and Laboratory Medicine, 2018, 57, 296-304. | 1.4 | 17 |
| 106 | Quantifying the link between long-term condition (LTC) patient experience in primary care and their clinical outcomes as measured by the National Diabetes Audit. International Journal of Clinical Practice, 2018, 72, e13255. | 0.8 | 3 |
| 107 | Real-world practice level data analysis confirms link between variability within Blood Glucose Monitoring Strip (BGMS) and glycosylated haemoglobin (HbA1c) in Type 1 Diabetes. International Journal of Clinical Practice, 2018, 72, e13252. | 0.8 | 7 |
| 108 | Reduction of unnecessary N-terminal pro-brain natriuretic peptide (NT-proBNP) tests: A further lesson in demand management. International Journal of Clinical Practice, 2018, 72, e13071. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The LEAVE vote and racial abuse towards Black and Minority Ethnic communities across the UK: the impact on mental health. <i>Journal of the Royal Society of Medicine</i> , 2018, 111, 158-161. | 1.1 | 6 |
| 110 | Changes in metabolic parameters in patients with severe mental illness over a 10-year period: A retrospective cohort study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 75-82. | 1.3 | 14 |
| 111 | Monitoring thyroid function in patients on levothyroxine: audit findings and suggested change in practice. <i>International Journal of Clinical Practice</i> , 2017, 71, e12877. | 0.8 | 1 |
| 112 | Lifestyle factors and the metabolic syndrome in Schizophrenia: a cross-sectional study. <i>Annals of General Psychiatry</i> , 2017, 16, 12. | 1.2 | 71 |
| 113 | Clinical appropriateness of C-reactive protein requests: Reduction in unnecessary repeats. <i>International Journal of Clinical Practice</i> , 2017, 71, e12941. | 0.8 | 3 |
| 114 | Monitoring Thyroid Function in Patients on Levothyroxine. Assessment of Conformity to National Guidance and Variability in Practice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 625-633. | 0.6 | 14 |
| 115 | Success Rates in a Diabetes Specialist Nurse-Led Education Programme: Re-setting the Glucostat. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 297-300. | 0.6 | 6 |
| 116 | Social Disadvantage Is Associated With Lower Vitamin D Levels in Older People and There Is No Surrogate for Its Measurement. <i>Gerontology and Geriatric Medicine</i> , 2017, 3, 233372141769784. | 0.8 | 4 |
| 117 | Prescribing in schizophrenia and psychosis: Increasing polypharmacy over time. <i>Human Psychopharmacology</i> , 2017, 32, e2579. | 0.7 | 22 |
| 118 | Hypoglycaemia in the over 75s: Understanding the predisposing factors in type 2 diabetes (T2DM). <i>International Journal of Clinical Practice</i> , 2017, 71, e12932. | 0.8 | 0 |
| 119 | Serum testosterone levels in male hypogonadism: Why and when to check-A review. <i>International Journal of Clinical Practice</i> , 2017, 71, e12995. | 0.8 | 47 |
| 120 | Role of capillary ketone testing in the diagnosis and monitoring of diabetic ketoacidosis. <i>International Journal of Clinical Practice</i> , 2017, 71, e13028. | 0.8 | 1 |
| 121 | Polycystic ovarian syndrome: Social situation influences outcome. <i>International Journal of Clinical Practice</i> , 2017, 71, e12981. | 0.8 | 1 |
| 122 | Socioeconomic Deprivation as Measured by the Index of Multiple Deprivation and Its Association with Low Sex Hormone Binding Globulin in Women. <i>The Open Biochemistry Journal</i> , 2017, 11, 1-7. | 0.3 | 8 |
| 123 | Phosphodiesterase type-5 inhibitor use in type 2 diabetes is associated with a reduction in all-cause mortality. <i>Heart</i> , 2016, 102, 1750-1756. | 1.2 | 74 |
| 124 | Macroprolactin: the Role of Serial Measurement Throughout Pregnancy. <i>Experimental and Clinical Endocrinology & Diabetes Reports</i> , 2016, 02, e17-e20. | 0.0 | 0 |
| 125 | Higher levels of apomorphine and rotigotine prescribing reduce overall secondary healthcare costs in Parkinson's disease. <i>International Journal of Clinical Practice</i> , 2016, 70, 907-915. | 0.8 | 7 |
| 126 | Screening for hypogonadism: real-world considerations. <i>Trends in Urology & Men's Health</i> , 2016, 7, 27-32. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | 40VITAMIN D DEFICIENCY: RELATION WITH INDEX OF MULTIPLE DEPRIVATION IN THE OVER 70S. Age and Ageing, 2016, 45, i10-i10. | 0.7 | 0 |
| 128 | Serum testosterone, testosterone replacement therapy and all-cause mortality in men with type 2 diabetes: retrospective consideration of the impact of PDE5 inhibitors and statins. International Journal of Clinical Practice, 2016, 70, 244-253. | 0.8 | 76 |
| 129 | Changes in biomarkers of bone turnover in an aripiprazole add-on or switching study. Schizophrenia Research, 2016, 170, 245-251. | 1.1 | 6 |
| 130 | Should Free Thyroxine Go Back into the Routine Thyroid Profile?. Experimental and Clinical Endocrinology and Diabetes, 2015, 123, 594-597. | 0.6 | 8 |
| 131 | Sex differences in plasma clozapine and norclozapine concentrations in clinical practice and in relation to body mass index and plasma glucose concentrations: a retrospective survey. Annals of General Psychiatry, 2015, 14, 39. | 1.2 | 43 |
| 132 | Measuring vitamin D levels: surrogates are insufficient. International Journal of Clinical Practice, 2015, 69, 131-135. | 0.8 | 5 |
| 133 | Are cholesterol levels being checked and managed appropriately in UK primary care type 2 diabetes?. International Journal of Clinical Practice, 2015, 69, 1389-1391. | 0.8 | 6 |
| 134 | Diet, exercise and the metabolic syndrome in schizophrenia: A cross-sectional study. Schizophrenia Research, 2015, 169, 494-495. | 1.1 | 14 |
| 135 | Socioeconomic Deprivation Independently Predicts Painful Diabetic Neuropathy in Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2015, 123, 423-427. | 0.6 | 8 |
| 136 | Insulin-like growth factor-II and insulin-like growth factor binding protein-2 prospectively predict longitudinal elevation of HDL-cholesterol in type 2 diabetes. Annals of Clinical Biochemistry, 2014, 51, 468-475. | 0.8 | 12 |
| 137 | Reduced Testing Frequency for Glycated Hemoglobin, HbA1c, Is Associated With Deteriorating Diabetes Control. Diabetes Care, 2014, 37, 2731-2737. | 4.3 | 57 |
| 138 | Socioeconomic deprivation independently predicts symptomatic painful diabetic neuropathy in type 1 diabetes. Primary Care Diabetes, 2014, 8, 65-69. | 0.9 | 9 |
| 139 | IGF2 Gene Polymorphisms and IGF-II Concentration are Determinants of Longitudinal Weight Trends in Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 361-367. | 0.6 | 9 |
| 140 | HOMA-S is Associated with Greater HbA1c Reduction with a GLP-1 Analogue in Patients with Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2012, 120, 420-423. | 0.6 | 3 |
| 141 | Quantitative Adjustment for Macroprolactin is an Integral Part of Laboratory Assessment of Hyperprolactinaemia. Experimental and Clinical Endocrinology and Diabetes, 2012, 120, 376-380. | 0.6 | 5 |
| 142 | Screening for hypogonadism in diabetes 2008/9: Results from the Cheshire Primary Care cohort. Primary Care Diabetes, 2012, 6, 143-148. | 0.9 | 24 |
| 143 | Physical health in schizophrenia: a challenge for antipsychotic therapy. European Psychiatry, 2010, 25, S6-S11. | 0.1 | 53 |
| 144 | Management of physical health in patients with schizophrenia: practical recommendations. European Psychiatry, 2010, 25, S41-S45. | 0.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Migration is associated with lower total, but not free testosterone levels in South Asian men. <i>Clinical Endocrinology</i> , 2007, 67, 651-655. | 1.2 | 14 |
| 146 | Low Insulin-like Growth Factor-II Levels Predict Weight Gain in Normal Weight Subjects with Type 2 Diabetes. <i>American Journal of Medicine</i> , 2006, 119, 167.e9-167.e15. | 0.6 | 23 |
| 147 | Insulin-like Growth Factor Binding Protein-2 (IGFBP-2) is a Marker for the Metabolic Syndrome. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2006, 114, 371-376. | 0.6 | 109 |
| 148 | Most commercial insulin assays fail to detect recombinant insulin analogues. <i>Annals of Clinical Biochemistry</i> , 2006, 43, 306-308. | 0.8 | 44 |
| 149 | Dietary intake and the insulin-like growth factor system: effects of migration in two related populations in India and Britain with markedly different dietary intake. <i>Public Health Nutrition</i> , 2005, 8, 620-627. | 1.1 | 34 |
| 150 | Marked differences in the IGF system that are associated with migration in comparable populations of Gujaratis living in Sandwell, UK, and Gujarat, India. <i>Diabetologia</i> , 2005, 48, 1756-1765. | 2.9 | 8 |
| 151 | Polymorphisms in IGF-Binding Protein 1 Are Associated With Impaired Renal Function in Type 2 Diabetes. <i>Diabetes</i> , 2005, 54, 3547-3553. | 0.3 | 28 |
| 152 | Low Sex Hormone Binding Globulin is a Potential Marker for the Metabolic Syndrome in Different Ethnic Groups. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2005, 113, 522-528. | 0.6 | 40 |
| 153 | Screening for insulin resistance in women with polycystic ovarian syndrome. <i>Gynecological Endocrinology</i> , 2005, 20, 84-91. | 0.7 | 6 |
| 154 | Effects of hormone replacement therapy on insulin-like growth factor (IGF)-I, IGF-II and IGF binding protein (IGFBP)-1 to IGFBP-4: Implications for cardiovascular risk. <i>Gynecological Endocrinology</i> , 2005, 20, 176-182. | 0.7 | 30 |
| 155 | Pregnancy related pituitary enlargement mimicking macroadenoma. <i>British Journal of Neurosurgery</i> , 2004, 18, 524-526. | 0.4 | 6 |
| 156 | Long-term negative impact on quality of life in patients with successfully treated Cushing's disease. <i>Clinical Endocrinology</i> , 2004, 61, 458-465. | 1.2 | 161 |
| 157 | Significant ethnic variation in total and free testosterone concentration. <i>Clinical Endocrinology</i> , 2003, 58, 262-266. | 1.2 | 56 |
| 158 | C-reactive protein and the insulin-like growth factor (IGF)-system in relation to risk of cardiovascular disease in different ethnic groups. <i>Atherosclerosis</i> , 2003, 170, 79-86. | 0.4 | 63 |
| 159 | Low Circulating IGF-II Concentrations Predict Weight Gain and Obesity in Humans. <i>Diabetes</i> , 2003, 52, 1403-1408. | 0.3 | 86 |
| 160 | The influence of dietary intake on the insulin-like growth factor (IGF) system across three ethnic groups: a population-based study. <i>Public Health Nutrition</i> , 2003, 6, 175-180. | 1.1 | 40 |
| 161 | Low Circulating Levels of Insulin-Like Growth Factor Binding Protein-1 (IGFBP-1) Are Closely Associated With the Presence of Macrovascular Disease and Hypertension in Type 2 Diabetes. <i>Diabetes</i> , 2002, 51, 2629-2636. | 0.3 | 76 |
| 162 | Close relation of fasting insulin-like growth factor binding protein-1 (IGFBP-1) with glucose tolerance and cardiovascular risk in two populations. <i>Diabetologia</i> , 2001, 44, 333-339. | 2.9 | 172 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Epidemiology of the Insulin-like Growth Factor System in Three Ethnic Groups. American Journal of Epidemiology, 2001, 154, 504-513. | 1.6 | 67 |