

# An Zhisheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6959615/publications.pdf>

Version: 2024-02-01

393  
papers

51,357  
citations

2671

95  
h-index

1629

215  
g-index

400  
all docs

400  
docs citations

400  
times ranked

24951  
citing authors

#	ARTICLE	IF	CITATIONS
1	High secondary aerosol contribution to particulate pollution during haze events in China. <i>Nature</i> , 2014, 514, 218-222.	13.7	3,582
2	A High-Resolution Absolute-Dated Late Pleistocene Monsoon Record from Hulu Cave, China. <i>Science</i> , 2001, 294, 2345-2348.	6.0	2,594
3	Global Iron Connections Between Desert Dust, Ocean Biogeochemistry, and Climate. <i>Science</i> , 2005, 308, 67-71.	6.0	2,365
4	Evolution of Asian monsoons and phased uplift of the Himalaya-Tibetan plateau since Late Miocene times. <i>Nature</i> , 2001, 411, 62-66.	13.7	2,269
5	The Holocene Asian Monsoon: Links to Solar Changes and North Atlantic Climate. <i>Science</i> , 2005, 308, 854-857.	6.0	2,115
6	Millennial- and orbital-scale changes in the East Asian monsoon over the past 224,000 years. <i>Nature</i> , 2008, 451, 1090-1093.	13.7	1,567
7	The Anthropocene is functionally and stratigraphically distinct from the Holocene. <i>Science</i> , 2016, 351, aad2622.	6.0	1,543
8	A high-resolution, absolute-dated Holocene and deglacial Asian monsoon record from Dongge Cave, China. <i>Earth and Planetary Science Letters</i> , 2005, 233, 71-86.	1.8	1,510
9	Correlation between climate events in the North Atlantic and China during the last glaciation. <i>Nature</i> , 1995, 375, 305-308.	13.7	1,154
10	Persistent sulfate formation from London Fog to Chinese haze. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13630-13635.	3.3	1,044
11	Timing, Duration, and Transitions of the Last Interglacial Asian Monsoon. <i>Science</i> , 2004, 304, 575-578.	6.0	1,013
12	The history and variability of the East Asian paleomonsoon climate. <i>Quaternary Science Reviews</i> , 2000, 19, 171-187.	1.4	914
13	Asynchronous Holocene optimum of the East Asian monsoon. <i>Quaternary Science Reviews</i> , 2000, 19, 743-762.	1.4	839
14	Magnetic susceptibility evidence of monsoon variation on the Loess Plateau of central China during the last 130,000 years. <i>Quaternary Research</i> , 1991, 36, 29-36.	1.0	793
15	Chemical Characteristics of PM <sub>2.5</sub> and PM <sub>10</sub> in Haze-Fog Episodes in Beijing. <i>Environmental Science &amp; Technology</i> , 2006, 40, 3148-3155.	4.6	727
16	Loess stratigraphy in Central China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1989, 72, 203-225.	1.0	666
17	Interplay between the Westerlies and Asian monsoon recorded in Lake Qinghai sediments since 32 ka. <i>Scientific Reports</i> , 2012, 2, 619.	1.6	629
18	Severe haze in northern China: A synergy of anthropogenic emissions and atmospheric processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8657-8666.	3.3	609

#	ARTICLE	IF	CITATIONS
19	When did the Anthropocene begin? A mid-twentieth century boundary level is stratigraphically optimal. <i>Quaternary International</i> , 2015, 383, 196-203.	0.7	546
20	Grain-size distribution function of polymodal sediments in hydraulic and aeolian environments, and numerical partitioning of the sedimentary components. <i>Sedimentary Geology</i> , 2002, 152, 263-277.	1.0	500
21	Characterization and source apportionment of atmospheric organic and elemental carbon during fall and winter of 2003 in Xi'an, China. <i>Atmospheric Chemistry and Physics</i> , 2005, 5, 3127-3137.	1.9	497
22	The ion chemistry, seasonal cycle, and sources of PM <sub>2.5</sub> and TSP aerosol in Shanghai. <i>Atmospheric Environment</i> , 2006, 40, 2935-2952.	1.9	463
23	Grain Size of Quartz as an Indicator of Winter Monsoon Strength on the Loess Plateau of Central China during the Last 130,000 Yr. <i>Quaternary Research</i> , 1995, 43, 22-29.	1.0	460
24	Astronomical timescale and palaeoclimatic implication of stacked 3.6-Myr monsoon records from the Chinese Loess Plateau. <i>Quaternary Science Reviews</i> , 2006, 25, 33-48.	1.4	437
25	Influence of Atlantic meridional overturning circulation on the East Asian winter monsoon. <i>Nature Geoscience</i> , 2012, 5, 46-49.	5.4	417
26	Glacial-Interglacial Indian Summer Monsoon Dynamics. <i>Science</i> , 2011, 333, 719-723.	6.0	385
27	The variation of summer monsoon precipitation in central China since the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2010, 291, 21-31.	1.8	355
28	Pliocene uplift of the northern Tibetan Plateau. <i>Geology</i> , 2000, 28, 715.	2.0	344
29	Global Monsoon Dynamics and Climate Change. <i>Annual Review of Earth and Planetary Sciences</i> , 2015, 43, 29-77.	4.6	331
30	Late quaternary dust flow on the chinese Loess Plateau. <i>Catena</i> , 1991, 18, 125-132.	2.2	327
31	The variation of characteristics and formation mechanisms of aerosols in dust, haze, and clear days in Beijing. <i>Atmospheric Environment</i> , 2006, 40, 6579-6591.	1.9	309
32	Variation of Rb/Sr Ratios in the Loess-Paleosol Sequences of Central China during the Last 130,000 Years and Their Implications for Monsoon Paleoclimatology. <i>Quaternary Research</i> , 1999, 51, 215-219.	1.0	296
33	New eolian red clay sequence on the western Chinese Loess Plateau linked to onset of Asian desertification about 25 Ma ago. <i>Science China Earth Sciences</i> , 2011, 54, 136-144.	2.3	267
34	The air pollution caused by the burning of fireworks during the lantern festival in Beijing. <i>Atmospheric Environment</i> , 2007, 41, 417-431.	1.9	266
35	Bimodal grain-size distribution of Chinese loess, and its palaeoclimatic implications. <i>Catena</i> , 2004, 55, 325-340.	2.2	249
36	Evaluation of the thermal/optical reflectance method for discrimination between char- and soot-EC. <i>Chemosphere</i> , 2007, 69, 569-574.	4.2	249

#	ARTICLE	IF	CITATIONS
37	Magnetostratigraphy and paleoclimatic interpretation of a continuous 7.2 Ma Late Cenozoic Eolian sediments from the Chinese Loess Plateau. <i>Geophysical Research Letters</i> , 1998, 25, 85-88.	1.5	241
38	Seven million years of wind and precipitation variability on the Chinese Loess Plateau. <i>Earth and Planetary Science Letters</i> , 2010, 297, 525-535.	1.8	233
39	Variability of stalagmite-inferred Indian monsoon precipitation over the past 252,000 y. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2954-2959.	3.3	233
40	Annual temperatures during the last 2485 years in the mid-eastern Tibetan Plateau inferred from tree rings. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 348-359.	0.9	227
41	Human remains from Zhirendong, South China, and modern human emergence in East Asia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19201-19206.	3.3	223
42	New absolute time scale for the Quaternary climate in the Chinese Loess region by grain-size analysis. <i>Geology</i> , 1997, 25, 35.	2.0	222
43	Climate extremes in Loess of China coupled with the strength of deep-water formation in the North Atlantic. <i>Global and Planetary Change</i> , 1998, 18, 113-128.	1.6	220
44	The long-term paleomonsoon variation recorded by the loess-paleosol sequence in Central China. <i>Quaternary International</i> , 1990, 7-8, 91-95.	0.7	207
45	Particle Size Distribution and Polycyclic Aromatic Hydrocarbons Emissions from Agricultural Crop Residue Burning. <i>Environmental Science &amp; Technology</i> , 2011, 45, 5477-5482.	4.6	202
46	Northward extent of East Asian monsoon covaries with intensity on orbital and millennial timescales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1817-1821.	3.3	192
47	Millennial-scale climatic oscillations during the last interglaciation in central China. <i>Geology</i> , 1997, 25, 603.	2.0	189
48	Multiple expansions of C4 plant biomass in East Asia since 7 Ma coupled with strengthened monsoon circulation. <i>Geology</i> , 2005, 33, 705.	2.0	186
49	A 550,000-year record of East Asian monsoon rainfall from $^{10}\text{Be}$ in loess. <i>Science</i> , 2018, 360, 877-881.	6.0	183
50	Tectonic uplift in the northern Tibetan Plateau since 13.7 Ma ago inferred from molasse deposits along the Altyn Tagh Fault. <i>Earth and Planetary Science Letters</i> , 2005, 235, 641-653.	1.8	175
51	Late Miocene-Pliocene development of Asian aridification as recorded in the Red-Earth Formation in northern China. <i>Global and Planetary Change</i> , 2004, 41, 135-145.	1.6	172
52	Black carbon relationships with emissions and meteorology in Xi'an, China. <i>Atmospheric Research</i> , 2009, 94, 194-202.	1.8	172
53	The Holocene Indian monsoon variability over the southern Tibetan Plateau and its teleconnections. <i>Earth and Planetary Science Letters</i> , 2012, 335-336, 135-144.	1.8	171
54	Episode of Strengthened Summer Monsoon Climate of Younger Dryas Age on the Loess Plateau of Central China. <i>Quaternary Research</i> , 1993, 39, 45-54.	1.0	155

#	ARTICLE	IF	CITATIONS
55	Magnetostratigraphy and palaeoclimatic significance of Late Tertiary aeolian sequences in the Chinese Loess Plateau. <i>Geophysical Journal International</i> , 1998, 134, 207-212.	1.0	153
56	Stable isotopes in bulk carbonates and organic matter in recent sediments of Lake Qinghai and their climatic implications. <i>Chemical Geology</i> , 2006, 235, 262-275.	1.4	153
57	Late Cenozoic climate changes in China's western interior: a review of research on Lake Qinghai and comparison with other records. <i>Quaternary Science Reviews</i> , 2007, 26, 2281-2300.	1.4	153
58	Global Boundary Stratotype Section and Point (GSSP) for the Anthropocene Series: Where and how to look for potential candidates. <i>Earth-Science Reviews</i> , 2018, 178, 379-429.	4.0	153
59	Astronomical calibration of loessâ€œpaleosol deposits at Luochuan, central Chinese Loess Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 154, 237-246.	1.0	151
60	Late Pliocene-Pleistocene changes in mass accumulation rates of eolian deposits on the central Chinese Loess Plateau. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	151
61	Large Holocene summer temperature oscillations and impact on the peopling of the northeastern Tibetan Plateau. <i>Geophysical Research Letters</i> , 2016, 43, 1323-1330.	1.5	150
62	Variability of Monsoon Climate in East Asia at the End of the Last Glaciation. <i>Quaternary Research</i> , 1996, 46, 219-229.	1.0	146
63	Summer monsoon intensity controls C4/C3 plant abundance during the last 35 ka in the Chinese Loess Plateau: Carbon isotope evidence from bulk organic matter and individual leaf waxes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005, 220, 243-254.	1.0	146
64	High resolution characterization of the Asian Monsoon between 146,000 and 99,000Âyears B.P. from Dongge Cave, China and global correlation of events surrounding Termination II. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 236, 20-38.	1.0	146
65	Plioâ€œQuaternary stepwise drying of Asia: Evidence from a 3-Ma pollen record from the Chinese Loess Plateau. <i>Earth and Planetary Science Letters</i> , 2007, 257, 160-169.	1.8	146
66	Astronomical and glacial forcing of East Asian summer monsoon variability. <i>Quaternary Science Reviews</i> , 2015, 115, 132-142.	1.4	141
67	Atmospheric trace elements over source regions for Chinese dust: concentrations, sources and atmospheric deposition on the Loess plateau. <i>Atmospheric Environment Part A General Topics</i> , 1993, 27, 2051-2067.	1.3	139
68	Dynamics of the intertropical convergence zone over the western Pacific during the Little Ice Age. <i>Nature Geoscience</i> , 2015, 8, 315-320.	5.4	137
69	Chemical composition of dust storms in Beijing and implications for the mixing of mineral aerosol with pollution aerosol on the pathway. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	135
70	Magnetostratigraphic dating of early humans in China. <i>Earth-Science Reviews</i> , 2003, 61, 341-359.	4.0	133
71	Precipitation variation in the northeastern Tibetan Plateau recorded by the tree rings since 850 AD and its relevance to the Northern Hemisphere temperature. <i>Science in China Series D: Earth Sciences</i> , 2006, 49, 408-420.	0.9	132
72	Heterogeneous Reactions of Sulfur Dioxide on Typical Mineral Particles. <i>Journal of Physical Chemistry B</i> , 2006, 110, 12588-12596.	1.2	129

#	ARTICLE	IF	CITATIONS
73	Grain size of loess, palaeosol and Red Clay deposits on the Chinese Loess Plateau: Significance for understanding pedogenic alteration and palaeomonsoon evolution. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 241, 129-138.	1.0	129
74	Magnetostratigraphy of Cenozoic deposits in the western Qaidam Basin and its implication for the surface uplift of the northeastern margin of the Tibetan Plateau. <i>Earth and Planetary Science Letters</i> , 2015, 430, 271-283.	1.8	128
75	Dependence of Near-Surface Magnetic Susceptibility on Dust Accumulation Rate and Precipitation on the Chinese Loess Plateau. <i>Quaternary Research</i> , 2001, 55, 271-283.	1.0	127
76	Recent enhancement of central Pacific El Niño variability relative to last eight centuries. <i>Nature Communications</i> , 2017, 8, 15386.	5.8	126
77	High-resolution absolute-dated Indian Monsoon record between 53 and 36 ka from Xiaobailong Cave, southwestern China. <i>Geology</i> , 2006, 34, 621.	2.0	125
78	Holocene moisture changes in western China, Central Asia, inferred from stalagmites. <i>Quaternary Science Reviews</i> , 2017, 158, 15-28.	1.4	124
79	The Loess-Paleosol Sequence in China and Climatic History. <i>Episodes</i> , 1985, 8, 21-28.	0.8	124
80	Water-soluble part of the aerosol in the dust storm season—evidence of the mixing between mineral and pollution aerosols. <i>Atmospheric Environment</i> , 2005, 39, 7020-7029.	1.9	123
81	Loess in Kunlun Mountains and its implications on desert development and Tibetan Plateau uplift in west China. <i>Science in China Series D: Earth Sciences</i> , 2002, 45, 289-299.	0.9	122
82	Timing and structure of the Younger Dryas event and its underlying climate dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 23408-23417.	3.3	119
83	Diverse manifestations of the mid-Pleistocene climate transition. <i>Nature Communications</i> , 2019, 10, 352.	5.8	118
84	Paleoclimatic significance of grain size of loess-palaeosol deposit in Chinese Loess Plateau. <i>Science in China Series D: Earth Sciences</i> , 1998, 41, 626-631.	0.9	115
85	New Magnetostratigraphic Dates of Lantian <i>Homo erectus</i> . <i>Quaternary Research</i> , 1989, 32, 213-221.	1.0	114
86	Total organic carbon isotopes: A novel proxy of lake level from Lake Qinghai in the Qinghai-Tibet Plateau, China. <i>Chemical Geology</i> , 2013, 347, 153-160.	1.4	114
87	Variations in chemical compositions of the eolian dust in Chinese Loess Plateau over the past 2.5 Ma and chemical weathering in the Asian inland. <i>Science in China Series D: Earth Sciences</i> , 2001, 44, 403-413.	0.9	111
88	Summer monsoon precipitation variations in central China over the past 750 years derived from a high-resolution absolute-dated stalagmite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 432-439.	1.0	106
89	Glacial and interglacial patterns for Asian dust transport. <i>Quaternary Science Reviews</i> , 1999, 18, 811-819.	1.4	105
90	Grain size of Lake Qinghai sediments: Implications for riverine input and Holocene monsoon variability. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 41-51.	1.0	104

#	ARTICLE	IF	CITATIONS
91	Aeolian origin and palaeoclimatic implications of the 'red clay' (north China) as evidenced by grain-size distribution. <i>Journal of Quaternary Science</i> , 2001, 16, 89-97.	1.1	103
92	Temperature variations recorded in <i>Pinus tabulaeformis</i> tree rings from the southern and northern slopes of the central Qinling Mountains, central China. <i>Boreas</i> , 2009, 38, 285-291.	1.2	103
93	The magnetic properties of particle-sized samples from the Luo Chuan loess section: evidence for pedogenesis. <i>Physics of the Earth and Planetary Interiors</i> , 1991, 68, 250-258.	0.7	101
94	The evolution of chemical components of aerosols at five monitoring sites of China during dust storms. <i>Atmospheric Environment</i> , 2007, 41, 1091-1106.	1.9	100
95	Particulate-associated potentially harmful elements in urban road dusts in Xi'an, China. <i>Applied Geochemistry</i> , 2008, 23, 835-845.	1.4	97
96	800-kyr land temperature variations modulated by vegetation changes on Chinese Loess Plateau. <i>Nature Communications</i> , 2019, 10, 1958.	5.8	97
97	Cyclic Quaternary alluviation and terracing in a nonglaciaded drainage basin on the north flank of the Qinling Shan, central China. <i>Quaternary Research</i> , 1992, 38, 157-169.	1.0	95
98	Magnetostratigraphy and palaeoclimate of Red Clay sequences from Chinese Loess Plateau. <i>Science in China Series D: Earth Sciences</i> , 1997, 40, 337-343.	0.9	95
99	Carbon isotope composition of long chain leaf wax n-alkanes in lake sediments: A dual indicator of paleoenvironment in the Qinghai-Tibet Plateau. <i>Organic Geochemistry</i> , 2015, 83-84, 190-201.	0.9	94
100	Evaluation of the thermal/optical reflectance method for quantification of elemental carbon in sediments. <i>Chemosphere</i> , 2007, 69, 526-533.	4.2	93
101	Centennial- to decadal-scale monsoon precipitation variations in the upper Hanjiang River region, China over the past 6650 years. <i>Earth and Planetary Science Letters</i> , 2018, 482, 580-590.	1.8	93
102	The Late Cenozoic uplift of the Liupan Shan, China. <i>Science in China Series D: Earth Sciences</i> , 2001, 44, 176-184.	0.9	92
103	Elemental Carbon and Polycyclic Aromatic Compounds in a 150-Year Sediment Core from Lake Qinghai, Tibetan Plateau, China: Influence of Regional and Local Sources and Transport Pathways. <i>Environmental Science &amp; Technology</i> , 2015, 49, 4176-4183.	4.6	92
104	Late Miocene episodic lakes in the arid Tarim Basin, western China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16292-16296.	3.3	91
105	Organic Molecular Compositions and Size Distributions of Chinese Summer and Autumn Aerosols from Nanjing: Characteristic Haze Event Caused by Wheat Straw Burning. <i>Environmental Science &amp; Technology</i> , 2009, 43, 6493-6499.	4.6	90
106	Major ion chemistry of waters in Lake Qinghai catchments, NE Qinghai-Tibet plateau, China. <i>Quaternary International</i> , 2010, 212, 35-43.	0.7	88
107	Late Miocene–Pliocene Asian monsoon intensification linked to Antarctic ice-sheet growth. <i>Earth and Planetary Science Letters</i> , 2016, 444, 75-87.	1.8	86
108	Characteristics and sources of formic, acetic and oxalic acids in PM <sub>2.5</sub> and PM <sub>10</sub> aerosols in Beijing, China. <i>Atmospheric Research</i> , 2007, 84, 169-181.	1.8	85



#	ARTICLE	IF	CITATIONS
109	Distribution and composition of loess sediments in the Ili Basin, Central Asia. <i>Quaternary International</i> , 2014, 334-335, 61-73.	0.7	84
110	Lake Qinghai sediment geochemistry linked to hydroclimate variability since the last glacial. <i>Quaternary Science Reviews</i> , 2015, 122, 63-73.	1.4	84
111	Paleoclimatic significance of magnetic properties on the Red Clay underlying the loess and paleosols in China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 199, 153-166.	1.0	82
112	Seasonal precipitation in the south-central Helan Mountain region, China, reconstructed from tree-ring width for the past 224 years. <i>Canadian Journal of Forest Research</i> , 2005, 35, 2403-2412.	0.8	82
113	East Asian monsoon variation during the last 130,000 Years: evidence from the Loess Plateau of central China and Lake Biwa of Japan. <i>Quaternary Science Reviews</i> , 1999, 18, 147-157.	1.4	81
114	Evaluation of oxygen isotopes in carbonate as an indicator of lake evolution in arid areas: The modern Qinghai Lake, Qinghai-Tibet Plateau. <i>Chemical Geology</i> , 2009, 268, 126-136.	1.4	80
115	Eolian Quartz Flux to Lake Biwa, Central Japan, over the Past 145,000 Years. <i>Quaternary Research</i> , 1997, 48, 48-57.	1.0	78
116	The vegetation and monsoon variations at the desert-boess transition belt at Midiwan in northern China for the last 13 ka. <i>Holocene</i> , 2003, 13, 779-784.	0.9	77
117	The Plateau Monsoon variation during the past 130 kyr revealed by loess deposit at northeast Qinghai-Tibet (China). <i>Global and Planetary Change</i> , 2004, 41, 207-214.	1.6	77
118	Recent anthropogenic curtailing of Yellow River runoff and sediment load is unprecedented over the past 500 y. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 18251-18257.	3.3	77
119	Pretreated methods on loess-palaeosol samples granulometry. <i>Science Bulletin</i> , 1998, 43, 237-240.	1.7	76
120	Variations in $^{87}\text{Sr}/^{86}\text{Sr}$ ratios of calcites in Chinese loess: a proxy for chemical weathering associated with the East Asian summer monsoon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 157, 151-159.	1.0	75
121	Distribution of the C <sub>37</sub> tetra-unsaturated alkenone in Lake Qinghai, China: A potential lake salinity indicator. <i>Geochimica Et Cosmochimica Acta</i> , 2008, 72, 988-997.	1.6	75
122	Climate patterns in north central China during the last 1800 yr and their possible driving force. <i>Climate of the Past</i> , 2011, 7, 685-692.	1.3	75
123	Characteristics and sources of polycyclic aromatic hydrocarbons and fatty acids in PM <sub>2.5</sub> aerosols in dust season in China. <i>Atmospheric Environment</i> , 2006, 40, 3251-3262.	1.9	74
124	Comparison of Elemental Carbon in Lake Sediments Measured by Three Different Methods and 150-Year Pollution History in Eastern China. <i>Environmental Science &amp; Technology</i> , 2011, 45, 5287-5293.	4.6	74
125	Changing color of Chinese loess: Geochemical constraint and paleoclimatic significance. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1131-1138.	1.0	74
126	Large variations of oxygen isotopes in precipitation over south-central Tibet during Marine Isotope Stage 5. <i>Geology</i> , 2010, 38, 243-246.	2.0	73



#	ARTICLE	IF	CITATIONS
127	Eolian evidence from the Chinese Loess Plateau: the onset of the Late Cenozoic Great Glaciation in the Northern Hemisphere and Qinghai-Xizang Plateau uplift forcing. <i>Science in China Series D: Earth Sciences</i> , 1999, 42, 258-271.	0.9	72
128	Three large shifts in East Asian monsoon circulation indicated by loessâ€“paleosol sequences in China and late Cenozoic deposits in Japan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 154, 179-189.	1.0	72
129	Decreasing monsoon precipitation in southwest China during the last 240Âyears associated with the warming of tropical ocean. <i>Climate Dynamics</i> , 2017, 48, 1769-1778.	1.7	72
130	A data-model comparison pinpoints Holocene spatiotemporal pattern of East Asian summer monsoon. <i>Quaternary Science Reviews</i> , 2021, 261, 106911.	1.4	72
131	Teleconnection of climatic events between East Asia and polar, high latitude areas during the last deglaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 152, 163-172.	1.0	71
132	Possible obliquity-forced warmth in southern Asia during the last glacial stage. <i>Science Bulletin</i> , 2021, 66, 1136-1145.	4.3	71
133	Late Quaternary Records of the Atmospheric Input of Eolian Dust to the Center of the Chinese Loess Plateau. <i>Quaternary Research</i> , 1994, 41, 35-43.	1.0	70
134	Palaeomagnetic stratigraphy of Lake Bungunna: Plio-pleistocene precursor of aridity in the murray basin, Southeastern Australia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1986, 54, 219-239.	1.0	69
135	A Quaternary climate record based on grain size analysis from the Luochuan loess section on the Central Loess Plateau, China. <i>Global and Planetary Change</i> , 2004, 41, 167-183.	1.6	69
136	Late Neogene rock magnetic record of climatic variation from Chinese eolian sediments related to uplift of the Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2007, 30, 324-332.	1.0	67
137	A Rb/Sr record of the weathering response to environmental changes in westerly winds across the Tarim Basin in the late Miocene to the early Pleistocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 386, 364-373.	1.0	67
138	The Anthropocene: a conspicuous stratigraphical signal of anthropogenic changes in production and consumption across the biosphere. <i>Earth's Future</i> , 2016, 4, 34-53.	2.4	66
139	Variability of East Asian Winter Monsoon in Quaternary Climatic Extremes in North China. <i>Quaternary Research</i> , 2000, 54, 321-327.	1.0	65
140	Characterization of the Chinese loessâ€“paleosol stratigraphy by whiteness measurement. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002, 183, 287-297.	1.0	65
141	The Tibetan Plateau as amplifier of orbital-scale variability of the East Asian monsoon. <i>Geophysical Research Letters</i> , 2003, 30, .	1.5	65
142	Transformation functions of soil color and climate. <i>Science in China Series D: Earth Sciences</i> , 2001, 44, 218-226.	0.9	64
143	Carbon isotopic composition of modern soil and paleosol as a response to vegetation change on the Chinese Loess Plateau. <i>Science in China Series D: Earth Sciences</i> , 2005, 48, 93-99.	0.9	64
144	East Asia winter monsoon variations on a millennial time-scale before the last glacial-interglacial cycle. <i>Journal of Quaternary Science</i> , 1999, 14, 101-110.	1.1	63

#	ARTICLE	IF	CITATIONS
145	Terrestrial evidence for a spatial structure of tropical–polar interconnections during the Younger Dryas episode. <i>Earth and Planetary Science Letters</i> , 2001, 191, 231-239.	1.8	62
146	Distinct impacts of the Mongolian and Tibetan Plateaus on the evolution of the East Asian monsoon. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 4764-4782.	1.2	62
147	The 3.6-Ma aridity and westerlies history over midlatitude Asia linked with global climatic cooling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24729-24734.	3.3	62
148	Distribution of Rb and Sr in the Luochuan loess- paleosol sequence of China during the last 800 ka. <i>Science in China Series D: Earth Sciences</i> , 1999, 42, 225-232.	0.9	61
149	Luminescence age and palaeoenvironmental implications of a late Pleistocene ground wedge on the Northeastern Tibetan Plateau. <i>Permafrost and Periglacial Processes</i> , 2001, 12, 203-210.	1.5	61
150	Source-to-sink fluctuations of Asian aeolian deposits since the late Oligocene. <i>Earth-Science Reviews</i> , 2020, 200, 102963.	4.0	61
151	Cyclic precipitation variation on the western Loess Plateau of China during the past four centuries. <i>Scientific Reports</i> , 2014, 4, 6381.	1.6	60
152	A 130-ka reconstruction of precipitation on the Chinese Loess Plateau from organic carbon isotopes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 270, 59-63.	1.0	58
153	Amplitudes, rates, periodicities and causes of temperature variations in the past 2485 years and future trends over the central-eastern Tibetan Plateau. <i>Science Bulletin</i> , 2011, 56, 2986.	1.7	58
154	Tree-Ring-Derived Precipitation Records from Inner Mongolia, China, Since A.D. 1627. <i>Tree-Ring Research</i> , 2007, 63, 3-14.	0.4	56
155	Tree-ring precipitation records from Baiyinaobao, Inner Mongolia since A.D. 1838. <i>Science Bulletin</i> , 2003, 48, 1140-1145.	1.7	54
156	Mass accumulation rate changes in Chinese loess during MIS 2, and asynchrony with records from Greenland ice cores and North Pacific Ocean sediments during the Last Glacial Maximum. <i>Aeolian Research</i> , 2015, 19, 251-258.	1.1	54
157	Magnetic parameter variations in the Chaona loess/paleosol sequences in the central Chinese Loess Plateau, and their significance for the middle Pleistocene climate transition. <i>Quaternary Research</i> , 2014, 81, 433-444.	1.0	53
158	Holocene wildfire history and human activity from high-resolution charcoal and elemental black carbon records in the Guanzhong Basin of the Loess Plateau, China. <i>Quaternary Science Reviews</i> , 2015, 109, 76-87.	1.4	53
159	Pedogenic response to millennial summer monsoon enhancements on the Tibetan Plateau. <i>Quaternary International</i> , 2003, 106-107, 79-88.	0.7	52
160	Pollen record from red clay sequence in the central Loess Plateau between 8.10 and 2.60 Ma. <i>Science Bulletin</i> , 2005, 50, 2234-2243.	1.7	52
161	<sup>14</sup> C Chronostratigraphy for Qinghai Lake in China. <i>Radiocarbon</i> , 2014, 56, 143-155.	0.8	52
162	Megadrought and cultural exchange along the proto-silk road. <i>Science Bulletin</i> , 2021, 66, 603-611.	4.3	52

#	ARTICLE	IF	CITATIONS
163	Solar influenced late Holocene temperature changes on the northern Tibetan Plateau. <i>Science Bulletin</i> , 2013, 58, 1053-1059.	1.7	50
164	Impact of Climate Change on Siberian High and Wintertime Air Pollution in China in Past Two Decades. <i>Earth's Future</i> , 2018, 6, 118-133.	2.4	49
165	A detailed palaeomagnetic record for the last interglacial period. <i>Earth and Planetary Science Letters</i> , 1995, 133, 339-351.	1.8	48
166	Grain size distribution of quartz isolated from Chinese loess1 paleosol. <i>Science Bulletin</i> , 2000, 45, 2296-2298.	1.7	48
167	Chemical composition and size distribution of wintertime aerosols in the atmosphere of Mt. Hua in central China. <i>Atmospheric Environment</i> , 2011, 45, 1251-1258.	1.9	48
168	Soil N retention and nitrate leaching in three types of dunes in the Mu Us desert of China. <i>Scientific Reports</i> , 2015, 5, 14222.	1.6	48
169	History and variability of Asian interior aridity recorded by eolian flux in the Chinese Loess Plateau during the past 7 Ma. <i>Science in China Series D: Earth Sciences</i> , 2002, 45, 420-429.	0.9	47
170	Disentangling Geomagnetic and Precipitation Signals in an 80-kyr Chinese Loess Record of $^{10}\text{Be}$ . <i>Radiocarbon</i> , 2007, 49, 137-158.	0.8	47
171	Elemental carbon record of paleofire history on the Chinese Loess Plateau during the last 420 ka and its response to environmental and climate changes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 252, 617-625.	1.0	47
172	Transient simulation of orbital-scale precipitation variation in monsoonal East Asia and arid central Asia during the last 150 ka. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 7481-7488.	1.2	47
173	Stable isotope composition alteration produced by the aragonite-to-calcite transformation in speleothems and implications for paleoclimate reconstructions. <i>Sedimentary Geology</i> , 2014, 309, 1-14.	1.0	47
174	Late Holocene anti-phase change in the East Asian summer and winter monsoons. <i>Quaternary Science Reviews</i> , 2018, 188, 28-36.	1.4	46
175	Calibrating bacterial tetraether distributions towards in situ soil temperature and application to a loess-paleosol sequence. <i>Quaternary Science Reviews</i> , 2020, 231, 106172.	1.4	46
176	Simulated variations of eolian dust from inner Asian deserts at the mid-Pliocene, last glacial maximum, and present day: contributions from the regional tectonic uplift and global climate change. <i>Climate Dynamics</i> , 2011, 37, 2289-2301.	1.7	45
177	On the potential high acid deposition in northeastern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 4834-4846.	1.2	45
178	Magnetostratigraphic determination of the age of ancient Lake Qinghai, and record of the East Asian monsoon since 4.63 Ma. <i>Geology</i> , 2013, 41, 875-878.	2.0	45
179	Tree-ring stable carbon isotope-based May-July temperature reconstruction over Nanwutai, China, for the past century and its record of 20th century warming. <i>Quaternary Science Reviews</i> , 2014, 93, 67-76.	1.4	45
180	Miocene climate change on the Chinese Loess Plateau: Possible links to the growth of the northern Tibetan Plateau and global cooling. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 2097-2108.	1.0	45

#	ARTICLE	IF	CITATIONS
181	Spatial pattern of modern sedimentation rate of Qinghai Lake and a preliminary estimate of the sediment flux. <i>Science Bulletin</i> , 2010, 55, 621-627.	1.7	44
182	Orbital climate variability on the northeastern Tibetan Plateau across the Eocene–Oligocene transition. <i>Nature Communications</i> , 2020, 11, 5249.	5.8	44
183	Contribution of inherent organic carbon to the bulk $\delta^{13}\text{C}$ signal in loess deposits from the arid western Chinese Loess Plateau. <i>Organic Geochemistry</i> , 2007, 38, 1571-1579.	0.9	43
184	Distinct responses of East Asian summer and winter monsoons to astronomical forcing. <i>Climate of the Past</i> , 2011, 7, 1363-1370.	1.3	43
185	Magnetostratigraphic and paleoenvironmental records for a Late Cenozoic sedimentary sequence drilled from Lop Nor in the eastern Tarim Basin. <i>Global and Planetary Change</i> , 2012, 80-81, 113-122.	1.6	43
186	Different hydrogen isotope fractionations during lipid formation in higher plants: Implications for paleohydrology reconstruction at a global scale. <i>Scientific Reports</i> , 2016, 6, 19711.	1.6	43
187	Abrupt climatic events recorded by the Ili loess during the last glaciation in Central Asia: Evidence from grain-size and minerals. <i>Journal of Asian Earth Sciences</i> , 2018, 155, 58-67.	1.0	43
188	Centennial- to millennial-scale monsoon changes since the last deglaciation linked to solar activities and North Atlantic cooling. <i>Climate of the Past</i> , 2020, 16, 315-324.	1.3	42
189	Boron concentration and isotopic composition of halite from experiments and salt lakes in the Qaidam Basin. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 2177-2183.	1.6	41
190	Geological record of meltwater events at Qinghai Lake, China from the past 40 ka. <i>Quaternary Science Reviews</i> , 2016, 149, 279-287.	1.4	41
191	Persistent orbital influence on millennial climate variability through the Pleistocene. <i>Nature Geoscience</i> , 2021, 14, 812-818.	5.4	41
192	Individual and pooled tree-ring stable-carbon isotope series in Chinese pine from the Nan Wutai region, China: Common signal and climate relationships. <i>Chemical Geology</i> , 2012, 330-331, 17-26.	1.4	40
193	Extreme weather events recorded by daily to hourly resolution biogeochemical proxies of marine giant clam shells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 7038-7043.	3.3	40
194	Geochronology of a surface core in the northern basin of Lake Qinghai: Evidence from $^{210}\text{Pb}$ and $^{137}\text{Cs}$ radionuclides. <i>Diqiu Huaxue</i> , 2006, 25, 301-306.	0.5	39
195	Atmospheric Cu and Pb Deposition and Transport in Lake Sediments in a Remote Mountain Area, Northern China. <i>Water, Air, and Soil Pollution</i> , 2007, 179, 167-181.	1.1	39
196	Linking coarse silt production in Asian sand deserts and Quaternary accretion of the Chinese Loess Plateau. <i>Geology</i> , 2014, 42, 23-26.	2.0	39
197	A new approach for reconstructing Holocene temperatures from a multi-species long chain alkenone record from Lake Qinghai on the northeastern Tibetan Plateau. <i>Organic Geochemistry</i> , 2015, 88, 50-58.	0.9	39
198	Stratigraphic Division of Holocene Loess in China. <i>Radiocarbon</i> , 1994, 36, 37-45.	0.8	38

#	ARTICLE	IF	CITATIONS
199	$\delta^{18}O$ values of tree rings as a proxy of monsoon precipitation in arid Northwest China. <i>Chemical Geology</i> , 2004, 206, 73-80.	1.4	38
200	Rapid and cyclic dust accumulation during MIS 2 in Central Asia inferred from loess OSL dating and grain-size analysis. <i>Scientific Reports</i> , 2016, 6, 32365.	1.6	38
201	Mid-Miocene climatic optimum: Clay mineral evidence from the red clay succession, Longzhong Basin, Northern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 512, 46-55.	1.0	38
202	The genesis, development, and evolution of original vertical joints in loess. <i>Earth-Science Reviews</i> , 2021, 214, 103526.	4.0	38
203	An 8.1Ma calcite record of Asian summer monsoon evolution on the Chinese central Loess Plateau. <i>Science in China Series D: Earth Sciences</i> , 2007, 50, 392-403.	0.9	37
204	The 9.2ka event in Asian summer monsoon area: the strongest millennial scale collapse of the monsoon during the Holocene. <i>Climate Dynamics</i> , 2018, 50, 2767-2782.	1.7	37
205	Holocene variability of East Asian summer monsoon as viewed from the speleothem $\delta^{18}O$ records in central China. <i>Earth and Planetary Science Letters</i> , 2021, 559, 116759.	1.8	37
206	Selected water-soluble organic compounds found in size-resolved aerosols collected from urban, mountain and marine atmospheres over East Asia. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 63, 371.	0.8	36
207	Magnetostratigraphic evidence of a mid-Pliocene onset of the Nihewan Formation "implications for early fauna and hominid occupation in the Nihewan Basin, North China. <i>Quaternary Science Reviews</i> , 2013, 59, 30-42.	1.4	36
208	A Chinese cave links climate change, social impacts and human adaptation over the last 500 years. <i>Scientific Reports</i> , 2015, 5, 12284.	1.6	36
209	Nonstationary impact of the winter North Atlantic Oscillation and the response of mid-latitude Eurasian climate. <i>Theoretical and Applied Climatology</i> , 2016, 124, 1-14.	1.3	36
210	Asian inland wildfires driven by glacial-interglacial climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5184-5189.	3.3	36
211	Characterization of winter airborne particles at Emperor Qin's Terra-cotta Museum, China. <i>Science of the Total Environment</i> , 2009, 407, 5319-5327.	3.9	35
212	The age of human remains and associated fauna from Zhiren Cave in Guangxi, southern China. <i>Quaternary International</i> , 2017, 434, 84-91.	0.7	35
213	Exploring the role of land restoration in the spatial patterns of deep soil water at watershed scales. <i>Catena</i> , 2019, 172, 387-396.	2.2	35
214	Solar activity and the westerlies dominate decadal hydroclimatic changes over arid Central Asia. <i>Global and Planetary Change</i> , 2019, 173, 53-60.	1.6	35
215	Two-stage mid-Brunhes climate transition and mid-Pleistocene human diversification. <i>Earth-Science Reviews</i> , 2020, 210, 103354.	4.0	35
216	Onset of permanent Taklimakan Desert linked to the mid-Pleistocene transition. <i>Geology</i> , 2020, 48, 782-786.	2.0	35

#	ARTICLE	IF	CITATIONS
217	A 1.5 Ma sporopollen record of paleoecologic environment evolution in the central Chinese Loess Plateau. <i>Science Bulletin</i> , 2004, 49, 295-302.	1.7	34
218	Spatial distributions and sequestrations of organic carbon and black carbon in soils from the Chinese loess plateau. <i>Science of the Total Environment</i> , 2013, 465, 255-266.	3.9	34
219	Responses of cyanobacteria to climate and human activities at Lake Chenghai over the past 100 years. <i>Ecological Indicators</i> , 2019, 104, 755-763.	2.6	34
220	The evolution of coupling of Asian winter monsoon and high latitude climate of Northern Hemisphere. <i>Science in China Series D: Earth Sciences</i> , 2001, 44, 185-191.	0.9	33
221	Trace-element variations in an annually layered stalagmite as recorders of climatic changes and anthropogenic pollution in Central China. <i>Quaternary Research</i> , 2014, 81, 181-188.	1.0	33
222	Magnetostratigraphy of the Suerkuli Basin indicates Pliocene (3.2Ma) activity of the middle Altyn Tagh Fault, northern Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2012, 44, 169-175.	1.0	32
223	Hydrogen isotopic compositions of long-chain leaf wax n-alkanes in Lake Qinghai sediments record palaeohydrological variations during the past 12 ka. <i>Quaternary International</i> , 2017, 449, 67-74.	0.7	32
224	Effect of ship emissions on O <sub>3</sub> in the Yangtze River Delta region of China: Analysis of WRF-Chem modeling. <i>Science of the Total Environment</i> , 2019, 683, 360-370.	3.9	32
225	Chronology of the Baxie Loess Profile and the History of Monsoon Climates in China Between 17,000 and 6000 Years BP. <i>Radiocarbon</i> , 1992, 34, 818-825.	0.8	31
226	Magnetic properties of the Tertiary red clay from Gansu. <i>Science in China Series D: Earth Sciences</i> , 2001, 44, 635-651.	0.9	31
227	The $\delta^{18}O$ variation of a stalagmite from Qixing Cave, Guizhou Province and indicated climate change during the Holocene. <i>Science Bulletin</i> , 2001, 46, 1904-1908.	1.7	31
228	Geophysical survey on the tectonic and sediment distribution of Qinghai Lake basin. <i>Science in China Series D: Earth Sciences</i> , 2006, 49, 851-861.	0.9	31
229	Distribution and ecotoxicological significance of trace element contamination in a 150 yr record of sediments in Lake Chaohu, Eastern China. <i>Journal of Environmental Monitoring</i> , 2011, 13, 743.	2.1	31
230	Climate significance of speleothem $\delta^{18}O$ from central China on decadal timescale. <i>Journal of Asian Earth Sciences</i> , 2015, 106, 150-155.	1.0	31
231	Seismically enhanced solute fluxes in the Yangtze River headwaters following the A.D. 2008 Wenchuan earthquake. <i>Geology</i> , 2016, 44, 47-50.	2.0	31
232	Variations in hydrogen isotopic fractionation in higher plants and sediments across different latitudes: Implications for paleohydrological reconstruction. <i>Science of the Total Environment</i> , 2019, 650, 470-478.	3.9	31
233	Global warming-induced Asian hydrological climate transition across the Miocene–Pliocene boundary. <i>Nature Communications</i> , 2021, 12, 6935.	5.8	31
234	Episodic gullying and paleomonsoon cycles on the Chinese Loess Plateau. <i>Quaternary Research</i> , 2005, 64, 234-241.	1.0	30

#	ARTICLE	IF	CITATIONS
235	Modern pollen rain in the Lake Qinghai basin, China. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 1510-1519.	0.9	30
236	Soil-derived sulfate in atmospheric dust particles at Taklimakan desert. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	30
237	Pleistocene magnetochronology of the fauna and Paleolithic sites in the Nihewan Basin: Significance for environmental and hominin evolution in North China. <i>Quaternary Geochronology</i> , 2013, 18, 78-92.	0.6	30
238	Timing of the Brunhes-Matuyama magnetic polarity reversal in Chinese loess using $^{10}\text{Be}$ . <i>Geology</i> , 2014, 42, 467-470.	2.0	30
239	Pliocene uplift of the northern Tibetan Plateau. <i>Geology</i> , 2000, 28, 715-718.	2.0	30
240	Reappraisal of Chinese Loess Plateau Stratigraphic Sequences Over the Last 30,000 Years: Precursors of an Important Holocene Monsoon Climatic Event. <i>Radiocarbon</i> , 1997, 40, 905-913.	0.8	29
241	Peatland development and climate changes in the Dajiuhu basin, central China, over the last 14,100 years. <i>Quaternary International</i> , 2016, 425, 273-281.	0.7	29
242	Leaf wax n-alkane distributions across plant types in the central Chinese Loess Plateau. <i>Organic Geochemistry</i> , 2018, 125, 260-269.	0.9	29
243	Role of the Tian Shan Mountains and Pamir Plateau in Increasing Spatiotemporal Differentiation of Precipitation over Interior Asia. <i>Journal of Climate</i> , 2018, 31, 8141-8162.	1.2	29
244	Leaf wax n-alkane carbon isotope values vary among major terrestrial plant groups: Different responses to precipitation amount and temperature, and implications for paleoenvironmental reconstruction. <i>Earth-Science Reviews</i> , 2020, 202, 103081.	4.0	29
245	Matuyama/Brunhes (M/B) Transition Recorded in Chinese Loess.. <i>Journal of Geomagnetism and Geoelectricity</i> , 1993, 45, 319-330.	0.8	28
246	Biogenic Silica Record in Lake Biwa of Central Japan over the Past 145,000 Years. <i>Quaternary Research</i> , 1997, 47, 277-283.	1.0	28
247	Did an extensive forest ever develop on the Chinese Loess Plateau during the past 130 ka?: a test using soil carbon isotopic signatures. <i>Applied Geochemistry</i> , 2005, 20, 519-527.	1.4	28
248	Large variations of $\delta^{13}\text{C}$ values in stalagmites from southeastern China during historical times: implications for anthropogenic deforestation. <i>Boreas</i> , 2015, 44, 511-525.	1.2	28
249	Palaeoenvironmental implication of grain-size compositions of terrace deposits on the western Chinese Loess Plateau. <i>Aeolian Research</i> , 2018, 32, 202-209.	1.1	28
250	Airborne particulate organics at the summit (2060m, a.s.l.) of Mt. Hua in central China during winter: Implications for biofuel and coal combustion. <i>Atmospheric Research</i> , 2012, 106, 108-119.	1.8	27
251	Exploratory Temperature and Precipitation Reconstructions from the Qinling Mountains, North-Central China. <i>Tree-Ring Research</i> , 2005, 61, 59-72.	0.4	26
252	Variation of soil $\delta^{13}\text{C}$ values in Xifeng loess-paleosol sequence and its paleoenvironmental implication. <i>Science Bulletin</i> , 2006, 51, 1350-1354.	1.7	25



#	ARTICLE	IF	CITATIONS
253	Elemental composition of aerosols in Daihai, a rural area in the front boundary of the summer Asian monsoon. <i>Atmospheric Research</i> , 2009, 92, 229-235.	1.8	25
254	Reconstruction of 130-kyr Relative Geomagnetic Intensities from $^{10}\text{Be}$ in Two Chinese Loess Sections. <i>Radiocarbon</i> , 2010, 52, 129-147.	0.8	25
255	Mid-Miocene C4 expansion on the Chinese Loess Plateau under an enhanced Asian summer monsoon. <i>Journal of Asian Earth Sciences</i> , 2018, 158, 153-159.	1.0	25
256	Pleistocene magnetic susceptibility and paleomagnetism of the Tibetan loess and its implications on large climatic change events. <i>Science in China Series D: Earth Sciences</i> , 2001, 44, 227-232.	0.9	24
257	A climate threshold at the eastern edge of the Tibetan plateau. <i>Geophysical Research Letters</i> , 2014, 41, 5598-5604.	1.5	24
258	Occurrence of greigite in the Pliocene sediments of Lake Qinghai, China, and its paleoenvironmental and paleomagnetic implications. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 1293-1306.	1.0	24
259	Vapor isotopic evidence for the worsening of winter air quality by anthropogenic combustion-derived water. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 33005-33010.	3.3	24
260	Eolian sedimentary records for the evolution of monsoon and westerly circulations of northern China in the last 2.6 Ma. <i>Science in China Series D: Earth Sciences</i> , 2003, 46, 1049-1059.	0.9	23
261	Species, valve size, and pretreatment effects on $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ values of ostracod valves from Lake Qinghai, Qinghai-Tibet Plateau. <i>Chemical Geology</i> , 2007, 246, 124-134.	1.4	23
262	Is Chinese stalagmite $\delta^{18}\text{O}$ solely controlled by the Indian summer monsoon?. <i>Climate Dynamics</i> , 2019, 53, 2969-2983.	1.7	23
263	Fossil fuel CO <sub>2</sub> traced by radiocarbon in fifteen Chinese cities. <i>Science of the Total Environment</i> , 2020, 729, 138639.	3.9	23
264	A hierarchical framework for disentangling different controls on leaf wax $\delta^{13}\text{C}$ -alkane values in terrestrial higher plants. <i>Quaternary Science Reviews</i> , 2018, 201, 409-417.	1.4	22
265	Does afforestation deteriorate haze pollution in Beijing-Tianjin-Hebei (BTH), China?. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10869-10879.	1.9	22
266	Late Cenozoic Climate Change in Monsoon-Arid Asia and Global Changes. <i>Developments in Paleoenvironmental Research</i> , 2014, , 491-581.	7.5	22
267	Quantitative temperature reconstruction based on growth rate of annually-layered stalagmite: a case study from central China. <i>Quaternary Science Reviews</i> , 2013, 72, 137-145.	1.4	21
268	Variations in capacity and storage of plant-available water in deep profiles along a revegetation and precipitation gradient. <i>Journal of Hydrology</i> , 2020, 581, 124401.	2.3	21
269	The paleosol complex S5 in the China Loess Plateau ? A record of climatic optimum during the last 1.2 Ma. <i>Geo Journal</i> , 1987, 15, 141.	1.7	20
270	Magnetostratigraphy of Late Tertiary sediments from the Chinese Loess Plateau and its paleoclimatic significance. <i>Science Bulletin</i> , 2001, 46, 16-21.	1.7	20

#	ARTICLE	IF	CITATIONS
271	Insight into the reasons of leaf wax $\delta^{13}C$ -alkane values between grasses and woods. <i>Science Bulletin</i> , 2015, 60, 549-555.	4.3	20
272	Identification of sources of metal in the agricultural soils of the Guanzhong Plain, northwest China. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 1510-1516.	2.2	20
273	Monsoonal control on a delayed response of sedimentation to the 2008 Wenchuan earthquake. <i>Science Advances</i> , 2019, 5, eaav7110.	4.7	20
274	Warming favors subtropical lake cyanobacterial biomass increasing. <i>Science of the Total Environment</i> , 2020, 726, 138606.	3.9	20
275	Distribution of $\delta^{14}C$ and $\delta^{13}C$ in Forest Soils of the Dinghushan Biosphere Reserve. <i>Radiocarbon</i> , 2001, 43, 671-678.	0.8	19
276	Clay mineral records of the Erlangjian drill core sediments from the Lake Qinghai Basin, China. <i>Science China Earth Sciences</i> , 2014, 57, 1846-1859.	2.3	19
277	The occurrence and sources of heavy metal contamination in peri-urban and smelting contaminated sites in Baoji, China. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 251.	1.3	19
278	Radiative Effect of Mineral Dust on East Asian Summer Monsoon During the Last Glacial Maximum: Role of Snow-Albedo Feedback. <i>Geophysical Research Letters</i> , 2019, 46, 10901-10909.	1.5	19
279	Size-Differentiated Chemical Characteristics of Asian Paleo Dust: Records from Aeolian Deposition on Chinese Loess Plateau. <i>Journal of the Air and Waste Management Association</i> , 2011, 61, 180-189.	0.9	18
280	High-resolution record of geomagnetic excursions in the Matuyama chron constrains the ages of the Feiliang and Lanpo Paleolithic sites in the Nihewan Basin, North China. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	1.0	18
281	$\delta^{14}C$ Measurements of Dissolved Inorganic and Organic Carbon in Qinghai Lake and Inflowing Rivers (NE Tibet, Qinghai Plateau), China. <i>Radiocarbon</i> , 2014, 56, 1115-1127.	0.8	18
282	Early Pleistocene occurrence of Acheulian technology in North China. <i>Quaternary Science Reviews</i> , 2017, 156, 12-22.	1.4	18
283	Intensive land restoration profoundly alters the spatial and seasonal patterns of deep soil water storage at watershed scales. <i>Agriculture, Ecosystems and Environment</i> , 2019, 280, 129-141.	2.5	18
284	Hydroclimatic variability in loess $\delta^{13}C$ records from the central Chinese Loess Plateau over the past 250 ka. <i>Journal of Asian Earth Sciences</i> , 2018, 155, 49-57.	1.0	17
285	Global Impact of ENSO on Dust Activities with Emphasis on the Key Region from the Arabian Peninsula to Central Asia. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2020JD034068.	1.2	17
286	Timing and Spatial Distribution of Loess in Xinjiang, NW China. <i>PLoS ONE</i> , 2015, 10, e0125492.	1.1	17
287	Magnetic properties of Jiaxian red clay sequences from northern Chinese Loess Plateau and its paleoclimatic significance. <i>Science in China Series D: Earth Sciences</i> , 2005, 48, 1234.	0.9	16
288	Peat records of human impacts on the atmosphere in Northwest China during the late Neolithic and Bronze Ages. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 286, 17-22.	1.0	16

#	ARTICLE	IF	CITATIONS
289	Effect of ecological restoration programs on dust concentrations in the North China Plain: a case study. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 6353-6366.	1.9	16
290	Eccentricity-paced monsoon variability on the northeastern Tibetan Plateau in the Late Oligocene high CO <sub>2</sub> world. <i>Science Advances</i> , 2021, 7, eabk2318.	4.7	16
291	Reconstruction of summer temperature (June–August) at Mt. Helan, China, from tree-ring stable carbon isotope values since AD 1890. <i>Science in China Series D: Earth Sciences</i> , 2002, 45, 1127-1136.	0.9	15
292	New magnetostratigraphy of Late Miocene mammal fauna, NE Tibetan Plateau, China: Mammal migration and paleoenvironments. <i>Earth and Planetary Science Letters</i> , 2016, 434, 220-230.	1.8	15
293	Reevaluation of carbonate concentration and oxygen isotope records from Lake Qinghai, the northeastern Tibetan Plateau. <i>Quaternary International</i> , 2018, 482, 122-130.	0.7	15
294	Magnetostratigraphy of the Oligocene mammalian faunas in the Lanzhou Basin, Northwest China. <i>Journal of Asian Earth Sciences</i> , 2018, 159, 24-33.	1.0	15
295	Clumped and stable isotopes of land snail shells on the Chinese Loess Plateau and their climatic implications. <i>Chemical Geology</i> , 2020, 533, 119414.	1.4	15
296	Loess magnetic susceptibility flux: A new proxy of East Asian monsoon precipitation. <i>Journal of Asian Earth Sciences</i> , 2020, 201, 104489.	1.0	15
297	Impacts of shrub introduction on soil properties and implications for dryland revegetation. <i>Science of the Total Environment</i> , 2020, 742, 140498.	3.9	15
298	Atmospheric deterioration of Qin brick in an environmental chamber at Emperor Qin's Terracotta Museum, China. <i>Journal of Archaeological Science</i> , 2009, 36, 2578-2583.	1.2	14
299	Soil respiration and net primary productivity in perennial grass and desert shrub ecosystems at the Ordos Plateau of Inner Mongolia, China. <i>Journal of Arid Environments</i> , 2010, 74, 1248-1256.	1.2	14
300	Climatic and Anthropogenic Impacts on $\delta^{13}\text{C}$ Variations in a Stalagmite from Central China. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2013, 24, 333.	0.3	14
301	Using $\delta^2\text{H}$ -alkane as a proxy for paleo-environmental reconstruction: A good choice to sample at the site dominated by woods. <i>Science of the Total Environment</i> , 2017, 599-600, 554-559.	3.9	14
302	Geochemical characteristics of surface dune sand in the Mu Us Desert, Inner Mongolia, and implications for reconstructing the paleoenvironment. <i>Quaternary International</i> , 2018, 479, 106-116.	0.7	14
303	The orbital scale evolution of regional climate recorded in a long sediment core from Heqing, China. <i>Science Bulletin</i> , 2007, 52, 1813-1819.	1.7	13
304	Trace elements in tree rings and their environmental effects: A case study in Xi'an City. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 504-510.	0.9	13
305	Ostracod Mg/Sr/Ca and $^{87}\text{Sr}/^{86}\text{Sr}$ geochemistry from Tibetan lake sediments: Implications for early to mid-Pleistocene Indian monsoon and catchment weathering. <i>Boreas</i> , 2011, 40, 320-331.	1.2	13
306	Late Miocene - early Pleistocene climate change in the mid-latitude westerlies and their influence on Asian monsoon as constrained by the K/Al ratio record from drill core Ls2 in the Tarim Basin. <i>Catena</i> , 2017, 153, 75-82.	2.2	13



#	ARTICLE	IF	CITATIONS
325	Lead Contamination and Source Characterization in Soils Around a Lead-Zinc Smelting Plant in a Near-Urban Environment in Baoji, China. <i>Archives of Environmental Contamination and Toxicology</i> , 2016, 71, 500-508.	2.1	10
326	Microcodium in Chinese loess as a recorder for the oxygen isotopic composition of monsoonal rainwater. <i>Quaternary International</i> , 2018, 464, 364-369.	0.7	10
327	Temperature seasonality and ENSO variability in the northern South China Sea during the Medieval Climate Anomaly interval derived from the Sr/Ca ratios of <i>Tridacna</i> shell. <i>Journal of Asian Earth Sciences</i> , 2019, 180, 103880.	1.0	10
328	Calibrating branched GDGTs in bones to temperature and precipitation: Application to Alaska chronological sequences. <i>Quaternary Science Reviews</i> , 2020, 240, 106371.	1.4	10
329	Seasonal Variation of the Westerly Jet over Asia in the Last Glacial Maximum: Role of the Tibetan Plateau Heating. <i>Journal of Climate</i> , 2021, 34, 2723-2740.	1.2	10
330	Correlation of climatic events between East Asia and Norwegian Sea during last deglaciation. <i>Science in China Series D: Earth Sciences</i> , 1997, 40, 496-501.	0.9	9
331	High-precision U-series dating of Holocene corals from South China Sea by thermal ionization mass spectrometry (TIMS). <i>Science Bulletin</i> , 1999, 44, 937-941.	1.7	9
332	Use of Rubidium to Date Loess and Paleosols of the Louchan Sequence, Central China. <i>Quaternary Research</i> , 2000, 54, 198-205.	1.0	9
333	The precipitation threshold value on C4/C3 abundance of the Loess Plateau, China. <i>Science Bulletin</i> , 2015, 60, 718-725.	4.3	9
334	Comparison of n-alkane concentrations and $\delta^{13}C$ values between leaves and roots in modern plants on the Chinese Loess Plateau. <i>Organic Geochemistry</i> , 2019, 138, 103913.	0.9	9
335	Carbon and oxygen isotopes of calcified root cells, carbonate nodules and total inorganic carbon in the Chinese loess paleosol sequence: The application of paleoenvironmental studies. <i>Journal of Asian Earth Sciences</i> , 2020, 201, 104515.	1.0	9
336	Watershed spatial heterogeneity of soil saturated hydraulic conductivity as affected by landscape unit in the critical zone. <i>Catena</i> , 2021, 203, 105322.	2.2	9
337	Clumped isotopic compositions of cultured and natural land-snail shells and their implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110530.	1.0	9
338	Deep root information hidden in the dark: A case study on the 21-m soil profile of <i>Robinia pseudoacacia</i> in the critical zone of the Chinese loess Plateau. <i>Catena</i> , 2022, 213, 106121.	2.2	9
339	A simple model for reconstructing geomagnetic field intensity with $^{10}Be$ production rate and its application in Loess studies. <i>Science in China Series D: Earth Sciences</i> , 2008, 51, 855-861.	0.9	8
340	Sustainability of soil organic carbon in consolidated gully land in China's Loess Plateau. <i>Scientific Reports</i> , 2020, 10, 16927.	1.6	8
341	Intra-leaf heterogeneities of hydrogen isotope compositions in leaf water and leaf wax of monocots and dicots. <i>Science of the Total Environment</i> , 2021, 770, 145258.	3.9	8
342	Seasonality of precipitation recorded in a modern (1907-2008) annually laminated stalagmite from central China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 576, 110489.	1.0	8

#	ARTICLE	IF	CITATIONS
343	Validation and application of a thermal-“optical reflectance (TOR) method for measuring black carbon in loess sediments. <i>Chemosphere</i> , 2013, 91, 1462-1470.	4.2	7
344	Quantification of magnetic nanoparticles with broad-band-frequency magnetic susceptibility measurements: a case study of an upper loess/palaeosol succession at Luochuan, Chinese Loess Plateau. <i>Geophysical Journal International</i> , 2014, 199, 767-783.	1.0	7
345	Quaternary structural partitioning within the rigid Tarim plate inferred from magnetostratigraphy and sedimentation rate in the eastern Tarim Basin in China. <i>Quaternary Research</i> , 2014, 81, 424-432.	1.0	7
346	Responses of ENSO and NAO to the external radiative forcing during the last millennium: Results from CCSM4 and MPI-ESM-P simulations. <i>Quaternary International</i> , 2018, 487, 99-111.	0.7	7
347	Black carbon and charcoal records of fire and human land use over the past 1300 years at the Tongguan Kiln archaeological site, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 504, 162-169.	1.0	7
348	Climatic control of orbital time-scale wildfire occurrences since the late MIS 3 at Qinghai Lake, monsoon marginal zone. <i>Quaternary International</i> , 2020, 550, 20-26.	0.7	7
349	Two-stage evolution of glacial-period Asian monsoon circulation by shifts of westerly jet streams and changes of North American ice sheets. <i>Earth-Science Reviews</i> , 2021, 215, 103558.	4.0	7
350	Millennial-Scale Monsoon Variability Modulated by Low-Latitude Insolation During the Last Glaciation. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	7
351	Ultra-high resolution $\delta^{18}O$ of land snail shell: A potential tool to reconstruct frequency and intensity of paleoprecipitation events. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 327, 21-33.	1.6	7
352	The forecast of seasonal precipitation trend at the north Helan Mountain and Baiyinaobao regions, Inner Mongolia for the next 20 years. <i>Science Bulletin</i> , 2004, 49, 410-415.	1.7	6
353	An improved comparison of Chinese loess with deep-sea $\delta^{18}O$ record over the interval 1.6-2.6 Ma. <i>Geophysical Research Letters</i> , 2004, 31, n/a-n/a.	1.5	6
354	Environmental processes of East Eurasia: Past, present, and future. <i>Eos</i> , 2005, 86, 89.	0.1	6
355	Non-stationary response of Plio-Pleistocene East Asian winter monsoon variation to ice volume forcing. <i>Geological Society Special Publication</i> , 2010, 342, 79-86.	0.8	6
356	Reply to Liu et al.: East Asian summer monsoon rainfall dominates Lake Dali lake area changes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2989-E2990.	3.3	6
357	Mineral magnetic record of the Miocene-Pliocene climate transition on the Chinese Loess Plateau, North China. <i>Quaternary Research</i> , 2018, 89, 619-628.	1.0	6
358	Variation of summer precipitation $\delta^{18}O$ on the Chinese Loess Plateau since the last interglacial. <i>Journal of Quaternary Science</i> , 2021, 36, 1214-1220.	1.1	6
359	Mammalian Evolution in Asia Linked to Climate Changes. <i>Developments in Paleoenvironmental Research</i> , 2014, , 435-490.	7.5	6
360	çº   70ä, fã¹ ä» ¥æ ¥é», äœ ÿé« äž ÿé fã ç,, ¶ ç Z ä ç fã ä æ - ç³ » ä - æ ž ç è ®. <i>Chinese Science Bulletin</i> , 1979, 24, 221-224. 0.4		6



#	ARTICLE	IF	CITATIONS
361	Scientific drilling workshop on the Weihe Basin Drilling Project (WBDP): Cenozoic tectonicâ€“monsoon interactions. <i>Scientific Drilling</i> , 0, 28, 63-73.	1.0	6
362	In memory of Liu Tungsheng (1917â€“2008), an assiduous trailblazer. <i>Quaternary International</i> , 2009, 198, 1-4.	0.7	5
363	North Atlantic Abrupt Climate Signals during the Last Glacial Period in Central Asia: Evidences from Aeolian Loess Sediments. <i>Acta Geologica Sinica</i> , 2017, 91, 1942-1943.	0.8	5
364	Global-scale altitude effect on leaf wax n-alkane $\delta D$ values in terrestrial higher plants. <i>Science China Earth Sciences</i> , 2021, 64, 825-834.	2.3	5
365	Quartz from Selected Horizons of Loess-paleosol Sequence on the Chinese Loess Plateau and the Osaka Group of Central Japan.. <i>The Quaternary Research</i> , 1993, 32, 209-217.	0.2	5
366	Microanalysis of Dust Deposition inside Emperor Qin's Terra-Cotta Warriors and Horses Museum. <i>Aerosol and Air Quality Research</i> , 2010, 10, 59-66.	0.9	5
367	Fluvial Quartz Flux to Lake Biwa of Central Japan over the Past 145,000 Years.. <i>The Quaternary Research</i> , 1997, 36, 17-27.	0.2	4
368	Winter and Summer Characteristics of Airborne Particles Inside Emperor Qin's Terra-Cotta Museum, China: A Study by Scanning Electron Microscopyâ€“Energy Dispersive X-Ray Spectrometry. <i>Journal of the Air and Waste Management Association</i> , 2011, 61, 914-922.	0.9	4
369	Correlation of paleoclimatic records between Chinese eolian sediments and Baikal lacustrine sediments. <i>Journal of Earth Science (Wuhan, China)</i> , 2010, 21, 260-264.	1.1	3
370	Late Mioceneâ€“early Pleistocene paleoproductivity variations of the Lop Nor in the Tarim Basin and its implications on aridification in Asian Interior. <i>Science Bulletin</i> , 2014, 59, 3650-3658.	1.7	3
371	Great wall of solar panels to mitigate yellow dust storm. <i>Particuology</i> , 2014, 13, 146-150.	2.0	3
372	Reply to Zhang et al.: Late Mioceneâ€“Pliocene magnetochronology of the Shilou Red Clay on the eastern Chinese Loess Plateau. <i>Earth and Planetary Science Letters</i> , 2018, 503, 252-255.	1.8	3
373	A late Miocene ostracod record from the northeastern Tibetan Plateau. <i>Journal of Paleolimnology</i> , 2019, 61, 297-312.	0.8	3
374	Formation and re-orientation of the Suerkuli Basin within the Altyn Tagh in northeastern Tibetan Plateau since late Miocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 556, 109851.	1.0	3
375	Fifteen years of the Chinese Continental Scientific Drilling Program. <i>Scientific Drilling</i> , 0, 22, 1-18.	1.0	3
376	Determining Paleosol Topography Using Seismic Refraction. <i>Quaternary Research</i> , 1994, 42, 350-353.	1.0	2
377	Rock Magnetism of the Offshore Sediments of Lake Qinghai in the Western China. <i>Frontiers in Earth Science</i> , 2016, 4, .	0.8	2
378	Preliminary Studies of Speleothem in Central Asia. <i>Acta Geologica Sinica</i> , 2016, 90, 2279-2280.	0.8	2



#	ARTICLE	IF	CITATIONS
379	Impact of the Green Light Program on haze in the North China Plain, China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 11185-11197.	1.9	2
380	Dynamic of <i>Tridacna</i> spp. population variability in northern SCS over past 4500 years derived from AMS 14C dating. <i>Science of the Total Environment</i> , 2020, 748, 141359.	3.9	2
381	Asian Dust, Eolian Iron and Black Carbon Connections to Climate Changes. <i>Developments in Paleoenvironmental Research</i> , 2014, , 339-433.	7.5	2
382	Eolian sedimentary records for the evolution of monsoon and westerly circulations of northern China in the last 2.6 Ma. <i>Science in China Series D: Earth Sciences</i> , 2003, 46, 1049.	0.9	2
383	Formation of the Yazı Spring Stream and its significance on tectonics-climate on the northern slope of Kunlun Mountains. <i>Science Bulletin</i> , 2005, 50, 2064-2069.	4.3	1
384	Stephen C. Porter, 1934–2015. <i>Quaternary Research</i> , 2015, 83, 395-396.	1.0	1
385	Identification of Greigite in the Pliocene Sediments of Qinghai Lake and Its Geological Significance. <i>Acta Geologica Sinica</i> , 2016, 90, 2261-2262.	0.8	1
386	Comparison of different chain n-fatty acids in modern plants on the Loess Plateau of China. <i>Frontiers of Earth Science</i> , 2020, 14, 615-624.	0.9	1
387	East Asia winter monsoon variations on a millennial time-scale before the last glacial–interglacial cycle. <i>Journal of Quaternary Science</i> , 1999, 14, 101-110.	1.1	1
388	Aeolian origin and palaeoclimatic implications of the “red clay” (north China) as evidenced by grain-size distribution. , 2001, 16, 89.		1
389	Spatial non-stationary effects of explanatory variables on soil bulk density in the critical zone of the Chinese Loess Plateau. <i>European Journal of Soil Science</i> , 2022, 73, .	1.8	1
390	Magnetostratigraphy study on the Miocene sediments of Suerkal Basin, Altyn Tagh and its significance. , 0, , .		0
391	Introduction to the special issue “Quaternary Paleoclimate of the Western Pacific and East Asia: State of the art and new discovery. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1101.	1.0	0
392	Asian Monsoon Variability Recorded in Other Archives. <i>Developments in Paleoenvironmental Research</i> , 2014, , 145-337.	7.5	0
393	Preliminary palaeomagnetic study of loess from the Wucheng section, North China. <i>Geochemistry</i> , 1982, 1, 82-95.	0.1	0