

Maria D Vivanco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6960214/publications.pdf>

Version: 2024-02-01

67
papers

4,512
citations

126907

33
h-index

102487

66
g-index

75
all docs

75
docs citations

75
times ranked

5430
citing authors

#	ARTICLE	IF	CITATIONS
1	Substrate stiffness modulates the viscoelastic properties of MCF-7 cells. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022, 125, 104979.	3.1	15
2	Patient-Derived Explant Cultures of Normal and Tumor Human Breast Tissue. <i>Methods in Molecular Biology</i> , 2022, 2471, 301-307.	0.9	4
3	Nuclear receptors: Lipid and hormone sensors with essential roles in the control of cancer development. <i>Seminars in Cancer Biology</i> , 2021, 73, 58-75.	9.6	25
4	Estrogen Modulates Epithelial Breast Cancer Cell Mechanics and Cell-to-Cell Contacts. <i>Materials</i> , 2021, 14, 2897.	2.9	7
5	The Major Pre- and Postmenopausal Estrogens Play Opposing Roles in Obesity-Driven Mammary Inflammation and Breast Cancer Development. <i>Cell Metabolism</i> , 2020, 31, 1154-1172.e9.	16.2	58
6	OMTX705, a Novel FAP-Targeting ADC Demonstrates Activity in Chemotherapy and Pembrolizumab-Resistant Solid Tumor Models. <i>Clinical Cancer Research</i> , 2020, 26, 3420-3430.	7.0	47
7	Single-Cell Probe Force Studies to Identify Sox2 Overexpression-Promoted Cell Adhesion in MCF7 Breast Cancer Cells. <i>Cells</i> , 2020, 9, 935.	4.1	9
8	SOX11 promotes epithelial/mesenchymal hybrid state and alters tropism of invasive breast cancer cells. <i>ELife</i> , 2020, 9, .	6.0	27
9	Resveratrol-Induced Temporal Variation in the Mechanical Properties of MCF-7 Breast Cancer Cells Investigated by Atomic Force Microscopy. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3275.	4.1	25
10	Wnt-11 as a Potential Prognostic Biomarker and Therapeutic Target in Colorectal Cancer. <i>Cancers</i> , 2019, 11, 908.	3.7	18
11	The Tumor Suppressor ING5 Is a Dimeric, Bivalent Recognition Molecule of the Histone H3K4me3 Mark. <i>Journal of Molecular Biology</i> , 2019, 431, 2298-2319.	4.2	18
12	Chitosan nanogels as nanocarriers of polyoxometalates for breast cancer therapies. <i>Carbohydrate Polymers</i> , 2019, 213, 159-167.	10.2	48
13	A Sox2-Sox9 signalling axis maintains human breast luminal progenitor and breast cancer stem cells. <i>Oncogene</i> , 2019, 38, 3151-3169.	5.9	110
14	Acquired Resistance of ER-Positive Breast Cancer to Endocrine Treatment Confers an Adaptive Sensitivity to TRAIL through Posttranslational Downregulation of c-FLIP. <i>Clinical Cancer Research</i> , 2018, 24, 2452-2463.	7.0	32
15	In Silico Approach for Immunohistochemical Evaluation of a Cytoplasmic Marker in Breast Cancer. <i>Cancers</i> , 2018, 10, 517.	3.7	3
16	Dual Mechanisms of LYN Kinase Dysregulation Drive Aggressive Behavior in Breast Cancer Cells. <i>Cell Reports</i> , 2018, 25, 3674-3692.e10.	6.4	43
17	Laser Surface Microstructuring of a Bio-Resorbable Polymer to Anchor Stem Cells, Control Adipocyte Morphology, and Promote Osteogenesis. <i>Polymers</i> , 2018, 10, 1337.	4.5	20
18	Protective effect of stromal Dickkopf-3 in prostate cancer: opposing roles for TGFBI and ECM-1. <i>Oncogene</i> , 2018, 37, 5305-5324.	5.9	42

#	ARTICLE	IF	CITATIONS
19	Nanopatterned polystyrene-b-poly(acrylic acid) surfaces to modulate cell-material interaction. <i>Materials Science and Engineering C</i> , 2017, 75, 229-236.	7.3	5
20	Investigating cellâ€‘substrate and cellâ€‘cell interactions by means of singleâ€‘cellâ€‘probe force spectroscopy. <i>Microscopy Research and Technique</i> , 2017, 80, 124-130.	2.2	19
21	See One, Do One, Teach One: A Practical Course on Methods in Mammary Gland Biology. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2017, 22, 215-219.	2.7	0
22	MiR-24 induces chemotherapy resistance and hypoxic advantage in breast cancer. <i>Oncotarget</i> , 2017, 8, 19507-19521.	1.8	63
23	Stratification and therapeutic potential of PML in metastatic breast cancer. <i>Nature Communications</i> , 2016, 7, 12595.	12.8	45
24	Neuronal Hyperactivity Disturbs ATP Microgradients, Impairs Microglial Motility, and Reduces Phagocytic Receptor Expression Triggering Apoptosis/Microglial Phagocytosis Uncoupling. <i>PLoS Biology</i> , 2016, 14, e1002466.	5.6	140
25	Brca1 is expressed in human microglia and is dysregulated in human and animal model of ALS. <i>Molecular Neurodegeneration</i> , 2015, 10, 34.	10.8	32
26	The seventh ENBDC workshop on methods in mammary gland development and cancer. <i>Breast Cancer Research</i> , 2015, 17, 119.	5.0	0
27	Mammary Stem Cells. <i>Methods in Molecular Biology</i> , 2015, 1293, v-vi.	0.9	7
28	Side Population. <i>Methods in Molecular Biology</i> , 2015, 1293, 73-81.	0.9	12
29	FACS Sorting Mammary Stem Cells. <i>Methods in Molecular Biology</i> , 2015, 1293, 63-72.	0.9	7
30	Distinct breast cancer stem/progenitor cell populations require either HIF1 α or loss of PHD3 to expand under hypoxic conditions. <i>Oncotarget</i> , 2015, 6, 31721-31739.	1.8	46
31	Paracrine Met signaling triggers epithelialâ€‘mesenchymal transition in mammary luminal progenitors, affecting their fate. <i>ELife</i> , 2015, 4, .	6.0	19
32	Single-Cell Genome and Transcriptome Processing Prior to High-Throughput Sequencing. <i>Methods in Molecular Biology</i> , 2015, 1293, 83-114.	0.9	0
33	Human Mammospheres Secrete Hormone-Regulated Active Extracellular Vesicles. <i>PLoS ONE</i> , 2014, 9, e83955.	2.5	14
34	Sox2 promotes tamoxifen resistance in breast cancer cells. <i>EMBO Molecular Medicine</i> , 2014, 6, 66-79.	6.9	262
35	Ultra-fast laser microprocessing of medical polymers for cell engineering applications. <i>Materials Science and Engineering C</i> , 2014, 37, 241-250.	7.3	49
36	Dickkopf β 3 alters the morphological response to retinoic acid during neuronal differentiation of human embryonal carcinoma cells. <i>Developmental Neurobiology</i> , 2014, 74, 1243-1254.	3.0	7

#	ARTICLE	IF	CITATIONS
37	Global dynamics of two-compartment models for cell production systems with regulatory mechanisms. <i>Mathematical Biosciences</i> , 2013, 245, 258-268.	1.9	23
38	Micropatterned Model Biological Membranes on a Solid Surface. , 2013, , 855-876.		1
39	Homeobox B9 induces epithelial-to-mesenchymal transition-associated radioresistance by accelerating DNA damage responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2760-2765.	7.1	79
40	Early Functional Deficit and Microglial Disturbances in a Mouse Model of Amyotrophic Lateral Sclerosis. <i>PLoS ONE</i> , 2012, 7, e36000.	2.5	64
41	Effects of estrogen on the proportion of stem cells in the breast. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 23-35.	2.5	100
42	Distinct Roles for Wnt-4 and Wnt-11 During Retinoic Acid-Induced Neuronal Differentiation. <i>Stem Cells</i> , 2011, 29, 141-153.	3.2	49
43	Cancer stem cells in the human mammary gland and regulation of their differentiation by estrogen. <i>Future Oncology</i> , 2011, 7, 995-1006.	2.4	26
44	A model for stem cell population dynamics with regulated maturation delay. , 2011, , .		0
45	Stress relaxation microscopy: Imaging local stress in cells. <i>Journal of Biomechanics</i> , 2010, 43, 349-354.	2.1	66
46	Stress relaxation and creep on living cells with the atomic force microscope: a means to calculate elastic moduli and viscosities of cell components. <i>Nanotechnology</i> , 2010, 21, 445101.	2.6	110
47	<i>HOXB9</i> , a gene overexpressed in breast cancer, promotes tumorigenicity and lung metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1100-1105.	7.1	140
48	Function Follows Form: Defining Mammary Stem Cells. <i>Science Translational Medicine</i> , 2010, 2, 31ps22.	12.4	15
49	Biomarkers in Breast Cancer. <i>Methods in Molecular Biology</i> , 2010, 593, 137-156.	0.9	6
50	Selective Ablation of Retinoblastoma Protein Function by the RET Finger Protein. <i>Molecular Cell</i> , 2005, 18, 213-224.	9.7	42
51	Nuclear export of β -catenin: overlap between nuclear export signal sequences and the β -catenin binding site. <i>Experimental Cell Research</i> , 2004, 295, 150-160.	2.6	20
52	Growth and differentiation of progenitor/stem cells derived from the human mammary gland. <i>Experimental Cell Research</i> , 2004, 297, 444-460.	2.6	168
53	Glycogen synthase kinase-3 and Axin function in a β -catenin-independent pathway that regulates neurite outgrowth in neuroblastoma cells. <i>Molecular and Cellular Neurosciences</i> , 2003, 24, 673-686.	2.2	45
54	Loss of p16INK4a results in increased glucocorticoid receptor activity during fibrosarcoma development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 3113-3118.	7.1	8

#	ARTICLE	IF	CITATIONS
55	Glucocorticoids Inhibit Apoptosis during Fibrosarcoma Development by Transcriptionally Activating Bcl-xL. <i>Journal of Biological Chemistry</i> , 2003, 278, 18022-18029.	3.4	63
56	Loss of Mitotic Spindle Checkpoint Activity Predisposes to Chromosomal Instability at Early Stages of Fibrosarcoma Development. <i>Cell Cycle</i> , 2003, 2, 237-241.	2.6	11
57	Loss of mitotic spindle checkpoint activity predisposes to chromosomal instability at early stages of fibrosarcoma development. <i>Cell Cycle</i> , 2003, 2, 238-45.	2.6	4
58	Functional and molecular characterisation of mammary side population cells. <i>Breast Cancer Research</i> , 2002, 5, R1-8.	5.0	212
59	β -Catenin Inhibits β -Catenin Signaling by Preventing Formation of a β -Catenin/T-cell Factor-DNA Complex. <i>Journal of Biological Chemistry</i> , 2000, 275, 21883-21888.	3.4	82
60	Analysis of β -Catenin Aggregation and Localization Using GFP Fusion Proteins: Nuclear Import of β -Catenin by the β -Catenin/Tcf Complex. <i>Experimental Cell Research</i> , 2000, 255, 207-220.	2.6	40
61	A transition in transcriptional activation by the glucocorticoid and retinoic acid receptors at the tumor stage of dermal fibrosarcoma development.. <i>EMBO Journal</i> , 1995, 14, 2217-2228.	7.8	34
62	Characterization of the ligand-dependent transactivation domain of thyroid hormone receptor.. <i>EMBO Journal</i> , 1994, 13, 3039-3049.	7.8	295
63	Unliganded T3R, but not its oncogenic variant, v-erbA, suppresses RAR-dependent transactivation by titrating out RXR.. <i>EMBO Journal</i> , 1993, 12, 1343-1354.	7.8	77
64	Cooperativity in transactivation between retinoic acid receptor and TFIID requires an activity analogous to E1A. <i>Cell</i> , 1992, 69, 401-412.	28.9	132
65	Study of pro-opiomelanocortin mRNA expression in human postmortem pituitaries. <i>Molecular Brain Research</i> , 1991, 10, 129-137.	2.3	16
66	Functional characterization of a natural retinoic acid responsive element.. <i>EMBO Journal</i> , 1991, 10, 3829-3838.	7.8	89
67	Identification of a retinoic acid responsive element in the retinoic acid receptor & beta; gene. <i>Nature</i> , 1990, 343, 177-180.	27.8	1,044