

# Berta Moreno-KÃ¼stner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6960689/publications.pdf>

Version: 2024-02-01

36  
papers

1,155  
citations

471509

17  
h-index

414414

32  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1946  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of psychotic disorders and its association with methodological issues. A systematic review and meta-analyses. PLoS ONE, 2018, 13, e0195687.	2.5	313
2	Associations between unemployment and major depressive disorder: Evidence from an international, prospective study (the predict cohort). Social Science and Medicine, 2011, 73, 1627-1634.	3.8	105
3	Psychometric properties of the List of Threatening Experiencesâ€”LTE and its association with psychosocial factors and mental disorders according to different scoring methods. Journal of Affective Disorders, 2013, 150, 931-940.	4.1	90
4	Prediction of depression in European general practice attendees: the PREDICT study. BMC Public Health, 2006, 6, 6.	2.9	71
5	Unmet needs in the management of schizophrenia. Neuropsychiatric Disease and Treatment, 2014, 10, 97.	2.2	47
6	Highâ€”activity variants of the uMAOA polymorphism increase the risk for depression in a large primary care sample. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 395-402.	1.7	44
7	Variables Associated With the Subjective Experience of Coercive Measures in Psychiatric Inpatients: A Systematic Review. Canadian Journal of Psychiatry, 2018, 63, 129-144.	1.9	42
8	The risk for major depression conferred by childhood maltreatment is multiplied by <i>BDNF</i> and <i>SERT</i> genetic vulnerability: a replication study. Journal of Psychiatry and Neuroscience, 2015, 40, 187-196.	2.4	41
9	Determinants of Suicidality in the European General Population: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 4115.	2.6	40
10	Role of access to personal protective equipment, treatment prioritization decisions, and changes in job functions on health workersâ€™ mental health outcomes during the initial outbreak of the COVID-19 pandemic.. Journal of Affective Disorders, 2021, 295, 405-409.	4.1	34
11	Experience coercion, postâ€”traumatic stress, and satisfaction with treatment associated with different coercive measures during psychiatric hospitalization. International Journal of Mental Health Nursing, 2019, 28, 448-456.	3.8	31
12	Needs, Perceived Support, and Hospital Readmissions in Patients with Severe Mental Illness. Community Mental Health Journal, 2018, 54, 189-196.	2.0	30
13	Predicting the onset and persistence of episodes of depression in primary health care. The predictD-Spain study: Methodology. BMC Public Health, 2008, 8, 256.	2.9	23
14	Effectiveness of a Multimodal Intervention Program for Restraint Prevention in an Acute Spanish Psychiatric Ward. Journal of the American Psychiatric Nurses Association, 2016, 22, 233-241.	1.0	23
15	Spatial analysis to identify hotspots of prevalence of schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 782-791.	3.1	22
16	Psychotropic prescribing in Catalonia: results from an epidemiological study. Family Practice, 2012, 29, 154-162.	1.9	21
17	Excess mortality in patients with schizophrenia spectrum disorders in Malaga (Spain): A cohort study. Epidemiology and Psychiatric Sciences, 2021, 30, e11.	3.9	19
18	Factors associated with use of community mental health services by schizophrenia patients using multilevel analysis. BMC Health Services Research, 2011, 11, 257.	2.2	18

#	ARTICLE	IF	CITATIONS
19	Protocolo y metodologÃa del estudio epidemiolÃ³gico de la salud mental en AndalucÃa: PISMA-ep. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 185-194.	1.8	17
20	Patientsâ€™ Opinions about Knowing Their Risk for Depression and What to Do about It. The PredictD-Qualitative Study. PLoS ONE, 2014, 9, e92008.	2.5	15
21	Gender matters in schizophrenia-spectrum disorders: Results from a healthcare users epidemiological study in Malaga, Spain. Comprehensive Psychiatry, 2017, 72, 136-143.	3.1	12
22	Prevalence and correlates of suicidality in Andalusia (Spain): Results of the epidemiological study PISMA-ep. Journal of Affective Disorders, 2020, 266, 503-511.	4.1	11
23	The Malaga Schizophrenia Case-Register (Resma): Overview of Methodology and Patient Cohort. International Journal of Social Psychiatry, 2009, 55, 5-15.	3.1	10
24	Social predictors of out-patient mental health contact in schizophrenia patients. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 452-456.	3.1	9
25	Suicidality in primary care patients who present with sadness and anhedonia: a prospective European study. BMC Psychiatry, 2016, 16, 94.	2.6	9
26	A Cross-Sectional Study on the Prevalence and Risk Correlates of Mental Disorders: The GRANADÍP Study. Journal of Nervous and Mental Disease, 2018, 206, 716-725.	1.0	8
27	Personality traits and psychotic symptoms in recent onset of psychosis patients. Comprehensive Psychiatry, 2017, 74, 109-117.	3.1	7
28	El estudio Andalusian Bipolar Family (ABiF): protocolo y descripciÃ³n de la muestra. Revista De PsiquiatrÃa Y Salud Mental, 2018, 11, 199-207.	1.8	5
29	Considerations about the assessment of stigma towards persons with schizophrenia: The question of gender. Asian Journal of Psychiatry, 2017, 28, 148-149.	2.0	4
30	Subjective quality of life in recent onset of psychosis patients and its association with sociodemographic variables, psychotic symptoms and clinical personality traits. Microbial Biotechnology, 2019, 13, 525-531.	1.7	4
31	Predictors of repeat visits to hospital psychiatric emergency departments in Malaga (Spain) and in Lisbon (Portugal). Emergency Medicine Journal, 2017, 34, 665-671.	1.0	3
32	Validation of a short version of the Coercion Experience Scale (CES-18): Psychometric characteristics in a Spanish sample. Psychiatry Research, 2019, 272, 284-289.	3.3	3
33	Personality traits in recent-onset-of-psychosis patients compared to a control sample by gender. Schizophrenia Research, 2018, 195, 86-92.	2.0	3
34	Residential care for mentally ill people in Andalusia and London - a comparison of care environments, users' attitudes and cost of care. Journal of Mental Health, 2002, 11, 327-337.	1.9	2
35	Recording of cardiovascular risk factors by general practitioners in patients with schizophrenia. Annals of General Psychiatry, 2020, 19, 34.	2.7	2
36	Severe Mental Illness in Community Mental Health Care in Spain. Journal of Nervous and Mental Disease, 2019, 207, 106-111.	1.0	0