

# Berta Moreno-KÃ¼stner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6960689/publications.pdf>

Version: 2024-02-01

36  
papers

1,155  
citations

471509

17  
h-index

414414

32  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1946  
citing authors

#	ARTICLE	IF	CITATIONS
1	Excess mortality in patients with schizophrenia spectrum disorders in Malaga (Spain): A cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e11.	3.9	19
2	Role of access to personal protective equipment, treatment prioritization decisions, and changes in job functions on health workers' mental health outcomes during the initial outbreak of the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 295, 405-409.	4.1	34
3	Recording of cardiovascular risk factors by general practitioners in patients with schizophrenia. <i>Annals of General Psychiatry</i> , 2020, 19, 34.	2.7	2
4	Determinants of Suicidality in the European General Population: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4115.	2.6	40
5	Prevalence and correlates of suicidality in Andalusia (Spain): Results of the epidemiological study PISMA-ep. <i>Journal of Affective Disorders</i> , 2020, 266, 503-511.	4.1	11
6	Severe Mental Illness in Community Mental Health Care in Spain. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 106-111.	1.0	0
7	Validation of a short version of the Coercion Experience Scale (CES-18): Psychometric characteristics in a Spanish sample. <i>Psychiatry Research</i> , 2019, 272, 284-289.	3.3	3
8	Experience coercion, post-traumatic stress, and satisfaction with treatment associated with different coercive measures during psychiatric hospitalization. <i>International Journal of Mental Health Nursing</i> , 2019, 28, 448-456.	3.8	31
9	Subjective quality of life in recent onset of psychosis patients and its association with sociodemographic variables, psychotic symptoms and clinical personality traits. <i>Microbial Biotechnology</i> , 2019, 13, 525-531.	1.7	4
10	Needs, Perceived Support, and Hospital Readmissions in Patients with Severe Mental Illness. <i>Community Mental Health Journal</i> , 2018, 54, 189-196.	2.0	30
11	El estudio Andalusian Bipolar Family (ABiF): protocolo y descripción de la muestra. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 199-207.	1.8	5
12	Variables Associated With the Subjective Experience of Coercive Measures in Psychiatric Inpatients: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 129-144.	1.9	42
13	A Cross-Sectional Study on the Prevalence and Risk Correlates of Mental Disorders: The GRANADÍP Study. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 716-725.	1.0	8
14	Prevalence of psychotic disorders and its association with methodological issues. A systematic review and meta-analyses. <i>PLoS ONE</i> , 2018, 13, e0195687.	2.5	313
15	Personality traits in recent-onset-of-psychosis patients compared to a control sample by gender. <i>Schizophrenia Research</i> , 2018, 195, 86-92.	2.0	3
16	Personality traits and psychotic symptoms in recent onset of psychosis patients. <i>Comprehensive Psychiatry</i> , 2017, 74, 109-117.	3.1	7
17	Considerations about the assessment of stigma towards persons with schizophrenia: The question of gender. <i>Asian Journal of Psychiatry</i> , 2017, 28, 148-149.	2.0	4
18	Predictors of repeat visits to hospital psychiatric emergency departments in Malaga (Spain) and in Lisbon (Portugal). <i>Emergency Medicine Journal</i> , 2017, 34, 665-671.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Gender matters in schizophrenia-spectrum disorders: Results from a healthcare users epidemiological study in Malaga, Spain. <i>Comprehensive Psychiatry</i> , 2017, 72, 136-143.	3.1	12
20	Protocolo y metodologÃa del estudio epidemiolÃ3gico de la salud mental en AndalucÃa: PISMA-ep. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2016, 9, 185-194.	1.8	17
21	Effectiveness of a Multimodal Intervention Program for Restraint Prevention in an Acute Spanish Psychiatric Ward. <i>Journal of the American Psychiatric Nurses Association</i> , 2016, 22, 233-241.	1.0	23
22	Suicidality in primary care patients who present with sadness and anhedonia: a prospective European study. <i>BMC Psychiatry</i> , 2016, 16, 94.	2.6	9
23	The risk for major depression conferred by childhood maltreatment is multiplied by <i>BDNF</i> and <i>SERT</i> genetic vulnerability: a replication study. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 187-196.	2.4	41
24	Patientsâ€™ Opinions about Knowing Their Risk for Depression and What to Do about It. The PredictD-Qualitative Study. <i>PLoS ONE</i> , 2014, 9, e92008.	2.5	15
25	Unmet needs in the management of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 97.	2.2	47
26	Psychometric properties of the List of Threatening Experiencesâ€”LTE and its association with psychosocial factors and mental disorders according to different scoring methods. <i>Journal of Affective Disorders</i> , 2013, 150, 931-940.	4.1	90
27	Psychotropic prescribing in Catalonia: results from an epidemiological study. <i>Family Practice</i> , 2012, 29, 154-162.	1.9	21
28	Associations between unemployment and major depressive disorder: Evidence from an international, prospective study (the predict cohort). <i>Social Science and Medicine</i> , 2011, 73, 1627-1634.	3.8	105
29	Factors associated with use of community mental health services by schizophrenia patients using multilevel analysis. <i>BMC Health Services Research</i> , 2011, 11, 257.	2.2	18
30	The Malaga Schizophrenia Case-Register (Resma): Overview of Methodology and Patient Cohort. <i>International Journal of Social Psychiatry</i> , 2009, 55, 5-15.	3.1	10
31	High-activity variants of the uMAOA polymorphism increase the risk for depression in a large primary care sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 395-402.	1.7	44
32	Spatial analysis to identify hotspots of prevalence of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 782-791.	3.1	22
33	Predicting the onset and persistence of episodes of depression in primary health care. The predictD-Spain study: Methodology. <i>BMC Public Health</i> , 2008, 8, 256.	2.9	23
34	Social predictors of out-patient mental health contact in schizophrenia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 452-456.	3.1	9
35	Prediction of depression in European general practice attendees: the PREDICT study. <i>BMC Public Health</i> , 2006, 6, 6.	2.9	71
36	Residential care for mentally ill people in Andalusia and London - a comparison of care environments, users' attitudes and cost of care. <i>Journal of Mental Health</i> , 2002, 11, 327-337.	1.9	2